





Memorandum

Date: August 12, 2010
To: Southern Nevada District Board of Health
From: Glenn D. Savage, R.E.H.S., *Director, Environmental Health Division* 
Lawrence Sands, D.O., M.P.H., *Chief Health Officer* 

Subject: Environmental Health Division Monthly Report – July 2010

I. FOOD OPERATIONS AND SPECIAL PROGRAMS:

ACTION	June 2009	YTD 2009	June 2010	YTD 2010
Initial Inspections	302	1,815	259	1,678
Reinspections-Routine	3,221	17,411	3,327	19,455
EPI Related Inspections	4	90	3	26
Special Request Inspections-Citizen	332	1,314	213	1,020
Animal Disease Inspections	6	43	6	47
Downgrades	173	975	210	1,278
Closures	20	109	20	91
Cease & Desist	0	1	0	0
NCIAA Complaints	10	92	7	63

A. Enforcement Actions and Investigations

East Las Vegas Office

- July 12, Hacienda La Caliente Spa, 5221 S Caliente: The facility was inspected due to a complaint. The spa was closed with a fee for having no disinfectant. A re-inspection is scheduled for August 2.
- July 14, Tacos La Dora, 4561 E Bonanza: A Cease and Desist order was issued for the unpermitted outdoor seating found at this facility.
- July 15, Bordeaux Condos Pool and Spa, 4050 Pacific Harbor: The facility was inspected on a valid complaint and both the pool and spa were closed with fees. Violations included; door from restroom/exercise room does not self close or latch, hand dosing observed in both pool and spa, damage to deck drains and extreme corrosion on fence, and pool dirty with no chlorine residual.

- July 16, Boulevard Mall Food Court, 3528 S Maryland Pkwy: A Cease and Desist order was issued to six food operations at the North side of the main food court due to inadequate plumbing/waste disposal. Waste water was observed draining from facilities into an open trench running the length of the access hallway behind the food court. Mall manager stated that they are in the process of replacing 18 year old cast iron piping with PVC piping. Solid Waste was notified and issued orders for the abatement of the waste water. The properties remain closed at this time.
- July 20, Arandas Taqueria, 2040 N Nellis: The facility was closed with 50 demerits. Violations included; roach infestation, food stored in unapproved areas, and unadulterated foods.
- July 20, City Center Apartments Pool, 811 Bridger: The pool was closed with a fee for hand dosing, a broken gate, and no safety equipment.
- July 21, Pampaguenas, 5051 E Stewart: A Cease and Desist order was issued for the selling of Filipino baked goods made and sold at this facility. Per the owner, the person who makes the food is not an employee and does not have a health permit.

Henderson Office

- July 1, Budget Suites, 8440 S Las Vegas Blvd: During an inspection of the spa, no disinfectant residual was detected. A re-inspection on July 23, found low pH at 7.0, the spa remains closed, a re-inspection is pending.
- July 8, Parkside Villas, 8400 S Maryland Pkwy: During an inspection the pool was found to have a low pH level of 7.0 and an underwater light was out of niche. The spa disinfectant residual was high at 100ppm. Both bodies of water were closed. A re-inspection was done and both bodies of water re-opened July 15.
- July 8, Paramount Apartments, 8610 S Maryland Pkwy: The spa was closed due to the disinfectant residual being high at 100ppm. The spa re-opened July 8.
- July 13, Sunset Pointe Apartments, 2255 E Sunset: An inspection was done on the recreation building pool which had a high disinfectant residual at 100 ppm and a low pH at 7.0. Pool number two also had a low pH of 7.0 therefore, both pools were closed. A re-inspection of the recreation building pool was completed on July 13, and remained closed with an additional closure fee, due to the disinfectant residual still high at 50 ppm. Both pools re-opened on July 14.
- July 15, Homewood Suites, 2300 Hidden Well: Staff closed the pool due to a low pH at 7.0. The pool re-opened July 15.
- July 16, Camden Apartments, 2180 E Warm Springs: Pool two was closed for a low pH of 7.0 and re-opened on July 16.
- July 20, Club Fortune Casino Bar, 725 Racetrack: During a routine inspection, the facility was found to be operating without hot water and was closed for a substantial health hazard. The facility re-opened July 20.
- July 21, Villa Sedona Townhomes, 7565 Mossback: Staff closed the pool due to a low pH of 7.0 and re-opened on July 21.
- July 22, Rancho Las Palmas HOA, 555 Paulson: Staff closed the wading pool in phase three due to no disinfectant residual detected. The pool is pending re-inspection.
- July 23, Carpenter's Union, 6801 Placid: Staff closed the pool for no disinfectant residual detected. Also a potential foothold was found outside of the enclosure. The foothold was eliminated. The pool re-opened July 26.
- July 26, Pebble Creek Village HOA, 8805 Jeffries: Staff closed the spa due to low pH of 7.0. The spa re-opened on July 26.

- July 29, Dairy Queen, Las Vegas Outlet Center, 7400 S Las Vegas Blvd: The facility failed to meet a compliance schedule to restore adequate hot water to their ware washing area and as such was closed on July 29. Repair was completed with hot water provided by July 30 and the facility was re-opened for business.

North Las Vegas Office

- July 1, Cashman Field Inn, 1101 N Las Vegas Blvd: Staff surveyed the facility for progress in repairs and corrections noted on inspections in May and June. Rooms that were posted closed had their signage removed and were still occupied. Closure fees for the rooms and pool have not been paid. The swimming pool was still green and accessible with an unlocked gate. The owner was notified of findings and instructed to meet with office supervisor for a conference the following week. Staff posted the affected rooms with closure signs.
- July 14, Cashman Field Inn, 1101 N Las Vegas Blvd: The supervisor visited the facility since owner failed to attend supervisory conference and is non-communicative. The supervisor surveyed and all room closure and Do Not Re-rent signs removed again. A second attempt at a supervisory conference was scheduled July 16. The owner did not attend. Las Vegas Code Enforcement was contacted and a meeting was set up to join forces to resolve situation.
- July 15, Silver Queen Motel, 1401 E Carson: Staff performed a team inspection due to bed bug complaints. Two rooms posted closed for bed bug infestation and one posted Do Not Re-rent for a stained mattress. A re-inspection is scheduled for August 3.
- July 15, Basic Food Flavors, 3900 E Craig: Staff witnessed the disposal of 22,000 pounds of hydrolyzed vegetable protein products due to FDA recall. The products returned from customers or are unable to be reworked with radiation treatment.
- July 21, Los Cunados, 1541 N Eastern: Staff issued a Cease and Desist order for operating a food business without a permit. The facility had a permit the previous year and was referred to Plan Review for evaluation. The facility was using a circular saw to cut corn and creating solid waste issues outside the rear of the building. There were no dumpsters or garbage pick-up. Issues referred to the Solid Waste division.
- July 23, JCW Mini Mart, 3820 E Craig: During a routine inspection staff discovered the approved pizza bar transformed to a Mexican food bar. New equipment was installed such as hood and fryers without approval. Directives to install a hand sink on a previous inspection were not completed. The facility was referred to Plan Review for a remodel evaluation and the given seven days to install required hand sink, this was completed and verified on July 30.
- July 26, Legacy Ice Cream, 2850 E Charleston: Staff issued a Cease and Desist order for bagging ice in their facility. The facility is approved for pre-packaged only food handling. The facility was referred to Plan Review.

Spring Valley Office

- July 12, Capo's Restaurant, 5795 W Tropicana: A routine inspection resulted in 38 demerits and closure for a substantial health hazard due to the cook's line floor sink backing up onto the floor while in operation. Critical violations included; inadequate hot and cold holding equipment, potentially hazardous foods, cross contamination, lack of proper hand washing, lack of suitable hand washing facilities and improper sewage disposal. The facility re-opened July 13, on a 1-demerit "A" grade.

- July 12, Cold Stone Creamery, 7435 S Durango: A routine inspection resulted in a substantial health hazard closure for lack of hot water while in operation. The restaurant re-opened July 14, on a 2-demerit "A" grade.
- July 12, Northern China Restaurant, 4850 W Flamingo: A re-inspection resulted in 12 demerits and the closure of the facility due to being unable to pass the inspection with 10 or fewer demerits and repeat critical violations. Repeat critical violations included; lack of adequate refrigeration and potentially hazardous foods not maintained at required temperatures. The facility re-opened July 13, on a 3-demerit "A" grade.
- July 13, Diamond China Restaurant, 3909 W Sahara: Staff conducted a routine inspection that resulted in 57 demerits and the closure of the facility. Critical violations included; inadequate cold holding units, potentially hazardous foods not at proper temperatures, cross contamination, lack of proper hand washing facilities, lack of proper hand washing and dirty food contact surfaces. The facility re-opened July 14, on a 3-demerit "A" grade.

Strip Office

- July 13, Banana Leaf Restaurant at the Riviera Hotel and Casino, 2901 S Las Vegas Blvd: Staff closed the facility with 54 demerits. Violations included; food out of temperature, contaminated food, a previously out of order red tagged refrigerator in use, and no sanitizer available on the hot line. The facility re-opened on an "A" grade July 13.
- July 16, Green Door Spa, Commercial Center: Staff closed the facility due to high concentration of bromine. The spa re-opened on July 19.
- July 19, staff assessed a valid complaint fee at Excalibur Hotel for mismanagement of bed bug assessment and elimination procedures. Two rooms are still in Do Not Re-rent status.
- July 21, staff assessed a valid complaint fee at Excalibur Hotel for mismanagement of bed bug assessment and elimination procedures. One room is still in Do Not Re-rent status.
- July 30, Diamond Inn, 4605 S Las Vegas Blvd: Staff closed the swimming pool for having a gate that would not latch. The pool remains closed.
- July 30, staff verified a complaint of bird droppings and vomit on a balcony at the Imperial Palace.

B. Supervisory Conferences

East Las Vegas Office: July 20, Thai Original BBQ & Restaurant, 2680 S Maryland Pkwy: A supervisory conference conducted with the owner and manager to discuss ongoing sanitation issues. The facility received a 39- demerit "C" grade on July 13. The facility was re-inspected on July 23, and earned a 7-demerit "A" grade.

North Las Vegas Office: July 23, American Mini-Mart, 2564 N Las Vegas Blvd: A supervisory conference was held with management for consecutive downgrade inspections. The facility's meat department received a "B" grade inspection on July 12, and a "C" grade inspection on July 21. The primary issue is the proper disassembly and cleaning of the meat slicer. The facility received an "A" grade on July 26.

Strip Office:

- July 7, the Sr. EHS participated in a review of industry PowerPoint training presentations developed by the EH Training Officers for training industry on Food Regulation changes.
- July 21, staff and Food Plan Review representatives met with Cosmopolitan Hotel and Casino management to address specific plan review questions and issues.

- Throughout the month of July staff met with industry counterparts and managers to present training on food safety requirements of the new regulations. Meetings have been held at such locations as SNHD Main Campus, MGM Grand, Mandalay Bay, Stratosphere, Four Seasons, Bellagio, and Caesars Palace. Meetings are scheduled to continue for more than two months.

C. Multi-Agency Activities

East Las Vegas Office: July, 22, Sun Gardens Apartments, 2829 N Pecos: Staff participated in a CMART investigation. Issues identified included an active sewage leak and a severe bed bug infestation.

North Las Vegas Office: July 22, staff attended a meeting at the City of Las Vegas Code Enforcement office, 416 N 7th Street to discuss the Cashman Field Inn, 1101 N Las Vegas Blvd. Code Enforcement has also had code violations at the facility and not receiving cooperation from the owner. Plans discussed to post 30 day vacate orders on all rooms at the facility, relocate all the guests, and begin permit revocation actions. Las Vegas Metro Police and Las Vegas Business Services also present at meeting. Code Enforcement posted the vacate orders on all rooms on August 2.

D. Special Events/Activities

East Las Vegas Office: Staff inspected 29 temporary food establishments for the month of July. Notable larger events included Summer of 70's 4th of July at the Fremont Street Experience and the Night of Fire 2010 at the Las Vegas Motor Speedway

Henderson Office: During the month of July, the Henderson/Laughlin EH offices conducted inspections at 27 Special Events with a total of 55 permits. The 4th of July was celebrated at numerous locations throughout Henderson, Boulder City, Laughlin and Searchlight. Henderson 4th of July activities took place at the Montelago Village at Lake Las Vegas and at Basic High School. A total of 14 permits were inspected. Boulder City events included the annual Rotary Pancake Breakfast July 3, Damboree Celebration in Broadbent Park, and food vendors at Veterans Park. Seven of the major casinos in Laughlin had Special Event festivities as well as the 4th being celebrated at the Laughlin Senior Center and Searchlight Community Park.

North Las Vegas Office: During July, NLV Office received the scheduling of 37 itinerant applications. Events included the Independence Day Jubilee, the Starlite Music Series, and the Red, White and Tunes Festival. No major issues with public health concerns noted.

Spring Valley Office: Special and temporary events inspected by Spring Valley staff included Las Vegas Cup 7S Rugby 2010, Summer Splash, Girls Day Out, South Point 5th Annual Jack FM's Birthday July 4th Celebration in Sandy Valley Boys and Girls Club BBQ and Boy Scout Troop #951 for a total of 15 Temporary Food Establishments and three Special Events.

Strip Office: Special events and temporary events inspected by staff included the Sin City Salseros Entertainment event at the Tropicana Hotel, the Arts Factory and 1st Friday on Charleston and Main, Gypsy Friday on Charleston and Third, "Roman Plaza" special event and Serendipity in Caesar's Palace, the Where magazine reception at the Grand Canal Shops of the Venetian Resort Hotel & Casino, the Party at the Patio outside Lagasse's Stadium and the Azure Luxury Pool Event at the Palazzo Resort Hotel & Casino, 4th of July weekend events at Aria,

Palazzo, Planet Hollywood, the Billiard Show at Las Vegas Convention Center, and a concert event at the Planet Hollywood Theatre for a total of 26 booths and one Annual Itinerant permit.

**E. Childhood Lead Poisoning Prevention Program
Childhood Blood Level Screenings**

CHILDHOOD BLOOD LEVEL SCREENINGS (Children 72 months and younger; first-time screenings only)	June 2009	June 2010	YTD 2009	YTD 2010
SNHD Nursing Division	72	47	505	271
Other Providers	810	971	5,139	5,497
Total	882	1,018	5,644	4,743

For the month of June, 1,018 Clark County children age 72 months or younger were screened for lead, with 129 (13%) demonstrating a blood lead level (BLL) that indicates an exposure to lead. During June 2009, 882 children age 72 months or younger were screened and 179 (20%) were found to have a level of lead in their blood indicative of exposure to lead. This represents a 15% increase in the number of children screened, a 28% decrease in the number of children with a detectable BLL and a 7% decrease in the proportion of detectable BLLs.

In June, there were two reports of children with elevated BLLs (i.e. $\geq 10\mu\text{g}/\text{dL}$) in the target age group of up to 72 months. Risk assessors from Environmental Health and case managers from Community Health Nursing conducted one investigation during June.

CLPPP Activities:

- July 22, staff participated in the National Center for Healthy Housing transitional conference call to further discuss strategies related to outreach and educational materials for the Healthy Homes program.
- July 27, staff participated in the Nevada Environmental Health Association Annual Conference to broaden understanding of a variety of Environmental Health issues which relate to general EH duties as well as the Healthy Homes program.

CLPPP Sub-Committee Meetings:

- July 1, staff hosted the CLPPP Project Staff and Primary Prevention workgroup meetings. Attendees were provided updates on current project initiatives, and considerable discussion was put into the development of an awareness flyer intended for ceramic studios in Las Vegas.

**F. Special Programs
Illegal Vending**

Cease and Desist Orders Issued by Vendor Type				
Type of Vendor	May 2010	June 2010	July 2010	YTD 2010
Street Vendors	5	5	5	41
Sales from Residences	1	0	2	7
Internet Classified	3	0	0	4
Other	1	4	0	8
Total	10	9	7	60

- During July, staff issued seven Cease and Desist notices to various street food vendors, two Cease and Desist notices to individuals selling food from their residences and five Cease and Desist notices to a business selling food without a permit. Below are some of the highlights from July.
- July 9, staff investigated an unpermitted hot dog stand that was operating under the name Sabrett Hot Dogs near Scotland and Western. The stand was Cease and Desisted and referred to SNHD Plan Review.
- July 9, staff collaborated with Clark County Code Enforcement to issue a Cease and Desist notice to an illegal fruit vendor at Walnut and Alexander. All fruit was confiscated.
- July 15, staff collaborated with Henderson Business License to investigate Girls Gone Catering, a home based catering company. Staff issued a Cease and Desist notice for operation from a residence and Henderson Business License issued a citation.
- July 12, 2950 Longfellow: Staff responded to a complaint of an illegal restaurant. Staff investigated the complaint with Clark County Code Enforcement and discovered that the residents were operating a food processing facility in the garage. The residents were manufacturing tortillas and were made and supposedly distributed to local grocers in the area. A Cease and Desist notice was issued. Additionally, some stores in the area were surveyed to ensure none of the tortillas were being offered for sale.
- July 22, Saddlebrook Apartments, 3851 Wynn: Staff and Clark County Code Enforcement responded to a complaint of an illegal restaurant in the complex. Staff found that there was no unpermitted facility in the apartment. The occupant was informed that restaurants were not allowed in private residences.

Child Care:

- During June and July, staff completed inspection of 45 sites where the USDA Summer Food Service Program was providing free meals to children. No substantial health hazards were identified during the inspection. In July, staff issued an invoice billing to the State Department of Education for these inspections.
- July 1, Andre Agassi Boys & Girls Club, 800 N Martin Luther King: The facility is a participant in the Summer Food Service Program. Staff investigated a complaint alleging that the garbage was not contained in the dumpsters, and was in the parking lot area. Staff inspected the exterior garbage area and confirmed that the garbage containers were full, and the garbage was outside of the containment area. The center director called Republic Services and arranged for an immediate pickup. Staff recommended to monitor the accumulation of trash and increase the removal frequency or obtain additional waste containers as needed to eliminate overflowing waste.
- July 1, McCabe Boys & Girls Club, 2801 E Stewart: The facility is a participant in the Summer Food Service Program. Staff investigated a complaint alleging chemical spray bottles were not labeled, and being used while children were eating, and no trash bags in the trash cans. Staff found that the complaint was unsubstantiated.
- July 12, Kids Cove, 4975 E St. Louis: Staff investigated a complaint alleging lack of adequate air conditioning. Staff found that two rooms had a non-functioning air conditioner resulting in room temperatures between 82 and 84 degrees which are not in compliance with SNHD regulations. Staff required the occupants of the one rooms still occupied be moved to an alternate room until the air conditioner was repaired. The director of the center contacted SNHD staff the following day to report that the air conditioning was repaired.

- July 20, 9228 Desert Heat: SNHD staff along with staff from Clark County Business Licensing (CCBL) investigated a complaint on of an unlicensed and unpermitted family care home. When staff arrived the occupants refused entrance to the residence. In response, licensing staff summoned LVMPD. After speaking to the police, the occupants of the home allowed Clark County Business Licensing staff to enter. CCBL verified that the occupants of the home were providing care to children without appropriate licenses or permits. A Notice of Violation was issued to the occupants by CCBL and a notice to obtain a health permit was issued by SNHD staff.
- July 7, Spring Valley Montessori Preschool, 6930 Edna: Staff responded to a complaint alleging that the facility was infested with rats. The investigation, found that the facility admitted to having a pest problem, but had already consulted with a professional pest control company and implementing an integrated pest management plan.
- July 12, Christ Lutheran Church Children's Center, 111 N Torrey Pines: Staff investigated a complaint alleging a list of issues that needed to be addressed which included; moisture and mold existing in the facility, proposed remodeling without a permit, unapproved flooring installed, and missing staff records. The investigation found that the complaints could not be substantiated.

Childhood Lead Poisoning

ACTIVITY	June 2009	June 2010	YTD 2009	YTD 2010
EBLL Home Investigations	2	1	3	6

- One environmental investigation of a home where a child with elevated blood lead levels lived was conducted.
- June 21, Hines Family Care Home, 2608 White Oak: Staff conducted a risk assessment of the facility prior to issuance of the permit. No lead was detected by the XRF. The dust and water samples are pending.

Outbreak Investigation Support:

- Staff has been collaborating with Office of Epidemiology staff to conduct three home visits of cases associated with a multi-state Salmonella typhi outbreak spanning the California, Nevada, and Texas. Two of the three home visits were completed on July 15 and July 20. OOE is actively trying to schedule the home visit for the third case. Staff performed a food inventory during the home visits and items in common. These items included Goya mamey- fruit pulp, Bijol-cooking spice, and Great American Harvest-shrimp. Other items were also collected from the individual cases and are being held at the SNPHL at this time. These items include La Lechera-condensed milk, Jumex-mango nectar, Jarrito-pineapple soda, Sibony-guava paste, Goya-passion fruit pulp, and Bolis-popsicle. The disposition of the food samples has yet to be determined. Some or all of the samples may be sent to the FDA laboratory and/or the Nevada State Public Health Laboratory depending on how this ongoing investigation progresses.
- July 2, Eastside Cannery Buffet-American, 5255 Boulder Hwy: Staff accompanied East Las Vegas staff to a complaint alleging six people ate at the facility on June 20, and reported diarrhea and nausea with emesis within eight to 21 hours of consuming chicken, fish, "Chinese," and ribs at the facility. Factors identified during the investigation which could result in transmission of food borne illness were; inconsistent hold temperatures of the chicken on the buffet and poor management records. An inspection resulted in a 5-demerit sustained "A" grade.

- July 7, Napoli's Pizzeria, 1650 W Warm Springs: Staff accompanied Henderson staff to a complaint alleging eight people ate at the facility on June 5, and reported one confirmed case Salmonellosis and three other people with similar symptoms of diarrhea and nausea with emesis of within 17.5 to 80 hours of consuming pizza and chicken wings at the facility. Factors identified during the investigation which could result in transmission of food borne illness were; could not confirm that chicken was cooked to an appropriate final temperature. An inspection resulted in a 5-demerit "A" upgrade.

Body Art:

- During June, staff issued three Cease and Desist notices to individuals operating without a valid health permit and advertising in internet classified ads and one Cease and Desist notice to an individual operating out of a residence.
- June 30, 230 14th St: Staff along with City of Las Vegas Business Licensing responded to a complaint of an illegal tattoo shop operating out a residence. An investigation found that the home had a sign posted in front with the words "Evil Eye Tattoo." Staff issued a Cease and Desist notice to the occupant.

Safe Drinking Water:

- Staff completed the quarterly report covering the month of April, May and June for submission to the Nevada Department of Environmental Protection, Safe Drinking Water Program. Four water systems in Clark County had reportable violations. Sky Ranch Estates in Sandy Valley continues to have an MCL exceedance for selenium. Both The Hitchin' Post in Sandy Valley and Camp Potosi, operated by Clark County Parks and Recreation, have monitoring violations for failing to collect a TCR sample during the quarter. Camp Potosi will not be open this year. The Hacienda Hotel in Boulder City received a minor monitoring violation for May and June, due to the required sample for those months lacked the requisite complete laboratory report. This resulted in the samples being considered incomplete resulting in their rejection by staff.

Mattress Refurbishment:

- July 1, Mattress Discounters, 3840 W Lake Mead: Staff investigated a complainant alleging that she had been sold a used mattress that was infested with bed bugs. The investigation found that there were no used mattresses on the premise. The complaint could not be substantiated.
- July 1, Furniture 4 Less, 280 Martin Luther King: Staff investigated a complaint alleging that a used mattress was sold. The investigation, found that there were no used mattresses on the premise. The manager stated that the company will not accept exchanges on mattresses and defective mattresses are returned directly to the wholesalers for credit. The complaint could not be substantiated.
- July 6, Rent-A-Center, 4031 S Maryland Pkwy: Staff investigated a complaint alleging a purchase of a previously rented floor model sofa and love seat infested with bedbugs. The investigation found that the store applies a sanitizer to the rental returns. There was no obvious bed bug infestation seen at the facility. The complaint could not be substantiated.
- July 14, Rent-A-Center, 4031 S Maryland Pkwy: Staff investigated a second complaint alleging that a purchase of two previously rented mattresses infested with bedbugs. The investigation found that store staff is applying a sanitizer to the rental returns. Staff did not observe any obvious bed bug infestations. Due to being the second complaint, within two weeks at the same location, staff recommended that the facility consult a professional

exterminator. The facility did consult a professional exterminator who did not find evidence of a bed bug infestation. The complaint could not be substantiated.

G. Vector Control and Surveillance

West Nile Virus (WNV): Staff set 100 Encephalitis Vector Surveillance (EVS) traps and submitted 3,778 mosquitoes to the Department of Agriculture for arboviral analysis. A total of 5,986 mosquitoes have been submitted in 2010 with all results negative or pending. Remote county WNV surveillance continued with staff setting EVS traps in Nye and Lincoln Counties.

Staff continues to streamline and develop the mobile GIS system for mosquito disease surveillance activities.

Mosquito Control:

- July 6, staff provided mosquito control field training to City of Las Vegas' Field Operations staff.
- July 13, staff conducted mosquito control field training with City of Henderson's Parks and Recreation and Facilities staff.
- July 20, staff conducted Field Training with City of Henderson's Public Works staff.
- July 22, staff conducted field training with City of Mesquite's Animal Control and Public Works staff.
- Citizen complaints of stagnant water and mosquito breeding have been referred to the local code enforcement agencies as of July 1. Additionally, 64 open complaints remaining from 2009 and 814 remaining from 2010 were referred to Code Enforcement for remediation.
- Staff issued mosquito control treatment invoices to 28 homeowners with unresolved stagnant swimming pools from June, totaling \$3,012 in fees. Since implementing the invoice process in December 2007, Vector Control has issued \$353,340 in fees and recovered a total of \$48,481 (14%).

2009-2010 Mosquito Control Complaint Response Totals

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
2009	65	94	344	435	481	318	270	187	157	115	60	21	2,547
2010	30	92	243	370	308	386	0						1,429

Rabies: Zero animal samples were submitted to the Nevada Department of Agriculture for rabies testing in July. As of August 1, Animal Control jurisdictions will be responsible for shipping their own animal samples for rabies testing.

2009-2010 Rabies Surveillance Totals

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total	Positive
2009	6	6	8	10	10	24	11	25	10	10	14	9	143	2
2010	11	10	13	7	13	14	0						68	0

Outreach: July 25, one staff member presented a bird bio-security and disease presentation at the Nevada Environmental Health Association conference.

II. SOLID WASTE AND COMPLIANCE PROGRAMS

Action	July 2009	July 2010	YTD 2009	YTD 2010
Number of Cases Adjudicated by Hearing Officer	21	28	142	178
Penalties Imposed by Hearing Officer	\$61,825	\$68,000	\$287,400	\$359,050
Number of Complaints Received	132	88	1,143	1,327
Waste Management Audits	369	156	2,171	2,204
Target Sector Inspections	*74	70*	147*	160*
Underground Storage Tanks (UST) Full Compliance Inspections	86	54	564	420
UST Final Installation Inspections	11	7	52	35
Permitted Disposal Facilities (PDF) Inspections	8	9	66	78
PDF Re-inspections	0	1	0	11
UST Permanent Closures	1	2	9	11
Waste Asbestos Transport Permits	46	35	219	201
Rejected Loads	26	127	230	437
PDF Business License Applications	0	3	10	8

*indicates numbers are tracked by quarter

- A. **Solid Waste Management Authority (SWMA) Hearing Officer Process:** The monthly SWMA Hearing Officer Meeting was conducted July 13, with 28 cases adjudicated, \$68,000.00 in penalties imposed and corrective actions ordered. There were 28 Notices of Violation mailed for the August Hearing Officer Meeting.
- B. **Complaints of Illegal Dumping:** The Solid Waste and Compliance Section received 88 complaints of illegal dumping in the month.
- C. **Waste Management Audits and Target Sector Inspections:** The section completed 2,204 Waste Management Audits for the year. Target Sector inspections are tracked quarterly. The Target Sector Inspection program is an interlocal agreement with the Nevada Division of Environmental Protection (NDEP) and is set at 300 inspections per contract year by the agreement.
- D. **CMART Events:** On July 1, staff attended the monthly CMART meeting. On July 22, staff participated in a CMART action involving the east section of the Sun Garden Apartment complex at 2829 North Pecos Road. Staff issued a corrective action order for a sewage overflow violation at the complex.

- E. **NDEP Administrative Meeting:** Environmental Health Director Glenn Savage and Environmental Health Manager Dennis Campbell met with the Acting Administrator for NDEP, Colleen Cripps, and Jim Najima, the Chief of NDEP’s Corrective Actions Bureau on July 12. The purpose of the meeting was to introduce Ms. Cripps to SNHD’s Environmental Health program and to obtain an update on SNHD’s interaction with NDEP on a variety of issues.
- F. **Mesquite Landfill Meeting:** Staff participated in an initial meeting to discuss the proposed methane characterization study of the old Mesquite landfill. This landfill operated from 1988 to 1994 and was permanently closed in 1997. Based on a complaint from surrounding residents and the sample results from existing observation wells that indicated the presence of methane, the decision was made to verify that a methane problem exists and the extent of such a problem. The City of Mesquite has moved forward with the hiring of an engineering firm to conduct a study and the purpose of the meeting was to review the study plan. The first step in the process involves the installation of additional monitoring wells around the site. Once installed the wells will be regularly sampled over a 3 to 4 month period and an assessment report will be generated. The assessment report will determine the next steps necessary to insure that the landfill is closed in accordance with the regulations.
- G. **A-1 Organics:** Staff continue to respond to odor complaints from residents neighboring the A-1 Organics facility. In spite of 14 site visits, staff have not been able to verify the validity of any of the complaints received thus far. A briefing was provided to the Board of Health during their last regular meeting as to the findings thus far. In an effort to address the issues raised, staff have worked with Commissioner Brager’s office to schedule a public meeting for the first week of August. All of the residents around the A-1 Organics facility have been invited to participate in this meeting.
- H. **SWANA Chapter Meeting:** The second SWANA meeting of 2010 was held at SNHD on July 30. SHND reported the passage of the waste tire management regulations and the enactment of an asbestos transportation fee structure. Nye County reported that they had started working with SA Recycling to recycle their scrap metal and save air space in the landfill; they are still searching for an alternative method to landfilling their waste tires. Members were nominated for officer positions: Dean Stanphill, President, Stretch Baker, Vice President, Lori Bigham, Secretary, James English, Treasurer and Clark West, IB Director. The voting will occur at the next chapter meeting on November 9.
- I. **Solid Waste Plan Review Program (SWPR)**

Facility Type	Permitted Facilities	Modifications or Variances Permitted	BOH Approvals with unmet conditions	Applications being reviewed
Compost Plant	2	2	0	1
Construction and Demolition Waste Short -Term Storage Facility	1	0	1	0
Landfill	9	1	0	9
Materials Recovery Facility	9	3	0	2
Public Waste Storage Bin Facility	3	3	2	0

Recycling Center	31	14	2	9
Transfer Station	6	0	0	4
Waste Tire Management Facility	2	0	0	0
Total	63	23	5	25

1. Composting Plants

A-1 Organics: Staff is reviewing application for a major modification.

2. Construction and Demolition Waste Short-Term Storage Facilities.

- **Goldstrom Rentals Inc:** The application for a permit was approved at the May 28, 2009, Board of Heath meeting. The permit will be issued after all conditions are met and a final inspection has been done.

3. Landfills

- **Apex Regional Landfill:** The applicant needs to resolve a list of deficient items before the application for a modification can be processed further.
- **City of Mesquite Old Landfill:** The applicant needs to resolve a list of deficient items regarding closure and post-closure before the application can be processed further.
- **Pabco Gypsum:** Staff is reviewing the application for a permit.
- **NV Energy's Reid Gardner Generating Station (Major Modification and lateral expansion):** Staff is reviewing application for a permit modification. A workshop was held on May 26, in the SNHD Clemens Room and June 1, in Moapa. Applicant will go before the Board on September 23.
- Staff is reviewing the following applications for a modification:
 - **Boulder City (Major Modification)**
 - **Laughlin Landfill**
 - **Southern California Edison**
 - **TIMET**
 - **Wells Cargo**

4. Materials Recovery Facilities (MRFs)

- **Nevada Construction Clean Up:** Staff is reviewing the application for a major modification.
- **Republic Recycling Services of Nevada dba Evergreen Recycling:** Permit for a minor modification was issued July 14.
- **Republic Services Recycle Center:** The applicant needs to resolve a list of deficient items before the application for modifications to the permit can be processed further.

5. Public Waste Storage Bin Facilities

- Permits for the following will be issued after all conditions are met and a final inspection has been done:
 - **Mount Charleston Convenience Center**
 - **Moapa Valley Convenience Center**

6. Recycling Centers

- Staff is reviewing the following applications for a modification. The applicants need to resolve a list of deficient items before the following applications can be processed further:
 - **Boulder City Recycling Center**

- Darling International Inc.
- Desert Recycling
- Secured Fibres
- Staff is reviewing the following applications for a modification:
 - BB Recycling
 - Nevada Recycling
- Staff is reviewing application for a permit:
 - Nuevo Recycling
 - SA Recycling-Western (Permanent)
- **Desert Oil Collection:** Application for a permit was approved at the July 22, Board of Health meeting. The permit will be issued after all conditions are met and a final inspection has been done.
- **Nevada Construction Clean Up:** Application for a permit was approved at the June 24, Board of Health meeting. The permit was issued July 2, 2010.
- **Planet Recycling:** Staff is reviewing application for a permit. A workshop was held on June 20, in the SNHD Clemens Room. Applicant will go before the Board on August 26.
- **SA Recycling-Western (Temporary):** Application for a permit was approved at the June 24, Board of Health meeting. The permit will be issued after all conditions are met and a final inspection has been done.

7. **Transfer Stations**

- **Republic Services Medical Waste Facility:** Staff is reviewing the application for a permit.
- The following applicants need to resolve a list of deficient items before their applications can be processed further for a modification to the permit:
 - Cheyenne Transfer Station
 - Henderson Transfer Station
 - Sloan Transfer Station

J. **Subdivision Program**

ACTION	July 2009	July 2010	YTD 2009	YTD 2010
Tentative Maps Received	2	5	29	32
Lot Count	85	907	930	2,833
Final Maps Received	6	9	75	56
Lot Count	272	223	4,793	1,521
Final Maps Signed	9	3	58	40
Lot Count	119	15	1,512	779
Improvement Plans Received	1	6	47	42
Lot Count	1	114	4,514	831
Expedited Improvement Plans	0	0	2	2
Lot Count	0	0	3	15
Fees Paid	\$1,015	\$2,606.76	\$72,325	\$29,525.76

Individual Sewage Disposal System (ISDS) Program: The revenue for the month of July, 2009 was \$11,525 compared to \$11,875 for July, 2010. The total number of ISDS permits issued was decreased over the same period. There was an increase in the number of loan certifications processed. There was a decrease in number of residential pool plan reviews. The number of tenant improvements processed was unchanged over the same period.

ACTION	July 2009	July 2010	YTD 2009	YTD 2010
ISDS Permits Issued	9	6	62	47
Pool Locations Approved	5	1	33	29
Loan Certifications Processed	7	9	36	51
Tenant Improvements Processed	11	11	67	82
Fees Collected	\$11,525	\$11,875	\$81,018	\$75,550

ISDS Program Compliance: Two compliance vouchers (warnings) were resolved. One compliance file was resolved. One compliance voucher (warnings) was issued.

2010 ISDS Program Activity: The year to date totals for Loan Certifications and Tenant Improvements are increased over the same period last year.

Used Mattress Program – Public hearing for amendment re-scheduled to Sept 23 meeting: The proposed amendment to the SNHD *Regulations Governing the Sanitation and Safety of Used Mattresses, Bedding and Upholstered Furniture* to include a section for chemical sanitization and bed bug control measures has been re-scheduled to the September 23, 2010 Board of Health meeting. Furniture industry representatives were notified via e-mail of the meeting change. The latest draft of the amendment is currently posted in the Public Notices section of the SNHD website.

Sunday, July 25. Staff will e-mail a copy of the Public Notice to industry representatives.

III. FOOD Plan Review: Total projects under Food Plan Review: **1,061**

FOOD	JULY 2009	JULY 2010	YTD 2009	YTD 2010
New Initial Construction Rev. Activities	110	107	857	1,028
New Remodel Activities on Existing	48	17	308	368
Office Prelim. / Revised Plans / Other†*	60*	120	688*	239
Field Inspections, , Field Compliance Checks , COO & Preliminary Evaluations**	167**	121	1,535**	1,366

Released from Plan Review New & Remodel (completed projects)	126	138	1,311	1,061
New Permits Issued/Amended	125	127	1,231	1,232
New Owner Permits	47	40	595	367

† "Other" includes meetings, letters, e-mails, and office status checks;

*Previously "Office Prelim. / Field Evaluations"

** Previously "Field Inspections & Compliance Checks"

- Staff completed the permitting process for a newly remodeled child care facility at the 24 Hour Fitness Center on 601 S. Rainbow Blvd. Permitting problems had occurred when the contractor installed restroom fixtures at improper heights due to corrections not being applied to the engineering plans. During the plan review process changes were required to the restroom fixtures and a project letter was sent to the architect which had outlined the required fixture heights. The contractor acknowledged that he had not received the revised plans or the project letter. The contractor replaced four toilet fixtures and lowered 2 hand sinks in order to comply with the Child Care regulations at which point the permit was issued for the facility.
- A new child care permit was issued to the Early Head Start Child Care Program for the St. Jude's facility located at 100 St. Jude's Street, Boulder City. The facility will accommodate children from infants to 5 year old with an emphasis on assisting new unwed mothers at the St. Jude's facility. At the facility two class rooms are provided with restroom facilities located between the classrooms. The facility also has a reheat kitchen for providing catered meals for the children and child care providers.
- Completed final inspections and release from Plan Review on the major remodel for the Orleans Casino Piano Bar and a new Piano Bar Storage area at 4500 W Tropicana. The major remodel involved new bar equipment, new waitress pick up stations, new lighting over the food zones and ware washing areas and the addition of a walk in cooler and ice machine in a remote storage area that supports bar operations.
- The All Star Vending Company at 4050 W Harmon was inspected and approved for a large warehouse to store multiple vending machines. Ice cream vending machine will also be rented out of the warehouse and will be subject to the new vending machine requirements with the implementation of the new Food Regulations.
- A meeting was held with Cosmopolitan construction staff to discuss proper permitting of Portable Banquet Bars and Indoor/Outdoor Carts. Bars and Carts must be built properly according to NSF/ANSI standards to be able to be approved by SNHD. Requirements were given to the manufacturer to ensure that carts will be 3rd party certified.
- NCIAA inspections were completed in conjunction with Plan Review at Boomer's 3200 Sirius and Rusty's Place 3720 W. Tropicana. Both places opted to become take out only kitchens with a double pass through window to allow customers to pick up their own food.
- The Friedmutter Group presented surface finishes for the Salon Bar in the Nightclub at Cosmopolitan to show how they would be protecting the food/drink from the dance "cages" on the back bar. All proposed barriers and finishes were found acceptable.

- Staff advised a restaurant owner that the ventilation hood was not functioning correctly, as evidenced by the watering eyes of the food workers, and the presence of soot on the air grills. The manager stated that he had called their contractor who stated that the hood was functioning “properly.” The manager was advised to contact the fire department to test the hood.
- On July 22, 2010, the Sicili’s Pizza located at 529 E Twain, Las Vegas NV, was observed operating a pizza oven without a type II hood with proper ventilation. The Southern Nevada Health District received a request from the Clark County Code Enforcement asking the District’s assistance on joint inspection of the brick veneer overhang above the pizza oven. The investigation resulted in the following finding: (1) Sheet rock closed framed to look like a vented stack with a brick veneer on the outside. (2) The type I hood over the cook line was compromised on the side next to the pizza oven in order to try to capture the vapors from the pizza oven. The owner was given 30 days to make an appointment for plan review for installing a type II hood over the pizza oven and repairing the type I hood over the cook line equipment. There was visual evidence of grease laden vapors were on the ceiling tiles in front of the brick veneer sheet rock stack, above the opening to the pizza oven, and the hard lid was completely black from the heat above the pizza oven. Subsequent inspection by the Fire Department resulted in a closure of the establishment until repair could be made.
- Plan Review Staff began notifying new owners of existing food establishments that 2010 Regulations have new restrictions on seating for consumption of food:
 - Establishments with only one public restroom are now limited to 9 or fewer seats, and
 - Those with no public restrooms must be “take-out only” – having no seating for consumption of food.
- Plan Review Staff performed preliminary inspections at two new ethnic markets to identify potential problems while they could still be corrected without needless expense:
 - Walk-in freezer flooring materials were changed to meet NSF standards at La Espigo de Oro (5900 w Charleston), and
 - Troughs were installed under existing restroom drain lines that ran above food storage areas at El Super (2021 E Lake Mead).
- Plan Review Staff worked with personnel from the North Las Vegas office to develop new policies for dealing with vendors of non-potentially hazardous foods at the Broad Acres Swap Meet (3934 N Las Vegas Blvd):
 - Vendors of pre-packaged, low-risk, food products will no longer be issued individual health permits; they will now be inspected under the facility’s existing “Swap Meet” permit.
 - Vendors of “open” low-risk food products will now be required to utilize a commissary (potentially provided by Broad Acres) to clean their food scoops and other utensils, and, since they are handling open food, to have an NSF-quality hand sink.

- Plan Review Staff conducted an office review and inspections for approval of an Annual Itinerant for Club Sport at 2100 Olympic Avenue. Originally the club was permitted for a Seasonal pool grill and bar. The Club did not have the necessary equipment to meet the seasonal regulations. Communication ensued between the establishment and the Plan Review staff and Supervisor. It was discovered that Club Sport was opening the grill and bar to its patrons not on a daily basis but during special activities and days of their choosing. The seasonal permit was changed to an annual itinerant permit. Results were the equipment could be used by Club Sport enabling them to achieve their goal. Additional monies over and above were taken in by Plan Review. In conclusion the problem was solved benefiting both parties

IV. Plan Review Public Bathing Places: Total projects under Pool Plan Review: 2,026

ACTIVITIES	JULY 2009	JULY 2010	YTD 2009	YTD + 2010
New Initial Plan Rev. Activities/Other Actions	6	11	151	245
New Remodel Activities on Existing	38	51	725	244
Office/Field Prelim./Change-of-Owner Evaluations	1	4	21	59
Compliance Letters or *E-mails/*Phone Calls	3	93	459	509
Status and Compliance Checks/File Reviews	21	304	524	947
Field Inspections during Construction	50	19	350	220
Released from Plan Review (complete) New and Remodel	20	17	155	131
New Owner Permits (Changes of Ownership)	0	2	93	64
New Permits Issued/Amended	19	15	157	135

*- No longer captured since the discontinuation of the Daily Activity Report (DAR)

+ - Monthly report data is generated prior to the completion of data entry

1. Changes of Ownership

New Change of Ownerships

- Treasure Island Hotel and Casino, 3300 Las Vegas Blvd S: 5 bodies of water
- Somerset House Motel, 294 E Convention Center Dr: 1 body of water
- Somerset Gardens, 3040 Kishner Dr: 1 body of water

Completed Initial Surveys

- Desert Crest, 8945 Salvatore St: 2 bodies of water

Completed Change of Ownerships – Released to Operations

- Sonterra Apartments, 5050 Tamarus St: 2 bodies of water
- Gables Condominiums, 2291 W Horizon Ridge Pkwy: 2 bodies of water

2. New Construction

New Construction Plan Reviews

- Golden Nugget Las Vegas, 129 E Fremont St: 1 body of water

- Cosmopolitan Resort, 3700 Las Vegas Blvd S: 2 bodies of water

Completed Plan Reviews

- Westcliff Pines Senior Apartments, 8206 Silversky Dr: 2 bodies of water
- Amado, 10685 Hawksprings Dr: 2 bodies of water
- Golden Nugget Las Vegas, 129 E Fremont St: 1 body of water

Completed Plumbing Inspections

- Cosmopolitan, 3700 Las Vegas Blvd S: 8 bodies of water
- Westcliff Pines Senior Apartments, 8206 Silversky Dr: 2 bodies of water

Completed Pre-Plaster Inspections

- Veritas Apartments, 3370 St Rose Pkwy: 1 body of water

Completed New Construction – Released to Operations

- Veer Tower 1, 3722 Las Vegas Blvd S: 1 body of water
- Veer Tower 2, 3726 Las Vegas Blvd S: 1 body of water
- Encore Hotel and Casino, 3121 Las Vegas Blvd S: 2 bodies of water
- McKnight Senior Village Apartments, 651 McKnight St: 2 bodies of water
- Golden Nugget Las Vegas, 129 E Fremont St: 1 body of water
- Vintage Senior Apartments, 2250 Cougar Dr: 1 body of water
- Vista Creek Apartments, 2220 Cougar Dr: 1 body of water

3. Major Remodels

New Major Remodels

- Park Arms Apartments, 511 E Sahara Ave: 1 body of water
- Three Crowns Mobile Manor, 867 N Lamb Blvd: 2 bodies of water

Completed Plan Reviews

- Three Crowns Mobile Manor, 867 N Lamb Blvd: 2 bodies of water
- BPOE Lodge #1468, 4100 W Charleston Blvd: 1 body of water

Completed Plumbing Inspections

- Three Crowns Mobile Manor, 867 N Lamb Blvd: 2 bodies of water

Completed Major Remodels – Released to Operations

- Veer Towers 1, 3722 Las Vegas Blvd S: 2 bodies of water
- Veer Towers 2, 3726 Las Vegas Blvd S: 2 bodies of water
- 24 Hour Fitness Club, 601 S. Rainbow Blvd: 1 body of water

4. Minor Remodels

New Minor Remodels

- Lamplight Cottages, 5541 Aurora Crest Ave: 1 body of water
- West Valley Mobile Home Park, 6300 W Tropicana Ave: 1 body of water
- Platinum Hotel, 211 E Flamingo Rd: 1 body of water
- Terra Bella, 2555 Hampton Rd: 2 bodies of water
- Motel 8, 3961 Las Vegas Blvd S: 1 body of water
- Veritas Apartments, 3370 St Rose Pkwy: 1 body of water

- Skyview Multi-generational Center, 3050 E Centennial Pkwy: 1 body of water
- Monte Carlo Hotel and Casino, 3770 Las Vegas Blvd S: 2 bodies of water

Expedited Plan Reviews

- Willow Garden Apartments, 3040 Vegas Dr: 1 body of water
- Desert Hills Motel Pool, 2121 E Fremont St: 1 body of water
- Glen-View Townhomes, 300 N Linn Ln: 1 body of water
- Bella Estates, 5101 Twain: 1 body of water
- Motel 8, 3961 Las Vegas Blvd S: 1 body of water
- Residence Inn by Marriott, 2190 Olympic Ave: 2 bodies of water
- Golden Pond University Apartments, 1450 E Harmon Ave: 1 body of water

Completed Initial Surveys

- Rancho Mirage, 4250 S Arville St: 3 bodies of water
- Westgate Flamingo Bay Apartments, 5625 W Flamingo Rd: 2 bodies of water
- Flamingo Rd Apartments, 5795 W Flamingo Rd: 4 bodies of water
- Ritz Apartment, 4250 S Jones Ave: 4 bodies of water
- Grandview at Las Vegas, 9940 Las Vegas Blvd S: 2 bodies of water
- Buffalo Bill's Resort and Casino, 31900 Las Vegas Blvd S: 2 bodies of water
- Whiskey Pete's Hotel and Casino, 31900 Las Vegas Blvd S: 2 bodies of water
- L'Octaine, 801 Las Vegas Blvd S: 1 body of water
- Bonanza Village Mobile Home Park, 3700 E Stewart Ave: 3 bodies of water
- Desert Park Apartments, 100 S Martin Luther King Blvd: 2 bodies of water
- Best Western Parkview Inn, 905 N Las Vegas Blvd: 1 body of water
- Bonanza Springs Suites, 600 E Bonanza Rd: 1 body of water
- Best Western Main Street Inn, 1000 N Main St: 1 body of water
- Rosemont Casa Del Norte Pool, 2125 N. Las Vegas Blvd: 2 bodies of water
- Sundown Townhouses, 601 Evening Breeze Ln: 2 bodies of water
- Matt Smith Physical Therapy, 600 S Rancho Rd: 2 bodies of water
- Cheyenne Woods Apartments, 3417 E Cheyenne Ave: 2 bodies of water
- Fairway Villas, 4785 Wild Draw Dr: 2 bodies of water
- Los Cabos Villas, 4429 Lawrence St: 2 bodies of water
- Casa Sorrento Apartments, 3580 E Alexander Rd: 2 bodies of water
- La Ventana Recreational Center, 9902 Camino Loma Verde Ave: 1 body of water
- Breakers Apartments, 9901 W Sahara Ave: 6 bodies of water
- Red Rock Country Club, 3054 Red Springs Dr: 1 body of water
- Traccea Summerlin, 11350 Merado Peak Dr: 1 body of water
- Sage Hills, 11278 Piper Peak Ln: 1 body of water
- Stoneridge Condominiums, 2106 S Hualapai Way: 1 body of water
- Park Oasis, 8900 Lake North Dr: 2 bodies of water
- Glenview Landing, 3060 Misty Harbor Dr: 2 bodies of water
- Club Aliante, 7425 Redhead Dr: 1 body of water

Completed Plan Reviews

- Gloria Park Villas, 3625 S Decatur Blvd: 3 bodies of water
- Grandview at Las Vegas, 9940 S Las Vegas Blvd: 2 bodies of water

- Mission Hills Park, 551 E Mission Dr: 1 body of water
- Whitney Ranch Recreational Facility, 1575 Galleria Dr: 1 body of water
- Henderson Multigenerational Center, 250 S Green Valley Pkwy: 2 bodies of water
- Sun City Anthem Recreation, 2211 Somersworth Dr: 4 bodies of water

Completed Minor Remodels – Released to Operations

- 24 Hour Fitness Club, 601 S Rainbow Blvd: 1 body of water
- Grandview at Las Vegas, 9940 Las Vegas Blvd S: 2 bodies of water
- Waterwings Swim School, 8043 N Durango Dr: 1 body of water
- Riverside Resort and Casino, 1650 S Casino Dr: 1 body of water
- Suncoast Hotel and Casino, 9090 W Alta Dr: 1 body of water
- Gold Coast Hotel and Casino, 4000 W Flamingo Rd: 1 body of water

5. Enforcement Actions and Investigations

Body of Water - Closed for Violations

- Almond Tree Apartments, 301 Orland St: Closed violated, High chlorine residual detected
- Oasis Vinning Apartments, 6100 Carmen Blvd: Closed violated, High chlorine residual detected
- Coral Palms Condos, 3318 N Decatur Blvd: Turbid water, No chlorine residual detected
- Parkridge Condos, 204 Orland St: Turbid water, No chlorine residual detected
- Northpointe Apartments, 3333 N Michael Way: No pool operator
- Charleston Heights Townhouse, 5620 W Lake Mead Blvd: Closed violated pool in use
- 24 Hour Fitness Club Pool, 601 S Rainbow Blvd: Facility was closed violated on July 12, due to GFCI not working and three of five barrier doors were inoperable.
- American Village HOA, 4000 Village Square: 1 body of water - A complaint of the bathrooms being locked within the pool enclosure and keys being made available at the management office could not be validated. A letter from the management company to this effect has been conspicuously posted. There was no access to the pool to validate the complaint.
- Sunrise Springs Apartments, 4455 East Twain Ave: 1 body of water - A complaint that the pool gate was being left open, and that there was no light in the pool and to verify that the maintenance man is an operator. The pool management was closed upon arrival. The indoor light was inoperative, and repairs were being made to correct this problem. The maintenance man possessed a valid operator card. The complaint of the light being inoperative was valid, all other complaints were unfounded. No fee was assessed.
- Silverwood Apartments, 3050 S. Nellis Blvd: 1 body of water - A complaint that the pool water looks like green sludge was unfounded.
- Terra Santa Condos, 5650 E. Sahara Ave: 1 body of water - A complaint that the posted permit is expired and that the pool water is filthy was unfounded. The permit is valid in VAX, and the pool water was clear.
- Lake Mead Estates, 2068 N. Nellis Blvd: 2 bodies of water - A complaint stating that the pool and spa water is dirty and not circulating was unfounded. A complaint stating that the sauna water is not hot was unfounded.

Failed Inspections

- La Quinta, 6560 Surrey St: Facility failed there pre-plaster inspection. Fence height between upper and lower horizontal picket was less than forty-two inches, where a

minimum of sixty inches is required. Gate hardware was also not to forty-two inches per NAC 444.136 and NAC 444.463.

- BPOE Lodge #1468, 4100 W Charleston Blvd: 1 body of water
- Vintage Senior Apartments, 2250 Cougar Dr: 1 body of water
- Vista Creek Apartments, 2220 Cougar Dr: 1 body of water

6. Revisions Required

- Hard Rock Hotel and Casino, 4455 Paradise Road: 2 bodies of water

7. Remodel Permit Required

- Veritas Apartments, 3370 St Rose Pkwy: 1 body of water
- Henderson Multigenerational Center, 250 S Green Valley Pkwy: 2 bodies of water
- Golden Nugget Las Vegas, 129 E Fremont St: 1 body of water
- Skyview Multigenerational Center, 3050 E Centennial Pkwy: 1 body of water

8. After the Fact Remodel Required

- Stallion Mountain 2, 3736 Budenny Dr
- Riverside Resort and Casino, 1650 S Casino Dr
- Rivers Bend Pool: 843 Sandbar St
- Los Cabos Villas II: 4701 Lawrence
- Silver Palms Apartments: 1951 N Jones Blvd
- Avion at Sunrise Mountain Club: 6901 E Lake Mead Blvd
- Sandstone Condos: 517 W Mesquite Blvd
- Mesquite Mesa Condos: 501 Mesa
- Rock Springs Vista: 401 N Mesa

9. Owner/Facility Requested Field Surveys

Stirling Club, 2827 S Paradise Rd: 5 bodies of water - Meeting at facility with SNHD staff and management of the Stirling Club at the request of a potential buyer of Stirling Club. Surveyed the pool and health spa areas regarding barrier compliance issues. Investigated areas where construction did not match the plans contained in the archive file, common foot traffic issues, as well as areas that could not be readily made compliant through the use of barriers. Discussed the use of attendants and security guards, barrier requirements for pools associated with dwelling units and those not associated with dwelling units, and methods of obtaining compliance.

10. Truck Inspections Conducted

- July 9, Gerald Decol, C-0413

11. Multi-Agency Activities: City of Henderson project engineering team requested and paid for a preliminary meeting on July 12, to discuss major remodel options for the Wells Park Pool on 418 Merlayne Dr. The meeting was to discuss ideas with the proposed contractor on how a water slide can be added to the existing body of water and be compliant with the NAC. The facility needs to add an attractive feature to continue encouraging young adults in that area to utilize constructive activities. Variance ideas and construction ideas were discussed so that slide specifications can either meet the NAC or be safely constructed and request a variance. The City of Henderson engineering team can now present the information to make financial feasible options for this bathing facility. Follow-up

communications with the City of Henderson indicated the project is proceeding with timeline to open with new slide by summer 2011. The City of Henderson will be submitting the major remodel permit by early 2011.

12. Program Development

- Staff developed first process for Channel Drain remodel review training.

V. TRAINING

- A. Administrative Assistant II Melanie Muñoz continued to schedule 2010 Regulations & Special Process classes for outside establishments with a minimum of 30+ attendees in each class. She has also added multiple 2010 New Regulations Training classes along with Special Process classes to be held at the Ravenholt Public Health Center due to industry needs.
- B. Training Officers Susan LaBay and Christine Sylvis have held six training sessions at the Ravenholt Public Center with a total of 296 participants. They have also provided offsite training with a total of 26 training sessions with a total of 1,076 industry members being trained.
- C. As of July 30th, there are an additional 19 training sessions scheduled at the Ravenholt Public Health Center. There are a total of 120 classes scheduled for offsite training and 13 pending training requests.
- D. July 8 and 9, staff attended SNHD Standardization training for new food regulations.
- E. July 27 – 29, staff attended the 47th Annual Nevada Environmental Health Association Conference held at the Springs Preserve.
- F. Staff completed the required on-line training for diversity, sexual harassment, and workplace safety.

North Las Vegas

- July 13, Marilou Siy attended the Food Establishment Resource Library meeting in Henderson.
- July 14 and 21, Belinda Bober and Candice Humber attended the Decade Canned Comment development meetings.

Pool Plan Review

- July 8, staff attended training on plumbing inspection
- July 14, 19 and 21, staff participated in Channel Drain Remodel Training

Special Programs

- July 8, one staff member attended the Nevada Foodborne Illness/Food Defense Surveillance and Response Work Group at the State of Nevada Health Division in Carson City.

Strip

- July 7, staff was accompanied by SNHD intern, Alan Chen, during food inspections.
- July 13, staff attended Food Establishment Resource Library (FERL) core team meeting conducted by Rose Henderson at the Henderson Office.

GS/ry

ATTACHMENTS

- A. July 2010, Thank-you letter from Jeanette Ratcliffe, Assistant Events Coordinator for the Las Vegas Chamber of Commerce to Environmental Health Specialist II, Melissa Rascon.

Home\Administration\Monthly Reports\August 12, 2010.doc

Las Vegas Chamber of Commerce

Melissa

Thank you for all your help during our recent expo. We appreciate the time you took answering all my questions and the quick response. You made my life easier as a new comer to the process.

Thank you, it was a pleasure to work with you.
Jeanette