

Southern Nevada Weekly Influenza Surveillance Snapshot CDC Week 50, December 10 – December 16, 2017

Summary: Influenza surveillance for Clark County, Nevada includes data collected from local hospital emergency rooms, healthcare providers and laboratories. While seasonal influenza (flu) viruses can be detected year-round, flu viruses are most common during the fall and winter. The first official date of the 2017-2018 influenza season was October 1, 2017. Nationally, the overall influenza activity has sharply increased. Locally, as of December 16, 2017, the total number of confirmed cases of influenza during the season was 252 and the percentage of emergency room (ER) visits for Influenza-like Illness (ILI) increased from 3.2% in week 49 to 4.1% in week 50. Approximately 35% of area ER visits for ILI were children of 0-4 years of age. Influenza A was the dominant type circulating. Five influenza-associated deaths occurred this season in Clark County. Southern Nevada Health District will continue to update the public on the progression of the season and encourage the population to get vaccinated.

Table 1: Influenza Report by Age Group, Clark County, NV (CDC Week 40, 2017 to Week 50, 2017)

Age Group	Deaths	Hospitalizations	Confirmed Cases*
0-4	1	7	8
5-17	1	4	12
18-24	0	9	11
25-49	0	31	37
50-64	0	48	54
65+	3	117	130
Total	5	216	252

Table 2: Influenza Report by Virus Strain, Clark County, NV (CDC week 40, 2017 to Week 50, 2017)

Influenza Type	Deaths	Hospitalizations	Confirmed Cases*
Influenza A (2009 H1N1)	0	0	0
Influenza A (seasonal H3)	1	5	10
Influenza A (not sub- typed)	1	53	81
Influenza A (RIDT)	3	156	156
Influenza B (non-RIDT)	0	1	4
Influenza B (RIDT)	0	1	1
Influenza (unknown type, RIDT)	0	0	0
Total	5	216	252

Figure 1: Weekly Count of Reported Positive Influenza Tests by Test Type**, Clark County, NV






Figure 2: Distribution of Confirmed Cases* by Virus Strain, Clark County, NV





Southern Nevada Weekly Influenza Surveillance Snapshot CDC Week 50, December 10 – December 16, 2017






Figure 5: Seasonal Trends of Confirmed Cases* of Influenza, Clark County, NV

50
40
30
20
10
40 41 42 43 44 45 46 47 48 49 50
CDC Week

2015-2016 2016-2017 2017-2018

Total Confirmed Cases*(Week 40 – 50):

(https://gis.cdc.gov/grasp/fluview/main.html)

ILI Activity Le

High

Modera

Alaska

Hawaii

Puerto Rico

Figure 6: National ILI Activity Level- 2017-18 Influenza Season

CDC Week 50 ending December 16, 2017

*Confirmed Cases= Laboratory confirmed by PCR, culture, immnofluorescent DFA antigen staining, IHC staining, rapid influenza diagnostic tests (RIDTs) with hospitalizations for 24 hours or longer, or RIDTs with death.

252 (2017-2018), 74 (2016-2017), 51 (2015-2016)

Test Type- Confirmed: PCR, Culture, Immunofluorescent DFA Staining

For additional information regarding SNHD influenza surveillance, please visit us at http://southernnevadahealthdistrict.org/stats-reports/influenza-surveillance.php.

^{**}Test Type-RIDT: Rapid Influenza Diagnostic Test