



**Office of HIV/AIDS/STD
Integrated Prevention,
Surveillance and Care**

April 2010

**Monthly
Surveillance Update
Las Vegas, NV**

April 2010 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

April 2010

HIV infection (not AIDS) 04/01/2010 - 04/30/2010

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	17	100	0	0	1	0	0	0	18	100	0	0
Total	17	100	0	0	1	0	0	0	18	100	0	0

AIDS - Immunologic and All Others 04/01/2010 - 04/30/2010

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	19	86	0	0	0	0	0	0	19	86	0	0
AIDS - All others	3	14	1	33	0	0	0	0	3	14	1	33
Total	22	100	1	5	0	0	0	0	22	100	1	5

HIV (not AIDS), AIDS - Immunologic and All Others 04/01/2010 - 04/30/2010

Table 3. Number of cases and deaths by diagnostic status and age category **

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	17	63	0	0	1	100	0	0	18	64	0	0
AIDS - Immunologic	7	26	0	0	0	0	0	0	7	25	0	0
AIDS - All others	3	11	1	33	0	0	0	0	3	11	1	33
Total	27	100	1	0	1	100	0	0	28	100	1	4

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.

April 2010 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

YTD 2010

HIV infection (not AIDS) 01/01/2010 - 04/30/2010

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	81	100	1	1	1	100	0	0	82	100	1	1
Total	81	100	1	1	1	100	0	0	682	100	1	1

AIDS - Immunologic and All Others 01/01/2010 - 04/30/2010

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	66	88	3	5	0	0	0	0	66	88	3	5
AIDS - All others	9	12	1	11	0	0	0	0	9	12	1	11
Total	75	100	4	5	0	0	0	0	75	100	4	5

Table 2. Number of cases and deaths by diagnostic status and age category

HIV (not AIDS), AIDS - Immunologic and All Others 01/01/2010 - 04/30/2010

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	81	69	1	1	1	100	0	0	82	69	1	1
AIDS - Immunologic	29	25	2	7	0	0	0	0	29	24	2	7
AIDS - All others	8	7	1	13	0	0	0	0	8	7	1	13
Total	118	100	4	3	1	100	0	0	119	100	4	3

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.

April 2010 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

Cumulative

HIV infection (not AIDS) 01/01/1982 - 04/30/2010

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	3564	100	501	14	24	100	2	8	3588	100	503	14
Total	3564	100	501	14	24	100	2	8	3588	100	503	14

AIDS - Immunologic and All Others 01/01/1982 - 04/30/2010

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	2814	64	770	27	0	0	0	0	2814	64	770	27
AIDS - All others	1550	36	896	58	16	100	9	56	1566	36	905	58
Total	4364	100	1666	38	16	100	9	56	4380	100	1675	38

HIV (not AIDS), AIDS - Immunologic and All Others 01/01/1982 - 04/30/2010

Table 3. Number of cases and deaths by diagnostic status and age category **

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection	3564	40	501	14	24	43	2	8	3588	40	503	14
AIDS -	2984	33	890	30	5	9	0	0	2989	33	890	30
AIDS - All	2471	27	1740	70	27	48	14	52	2498	28	1754	70
Total	9019	100	3131	35	56	100	16	29	9075	100	3147	35

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.