



**Office of HIV/AIDS/STD
Integrated Prevention,
Surveillance and Care**

February 2010

**Monthly
Surveillance Update
Las Vegas, NV**

February 2010 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



March 1, 2010

The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

February 2010

HIV infection (not AIDS) 02/01/2010 - 02/28/2010

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	12	100	0	0	0	0	0	0	12	100	0	0
Total	12	100	0	0	0	0	0	0	12	100	0	0

AIDS - Immunologic and All Others 02/01/2010 - 02/28/2010

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	7	100	0	0	0	0	0	0	7	100	0	0
AIDS - All others	0	0	0	0	0	0	0	0	0	0	0	0
Total	7	100	0	0	0	0	0	0	7	100	0	0

HIV (not AIDS), AIDS - Immunologic and All Others 02/01/2010 - 02/28/2010

Table 3. Number of cases and deaths by diagnostic status and age category **

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection	12	100	1	8	0	0	0	0	12	100	0	0
AIDS - Immunologic	0	0	0	0	0	0	0	0	0	0	0	0
AIDS - All others	0	0	0	0	0	0	0	0	0	0	0	0
Total	12	100	0	0	0	0	0	0	12	100	0	0

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.

February 2010 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



March 1, 2010

The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

YTD 2010

HIV infection (not AIDS) 01/01/2010 - 02/28/2010

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	38	100	1	3	0	0	0	0	38	100	0	0
Total	38	100	1	3	0	0	0	0	38	100	0	0

AIDS - Immunologic and All Others 01/01/2010 - 02/28/2010

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	21	84	0	0	0	0	0	0	21	84	0	0
AIDS - All others	4	16	0	0	0	0	0	0	4	16	0	0
Total	25	100	0	0	0	0	0	0	7	100	0	0

HIV (not AIDS), AIDS - Immunologic and All Others 01/01/2010 - 02/28/2010

Table 3. Number of cases and deaths by diagnostic status and age category **

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	38	81	1	3	0	0	0	0	38	81	1	3
AIDS -	5	11	0	0	0	0	0	0	5	11	0	0
AIDS - All	4	9	0	0	0	0	0	0	4	9	0	0
Total	47	100	1	2	0	0	0	0	47	100	1	2

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.

February 2010 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



March 1, 2010

The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

Cumulative

HIV infection (not AIDS) 01/01/1982 - 02/28/2010

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	3587	100	500	14	23	100	2	9	3610	100	502	14
Total	3587	100	500	14	23	100	2	9	3610	100	502	14

AIDS - Immunologic and All Others 01/01/1982 - 02/28/2010

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	2780	64	760	27	0	0	0	0	2780	64	760	27
AIDS - All others	1547	36	893	58	16	100	9	56	1563	36	902	58
Total	4327	100	1653	38	16	100	9	56	4343	100	1662	38

HIV (not AIDS), AIDS - Immunologic and All Others 01/01/1982 - 02/28/2010

Table 3. Number of cases and deaths by diagnostic status and age category **

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection	3587	40	500	14	23	42	2	9	3610	40	502	14
AIDS -	2950	33	881	30	5	9	0	0	2955	33	881	30
AIDS - All	2464	27	1737	70	27	49	14	52	2491	28	1751	70
Total	9001	100	3118	35	55	100	16	29	9056	100	3134	35

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.