



**Office of HIV/AIDS/STD
Integrated Prevention,
Surveillance and Care**

January 2010

**Monthly
Surveillance Update
Las Vegas, NV**



February 3, 2010

The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

January 2010

HIV infection (not AIDS) 01/01/2010 - 01/31/2010

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	26	100	0	0	0	0	0	0	26	100	0	0
Total	26	100	0	0	0	0	0	0	26	100	0	0

AIDS - Immunologic and All Others 01/01/2010 - 01/31/2010

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	14	78	0	0	0	0	0	0	14	78	0	0
AIDS - All others	4	22	0	0	0	0	0	0	4	22	0	0
Total	18	100	0	0	0	0	0	0	18	100	0	0

HIV (not AIDS), AIDS - Immunologic and All Others 01/01/2010 - 01/31/2010

Table 3. Number of cases and deaths by diagnostic status and age category **

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection	26	74	0	0	0	0	0	0	26	74	0	0
AIDS -	5	14	0	0	0	0	0	0	5	14	0	0
AIDS - All	4	11	0	0	0	0	0	0	4	11	0	0
Total	35	100	0	0	0	0	0	0	35	100	0	0

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.



February 3, 2010

The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

YTD 2010

HIV infection (not AIDS) 01/01/2010 - 01/31/2010

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	26	100	0	0	0	0	0	0	26	100	0	0
Total	26	100	0	0	0	0	0	0	26	100	0	0

AIDS - Immunologic and All Others 01/01/2010 - 01/31/2010

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	14	78	0	0	0	0	0	0	14	78	0	0
AIDS - All others	4	22	0	0	0	0	0	0	4	22	0	0
Total	18	100	0	0	0	0	0	0	18	100	0	0

HIV (not AIDS), AIDS - Immunologic and All Others 01/01/2010 - 01/31/2010

Table 3. Number of cases and deaths by diagnostic status and age category **

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection	26	74	0	0	0	0	0	0	26	74	0	0
AIDS -	5	14	0	0	0	0	0	0	5	14	0	0
AIDS - All	4	11	0	0	0	0	0	0	4	11	0	0
Total	35	100	0	0	0	0	0	0	35	100	0	0

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.



February 3, 2010

The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

Cumulative

HIV infection (not AIDS) 01/01/1982 - 01/31/2010

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	3587	100	499	14	23	100	2	9	3610	100	501	14
Total	3587	100	499	14	23	100	2	09	3610	100	501	14

AIDS - Immunologic and All Others 01/01/1982 - 01/31/2010

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	2776	64	760	27	0	0	0	0	2776	64	760	37
AIDS - All others	1546	36	892	58	16	100	9	56	1562	36	901	58
Total	4322	100	1652	38	16	100	9	56	4338	100	1661	38

HIV (not AIDS), AIDS - Immunologic and All Others 01/01/1982 - 01/31/2010

Table 3. Number of cases and deaths by diagnostic status and age category **

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection	3606	40	499	14	23	42	2	9	3629	40	501	14
AIDS - Immunologic	2917	33	873	30	5	9	0	0	2922	32	873	30
AIDS - All others	2432	27	1711	70	27	49	14	52	2459	27	1725	70
Total	8955	100	3083	34	55	100	16	29	9010	100	3099	34

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.