



**Office of HIV/AIDS/STD
Integrated Prevention,
Surveillance and Care**

July 2010

**Monthly
Surveillance Update
Las Vegas, NV**

July 2010 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

July 2010

HIV infection (not AIDS) 07/01/2010 - 07/31/2010

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	20	100	0	0	1	0	0	0	20	100	0	0
Total	20	100	0	0	1	0	0	0	20	100	0	0

AIDS - Immunologic and All Others 07/01/2010 - 07/31/2010

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	14	78	0	0	0	0	0	0	14	78	0	0
AIDS - All others	4	22	2	40	0	0	0	0	4	22	0	0
Total	18	100	2	10	0	0	0	0	18	100	0	0

HIV (not AIDS), AIDS - Immunologic and All Others 07/01/2010 - 07/31/2010

Table 3. Number of cases and deaths by diagnostic status and age category **

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	20	65	0	0	0	0	0	0	20	65	0	0
AIDS - Immunologic	7	23	0	0	0	0	0	0	7	23	0	0
AIDS - All others	4	13	0	0	0	0	0	0	4	13	0	0
Total	31	100	0	0	0	0	0	0	31	100	0	0

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.

July 2010 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

YTD 2010

HIV infection (not AIDS) 01/01/2010 - 07/31/2010

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	151	100	1	1	1	100	0	0	152	100	1	1
Total	151	100	1	1	1	100	0	0	152	100	1	1

AIDS - Immunologic and All Others 01/01/2010 - 07/31/2010

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	110	83	5	5	0	0	0	0	110	83	5	5
AIDS - All others	22	17	4	18	0	0	0	0	22	17	4	18
Total	132	100	9	7	0	0	0	0	132	100	9	7

Table 2. Number of cases and deaths by diagnostic status and age category

HIV (not AIDS), AIDS - Immunologic and All Others 01/01/2010 - 07/31/2010

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	151	68	1	1	1	100	0	0	152	68	1	1
AIDS - Immunologic	50	23	2	4	0	0	0	0	50	23	2	4
AIDS - All others	20	9	4	20	0	0	0	0	20	9	4	20
Total	221	100	7	3	1	100	0	0	222	100	7	3

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.

July 2010 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

Cumulative

HIV infection (not AIDS) 01/01/1982 - 07/31/2010

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	3612	100	512	14	24	100	2	8	3636	100	514	14
Total	3612	100	512	14	24	100	2	8	3636	100	514	14

AIDS - Immunologic and All Others 01/01/1982 - 07/31/2010

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	2856	65	790	28	0	0	0	0	2856	64	790	28
AIDS - All others	1567	35	911	58	16	100	9	56	1583	36	920	58
Total	4423	100	1701	38	16	100	9	56	4439	100	1710	39

HIV (not AIDS), AIDS - Immunologic and All Others 01/01/1982 - 07/31/2010

Table 3. Number of cases and deaths by diagnostic status and age category **

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection	3612	40	512	14	24	43	2	8	3636	40	514	14
AIDS - Immunologic	3018	33	911	30	5	9	0	0	3023	33	911	30
AIDS - All others	2489	27	1755	71	27	48	14	52	2516	27	1769	70
Total	9119	100	3178	35	56	100	16	29	9175	100	3194	35

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.