



**Office of HIV/AIDS/STD
Integrated Prevention,
Surveillance and Care**

June 2010

**Monthly
Surveillance Update
Las Vegas, NV**

June 2010 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

June 2010

HIV infection (not AIDS) 06/01/2010 - 06/30/2010

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	27	100	0	0	1	0	0	0	27	100	0	0
Total	27	100	0	0	1	0	0	0	27	100	0	0

AIDS - Immunologic and All Others 06/01/2010 - 06/30/2010

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	16	76	0	0	0	0	0	0	16	76	0	0
AIDS - All others	5	24	2	40	0	0	0	0	5	24	2	40
Total	21	100	2	10	0	0	0	0	21	100	2	10

HIV (not AIDS), AIDS - Immunologic and All Others 06/01/2010 - 06/30/2010

Table 3. Number of cases and deaths by diagnostic status and age category **

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	27	73	0	0	0	0	0	0	27	73	0	0
AIDS - Immunologic	6	16	0	0	0	0	0	0	6	16	0	0
AIDS - All others	4	11	2	50	0	0	0	0	4	11	2	50
Total	37	100	2	5	0	0	0	0	37	100	2	5

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.

June 2010 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

YTD 2010

HIV infection (not AIDS) 01/01/2010 - 06/30/2010

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	132	100	1	1	1	100	0	0	133	100	1	1
Total	132	100	1	1	1	100	0	0	133	100	1	1

AIDS - Immunologic and All Others 01/01/2010 - 06/30/2010

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	96	84	4	4	0	0	0	0	96	84	4	4
AIDS - All others	18	16	3	17	0	0	0	0	18	16	3	17
Total	114	100	7	6	0	0	0	0	114	100	7	6

Table 2. Number of cases and deaths by diagnostic status and age category

HIV (not AIDS), AIDS - Immunologic and All Others 01/01/2010 - 06/30/2010

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	132	69	1	1	1	100	0	0	133	70	1	1
AIDS - Immunologic	42	22	2	5	0	0	0	0	42	22	2	5
AIDS - All others	16	8	3	19	0	0	0	0	16	8	3	19
Total	190	100	6	3	1	100	0	0	191	100	6	3

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.

June 2010 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

Cumulative

HIV infection (not AIDS) 01/01/1982 - 06/30/2010

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	3598	100	508	14	24	100	2	8	3622	100	510	14
Total	3598	100	508	14	24	100	2	8	3622	100	510	14

AIDS - Immunologic and All Others 01/01/1982 - 06/30/2010

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	2843	65	784	28	0	0	0	0	2843	64	784	28
AIDS - All others	1561	35	907	58	16	100	9	56	1577	36	916	58
Total	4404	100	1691	38	16	100	9	56	4420	100	1700	38

HIV (not AIDS), AIDS - Immunologic and All Others 01/01/1982 - 06/30/2010

Table 3. Number of cases and deaths by diagnostic status and age category **

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	3598	40	508	14	24	43	2	8	3622	40	510	14
AIDS -	3010	33	904	30	5	9	0	0	3015	33	904	30
AIDS - All	2482	27	1751	71	27	48	14	52	2509	27	1765	70
Total	9090	100	3163	35	56	100	16	29	9146	100	3179	35

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.