



**Office of HIV/AIDS/STD
Integrated Prevention,
Surveillance and Care**

March 2010

**Monthly
Surveillance Update
Las Vegas, NV**

March 2010 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



April 1, 2010

The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

March 2010

HIV infection (not AIDS) 03/01/2010 - 03/31/2010

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	22	100	0	0	0	0	0	0	22	100	0	0
Total	22	100	0	0	0	0	0	0	22	100	0	0

AIDS - Immunologic and All Others 03/01/2010 - 03/31/2010

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	18	95	0	0	0	0	0	0	18	95	0	0
AIDS - All others	1	5	0	0	0	0	0	0	1	5	0	0
Total	19	100	0	0	0	0	0	0	19	100	0	0

HIV (not AIDS), AIDS - Immunologic and All Others 03/01/2010 - 03/31/2010

Table 3. Number of cases and deaths by diagnostic status and age category **

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	22	71	1	8	0	0	0	0	22	71	0	0
AIDS -	8	26	0	0	0	0	0	0	8	26	0	0
AIDS - All	1	3	0	0	0	0	0	0	1	3	0	0
Total	31	100	0	0	0	0	0	0	31	100	0	0

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.

March 2010 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



April 1, 2010

The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

YTD 2010

HIV infection (not AIDS) 01/01/2010 - 03/31/2010

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	67	100	1	1	0	0	0	0	67	100	0	0
Total	67	100	1	3=1	0	0	0	0	67	100	0	0

AIDS - Immunologic and All Others 01/01/2010 - 03/31/2010

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	47	89	1	2	0	0	0	0	47	89	1	2
AIDS - All others	6	11	0	0	0	0	0	0	6	11	0	0
Total	53	100	1	2	0	0	0	0	53	100	1	2

HIV (not AIDS), AIDS - Immunologic and All Others 01/01/2010 - 03/31/2010

Table 3. Number of cases and deaths by diagnostic status and age category **

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	67	74	1	1	0	0	0	0	67	74	1	1
AIDS - Immunologic	19	21	1	5	0	0	0	0	19	21	1	5
AIDS - All	5	5	0	0	0	0	0	0	5	5	0	0
Total	91	100	2	2	0	0	0	0	91	100	2	2

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.

March 2010 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



April 1, 2010

The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

Cumulative

HIV infection (not AIDS) 01/01/1982 - 03/31/2010

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	3556	100	501	14	23	100	2	9	3579	100	503	14
Total	3556	100	501	14	23	100	2	9	3579	100	503	14

AIDS - Immunologic and All Others 01/01/1982 - 03/31/2010

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	2795	64	763	27	0	0	0	0	2795	64	763	27
AIDS - All others	1548	36	893	58	16	100	9	56	1564	36	902	58
Total	4343	100	1656	38	16	100	9	56	4359	100	1665	38

HIV (not AIDS), AIDS - Immunologic and All Others 01/01/1982 - 03/31/2010

Table 3. Number of cases and deaths by diagnostic status and age category **

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	3556	40	501	14	23	42	2	9	3579	40	503	14
AIDS - Immunologic	2967	33	884	30	5	9	0	0	2972	33	884	30
AIDS - All others	2469	27	1737	70	27	49	14	52	2496	28	1751	70
Total	8992	100	3122	35	55	100	16	29	9047	100	3138	35

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.