



**Office of HIV/AIDS/STD
Integrated Prevention,
Surveillance and Care**

November 2010

**Monthly
Surveillance Update
Las Vegas, NV**

November 2010 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

November 2010

HIV infection (not AIDS) 11/01/2010 - 11/30/2010

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	8	100	0	0	0	100	0	0	8	100	0	0
Total	8	100	0	0	0	100	0	0	8	100	0	0

AIDS - Immunologic and All Others 11/01/2010 - 11/30/2010

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	14	93	0	0	0	0	0	0	14	93	0	0
AIDS - All others	1	7	0	0	0	0	0	0	1	7	0	0
Total	15	100	0	0	0	0	0	0	15	100	0	0

HIV (not AIDS), AIDS - Immunologic and All Others 11/01/2010 - 11/30/2010

Table 3. Number of cases and deaths by diagnostic status and age category **

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	8	57	0	0	0	0	0	0	8	57	0	0
AIDS - Immunologic	5	36	0	0	0	0	0	0	5	36	0	0
AIDS - All others	1	7	0	0	0	0	0	0	1	7	0	0
Total	14	100	0	0	0	0	0	0	14	100	0	0

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.

November 2010 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

YTD 2010

HIV infection (not AIDS) 01/01/2010 - 11/30/2010

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	211	100	1	0	2	100	0	0	213	100	1	0
Total	211	100	1	0	2	100	0	0	213	100	1	0

AIDS - Immunologic and All Others 01/01/2010 - 11/30/2010

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	160	84	11	7	0	0	0	0	160	84	11	7
AIDS - All others	30	16	5	17	0	0	0	0	30	16	5	17
Total	190	100	16	8	0	0	0	0	190	100	16	8

Table 2. Number of cases and deaths by diagnostic status and age category

HIV (not AIDS), AIDS - Immunologic and All Others 01/01/2010 - 11/30/2010

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	211	67	1	0	2	100	0	0	213	67	1	0
AIDS - Immunologic	75	24	4	5	0	0	0	0	75	24	4	5
AIDS - All	28	9	5	18	0	0	0	0	28	9	5	18
Total	314	100	10	3	2	100	0	0	316	100	10	3

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.

November 2010 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

Cumulative

HIV infection (not AIDS) 01/01/1982 - 11/30/2010

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	3593	100	513	14	24	100	2	8	3617	100	515	14
Total	3593	100	513	14	24	100	2	8	3617	100	515	14

AIDS - Immunologic and All Others 01/01/1982 - 11/30/2010

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	2895	65	800	28	0	0	0	0	2895	65	800	28
AIDS - All others	1571	35	913	58	16	100	9	56	1587	35	922	58
Total	4466	100	1713	38	16	100	9	56	4482	100	1722	38

HIV (not AIDS), AIDS - Immunologic and All Others 01/01/1982 - 11/30/2010

Table 3. Number of cases and deaths by diagnostic status and age category **

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	3593	39	513	14	24	43	2	8	3617	39	515	14
AIDS -	3061	33	922	30	5	9	0	0	3066	33	922	30
AIDS - All	2496	27	1760	71	27	48	14	52	2523	27	1774	70
Total	9150	100	3195	35	56	100	16	29	9206	100	3211	35

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.