



**Office of HIV/AIDS/STD
Integrated Prevention,
Surveillance and Care**

October 2010

**Monthly
Surveillance Update
Las Vegas, NV**

October 2010 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

October 2010

HIV infection (not AIDS) 10/01/2010 - 10/31/2010

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	21	100	0	0	0	100	0	0	21	100	0	0
Total	21	100	0	0	0	100	0	0	21	100	0	0

AIDS - Immunologic and All Others 10/01/2010 - 10/31/2010

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	5	83	0	0	0	0	0	0	5	83	0	0
AIDS - All others	1	17	0	0	0	0	0	0	1	17	0	0
Total	6	100	0	0	0	0	0	0	6	100	0	0

HIV (not AIDS), AIDS - Immunologic and All Others 10/01/2010 - 10/31/2010

Table 3. Number of cases and deaths by diagnostic status and age category **

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection	21	91	0	0	1	100	0	0	21	91	0	0
AIDS - Immunologic	1	4	0	0	0	0	0	0	1	4	0	0
AIDS - All others	1	4	0	0	0	0	0	0	1	4	0	0
Total	23	100	0	0	1	100	0	0	23	100	0	0

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.

October 2010 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

YTD 2010

HIV infection (not AIDS) 01/01/2010 - 10/31/2010

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	206	100	1	0	2	100	0	0	208	100	1	0
Total	206	100	1	0	2	100	0	0	208	100	1	0

AIDS - Immunologic and All Others 01/01/2010 - 10/31/2010

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	146	83	9	6	0	0	0	0	146	83	9	6
AIDS - All others	29	17	5	17	0	0	0	0	29	17	5	17
Total	175	100	14	8	0	0	0	0	175	100	14	8

Table 2. Number of cases and deaths by diagnostic status and age category

HIV (not AIDS), AIDS - Immunologic and All Others 01/01/2010 - 10/31/2010

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	206	68	1	0	2	100	0	0	208	69	1	0
AIDS - Immunologic	68	23	3	4	0	0	0	0	68	22	3	4
AIDS - All	27	9	5	19	0	0	0	0	27	9	5	19
Total	301	100	9	3	2	100	0	0	303	100	9	3

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.

October 2010 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

Cumulative

HIV infection (not AIDS) 01/01/1982 - 10/31/2010

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	3606	100	509	14	24	100	2	8	3630	100	511	14
Total	3606	100	509	14	24	100	2	8	3630	100	511	14

AIDS - Immunologic and All Others 01/01/1982 - 10/31/2010

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	2886	65	797	28	0	0	0	0	2886	65	797	28
AIDS - All others	1569	35	913	58	16	100	9	56	1585	35	922	58
Total	4455	100	1710	38	16	100	9	56	4471	100	1720	38

HIV (not AIDS), AIDS - Immunologic and All Others 01/01/1982 - 10/31/2010

Table 3. Number of cases and deaths by diagnostic status and age category **

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	3606	39	509	14	24	49	2	8	3630	39	511	14
AIDS -	3052	33	918	30	5	9	0	0	3057	33	918	30
AIDS - All	2494	27	1759	71	27	48	14	52	2521	27	1773	70
Total	9152	100	3186	35	56	100	16	29	9208	100	3202	35

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.