



**Office of HIV/AIDS/STD
Integrated Prevention,
Surveillance and Care**

September 2010

**Monthly
Surveillance Update
Las Vegas, NV**

September 2010 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

September 2010

HIV infection (not AIDS) 09/01/2010 - 09/30/2010

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	14	100	0	0	1	100	0	0	15	100	0	0
Total	14	100	0	0	1	100	0	0	15	100	0	0

AIDS - Immunologic and All Others 09/01/2010 - 09/30/2010

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	11	73	0	0	0	0	0	0	11	73	0	0
AIDS - All others	4	27	0	0	0	0	0	0	4	27	0	0
Total	15	100	0	0	0	0	0	0	15	100	0	0

HIV (not AIDS), AIDS - Immunologic and All Others 09/01/2010 - 09/30/2010

Table 3. Number of cases and deaths by diagnostic status and age category **

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection	14	67	0	0	1	100	0	0	15	68	0	0
AIDS - Immunologic	4	19	0	0	0	0	0	0	4	18	0	0
AIDS - All others	3	14	0	0	0	0	0	0	3	14	0	0
Total	21	100	0	0	1	100	0	0	22	100	0	0

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.

September 2010 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

YTD 2010

HIV infection (not AIDS) 01/01/2010 - 09/30/2010

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	185	100	1	1	2	100	0	0	187	100	1	1
Total	185	100	1	1	2	100	0	0	187	100	1	1

AIDS - Immunologic and All Others 01/01/2010 - 09/30/2010

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	142	84	8	6	0	0	0	0	142	84	8	6
AIDS - All others	28	16	5	18	0	0	0	0	28	16	5	18
Total	170	100	13	8	0	0	0	0	170	100	13	8

Table 2. Number of cases and deaths by diagnostic status and age category

HIV (not AIDS), AIDS - Immunologic and All Others 01/01/2010 - 09/30/2010

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	185	67	1	1	2	100	0	0	187	67	1	1
AIDS - Immunologic	67	24	2	3	0	0	0	0	67	24	2	3
AIDS - All	26	9	5	19	0	0	0	0	26	9	5	19
Total	278	100	8	3	2	100	0	0	280	100	8	3

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.

September 2010 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

Cumulative

HIV infection (not AIDS) 01/01/1982 - 09/30/2010

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	3622	100	511	14	25	100	2	8	3647	100	513	14
Total	3622	100	511	14	25	100	2	8	3647	100	513	14

AIDS - Immunologic and All Others 01/01/1982 - 09/30/2010

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	2888	65	797	28	0	0	0	0	2888	65	797	28
AIDS - All others	1572	35	914	58	16	100	9	56	1588	35	923	58
Total	4460	100	1711	38	16	100	9	56	4476	100	1720	38

HIV (not AIDS), AIDS - Immunologic and All Others 01/01/1982 - 09/30/2010

Table 3. Number of cases and deaths by diagnostic status and age category **

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	3622	40	511	14	25	44	2	8	3647	40	513	14
AIDS -	3045	33	916	30	5	9	0	0	3050	33	916	30
AIDS - All	2494	27	1759	71	27	47	14	52	2521	27	1773	70
Total	9161	100	3186	35	57	100	16	28	9218	100	3202	35

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.