



**Office of HIV/AIDS/STD
Integrated Prevention,
Surveillance and Care**

August 2011

**Monthly
Surveillance Update
Las Vegas, NV**

August 2011 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

August 2011

HIV infection (not AIDS) 08/01/2011 - 08/31/2011

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	26	100	0	0	0	0	0	0	26	100	0	0
Total	26	100	0	0	0	0	0	0	26	100	0	0

AIDS - Immunologic and All Others 08/01/2011 - 08/31/2011

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	19	86	0	0	0	0	0	0	19	86	0	0
AIDS - All others	3	14	0	0	0	0	0	0	3	14	0	0
Total	22	100	0	0	0	0	0	0	22	100	0	0

HIV (not AIDS), AIDS - Immunologic and All Others 08/01/2011 - 08/31/2011

Table 3. Number of cases and deaths by diagnostic status and age category **

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	26	74	0	0	0	0	0	0	26	74	0	0
AIDS - Immunologic	6	17	0	0	0	0	0	0	6	17	0	0
AIDS - All others	3	9	0	0	0	0	0	0	3	9	0	0
Total	35	100	0	0	0	0	0	0	35	100	0	0

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.

August 2011 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

YTD 2011

HIV infection (not AIDS) 01/01/2011 - 08/31/2011

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	151	100	0	0	0	0	0	0	151	100	0	0
Total	151	100	0	0	0	0	0	0	151	100	0	0

AIDS - Immunologic and All Others 01/01/2011 - 08/31/2011

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	113	86	8	7	0	0	0	0	113	86	8	7
AIDS - All others	19	14	3	16	0	0	0	0	19	14	3	16
Total	132	100	11	8	0	0	0	0	132	100	11	8

HIV (not AIDS), AIDS - Immunologic and All Others 01/01/2011 - 08/31/2011

Table 3. Number of cases and deaths by diagnostic status and age category **

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection	151	68	0	0	0	0	0	0	151	68	0	0
AIDS - Immunologic	52	24	7	13	0	0	0	0	52	24	7	13
AIDS - All	18	8	2	11	0	0	0	0	18	8	2	11
Total	221	100	9	4	0	0	0	0	221	100	9	4

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.

August 2011 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

Cumulative

HIV infection (not AIDS) 01/01/1982 - 08/31/2011

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	3665	100	591	16	24	100	2	8	3689	100	593	16
Total	3665	100	591	16	24	100	2	8	3689	100	593	16

AIDS - Immunologic and All Others 01/01/1982 - 08/31/2011

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	3006	65	863	29	0	0	0	0	3006	65	863	29
AIDS - All others	1602	35	952	59	16	100	9	56	1618	35	961	59
Total	4608	100	1815	39	16	100	9	56	4624	100	1824	39

HIV (not AIDS), AIDS - Immunologic and All Others 01/01/1982 - 08/31/2011

Table 3. Number of cases and deaths by diagnostic status and age category **

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection	3665	39	591	16	24	43	2	8	3689	39	593	16
AIDS -	3159	34	988	31	5	9	0	0	3164	34	988	31
AIDS - All	2523	27	1809	72	27	48	14	52	2550	27	1823	71
Total	9347	100	3388	36	56	100	16	29	9403	100	3404	36

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.