



**Office of HIV/AIDS/STD  
Integrated Prevention,  
Surveillance and Care**

**March 2011**

**Monthly  
Surveillance Update  
Las Vegas, NV**

# March 2011 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,  
Surveillance and Care



The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

March 2011

HIV infection (not AIDS) 03/01/2011 - 03/31/2011

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	20	100	0	0	0	0	0	0	20	100	0	0
<b>Total</b>	20	100	0	0	0	0	0	0	20	100	0	0

AIDS - Immunologic and All Others 03/01/2011 - 03/31/2011

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	18	86	0	0	0	0	0	0	18	86	0	0
AIDS - All others	3	14	0	0	0	0	0	0	3	14	0	0
<b>Total</b>	21	100	0	0	0	0	0	0	21	100	0	0

HIV (not AIDS), AIDS - Immunologic and All Others 03/01/2011 - 03/31/2011

Table 3. Number of cases and deaths by diagnostic status and age category \*\*

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection	20	61	0	0	0	0	0	0	20	61	0	0
AIDS - Immunologic	10	30	0	0	0	0	0	0	10	30	0	0
AIDS - All others	3	9	0	0	0	0	0	0	3	9	0	0
<b>Total</b>	33	100	0	0	0	0	0	0	33	100	0	0

\*\* Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.

# March 2011 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,  
Surveillance and Care



The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

YTD 2011

HIV infection (not AIDS) 01/01/2011 - 03/31/2011

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	58	100	0	0	0	0	0	0	58	100	0	0
<b>Total</b>	58	100	0	0	0	0	0	0	58	100	0	0

AIDS - Immunologic and All Others 01/01/2011 - 03/31/2011

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	46	90	0	0	0	0	0	0	46	90	0	0
AIDS - All others	5	10	0	0	0	0	0	0	5	10	0	0
<b>Total</b>	51	100	0	0	0	0	0	0	51	100	0	0

Table 2. Number of cases and deaths by diagnostic status and age category

HIV (not AIDS), AIDS - Immunologic and All Others 01/01/2011 - 03/31/2011

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	58	69	0	0	0	0	0	0	58	69	0	0
AIDS - Immunologic	21	25	0	0	0	0	0	0	21	25	0	0
AIDS - All others	5	6	0	0	0	0	0	0	5	6	0	0
<b>Total</b>	84	100	0	0	0	0	0	0	84	100	0	0

\*\* Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.

# March 2011 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,  
Surveillance and Care



The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

## Cumulative

HIV infection (not AIDS) 01/01/1982 - 03/31/2011

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	3625	100	547	15	24	100	2	8	3649	100	549	15
<b>Total</b>	3625	100	547	15	24	100	2	8	3649	100	549	15

AIDS - Immunologic and All Others 01/01/1982 - 03/31/2011

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	2944	65	822	28	0	0	0	0	2944	65	822	28
AIDS - All others	1588	35	926	58	16	100	9	56	1604	35	935	58
<b>Total</b>	4532	100	1748	39	16	100	9	56	4548	100	1757	39

HIV (not AIDS), AIDS - Immunologic and All Others 01/01/1982 - 03/31/2011

Table 3. Number of cases and deaths by diagnostic status and age category \*\*

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection	3625	39	547	15	24	43	2	8	3649	39	549	15
AIDS - Immunologic	3102	34	944	30	5	9	0	0	3107	33	944	30
AIDS - All others	2509	27	1773	71	27	48	14	52	2536	27	1787	70
<b>Total</b>	9236	100	3264	35	56	100	16	29	9292	100	3280	35

\*\* Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.