



**Office of HIV/AIDS/STD
Integrated Prevention,
Surveillance and Care**

May 2011

**Monthly
Surveillance Update
Las Vegas, NV**

May 2011 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

May 2011

HIV infection (not AIDS) 05/01/2011 - 05/31/2011

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	17	100	0	0	0	0	0	0	17	100	0	0
Total	17	100	0	0	0	0	0	0	17	100	0	0

AIDS - Immunologic and All Others 05/01/2011 - 05/31/2011

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	11	85	0	0	0	0	0	0	11	85	0	0
AIDS - All others	2	15	0	0	0	0	0	0	2	15	0	0
Total	13	100	0	0	0	0	0	0	13	100	0	0

HIV (not AIDS), AIDS - Immunologic and All Others 05/01/2011 - 05/31/2011

Table 3. Number of cases and deaths by diagnostic status and age category **

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection	17	71	0	0	0	0	0	0	17	71	0	0
AIDS - Immunologic	5	21	0	0	0	0	0	0	5	21	0	0
AIDS - All others	2	8	0	0	0	0	0	0	2	8	0	0
Total	24	100	0	0	0	0	0	0	24	100	0	0

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.

May 2011 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

YTD 2011

HIV infection (not AIDS) 01/01/2011 - 05/31/2011

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	92	100	0	0	0	0	0	0	92	100	0	0
Total	92	100	0	0	0	0	0	0	92	100	0	0

AIDS - Immunologic and All Others 01/01/2011 - 05/31/2011

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	73	88	3	4	0	0	0	0	73	88	3	4
AIDS - All others	10	12	0	0	0	0	0	0	10	12	0	0
Total	83	100	3	4	0	0	0	0	83	100	3	4

HIV (not AIDS), AIDS - Immunologic and All Others 01/01/2011 - 05/31/2011

Table 3. Number of cases and deaths by diagnostic status and age category **

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	92	69	0	0	0	0	0	0	92	69	0	0
AIDS - Immunologic	32	24	2	6	0	0	0	0	32	24	2	6
AIDS - All others	10	7	0	0	0	0	0	0	10	7	0	0
Total	134	100	2	1	0	0	0	0	134	100	2	1

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.

May 2011 Monthly HIV/AIDS Surveillance Report



Office of HIV/AIDS/STD—Integrated Prevention,
Surveillance and Care



The tables below were prepared using numbers from the new eHARS data reporting system. There are now three categories of reportable numbers for HIV / AIDS.

Cumulative

HIV infection (not AIDS) 01/01/1982 - 05/31/2011

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection (not AIDS)	3633	100	559	15	24	100	2	8	3657	100	561	15
Total	3633	100	559	15	24	100	2	8	3657	100	561	15

AIDS - Immunologic and All Others 01/01/1982 - 05/31/2011

Table 2. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
AIDS - Immunologic	2967	65	841	28	0	0	0	0	2967	65	841	28
AIDS - All others	1594	35	935	59	16	100	9	56	1610	35	944	59
Total	4561	100	1776	39	16	100	9	56	4577	100	1785	39

HIV (not AIDS), AIDS - Immunologic and All Others 01/01/1982 - 05/31/2011

Table 3. Number of cases and deaths by diagnostic status and age category **

Diagnostic status	Adults or adolescents				Children (<13 yrs)				Total			
	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV infection	3633	39	559	15	24	43	2	8	3657	39	561	15
AIDS -	3122	34	963	31	5	9	0	0	3127	34	963	31
AIDS - All	2515	27	1782	71	27	48	14	52	2542	27	1796	71
Total	9270	100	3304	36	56	100	16	29	9326	100	3320	36

** Table 3 - The Diagnostic Status category HIV/AIDS is not equal to the sum of the totals in the categories HIV Infection (not AIDS) and AIDS combined. The HIV/AIDS Report takes into account the earliest HIV or AIDS diagnosis/report date, whichever occurs first. Thus, the HIV/AIDS Report could be equal to or less than the sum of the categories HIV Infection (not AIDS) and AIDS combined.