

Clark County Health Status Report *2007 Supplement, Volume I*

About This Report: Clark County Health Status Report Supplement 2007 is the third in a series of reports produced by the Southern Nevada Health District on health-related statistics. This series of reports provides data on the occurrence, prevalence, patterns and trends of selected measures of health and well-being of Clark County residents, with statewide and national comparisons where applicable. *Clark County Health Status Report Supplement 2007, Volume I* provides the most recent data available with a focus on non-communicable diseases and conditions. This report presents a broad statistical summary of selected health indicators for our population, and monitors changes in these indicators over time. The next volume of the 2007 supplement will examine youth health behaviors and outcomes in more detail.

December, 2007

CONTENTS

Contributors	(i)
Commentary	(i)
An Overview of Socio-Economic Context & Population Health	1
Demographics	2
Social & Economic Characteristics	4
Mortality	5
Health Status Highlights	12
Indicators of Health Behaviors & Conditions	15
Health Status	16
Health Care Access/Coverage	28
Physical Activity	32
Fruit & Vegetable Consumption	44
Alcohol Consumption	48
Tobacco Use	56
Weight Status	63
Diabetes	71
Hypertension Awareness	75
Cholesterol Awareness	79
Asthma	86
Disability	94
Cardiovascular Disease	100
Cancer Awareness	104
Appendices	119
Appendix A. Clark County Population Estimates	120
Appendix B. Technical Notes	121
Appendix C. List of Figures and Tables	122

Contributors

Prepared by
Jing Feng, MS, *Biostatistician*

*Office of Epidemiology, Division of Community Health
Southern Nevada Health District*

Editorial Review
Patricia Rowley, BS, CPH, *Epidemiology Manager*

Deborah Williams, MPA, MPH, CHES, *Chronic Disease Prevention
& Health Promotion Manager*

Rory Chetelat, MA, EMT-P, *Acting Community Health Division
Director*

Lawrence Sands, DO, MPH, *Chief Health Officer*

Jennifer Sizemore, *Public Information Manager*
Southern Nevada Health District

Technical Review
Wei Yang, MD, Ph.D., *Professor and Director*

*Nevada Center for Health Statistics and Informatics
School of Public Health, University of Nevada-Reno*

Administrative Support
Melissa Constantin

*Office of Epidemiology, Division of Community Health
Southern Nevada Health District*

Commentary

- The Behavioral Risk Factor Surveillance System (BRFSS) is an annual state-based telephone surveillance system developed by the Centers for Disease Control and Prevention (CDC), and comprises CDC-developed core/optional modules and state-added questions. Collection and analysis of the data from BRFSS facilitate monitoring of modifiable risk behaviors and other factors contributing to the leading causes of morbidity and mortality in the population 18 years and older. CDC’s 2000-06 BRFSS is the main data source used for indicators related to health behaviors and conditions in this Clark County Health Status Report Supplement.
- Consistent monitoring from year to year of BRFSS indicators is complicated by periodic changes in data definitions, questionnaires or reporting categories. For more information about the survey modules used each year, please visit <http://www.cdc.gov/brfss/index.htm>.
- Indicators are defined and sourced throughout the text and footnotes in this report where applicable. The sources of population and death data for certain community characteristics and mortality indicators differ from those used in the previously published Clark County Health Status Reports. Such changes of supporting data are based on data availability and considerations for data comparability.
- Health indicators contained within this report are presented in the following table:

Community Characteristics	Health Behaviors	Health Conditions/Outcomes	Mortality
Population	Leisure time physical activity/exercise	Overall health status	Infant mortality
Birth rate	Moderate/vigorous physical activity	Physically unhealthy days	Life expectancy
Median income	Fruit & vegetable consumption	Frequent mental distress	Rate and percentage of death by major cause
Low income	Binge drinking	Weight status	Years of potential life lost by major cause
Educational attainment	Heavy drinking	Diabetes	
Unemployment rate	Current smokers	High blood pressure	
Health care access/coverage	Smoking cessation attempts	High cholesterol	
	Cholesterol screening	Asthma history	
	Cancer screening	Current asthma status	
		Disability & aid equipment use	
		Cardiovascular disease	

- Specific inquiries about this report and related statistics should be directed to: Southern Nevada Health District, Office of Epidemiology, PO Box 3902, 400 Shadow Lane, Las Vegas, NV 89127 (telephone: (702) 759-1300). The series of Clark County Health Status Reports can be accessed electronically at: <http://www.southernnevadahealthdistrict.org>.


An Overview of Socio-Economic Context & Population Health

Demographics


Between 2000 and 2006, the Clark County population showed increases in all age groups, with the 85 years and older age group experiencing the highest percent increase. Nationwide, the 55-59 age group experienced the highest percent increase for the same time period, while the highest percent decrease was seen for the 35-39 age group. For all age groups showing population increases for this time period, Clark County also had higher percent increases when compared to the nation (Figure 1).

According to the U.S. Census Bureau's American Community Surveys, Clark County's population remains relatively young in comparison to the rest of nation. In 2006, the estimated median age of county residents was 34.8 years, compared to a median age of 36.4 years nationwide. However, the median age of county residents is increasing at a faster rate than the nation. Between 2002 and 2006, the estimated median age increased by 0.8 year in the county, compared to an increase of 0.5 year nationwide.

The gender distribution of county residents has remained relatively stable between 2000 and 2006. In 2006, approximately 51% of the population was male (902,969 in numbers) and 49% female (874,570). The Census and post-censal estimates indicate a higher male to female ratio in Clark County when compared to the nation, which was approximately 49% male (147,512,152) and 51% female (151,886,332) in 2006.




Clark County has a higher percentage of Hispanics relative to most other parts of the nation. The county Hispanic population also increases at a faster rate when compared to the nation as a whole. According to the Census and post-censal estimates, the percentage of the Hispanic population in Clark County increased from 22.1% (307,909) in 2000 to 27.2% (482,899) in 2006, while the nation as a whole saw an increase from 12.6% (35,659,724) in 2000 to 14.8% (44,321,038) in 2006. Regardless of Hispanic origin, whites (any ethnicity) declined from 82.5% (1,149,671) of the county population to 79.8% (1,417,898) between 2000 and 2006; blacks (any ethnicity) increased from 9.9% (138,455) to 11.0% (194,776); Asians or Pacific Islanders (any ethnicity) increased from 6.5% (91,108) to 8.2% (146,031); and Native Americans (any ethnicity) increased from (14,147) 1.0% to 1.1% (18,834). Similar changes in the racial distribution of the population were also seen in the nation between 2000 and 2006 (Figure 2).



Clark County has seen a progressive rise in actual number of births. According to the natality data from the CDC WONDER on-line database, 26,152 live births were recorded in 2004 in comparison to 16,848 in 1995, an increase of 55%. Clark County has also had a higher birth rate (per 1,000 population) than the nation (Figure 3). Clark County's higher birth rate is consistent with the county's relatively young population when compared to the nation.

Of all the racial/ethnic groups in the county, Hispanics have had the highest birth rate. According to the Nevada Interactive Health Database, 23.9 births per 1,000 population were recorded among Hispanics in the county in 2004, compared to 16.8 among non-Hispanic blacks (BNH) and 10.6 among non-Hispanic whites (WNH).




Social & Economic Characteristics

According to the American Community Surveys (ACS), the median annual household income in Clark County has increased by 22.3% from \$43,765 in 2002 to \$53,536 in 2006, compared to a increase of 12.5% reported for the nation for the same period (Figure 4). The reported median household income in Clark County was also similar to or higher than the nation over the past five years. However, based on the First Quarter 2007 Composite Cost of Living Index published by the American Chamber of Commerce Researchers Association, the state of Nevada had the 37th lowest cost of living in the nation. To the extent that the cost of living is higher in Nevada when compared to the nation as a whole, the relatively higher incomes earned by county residents may not translate into a higher standard of living.

Clark County compares relatively well with the rest of the nation in terms of poverty and unemployment rates (Figure 4). In 2006, 10.3% of the county population lived below poverty level (vs. 13.3% in U.S.), compared to 12.4% in 2002. The decline in the county's poverty rate between 2002 and 2006 is noteworthy in light of the slight increase in the nation's poverty rate for the same period. Clark County also saw a progressive decline in the percentage of labor force unemployed, from 8.7% to 5.3% over the past five years. When compared with the nation, the unemployment rate was consistently lower in Clark County over the past three years.

The percentage of high school graduate or higher among county residents has increased from 81.7% in 2002 to 82.9% in 2006, based on the ACS estimates. There has also been a steady rise in the percentage of county residents with a bachelor's or advanced degree over the past five years. However, Clark County still compares poorly with the rest of the nation in the area of education (Figure 4). About 20% of county residents reported having a bachelor's degree or higher in 2006, compared to 27% in the nation. The gap between the county and the nation in receipt of a bachelor's degree or higher is lessening though, from a discrepancy of 8.2% in 2002 to 6.8% in 2006.

Figure 4. Selected Socio-Economic Characteristics, Clark County and U.S., 2002-06




Source: U.S. Census Bureau, American Community Survey 2002-06.

Mortality

Infant mortality is among the most frequently used indicators of the health and social condition of a population. Infant mortality has decreased dramatically over the last century in the U.S. with improvements in sanitation, nutrition, maternal and child health care, although the decline has been slower in recent years (National Vital Statistical Reports [NVSR] 1999-2007). Between 1999 and 2004, the vital statistics data indicated little changes in the overall infant mortality rate (per 1,000 live births) in both the county and the nation (Figure 5).

Racial/ethnic disparities in the risk of infant death remain, with the six-year averaged infant mortality rate among BNH about 2.6 times higher than that for WNH, and about 2.9 times higher than that for Hispanics in the county (Figure 5). BNH also have higher rates of low birth weight than other major racial/ethnic groups. Defined as less than 2,500 grams or 5.5 pounds, low birth weight contributes substantially to both infant mortality and childhood disabilities, and is often associated with preterm delivery, maternal illness, nutrition, smoking and other factors related to socio-economic status. Between 1999 and 2004, an average of 13.5% of births with low birth weight was reported among BNH, compared to 7.3% among WNH and 6.3% among Hispanics (Clark County Health Status Report, Volume I).

Figure 5. Infant Mortality Rates* (per 1,000 live births) by Race/Ethnicity, Clark County and U.S., 1999-2004




Source: County birth and mortality data from Nevada State Health Division. National vital statistics from NVSR (Vol.53/No.12, Vol.54/No.16 and Vol.55/No.14).
 *Infant mortality rates are deaths occurring less than 1 year, neonatal mortality rates are deaths occurring less than 28 days, and post-neonatal mortality rates are deaths occurring from 28 days to 1 year per 1,000 live births in specified groups. Births of unspecified racial/ethnic origin in the county prorated according to the distribution of births of known racial/ethnic origin in rate calculations.

Life expectancy (LE) is also a widely used measure of population health status and is closely associated with the mortality experience of a population. It is defined as the average number of years an individual can expect to live given the current probability of dying at each age. There have been steady increases in LE among county residents over the last decade, by approximately one year for every five calendar years (Figure 6.1). The estimated LE for county residents born in 2003-04 was 76.7 years, an increase of 1.9 years over the LE at birth in 1993-94. However, county residents' LE is lower than the national average. In 2003-04, the estimated gap between county residents and fellow Americans in LE at birth was 0.9 year. The LE gap of the same two-year period between the county and the nation was narrower for older adults, with county residents expecting to live 0.5 year less than fellow Americans at age 65 (Figure 6.3).

Between 1993 and 2004, LE at birth has increased by 2.5 years to 74.2 years for men and by 1.2 years to 79.4 years for women in Clark County (Figure 6.1). Although the gender gap is narrowing, county male newborns on average expect to live 5.7 years less than county female newborns. When comparing the county to the nation however, there was a slightly wider gap in the averaged LE at birth for females (county: 78.7 yrs vs. U.S.: 79.5 yrs) than for males (county: 73.0 yrs vs. U.S.: 73.7 yrs).

BNH in the county have lived somewhat shorter lives than other major racial/ethnic groups (Figure 6.1). In 2003-04, LE for BNH newborns in the county was 3.8 years less than that for WNH newborns. The higher than overall LE seen among Hispanics is attributable to the 'healthy worker effect', a phenomenon of workers exhibiting death rates lower than those of the general population due to the fact that the severely ill and disabled are ordinarily excluded from employment (Clark County Health Status Report, Volume I). The 'healthy worker effect' is present among the nation's Hispanic population, the majority of whom either are or descend from migrant workers with a minimum level of health required to hold a job. Such selection bias in favor of a healthier population very likely contributes to the lower death rates and higher LE estimates among Hispanics in the country. However, this racial/ethnic gap has been narrowing over the past decade, due to the 'healthy worker effect' gradually diminishing over time.

Figure 6.1. Life Expectancy at Birth, Clark County, 1993/94, 1998/99, and 2003/04



Source: County life expectancy estimates were calculated using two-year aggregated population and mortality data from Nevada State Health Division. Life expectancy estimates at the national level were from NVSR (Vol.53/No.15, Vol.54/No.13, Vol.54/No.19 and Vol.55/No.19) and were single year estimates averaged across the two year period.

Figure 6.2. Life Expectancy at Age 30, Clark County, 1993/94, 1998/99, and 2003/04





Figure 6.3. Life Expectancy at Age 65, Clark County, 1993/94, 1998/99, and 2003/04



Source: County life expectancy estimates were calculated using two-year aggregated population and mortality data from Nevada State Health Division. Life expectancy estimates at the national level were from NVSR and were single year estimates averaged across the two year period.

Like most developed countries, a large proportion of deaths in the U.S. are due to non-communicable diseases and injuries (Figure 7). Notwithstanding some changes in the rank order, the fifteen leading causes of death in 2004 remained the same as in 2003 in both the county and the nation respectively (Clark County Health Status Report, Volume II). Nationwide, the top fifteen causes of death accounted for 82.7% of all deaths in the U.S. in 2004. In Clark County, fourteen of the top fifteen causes of death were the same as the nation, while mortality from Parkinson's disease was not on the county's list of the fifteen leading causes of death in 2004. Together, these leading causes of death accounted for 83.5% of all deaths in the county in 2004.

As was true in the nation, diseases of heart, malignant neoplasms (cancer) and cerebrovascular diseases were Clark County's top three causes of death in 2004, accounting for 55.3% of all deaths in the county (Figure 7). In rank order, other chronic diseases/conditions among the leading causes of death in the county in 2004 included chronic lower respiratory diseases, Alzheimer's disease, chronic liver disease and cirrhosis, diabetes, and essential hypertension and hypertensive renal disease. Unintentional injuries or accidents rose to the fourth leading cause of death in the county in 2004, while it ranked as the fifth leading cause in 2003 (Clark County Health Status Report, Volume II). Mortality from unintentional injuries, suicide, and assault (homicide) and legal intervention (legal execution by the police or other law-enforcing agents) has also ranked consistently higher in the county than in the nation (Clark County Health Status Report, Volume I & II).

Figure 7. Top Fifteen Leading Causes of Death* as Percent of All Deaths, Clark County and U.S., 2004

Cause of Death Ranked in Clark County			Cause of Death Ranked in U.S.		
Diseases of Heart	Clark	26.4% (3,203)	Diseases of Heart	Clark	26.4% (3,203)
	US	27.2% (652,486)		US	27.2% (652,486)
Malignant Neoplasms (Cancer)	Clark	23.2% (2,810)	Malignant Neoplasms (Cancer)	Clark	23.2% (2,810)
	US	23.1% (553,888)		US	23.1% (553,888)
Cerebrovascular Diseases (Stroke)	Clark	5.8% (700)	Cerebrovascular Diseases (Stroke)	Clark	5.8% (700)
	US	6.3% (150,074)		US	6.3% (150,074)
Unintentional Injuries (Accidents)	Clark	5.7% (697)	Chronic Lower Respiratory Diseases	Clark	5.7% (687)
	US	4.7% (112,012)		US	5.1% (121,987)
Chronic Lower Respiratory Diseases	Clark	5.7% (687)	Unintentional Injuries (Accidents)	Clark	5.7% (697)
	US	5.1% (121,987)		US	4.7% (112,012)
Nephritis, Nephrotic Syndrome and Nephrosis	Clark	2.8% (337)	Diabetes	Clark	1.4% (165)
	US	1.8% (42,480)		US	3.1% (73,138)
Septicemia	Clark	2.4% (291)	Alzheimer's Disease	Clark	1.7% (202)
	US	1.4% (33,373)		US	2.8% (65,965)
Influenza and Pneumonia	Clark	2.3% (280)	Influenza and Pneumonia	Clark	2.3% (280)
	US	2.5% (59,664)		US	2.5% (59,664)
Suicide	Clark	2.3% (278)	Nephritis, Nephrotic Syndrome and Nephrosis	Clark	2.8% (337)
	US	1.4% (32,439)		US	1.8% (42,480)
Alzheimer's Disease	Clark	1.7% (202)	Septicemia	Clark	2.4% (291)
	US	2.8% (65,965)		US	1.4% (33,373)
Assault (Homicide) and Legal Intervention	Clark	1.4% (168)	Suicide	Clark	2.3% (278)
	US	0.7% (17,729)		US	1.4% (32,439)
Chronic Liver Disease and Cirrhosis	Clark	1.4% (166)	Chronic Liver Disease and Cirrhosis	Clark	1.4% (166)
	US	1.1% (27,013)		US	1.1% (27,013)
Diabetes	Clark	1.4% (165)	Essential (Primary) Hypertension and Hypertensive Renal Disease	Clark	0.6% (74)
	US	3.1% (73,138)		US	1.0% (23,076)
Essential (Primary) Hypertension and Hypertensive Renal Disease	Clark	0.6% (74)	Parkinson's Disease	Clark	0.5% (59)
	US	1.0% (23,076)		US	0.8% (17,989)
Pneumonitis Due To Solids and Liquids	Clark	0.6% (68)	Assault (Homicide) and Legal Intervention	Clark	1.4% (168)
	US	0.7% (16,780)		US	0.7% (17,729)

Source: Mortality Module on CDC WONDER on-line database (accessed in September 2007).

*Among the 113 causes selected by NVSR. Rank based on number of deaths. Percent of deaths annotated on graphs with number of deaths by underlying cause of death in parentheses.

▨ Indicates that the percent of death accounted for by the specific cause in Clark County exceeded that in the U.S. by 0.5% or higher.

Among persons aged 10 to 24 years, accidents, assault and legal intervention and suicide were the top three causes of death. In 2004, 73.6% of all deaths among county residents aged 10 to 24 years resulted from these causes (Figure 8). Assault and legal intervention also accounted for a higher percentage of deaths in this age group in the county than in the nation (19.7% vs. 14.4%). Among persons aged 25 to 54 years, diseases of heart, accidents, suicide, assault and legal intervention accounted for higher percentages of deaths in the county than in the nation in 2004 (Figure 8). Among persons aged 55 years and older, the leading chronic disease killers in the county in 2004 included diseases of heart (accounting for 28.7% of all deaths in this age group), cancer (25.3%), chronic lower respiratory diseases (6.8%), cerebrovascular diseases (6.4%), Alzheimer’s disease (2.1%), diabetes (1.4%), chronic liver disease and cirrhosis (1.1%), essential hypertension and hypertensive renal disease (0.7%), Parkinson’s disease (0.6%) and atherosclerosis (0.4%). Together, these causes accounted for 73.5% of all deaths among county residents aged 55 years and older in 2004 (CDC WONDER Mortality Module).

Since the risk of dying varies according to age, and Clark County’s population is younger than the nation as a whole, standardizing populations for age helps eliminate the differences in mortality between populations that are the result of the differences in age distribution. In 2004, Clark County had a higher age-adjusted or age-standardized death rate (per 100,000 population) relative to the nation for diseases of heart, cancer, cerebrovascular diseases, chronic lower respiratory diseases, and chronic liver disease and cirrhosis (Figure 9). Within each gender, these diseases also registered higher death rates in the county than in the nation with the exception that for males, cancer of all sites combined contributed to a slightly lower than U.S. death rate in the county in 2004. When compared with national gender-specific death rates however, both males and females in the county had higher mortality rates for colorectal cancer. Higher than national gender-specific death rates were also seen among county females for lung/bronchus cancer, breast cancer and cancer of all sites combined. Relative to females, males in both the county and the nation showed a higher mortality rate for diseases of heart, cancer, cerebrovascular diseases, chronic lower respiratory diseases, diabetes, and chronic liver disease and cirrhosis. Females on the other hand, had a higher mortality rate for Alzheimer’s disease than males in both the county and the nation.







Figure 9. Age-Adjusted Death Rates* (per 100,000 population) by Selected Cause of Death and Gender, Clark County and U.S., 2004



Source: Mortality Module on CDC WONDER on-line database (accessed in September 2007).

*Age-adjusted to the 2000 U.S. standard population. Gender-specific rates used population of each sex as denominator. Number of deaths by gender in parentheses.

Years of potential life lost (YPLL) is another often used measure of population health and is strongly associated with death rates in every stage of life. It takes into account the remaining life expectancy at each age of death, or the number of years of life 'lost' when a person dies from any cause. Since the number of potential years left to live is higher for premature or untimely deaths, YPLL gives more importance to deaths occurring at younger ages and is thus often used as an indicator of premature mortality. In addition, cause-specific YPLL provides a summary measure of the impact of certain causes of death on a population. Due to the fact that premature deaths are associated with higher YPLL values, causes young people are more likely to die from often rank higher on YPLL than on number of deaths, particularly unintentional and intentional injuries.

Based on mortality data averaged from 1999 to 2004, WNH had the highest YPLL from diseases of heart, cancer, chronic lower respiratory diseases and Alzheimer's disease among all racial/ethnic groups in the county (Table 1). WNH in the county also had 1.3 times more YPLL from chronic liver disease/cirrhosis and from suicide respectively than county residents as a whole. Among all racial/ethnic groups in the county, BNH had the highest YPLL from cerebrovascular diseases, diabetes, HIV disease, and assault/legal intervention. With 606.5 years lost per 100,000 population due to HIV disease and 1580.5 years lost per 100,000 due to assault/legal intervention, BNH in the county had 3.4 times more YPLL from these two causes respectively than county residents as a whole. The same years' data indicated that Native Americans had the highest YPLL from chronic liver disease/cirrhosis, influenza/pneumonia, accidents and suicide among all racial/ethnic groups in the county. Native Americans also had 1.4 times more YPLL from chronic lower respiratory diseases and 1.3 times more YPLL from diabetes than county residents as a whole. The lower than overall YPLL seen among Hispanics for most cause of death categories is consistent with Hispanics' higher than overall life expectancies. The favorable mortality outcomes among Hispanics are partly a function of the previously mentioned 'healthy worker effect', which posits a selection bias in favor of Hispanic immigrants with relatively good health. Also, it should be noted that Hispanic deaths are likely underreported due to misclassification of race/ethnicity on death certificates (*Healthy People 2010: understanding and improving health, 2nd ed.*). In addition, the relatively young age of the Hispanic population in the county partially accounts for the high rankings on YPLL for unintentional injuries and assault/legal intervention among the leading causes of death for Hispanics.

Table 1. Years of Potential Life Lost* (per 100,000 population) by Selected Cause of Death and Race/Ethnicity, Clark County, Average 1999-2004

	All Origins	Hispanic	White, Non-Hispanic	Black, Non-Hispanic	Asian/Pacific Islander, Non-Hispanic	Native American, Non-Hispanic
All causes of death	14872.19	6787.24	18241.66	17676.08	8910.06	15244.38
Diseases of heart	3333.07	909.72	4376.98	3772.02	1668.21	2325.85
Acute myocardial infarction	458.71	112.28	630.22	374.94	240.86	328.57
Cancer, any site	3269.66	872.59	4367.52	2962.85	2254.88	1693.83
Cancer of trachea, bronchus & lung	981.07	142.37	1395.31	751.76	460.24	425.55
Cancer of colon, rectum & anus	275.94	67.97	365.57	272.79	212.59	57.10
Cerebrovascular diseases	655.62	250.01	772.65	919.13	734.72	665.98
Chronic lower respiratory diseases	677.22	107.83	990.85	382.07	163.91	923.26
Alzheimer's disease	91.97	14.38	133.31	67.77	22.14	39.88
Diabetes	246.26	104.37	291.02	398.96	128.33	321.90
Chronic liver disease and cirrhosis	319.98	185.11	412.82	197.66	106.40	974.81
Influenza & pneumonia	256.29	77.44	328.76	320.55	119.51	393.45
HIV disease	178.53	124.73	146.44	606.52	56.98	224.92
Unintentional injuries (accidents)	1385.29	1115.25	1546.66	1453.95	734.82	3075.36
Suicide	633.54	341.62	803.70	433.35	363.87	1047.07
Assault & legal intervention	464.70	667.03	229.55	1580.54	419.65	253.17

Source: Population and mortality data from Nevada Interactive Health Database System (NIHDS) (accessed in September 2007). Comparable national data not available. *Life expectancy data by specific age groups were used to calculate YPLL. Each decedent's remaining life expectancy at the time of death was summed to calculate the total YPLL for each cause of death.

Health Status Highlights

(Based on available Behavioral Risk Factor Surveillance System data from 2000 to 2006)

Self-rated health status, physical and mental health

- About 18% of county adults aged 18 years and older reported poor or fair health status in 2006, with Hispanics reporting the highest percentage (26%) among all racial/ethnic groups.
- Women were more likely to report poor or fair health and frequent mental distress than men. Women also reported roughly two more physically unhealthy days per month than men.
- The percentage of adults reporting poor or fair health increased with age. Older adults also reported many more physically unhealthy days than younger adults, due to the many chronic diseases and their related activity limitations that increase with age, such as diabetes, hypertension, high cholesterol, cardiovascular disease and cancer.
- Self-perceived health status improved with income status and educational attainment. Higher household income and educational level were also associated with fewer mentally or physically unhealthy days.

Access to health care

- About 19% of county adults reported no insurance coverage of any kind in 2006. Lack of health insurance coverage was more prevalent among Hispanics (47%) than other racial/ethnic groups.
- Self-reports of no insurance coverage among county adults increased significantly between 2000 and 2006. The percentage of county adults with no insurance coverage was also consistently higher than national medians during the same period.
- Access to health care improved with age, income and educational status.

Selected health risks and chronic health conditions

- About one in two county adults did not undertake physical activities at levels recommended for health benefits, including about one in four who reported no leisure time activity or exercise at all. Recent data also suggest a slight increase in the proportion of county adults with no leisure time physical activity or exercise.
- More than one-third of county adults aged 65 years and older did not engage in leisure time physical activities. Lack of physical activity or exercise was also more prevalent among women than men, and among Hispanics and BNH than other racial/ethnic groups in the county.
- Lack of or insufficient physical activity was more frequently reported among county adults of fair or poor health status than those of good or better health status.
- Less than a quarter (22%) of county adults consumed five or more daily servings of fruits and vegetables, markedly under the Healthy People 2000 nutrition target of 50%.
- Almost one in five county adults engaged in binge drinking. The prevalence of binge drinkers in the county was more than three times higher for men than for women, and about twice as high in adults aged 18 to 34 years as in the general adult population. The binge drinking prevalence among county adults has also been higher than national medians in 2000-05.
- About one in ten county adults aged 18 to 24 years engaged in heavy drinking. Self-reported heavy drinking was also more prevalent among men than woman, and among WNH than other racial/ethnic groups in the county. Although the heavy drinking prevalence among county adults in 2006 (5%) was the lowest since 2000, heavy drinking was more prevalent in the county than in the nation in 2000-05.
- About one in four county adults smoked currently in 2006, compared with a significantly higher prevalence of current smokers estimated at 30% in 2000. Although smoking rates have declined between 2000 and 2006, the proportion of current smokers in the county was still higher than the national median estimated at 20% in 2006.
- Smoking was more prevalent among non-Hispanics than Hispanics, and among young and middle-aged adults than older adults. The prevalence of current smokers was also higher among county adults of fair or poor health status than those of good or better health status.

- More than a quarter of county adults were obese in 2006, compared with a significantly lower obesity prevalence estimated at 18% in 2000. The proportion of county adults who are either overweight or obese has also increased significantly from 54% in 2000 to 65% in 2006.
- Obesity was more prevalent among BNH and Hispanics than other racial/ethnic groups, and among county adults reporting no leisure time activity or exercise than those reporting some leisure time physical activities.
- Diabetes prevalence among county adults has increased slightly from 6% in 2001 to 8% in 2006.
- About one in four county adults had hypertension and about one in three had high cholesterol. The hypercholesterolemia prevalence was consistently higher in the county than in the nation. There was no clear trend in the prevalence of hypertension or hypercholesterolemia among county adults since 2000.
- The risk for many chronic diseases and conditions increases with age. In 2006, about one in five county adults aged 65 years and older had diabetes, about one in four had some form of cardiovascular disease, and about one in two had hypertension or high cholesterol.
- The prevalence of many chronic diseases and conditions varies by race/ethnicity. Based on age-adjusted prevalence estimates (AAPE), about 11% of Hispanic and BNH county adults had diabetes, compared with 6% of WNH county adults. About 34% of BNH county adults had hypertension, compared with 25% of Hispanic and 24% of WNH county adults. AAPE also indicated lower prevalence of asthma and cardiovascular disease among Hispanics than other racial/ethnic groups in the county.

Table 2. The County Health Report Card (among adults 18 years and older), 2006*

	Clark County	Nevada	U.S. †	Healthy People 2010 Target	Target met in Clark County?
Health Status					
1. Poor or fair health status	18.1%	18.5%	14.7%	N/A	N/A
2. Physically unhealthy days (mean number of days in past month)	3.8	3.7	3.4	N/A	N/A
3. Frequent mental distress	11.2%	10.7%	9.9%	N/A	N/A
Health Behaviors and Outcomes					
4. No leisure time physical activity in past month	27.0%	27.1%	22.8%	20%	No
5. Sufficient moderate activity	50.6%	50.7%	48.7%	30%	Yes
6. Sufficient vigorous activity	33.0%	32.6%	27.4%	30%	Yes
7. Eating 5+ fruits/vegetables daily	22.0%	22.5%	23.2%	50% §	No
8. Binge drinking #	15.0%	15.5%	15.3%	6%	No
9. Heavy drinking	4.7%	5.8%	4.9%	N/A	N/A
10. Current smoking	22.4%	22.2%	20.0%	12%	No
11. Overweight or obese	64.8%	63.6%	62.3%	N/A	N/A
12. Obesity	25.1%	25.0%	25.1%	15%	No
13. Diabetes**	7.9%	7.5%	7.5%	N/A	N/A
14. Hypertension**	24.1%	24.1%	25.5%	16%	No
15. High cholesterol	40.7%	39.2%	35.6%	N/A	N/A
16. Ever had asthma	12.8%	12.3%	13.0%	N/A	N/A
17. Current asthma	7.9%	7.7%	8.4%	N/A	N/A
18. Limited in activities due to physical, mental or emotional problems	21.1%	20.2%	N/A	N/A	N/A
19. Use special aid equipment due to health problems	6.9%	6.5%	N/A	N/A	N/A
20. Cardiovascular disease	9.3%	8.9%	8.0%	N/A	N/A
Preventive Care and Screening					
21. Cholesterol checked within past 5 years	68.6%	66.7%	73.0%	80%	No
22. Mammogram (among women aged 40+ years) within past 2 years	72.3%	70.7%	76.5%	70%	Yes
23. Pap test (among women aged 18+ years) within past 3 years	83.3%	82.1%	84.0%	90%	No
24. Prostate-specific antigen test (among men aged 40+ years) within past 2 years	54.5%	52.7%	53.8%	N/A	N/A
25. Ever had sigmoidoscopy or colonoscopy (among adults aged 50+ years)	56.5%	55.2%	57.1%	50%	Yes

Source: Behavioral Risk Factor Surveillance System (BRFSS). See individual sections in the report for full definitions of indicators.

*Substituted by 2005 statistics if state/county data not available from the 2006 BRFSS survey. All statistics reported in terms of prevalence (%) except for indicator 2.

† Median percentages among participating states, DC and territories adopted as prevalence at the national level.

Results may not be comparable with those of previous years due to the change in BRFSS binge drinking definition since 2006.

§ Substituted by Healthy People 2000 Target as relevant Healthy People 2010 Target was not available (Healthy People 2010 segments the nutrition target into multiple categories of fruits and vegetables).

**Borderline category and pregnancy-related not included.

Figure 10. Prevalence of Selected Health Behaviors and Conditions by Gender and by Race/Ethnicity, Clark County and U.S., 2006*

() : Prevalence among adults 65 years and older

		Overall	Male	Female
No leisure time activity/exercise	Clark	27.0%	23.2%	30.8%
	US	22.8%	20.9%	25.1%
Daily fruit/vegetable servings < 5	Clark	78.0%	82.4%	73.3%
	US	76.8%	81.4%	71.9%
Binge drinking	Clark	15.0%	18.6%	11.5%
	US	15.3%	20.3%	9.8%
Heavy drinking	Clark	4.7%	5.3%	4.2%
	US	4.9%	5.7%	4.4%
Smoke currently	Clark	22.4%	21.7%	23.1%
	US	20.0%	22.0%	18.4%
Overweight or obese	Clark	64.8%	72.4%	57.2%
	US	62.3%	69.6%	54.2%
Diabetes**	Clark	7.9% (21.8%)	8.9%	6.9%
	US	7.5% (18.2%)	8.0%	7.2%
Hypertension**	Clark	24.1% (55.6%)	22.6%	25.7%
	US	25.5% (54.8%)	25.4%	24.9%
High cholesterol	Clark	40.7% (56.7%)	44.3%	37.3%
	US	35.6% (50.6%)	37.3%	34.4%
Cardiovascular disease	Clark	9.3% (27.7%)	10.5%	8.0%
	US	8.0%	[Not available]	[Not available]

		Non-Hispanic White	Non-Hispanic Black	Hispanic
No leisure time activity/exercise	Clark	23.6%	31.9%	34.2%
	US	20.7%	30.4%	33.7%
Daily fruit/vegetable servings < 5	Clark	79.3%	69.1%	76.0%
	US	76.4%	78.2%	79.6%
Binge drinking	Clark	14.8%	--	17.1%
	US	15.8%	9.2%	14.6%
Heavy drinking	Clark	5.6%	--	--
	US	5.4%	2.5%	4.0%
Smoke currently	Clark	21.5%	--	17.9%
	US	19.6%	22.3%	18.0%
Overweight or obese	Clark	64.8%	69.2%	63.8%
	US	60.8%	71.8%	63.8%
Diabetes**	Clark	8.6%	--	--
	US	7.2%	11.9%	6.4%
Hypertension**	Clark	27.4%	37.5%	--
	US	26.0%	34.0%	15.8%
High cholesterol	Clark	44.9%	--	26.3%
	US	36.6%	30.7%	28.3%
Cardiovascular disease	Clark	12.2%	--	--
	US	[Not available]	[Not available]	[Not available]

Source: BRFSS.

*Substituted by 2005 statistics if data not available from the 2006 BRFSS survey.

**Borderline category and pregnancy-related not included.

--Suppressed due to the number of respondents with the condition of interest less than 20.

Indicators of Health Behaviors & Conditions

Abbreviations

N	Number of survey respondents with the condition of interest
C.I.	Confidence interval (standard 95% confidence level adopted)
N/A	Not available
Adj.	Adjusted
Hisp.	Hispanic
Multi.	Multiracial
H.S.	High school
Empl.	Employed
Mem.	Member
Unmarr.	Unmarried

Health Status


Indicator 1: Self-perceived health status, rated from excellent, very good, good, fair to poor.

- 16.5% of county residents rated their overall health status as poor or fair, based on aggregated county data from 2000-06 (Figure 1).
- Hispanics reported the highest percentage of poor or fair health among all racial/ethnic groups based on age-adjusted prevalence estimates (Table 1).

Table 1. Percent Poor or Fair Health Status by Race/Ethnicity (2000-06 aggregated)

	White, Non-Hisp.			Black, Non-Hisp.			Other/Multi, Non-Hisp.			Hispanic		
	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.
State	2092	13.6 (12.7-14.4)	12.6 (11.8-13.3)	114	20.3 (16.1-24.6)	21.0 (16.7-25.3)	453	18.2 (15.8-20.5)	18.8 (16.5-21.1)	650	26.9 (24.4-29.3)	29.8 (27.0-32.6)
Clark	628	14.1 (12.9-15.3)	13.0 (11.9-14.2)	89	19.4 (15.1-23.8)	20.1 (15.7-24.4)	137	17.6 (14.5-20.8)	18.4 (15.2-21.5)	210	23.3 (20.1-26.4)	26.5 (22.7-30.3)
Washoe	643	11.4 (10.4-12.4)	10.9 (10.0-11.8)	15	12.9 (5.9-19.9)	13.2 (6.2-20.1)	131	16.8 (13.8-19.9)	17.9 (14.8-21.0)	140	21.3 (17.8-24.8)	24.2 (20.2-28.3)
Other Counties	821	13.9 (12.8-15.0)	12.7 (11.7-13.8)	10	45.3 (19.9-70.8)	39.6 (26.2-53.0)	185	21.8 (17.3-26.4)	21.1 (17.2-25.0)	300	38.4 (33.3-43.5)	40.6 (35.6-45.6)


Figure 1. Percent Poor or Fair Health Status by Demographic Subgroups (2000-06 aggregated)



Source: BRFSS.

County	Fair or Poor		Good or Better	
	N	% and C.I.	N	% and C.I.
Carson City	208	19.7 (16.5-22.9)	996	80.3 (77.1-83.5)
Churchill	95	14.4 (11.4-17.4)	492	85.6 (82.6-88.6)
Clark	1072	16.5 (15.5-17.6)	5420	83.5 (82.4-84.5)
Douglas	140	12.3 (10.0-14.6)	914	87.7 (85.4-90.0)
Elko	144	14.9 (12.3-17.5)	749	85.1 (82.5-87.7)
Humboldt	17	19.7 (9.9-29.4)	84	80.3 (70.6-90.1)
Lyon	173	16.1 (13.6-18.6)	789	83.9 (81.4-86.4)
Nye	154	19.5 (16.3-22.8)	597	80.5 (77.2-83.7)
Washoe	940	13.2 (12.3-14.1)	5783	86.8 (85.9-87.7)

Figure 2. Poor or Fair Health Status (%)




Source: BRFSS.

	2000	2001	2002	2003	2004	2005	2006
Clark	17.2 (13.6-20.8)	13.3 (10.7-15.8)	16.5 (13.8-19.3)	17.1 (14.3-19.9)	18.1 (15.2-21.0)	15.1 (12.4-17.8)	18.1 (15.4-20.8)
NV	15.8 (13.2-18.3)	13.6 (11.8-15.4)	17.2 (15.2-19.2)	17.5 (15.4-19.6)	18.1 (16.0-20.2)	17.2 (15.1-19.2)	18.5 (16.4-20.5)
U.S.†	14.0	14.1	14.8	15.0	15.1	14.9	14.7

†Median % among participating states, DC and territories.

Figure 3. Year 2006: Poor or Fair Health Status (%) (U.S. outlying territories not displayed on map)



*Prevalence in Clark County: 18.1%.

Source: BRFSS.

Table 4. Poor or Fair Health Status

Source: BRFSS.

	State		Clark		Washoe		2000-06 aggregated Other Counties	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	3348	16.9 (16.1-17.7)	1072	16.5 (15.5-17.6)	940	13.2 (12.3-14.1)	1336	21.7 (20.0-23.4)
Male	1491	15.2 (14.1-16.3)	467	14.7 (13.2-16.2)	429	12.7 (11.4-14.0)	595	19.5 (17.0-21.9)
Female	1857	18.6 (17.5-19.7)	605	18.4 (16.8-19.9)	511	13.7 (12.4-15.0)	741	24.1 (21.7-26.5)
Race/Ethnicity	3348	16.9 (16.1-17.7)	1072	16.5 (15.5-17.6)	940	13.2 (12.3-14.1)	1336	21.7 (20.0-23.4)
White,Non-Hisp.	2092	13.6 (12.7-14.4)	628	14.1 (12.9-15.3)	643	11.4 (10.4-12.4)	821	13.9 (12.8-15.0)
Black,Non-Hisp.	114	20.3 (16.1-24.6)	89	19.4 (15.1-23.8)	15	12.9 (5.9-19.9)	10	45.3 (19.9-70.8)
Other/Multi,Non-Hisp.	453	18.2 (15.8-20.5)	137	17.6 (14.5-20.8)	131	16.8 (13.8-19.9)	185	21.8 (17.3-26.4)
Hispanic	650	26.9 (24.4-29.3)	210	23.3 (20.1-26.4)	140	21.3 (17.8-24.8)	300	38.4 (33.3-43.5)
Age group	3348	16.9 (16.1-17.7)	1072	16.5 (15.5-17.6)	940	13.2 (12.3-14.1)	1336	21.7 (20.0-23.4)
18-24	157	12.2 (9.6-14.8)	56	11.9 (8.5-15.2)	42	7.0 (4.7-9.2)	59	17.5 (10.7-24.3)
25-34	331	12.7 (10.9-14.4)	109	11.5 (9.2-13.8)	89	9.1 (7.1-11.0)	133	20.4 (16.0-24.8)
35-44	515	14.2 (12.6-15.8)	179	13.6 (11.5-15.7)	130	9.5 (7.8-11.2)	206	21.3 (17.6-25.0)
45-54	703	17.5 (15.8-19.3)	215	17.3 (14.9-19.8)	217	15.3 (13.2-17.4)	271	20.6 (17.4-23.7)
55-64	658	20.6 (18.4-22.7)	204	20.4 (17.4-23.4)	188	16.6 (14.1-19.1)	266	24.9 (20.7-29.2)
65+	980	25.4 (23.3-27.5)	308	26.0 (23.1-29.0)	272	22.5 (19.8-25.3)	400	25.9 (22.6-29.1)
Education	3348	16.9 (16.1-17.7)	1072	16.5 (15.5-17.6)	940	13.2 (12.3-14.1)	1336	21.7 (20.0-23.4)
Less than H.S. diploma	734	37.3 (34.2-40.5)	213	35.3 (30.8-39.8)	172	30.7 (26.2-35.2)	349	43.8 (38.3-49.2)
H.S. diploma or G.E.D.	1123	17.8 (16.3-19.3)	333	17.8 (15.7-19.9)	310	16.3 (14.3-18.2)	480	18.9 (16.4-21.3)
Some post-H.S.	943	13.7 (12.5-14.9)	310	13.9 (12.2-15.6)	279	11.8 (10.3-13.3)	354	14.6 (12.8-16.4)
College graduate	536	9.7 (8.6-10.8)	215	10.6 (9.0-12.1)	177	7.2 (6.0-8.4)	144	9.1 (7.1-11.0)
Income	3348	16.9 (16.1-17.7)	1072	16.5 (15.5-17.6)	940	13.2 (12.3-14.1)	1336	21.7 (20.0-23.4)
Less than \$15,000	662	38.6 (34.9-42.4)	177	37.4 (31.9-43.0)	185	35.9 (30.8-41.0)	300	42.5 (36.2-48.9)
\$15,000 to 24,999	751	27.4 (24.8-30.0)	223	26.2 (22.6-29.8)	218	25.2 (21.9-28.6)	310	32.4 (27.6-37.2)
\$25,000 to 34,999	456	20.6 (18.1-23.2)	155	21.1 (17.7-24.5)	115	14.6 (11.8-17.4)	186	24.5 (18.5-30.6)
\$35,000 to 49,999	421	12.3 (10.7-13.8)	131	12.1 (9.9-14.3)	130	11.9 (9.7-14.1)	160	13.4 (10.9-16.0)
\$50,000 or more	563	8.3 (7.4-9.3)	228	9.1 (7.8-10.4)	163	5.7 (4.8-6.7)	172	7.8 (6.4-9.3)
Employment	3348	16.9 (16.1-17.7)	1072	16.5 (15.5-17.6)	940	13.2 (12.3-14.1)	1336	21.7 (20.0-23.4)
Employed/Self-empl.	1348	11.9 (11.0-12.8)	433	11.3 (10.2-12.5)	396	9.1 (8.1-10.1)	519	16.9 (14.7-19.1)
Out of work	199	21.4 (17.3-25.5)	65	21.6 (16.1-27.1)	45	14.5 (10.0-19.0)	89	26.3 (19.3-33.2)
Homemaker/Student	278	16.1 (13.5-18.6)	91	14.9 (11.6-18.2)	58	9.2 (6.8-11.7)	129	26.9 (21.0-32.8)
Retired/Unable to work	1494	32.2 (30.2-34.3)	476	32.9 (30.1-35.8)	434	29.7 (27.0-32.4)	584	32.0 (28.7-35.2)
Marital status	3348	16.9 (16.1-17.7)	1072	16.5 (15.5-17.6)	940	13.2 (12.3-14.1)	1336	21.7 (20.0-23.4)
Married	1494	15.3 (14.3-16.3)	473	15.1 (13.7-16.5)	395	12.1 (10.9-13.3)	626	19.1 (17.2-21.1)
Divorced	718	19.2 (17.3-21.1)	217	18.9 (16.3-21.6)	227	16.0 (13.8-18.3)	274	24.6 (21.2-28.1)
Widowed	477	28.1 (24.6-31.5)	144	27.0 (22.3-31.7)	132	25.8 (21.3-30.3)	201	33.7 (26.4-41.0)
Separated	128	27.0 (21.0-33.0)	44	27.4 (19.1-35.7)	36	20.2 (13.1-27.3)	48	30.3 (18.8-41.7)
Never married	371	14.2 (12.2-16.2)	144	14.3 (11.6-16.9)	105	9.3 (7.3-11.2)	122	19.1 (13.8-24.3)
Mem. of unmarr. couple	144	19.5 (15.2-23.9)	46	17.9 (12.5-23.3)	42	13.9 (9.6-18.1)	56	29.1 (17.4-40.9)
Health care coverage	3348	16.9 (16.1-17.7)	1072	16.5 (15.5-17.6)	940	13.2 (12.3-14.1)	1336	21.7 (20.0-23.4)
Have coverage	2545	15.0 (14.2-15.8)	852	15.3 (14.2-16.4)	745	12.0 (11.0-12.9)	948	17.2 (15.7-18.8)
No coverage	793	24.7 (22.4-26.9)	219	22.4 (19.3-25.6)	194	19.7 (16.8-22.5)	380	32.6 (28.2-37.0)
Leisure time exercise?	3348	16.9 (16.1-17.7)	1072	16.5 (15.5-17.6)	940	13.2 (12.3-14.1)	1336	21.7 (20.0-23.4)
Yes	1834	12.0 (11.3-12.8)	554	11.7 (10.6-12.8)	539	9.4 (8.5-10.3)	741	16.1 (14.5-17.7)
No	1504	31.2 (29.2-33.3)	515	30.3 (27.7-32.9)	396	29.3 (26.5-32.2)	593	35.6 (31.5-39.8)
Smoking status	3348	16.9 (16.1-17.7)	1072	16.5 (15.5-17.6)	940	13.2 (12.3-14.1)	1336	21.7 (20.0-23.4)
Current smokers	1064	21.2 (19.4-22.9)	340	20.3 (18.0-22.6)	296	19.3 (17.0-21.6)	428	26.1 (22.3-30.0)
Do not smoke currently	2269	15.5 (14.6-16.3)	726	15.2 (14.0-16.4)	640	11.5 (10.5-12.5)	903	20.3 (18.4-22.2)
Weight status	3348	16.9 (16.1-17.7)	1072	16.5 (15.5-17.6)	940	13.2 (12.3-14.1)	1336	21.7 (20.0-23.4)
BMI<25	1050	13.2 (12.1-14.3)	345	13.7 (12.1-15.3)	296	9.4 (8.2-10.6)	409	15.5 (13.0-18.1)
BMI>=25	2063	18.3 (17.2-19.3)	663	17.8 (16.4-19.3)	601	15.9 (14.6-17.3)	799	22.2 (20.1-24.3)

Table 5. Poor or Fair Health Status, Clark County - NV (applicable years from 2000-06)

Source: BRFSS.

	2000		2001		2002		2003		2004		2005		2006	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	105	17.2 (13.6-20.8)	120	13.3 (10.7-15.8)	168	16.5 (13.8-19.3)	152	17.1 (14.3-19.9)	166	18.1 (15.2-21.0)	141	15.1 (12.4-17.8)	220	18.1 (15.4-20.8)
Male	46	15.9 (10.7-21.0)	58	11.3 (8.1-14.4)	68	13.0 (9.7-16.4)	70	17.1 (13.0-21.2)	82	18.4 (14.2-22.6)	54	11.7 (8.2-15.2)	89	15.6 (12.0-19.2)
Female	59	18.6 (13.6-23.6)	62	15.3 (11.4-19.2)	100	20.2 (16.0-24.4)	82	17.2 (13.4-21.0)	84	17.9 (13.9-21.9)	87	18.8 (14.6-22.9)	131	20.5 (16.5-24.4)
Race/Ethnicity	105	17.2 (13.6-20.8)	120	13.3 (10.7-15.8)	168	16.5 (13.8-19.3)	152	17.1 (14.3-19.9)	166	18.1 (15.2-21.0)	141	15.1 (12.4-17.8)	220	18.1 (15.4-20.8)
White, Non-Hisp.	73	17.5 (13.0-22.0)	79	12.7 (9.7-15.7)	94	13.2 (10.4-16.0)	82	13.9 (10.8-17.0)	93	13.6 (10.7-16.5)	80	12.5 (9.6-15.5)	127	15.4 (12.4-18.5)
Black, Non-Hisp.	9	14.7 (4.9-24.5)	11	22.6 (9.5-35.7)	18	27.2 (14.8-39.5)	13	20.4 (8.7-32.0)	13	20.3 (9.2-31.4)	10	11.7 (4.2-19.1)	15	23.9 (9.7-38.0)
Other/Multi, Non-Hisp.	12	22.2 (10.2-34.3)	22	19.8 (11.7-27.8)	23	21.5 (12.8-30.2)	18	17.0 (8.6-25.5)	19	16.9 (8.9-24.8)	15	11.9 (4.8-19.0)	28	16.0 (8.8-23.3)
Hispanic	11	14.2 (5.5-22.8)	8	6.3 (1.4-11.1)	31	21.0 (12.8-29.1)	38	25.8 (18.0-33.6)	39	30.5 (21.8-39.1)	35	26.8 (17.9-35.7)	48	25.8 (18.5-33.0)
Age group	105	17.2 (13.6-20.8)	120	13.3 (10.7-15.8)	168	16.5 (13.8-19.3)	152	17.1 (14.3-19.9)	166	18.1 (15.2-21.0)	141	15.1 (12.4-17.8)	220	18.1 (15.4-20.8)
18-24	9	10.6 (3.4-17.8)	8	9.9 (2.7-17.1)	8	8.5 (1.9-15.1)	11	19.1 (8.5-29.6)	7	9.0 (1.9-16.0)	4	6.3 (0.0-12.8)	9	19.6 (7.5-31.7)
25-34	12	8.5 (3.5-13.6)	7	4.4 (1.0-7.8)	23	14.8 (8.2-21.4)	18	10.8 (5.7-16.0)	19	16.0 (8.8-23.3)	15	13.0 (6.2-19.8)	15	11.4 (5.5-17.2)
35-44	16	9.8 (4.8-14.8)	16	8.8 (4.3-13.4)	36	15.6 (10.1-21.1)	33	17.9 (11.6-24.3)	20	10.9 (6.0-15.8)	19	14.3 (7.7-20.9)	39	17.0 (11.7-22.3)
45-54	21	14.9 (8.2-21.6)	27	16.0 (9.5-22.5)	33	18.9 (12.3-25.5)	22	13.0 (7.4-18.6)	44	28.8 (20.8-36.8)	27	13.7 (8.4-19.0)	41	15.9 (10.5-21.3)
55-64	19	29.3 (15.7-42.8)	29	21.5 (13.6-29.3)	21	14.9 (8.4-21.5)	29	19.6 (12.6-26.7)	33	17.2 (11.3-23.1)	26	18.5 (11.4-25.6)	47	23.4 (16.7-30.2)
65+	28	36.4 (24.6-48.3)	33	21.4 (14.0-28.8)	46	25.0 (18.0-31.9)	39	25.6 (17.8-33.4)	43	26.0 (18.6-33.5)	50	24.3 (17.6-31.0)	69	24.7 (19.1-30.4)
Education	105	17.2 (13.6-20.8)	120	13.3 (10.7-15.8)	168	16.5 (13.8-19.3)	152	17.1 (14.3-19.9)	166	18.1 (15.2-21.0)	141	15.1 (12.4-17.8)	220	18.1 (15.4-20.8)
Less than H.S. diploma	22	36.8 (23.4-50.2)	19	25.7 (14.0-37.4)	29	27.9 (17.0-38.7)	35	38.9 (27.7-50.2)	35	44.0 (32.0-56.0)	28	34.6 (22.5-46.8)	45	35.7 (24.9-46.4)
H.S. diploma or G.E.D.	39	20.3 (13.0-27.6)	32	11.5 (7.2-15.9)	57	18.8 (13.9-23.8)	44	17.0 (11.8-22.3)	46	17.8 (12.4-23.2)	47	16.3 (11.1-21.6)	68	22.2 (16.4-27.9)
Some post-H.S.	32	15.4 (10.0-20.7)	38	11.8 (7.9-15.6)	46	14.4 (9.6-19.1)	46	14.9 (10.4-19.4)	52	15.1 (10.6-19.5)	43	13.1 (8.8-17.3)	53	13.3 (9.1-17.4)
College graduate	12	7.1 (2.9-11.3)	30	12.9 (7.8-17.9)	36	11.4 (7.2-15.6)	27	10.0 (6.1-14.0)	33	10.9 (6.8-14.9)	23	8.3 (4.6-12.1)	54	12.4 (8.7-16.1)
Income	105	17.2 (13.6-20.8)	120	13.3 (10.7-15.8)	168	16.5 (13.8-19.3)	152	17.1 (14.3-19.9)	166	18.1 (15.2-21.0)	141	15.1 (12.4-17.8)	220	18.1 (15.4-20.8)
Less than \$15,000	13	43.2 (21.8-64.6)	19	37.1 (20.7-53.4)	24	30.9 (18.8-43.0)	26	41.6 (27.2-56.0)	30	41.7 (27.6-55.9)	25	35.2 (21.9-48.4)	40	33.1 (22.0-44.1)
\$15,000 to 24,999	26	28.6 (17.5-39.8)	19	13.1 (6.8-19.3)	39	22.6 (15.1-30.1)	32	28.6 (19.0-38.2)	40	38.4 (27.6-49.3)	30	26.4 (16.7-36.1)	37	26.1 (16.7-35.5)
\$25,000 to 34,999	19	21.0 (11.4-30.6)	22	19.2 (11.2-27.1)	30	25.7 (16.0-35.3)	18	15.6 (8.4-22.8)	23	24.7 (15.1-34.2)	18	16.8 (8.5-25.1)	25	25.2 (14.6-35.8)
\$35,000 to 49,999	13	10.0 (4.5-15.6)	14	8.4 (3.4-13.3)	18	9.3 (4.9-13.8)	21	15.9 (9.1-22.7)	19	10.1 (5.3-15.0)	15	13.1 (6.3-19.8)	31	20.2 (12.8-27.6)
\$50,000 or more	20	8.9 (4.5-13.2)	32	11.2 (7.3-15.2)	38	11.8 (7.8-15.8)	29	7.8 (4.6-10.9)	33	8.9 (5.5-12.2)	27	6.4 (3.8-9.0)	49	9.5 (6.6-12.5)
Employment	105	17.2 (13.6-20.8)	120	13.3 (10.7-15.8)	168	16.5 (13.8-19.3)	152	17.1 (14.3-19.9)	166	18.1 (15.2-21.0)	141	15.1 (12.4-17.8)	220	18.1 (15.4-20.8)
Employed/Self-empl.	51	10.8 (7.5-14.1)	43	7.3 (5.0-9.6)	75	12.2 (9.2-15.1)	61	11.9 (8.8-15.0)	74	14.2 (10.8-17.6)	52	9.9 (6.9-13.0)	77	12.5 (9.4-15.6)
Out of work	4	20.3 (1.8-38.8)	9	18.8 (6.5-31.0)	11	20.9 (7.8-34.1)	12	27.7 (12.4-43.1)	13	28.8 (13.1-44.4)	9	24.1 (8.1-40.1)	7	10.7 (0.5-20.9)
Homemaker/Student	5	9.5 (1.3-17.6)	6	6.8 (0.2-13.4)	12	15.4 (5.4-25.4)	17	16.1 (8.2-24.0)	15	14.8 (7.3-22.2)	14	16.9 (7.8-26.1)	22	20.6 (11.2-30.0)
Retired/Unable to work	45	41.0 (30.3-51.6)	61	32.9 (25.3-40.5)	70	30.8 (23.9-37.8)	61	32.7 (25.2-40.2)	63	30.8 (23.7-37.9)	63	26.2 (19.9-32.5)	113	36.7 (30.5-42.8)
Marital status	105	17.2 (13.6-20.8)	120	13.3 (10.7-15.8)	168	16.5 (13.8-19.3)	152	17.1 (14.3-19.9)	166	18.1 (15.2-21.0)	141	15.1 (12.4-17.8)	220	18.1 (15.4-20.8)
Married	49	16.5 (11.4-21.5)	48	11.2 (8.0-14.5)	81	16.9 (13.1-20.7)	64	15.2 (11.5-18.8)	80	16.5 (13.0-20.1)	60	13.9 (10.3-17.6)	91	15.0 (11.9-18.2)
Divorced	22	20.9 (12.4-29.3)	30	19.5 (12.2-26.9)	29	14.4 (8.8-20.0)	30	17.6 (10.9-24.3)	30	18.2 (11.3-25.0)	29	19.3 (12.3-26.4)	47	22.6 (15.6-29.6)
Widowed	14	37.4 (18.8-56.1)	12	17.3 (7.3-27.2)	19	21.6 (11.9-31.4)	21	28.3 (16.3-40.3)	19	25.0 (14.2-35.7)	22	27.0 (16.0-38.0)	37	31.0 (21.6-40.3)
Separated	0	N/A	4	17.2 (0.0-34.7)	13	67.9 (46.9-88.9)	3	10.1 (0.0-22.1)	6	29.6 (6.1-53.1)	9	40.0 (17.9-62.1)	9	42.2 (15.2-69.2)
Never married	17	14.1 (7.2-21.0)	24	15.1 (8.6-21.5)	23	11.5 (6.1-17.0)	25	19.8 (11.9-27.6)	21	15.4 (8.0-22.8)	12	8.4 (2.6-14.2)	22	15.6 (7.6-23.7)
Mem. of unmar. couple	3	10.6 (0.0-22.7)	2	6.1 (0.0-14.3)	3	10.8 (0.0-23.3)	8	18.6 (6.4-30.7)	9	33.5 (14.0-53.1)	8	16.2 (3.2-29.3)	13	25.0 (10.6-39.4)


Indicator 2: Physically unhealthy days, defined as the overall number of days during the previous 30 days when self-reported physical health (including physical illness and injury) was not good.

- The mean number of physically unhealthy days in the last 30 days reported by county residents was 3.6 days based on aggregated county data from 2000-06 (Figure 4).

Table 6. Mean Number of Physically Unhealthy Days in Past Month by Race/Ethnicity ('00, '01, '03, '04, '05 & '06 aggregated)

	White, Non-Hisp.			Black, Non-Hisp.			Other/Multi, Non-Hisp.			Hispanic		
	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.
State	12521	3.7 (3.5-3.9)	3.5 (3.3-3.7)	461	3.8 (2.9-4.7)	3.7 (2.9-4.6)	1892	3.9 (3.4-4.4)	4.0 (3.5-4.4)	2027	3.0 (2.7-3.4)	3.9 (3.3-4.4)
Clark	3637	3.8 (3.5-4.1)	3.6 (3.3-3.9)	357	3.8 (2.8-4.7)	3.8 (2.8-4.7)	647	3.7 (3.1-4.4)	3.8 (3.2-4.5)	737	2.9 (2.4-3.3)	3.8 (3.0-4.7)
Washoe	4374	3.3 (3.1-3.6)	3.2 (3.0-3.5)	71	1.7 (0.9-2.4)	1.6 (0.9-2.3)	599	4.0 (3.3-4.8)	4.2 (3.5-5.0)	544	3.0 (2.3-3.6)	3.5 (2.7-4.2)
Other Counties	4510	3.6 (3.4-3.9)	3.4 (3.2-3.7)	33	5.9 (1.4-10.5)	3.8 (1.7-5.9)	646	4.5 (3.7-5.4)	4.4 (3.6-5.3)	746	3.5 (2.8-4.3)	4.4 (3.4-5.3)

Figure 4. Mean Number of Physically Unhealthy Days in Past Month by Demographic Subgroups ('00, '01, '03, '04, '05 & '06 aggregated)




Source: BRFSS.

Table 7. Physically Unhealthy Days (Mean Number of Days in Past Month) ('00, '01, '03, '04, '05 & '06 aggregated)

County	Mean and C.I.
Carson City	3.7968 (3.2-4.4)
Churchill	3.3305 (2.6-4.0)
Clark	3.6189 (3.4-3.9)
Douglas	3.0578 (2.5-3.6)
Elko	3.4404 (2.9-4.0)
Humboldt	4.0002 (1.8-6.2)
Lyon	3.9312 (3.3-4.6)
Nye	4.8532 (4.0-5.7)
Washoe	3.3478 (3.1-3.6)

Figure 5. Physically Unhealthy Days (Mean Number of Days in Past Month)




Source: BRFS.

Table 8. Physically Unhealthy Days by Year, Clark County, NV and U.S. (Mean Number of Days in Past Month)

	2000	2001	2002	2003	2004	2005	2006
Clark	3.8 (3.1-4.6)	3.5 (3.0-4.1)	N/A	3.5 (2.9-4.0)	3.6 (3.0-4.1)	3.6 (3.1-4.1)	3.8 (3.2-4.3)
NV	3.6 (3.1-4.2)	3.5 (3.1-3.9)	N/A	3.4 (3.0-3.8)	3.5 (3.1-3.9)	3.8 (3.4-4.2)	3.7 (3.4-4.1)
U.S.†	3.3	3.4	N/A	3.4	3.5	3.5	3.4

†Median among participating states, DC and territories.

Figure 6. Year 2006: Physically Unhealthy Days (Mean Number of Days in Past Month) (U.S. outlying territories not displayed on map)



*Mean Number of Days in Clark County: 3.8.

Source: BRFS.

Table 9. Physically Unhealthy Days (Mean Number of Days in Past Month)

Source: BRFSS. '00, '01, '03, '04, '05 & '06 aggregated

	State	Clark	Washoe	Other Counties
	Mean and C.I.	Mean and C.I.	Mean and C.I.	Mean and C.I.
Gender	3.6 (3.4-3.8)	3.6 (3.4-3.9)	3.3 (3.1-3.6)	3.7 (3.5-4.0)
Male	2.9 (2.7-3.1)	2.8 (2.5-3.1)	3.0 (2.7-3.3)	3.3 (2.9-3.7)
Female	4.3 (4.0-4.5)	4.4 (4.1-4.8)	3.7 (3.4-4.0)	4.2 (3.8-4.7)
Race/Ethnicity	3.6 (3.4-3.8)	3.6 (3.4-3.9)	3.3 (3.1-3.6)	3.7 (3.5-4.0)
White,Non-Hisp.	3.7 (3.5-3.9)	3.8 (3.5-4.1)	3.3 (3.1-3.6)	3.6 (3.4-3.9)
Black,Non-Hisp.	3.8 (2.9-4.7)	3.8 (2.8-4.7)	1.7 (0.9-2.4)	5.9 (1.4-10.5)
Other/Multi,Non-Hisp.	3.9 (3.4-4.4)	3.7 (3.1-4.4)	4.0 (3.3-4.8)	4.5 (3.7-5.4)
Hispanic	3.0 (2.7-3.4)	2.9 (2.4-3.3)	3.0 (2.3-3.6)	3.5 (2.8-4.3)
Age group	3.6 (3.4-3.8)	3.6 (3.4-3.9)	3.3 (3.1-3.6)	3.7 (3.5-4.0)
18-24	2.0 (1.7-2.3)	1.8 (1.4-2.2)	2.1 (1.6-2.7)	2.4 (1.8-3.0)
25-34	2.5 (2.2-2.8)	2.5 (2.1-3.0)	2.2 (1.8-2.7)	2.5 (1.8-3.1)
35-44	3.1 (2.8-3.4)	3.0 (2.6-3.4)	2.8 (2.4-3.2)	3.7 (3.0-4.4)
45-54	3.9 (3.5-4.3)	3.9 (3.3-4.4)	3.7 (3.2-4.2)	4.2 (3.5-4.8)
55-64	4.8 (4.3-5.4)	5.0 (4.2-5.8)	4.2 (3.6-4.9)	4.7 (3.9-5.4)
65+	5.5 (5.0-6.0)	5.7 (5.0-6.4)	5.1 (4.5-5.8)	5.1 (4.5-5.7)
Education	3.6 (3.4-3.8)	3.6 (3.4-3.9)	3.3 (3.1-3.6)	3.7 (3.5-4.0)
Less than H.S. diploma	4.3 (3.8-4.9)	4.4 (3.6-5.2)	4.3 (3.4-5.1)	4.2 (3.4-5.0)
H.S. diploma or G.E.D.	3.9 (3.5-4.2)	3.9 (3.4-4.4)	4.0 (3.5-4.5)	3.8 (3.3-4.2)
Some post-H.S.	3.7 (3.4-4.0)	3.8 (3.4-4.2)	3.2 (2.8-3.6)	3.8 (3.4-4.3)
College graduate	2.8 (2.6-3.1)	2.8 (2.5-3.2)	2.7 (2.3-3.0)	3.0 (2.5-3.6)
Income	3.6 (3.4-3.8)	3.6 (3.4-3.9)	3.3 (3.1-3.6)	3.7 (3.5-4.0)
Less than \$15,000	7.1 (6.2-8.1)	7.7 (6.2-9.2)	6.8 (5.6-7.9)	6.0 (4.8-7.2)
\$15,000 to 24,999	4.3 (3.9-4.8)	4.5 (3.8-5.2)	4.4 (3.8-5.1)	3.8 (3.1-4.6)
\$25,000 to 34,999	3.5 (3.1-4.0)	3.6 (3.0-4.3)	2.9 (2.4-3.5)	3.7 (3.0-4.4)
\$35,000 to 49,999	3.4 (3.0-3.7)	3.2 (2.7-3.7)	3.7 (3.0-4.3)	3.7 (3.1-4.4)
\$50,000 or more	2.5 (2.3-2.8)	2.6 (2.3-2.9)	2.3 (2.1-2.6)	2.4 (2.1-2.8)
Employment	3.6 (3.4-3.8)	3.6 (3.4-3.9)	3.3 (3.1-3.6)	3.7 (3.5-4.0)
Employed/Self-empl.	2.4 (2.2-2.5)	2.3 (2.1-2.6)	2.4 (2.2-2.6)	2.6 (2.2-2.9)
Out of work	3.9 (3.1-4.7)	3.8 (2.7-4.9)	3.4 (2.4-4.4)	4.6 (3.4-5.9)
Homemaker/Student	3.4 (3.0-3.9)	3.4 (2.8-4.0)	3.1 (2.5-3.8)	3.9 (2.9-5.0)
Retired/Unable to work	7.5 (6.9-8.0)	7.8 (7.0-8.5)	6.9 (6.2-7.6)	6.8 (6.1-7.5)
Marital status	3.6 (3.4-3.8)	3.6 (3.4-3.9)	3.3 (3.1-3.6)	3.7 (3.5-4.0)
Married	3.4 (3.2-3.7)	3.5 (3.1-3.8)	3.2 (2.9-3.5)	3.6 (3.2-3.9)
Divorced	4.5 (4.0-5.0)	4.5 (3.9-5.2)	4.0 (3.4-4.5)	5.0 (4.3-5.8)
Widowed	5.6 (4.9-6.4)	5.7 (4.7-6.8)	5.9 (4.8-7.0)	5.1 (4.0-6.1)
Separated	4.5 (3.2-5.7)	4.9 (3.0-6.7)	4.0 (2.5-5.5)	3.5 (1.9-5.1)
Never married	2.7 (2.4-3.1)	2.7 (2.3-3.2)	2.5 (2.0-3.0)	3.1 (2.3-3.9)
Mem. of unmarr. couple	3.1 (2.5-3.7)	3.0 (2.2-3.9)	3.1 (2.2-4.0)	3.2 (2.1-4.3)
Health care coverage	3.6 (3.4-3.8)	3.6 (3.4-3.9)	3.3 (3.1-3.6)	3.7 (3.5-4.0)
Have coverage	3.6 (3.4-3.8)	3.7 (3.5-4.0)	3.3 (3.1-3.6)	3.6 (3.3-3.9)
No coverage	3.5 (3.1-3.8)	3.2 (2.7-3.7)	3.5 (2.9-4.1)	4.0 (3.3-4.7)
Leisure time exercise?	3.6 (3.4-3.8)	3.6 (3.4-3.9)	3.3 (3.1-3.6)	3.7 (3.5-4.0)
Yes	2.7 (2.5-2.9)	2.6 (2.4-2.8)	2.8 (2.5-3.0)	3.0 (2.7-3.3)
No	6.3 (5.8-6.8)	6.5 (5.9-7.2)	5.8 (5.1-6.5)	5.7 (5.0-6.4)
Smoking status	3.6 (3.4-3.8)	3.6 (3.4-3.9)	3.3 (3.1-3.6)	3.7 (3.5-4.0)
Current smokers	4.2 (3.8-4.5)	4.1 (3.6-4.6)	4.1 (3.6-4.6)	4.5 (4.0-5.1)
Do not smoke currently	3.4 (3.2-3.6)	3.5 (3.2-3.7)	3.1 (2.9-3.4)	3.5 (3.2-3.8)
Weight status	3.6 (3.4-3.8)	3.6 (3.4-3.9)	3.3 (3.1-3.6)	3.7 (3.5-4.0)
BMI<25	3.1 (2.9-3.4)	3.2 (2.9-3.6)	2.9 (2.6-3.2)	3.0 (2.7-3.3)
BMI>=25	3.9 (3.6-4.1)	3.8 (3.5-4.1)	3.8 (3.4-4.1)	4.2 (3.8-4.6)

Table 10. Physically Unhealthy Days (Mean Number of Days in Past Month), Clark County - NV (applicable years from 2000-06)
Source: BRFSS.

	2000	2001	2003	2004	2005	2006
	Mean and C.I.	Mean and C.I.	Mean and C.I.	Mean and C.I.	Mean and C.I.	Mean and C.I.
Gender	3.8 (3.1-4.6)	3.5 (3.0-4.1)	3.5 (2.9-4.0)	3.6 (3.0-4.1)	3.6 (3.1-4.1)	3.8 (3.2-4.3)
Male	3.6 (2.4-4.8)	2.5 (1.9-3.1)	2.5 (1.9-3.1)	3.0 (2.3-3.6)	2.3 (1.7-2.9)	3.1 (2.4-3.8)
Female	4.1 (3.1-5.1)	4.5 (3.6-5.5)	4.4 (3.6-5.3)	4.2 (3.3-5.0)	4.9 (4.0-5.8)	4.4 (3.6-5.1)
Race/Ethnicity	3.8 (3.1-4.6)	3.5 (3.0-4.1)	3.5 (2.9-4.0)	3.6 (3.0-4.1)	3.6 (3.1-4.1)	3.8 (3.2-4.3)
White,Non-Hisp.	4.0 (3.0-5.0)	3.7 (3.0-4.4)	3.8 (3.1-4.5)	3.7 (3.0-4.4)	3.5 (2.9-4.2)	4.2 (3.5-4.9)
Black,Non-Hisp.	4.4 (2.0-6.8)	4.1 (1.2-7.0)	2.7 (0.7-4.6)	4.6 (2.2-7.0)	2.7 (1.2-4.2)	4.2 (1.6-6.7)
Other/Multi,Non-Hisp.	4.9 (2.1-7.8)	4.1 (2.5-5.7)	2.8 (1.5-4.0)	3.5 (2.0-5.0)	3.9 (2.6-5.3)	3.6 (2.3-4.8)
Hispanic	1.7 (0.7-2.7)	2.0 (1.3-2.8)	2.9 (1.6-4.2)	3.1 (2.0-4.3)	3.8 (2.5-5.1)	2.7 (1.7-3.6)
Age group	3.8 (3.1-4.6)	3.5 (3.0-4.1)	3.5 (2.9-4.0)	3.6 (3.0-4.1)	3.6 (3.1-4.1)	3.8 (3.2-4.3)
18-24	2.2 (0.9-3.5)	1.5 (0.9-2.1)	2.5 (1.1-3.9)	1.4 (0.7-2.1)	1.8 (1.1-2.5)	1.4 (0.3-2.6)
25-34	2.0 (1.0-2.9)	2.1 (1.4-2.9)	2.9 (1.7-4.2)	2.3 (1.2-3.3)	3.2 (2.0-4.4)	2.6 (1.5-3.7)
35-44	2.4 (1.5-3.2)	3.8 (2.7-4.9)	3.1 (2.1-4.0)	2.7 (1.7-3.6)	2.8 (1.8-3.8)	3.2 (2.3-4.1)
45-54	4.0 (2.4-5.7)	3.6 (2.3-4.9)	2.4 (1.4-3.4)	4.8 (3.3-6.3)	3.5 (2.2-4.7)	4.7 (3.3-6.1)
55-64	7.1 (3.4-10.7)	3.9 (2.2-5.6)	4.8 (3.1-6.5)	4.4 (3.0-5.9)	5.0 (3.3-6.7)	5.1 (3.7-6.6)
65+	6.4 (4.1-8.7)	5.7 (3.6-7.8)	5.2 (3.6-6.8)	6.0 (4.3-7.7)	5.4 (3.8-7.1)	5.5 (4.1-6.8)
Education	3.8 (3.1-4.6)	3.5 (3.0-4.1)	3.5 (2.9-4.0)	3.6 (3.0-4.1)	3.6 (3.1-4.1)	3.8 (3.2-4.3)
Less than H.S. diploma	4.1 (2.2-6.0)	4.0 (1.9-6.1)	5.1 (3.1-7.1)	4.3 (2.4-6.2)	4.2 (2.4-5.9)	4.7 (2.7-6.7)
H.S. diploma or G.E.D.	4.5 (2.8-6.2)	3.6 (2.7-4.6)	3.4 (2.3-4.4)	4.2 (3.1-5.4)	3.6 (2.7-4.5)	3.9 (2.9-5.0)
Some post-H.S.	4.1 (2.9-5.3)	3.4 (2.5-4.3)	3.9 (2.9-4.9)	3.4 (2.6-4.3)	4.1 (3.0-5.1)	3.8 (3.0-4.7)
College graduate	2.5 (1.4-3.6)	3.5 (2.3-4.6)	2.3 (1.6-3.1)	2.7 (1.8-3.5)	2.8 (1.9-3.7)	3.2 (2.4-3.9)
Income	3.8 (3.1-4.6)	3.5 (3.0-4.1)	3.5 (2.9-4.0)	3.6 (3.0-4.1)	3.6 (3.1-4.1)	3.8 (3.2-4.3)
Less than \$15,000	11.0 (4.5-17.4)	8.0 (4.3-11.7)	7.4 (4.4-10.4)	6.5 (3.8-9.2)	5.4 (3.1-7.8)	9.2 (6.4-12.0)
\$15,000 to 24,999	3.6 (2.1-5.2)	4.4 (3.1-5.8)	4.4 (2.9-6.0)	5.0 (3.0-7.0)	5.3 (3.4-7.3)	4.1 (2.5-5.7)
\$25,000 to 34,999	4.5 (2.6-6.4)	3.7 (2.0-5.4)	2.6 (1.5-3.7)	3.6 (2.0-5.2)	4.5 (2.6-6.3)	2.8 (1.8-3.9)
\$35,000 to 49,999	2.4 (1.2-3.5)	3.4 (2.0-4.8)	3.3 (1.9-4.6)	3.3 (2.2-4.4)	2.8 (1.6-4.0)	3.9 (2.4-5.4)
\$50,000 or more	2.8 (1.9-3.6)	3.0 (2.1-3.9)	2.4 (1.7-3.1)	2.4 (1.8-3.1)	2.3 (1.8-2.9)	2.8 (2.1-3.5)
Employment	3.8 (3.1-4.6)	3.5 (3.0-4.1)	3.5 (2.9-4.0)	3.6 (3.0-4.1)	3.6 (3.1-4.1)	3.8 (3.2-4.3)
Employed/Self-empl.	2.2 (1.7-2.8)	2.2 (1.8-2.7)	2.1 (1.7-2.6)	2.4 (1.9-3.0)	2.7 (2.1-3.3)	2.4 (1.9-2.8)
Out of work	3.5 (-0.7-7.8)	4.0 (1.4-6.6)	2.6 (0.3-4.8)	4.2 (2.0-6.4)	3.4 (1.5-5.2)	5.1 (2.0-8.1)
Homemaker/Student	3.8 (1.6-6.1)	3.1 (1.6-4.6)	4.3 (2.7-5.8)	3.3 (2.0-4.5)	3.1 (1.8-4.3)	3.0 (1.7-4.4)
Retired/Unable to work	9.3 (6.6-12.0)	7.8 (5.8-9.8)	7.1 (5.5-8.8)	7.7 (5.9-9.5)	6.3 (4.8-7.9)	8.4 (6.8-10.0)
Marital status	3.8 (3.1-4.6)	3.5 (3.0-4.1)	3.5 (2.9-4.0)	3.6 (3.0-4.1)	3.6 (3.1-4.1)	3.8 (3.2-4.3)
Married	4.1 (2.9-5.3)	3.4 (2.6-4.2)	3.0 (2.3-3.6)	3.4 (2.7-4.1)	3.3 (2.6-4.0)	3.7 (3.0-4.4)
Divorced	5.1 (3.0-7.2)	4.8 (3.0-6.5)	3.6 (2.4-4.8)	4.2 (2.8-5.6)	5.0 (3.3-6.7)	4.7 (3.0-6.4)
Widowed	5.9 (2.5-9.3)	3.4 (1.7-5.1)	6.5 (3.5-9.4)	5.0 (2.6-7.4)	5.8 (3.4-8.1)	7.4 (5.1-9.6)
Separated	1.3 (-0.5-3.1)	5.9 (1.2-10.6)	4.0 (0.6-7.5)	6.3 (0.7-12.0)	7.2 (2.3-12.1)	4.3 (1.0-7.5)
Never married	2.0 (1.2-2.8)	2.8 (2.0-3.7)	3.7 (2.2-5.1)	3.0 (1.7-4.3)	2.3 (1.4-3.3)	2.5 (1.6-3.4)
Mem. of unmarr. couple	2.7 (0.2-5.3)	3.2 (1.1-5.2)	3.9 (1.1-6.7)	3.1 (1.1-5.1)	3.3 (1.3-5.3)	2.1 (0.9-3.4)


Indicator 3: Frequent mental distress (FMD), defined as reporting 14 or more days in the past 30 days when mental health was not good because of stress, depression and problems with emotions.

- 10.9% of county residents reported FMD based on aggregated county data from 2000-06 (Figure 7).
- Unlike physical health which worsens as one gets older, mental health appeared to improve with age for older adults (Figure 7).

Table 11. Percent FMD by Race/Ethnicity ('00, '01, '03, '04, '05 & '06 aggregated)

	White,Non-Hisp.			Black,Non-Hisp.			Other/Multi,Non-Hisp.			Hispanic		
	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.
State	1280	10.3 (9.5-11.1)	10.6 (9.7-11.5)	50	10.3 (7.1-13.5)	10.6 (7.4-13.8)	263	13.7 (11.4-16.1)	13.7 (11.4-16.0)	229	11.1 (9.2-13.0)	11.7 (9.5-13.9)
Clark	364	10.3 (9.0-11.5)	10.5 (9.2-11.7)	42	10.2 (6.8-13.5)	10.6 (7.2-14.0)	95	14.5 (11.3-17.7)	14.5 (11.3-17.6)	85	10.7 (8.2-13.2)	12.2 (9.0-15.4)
Washoe	441	10.2 (9.1-11.2)	10.4 (9.3-11.5)	5	5.8 (0.4-11.1)	5.6 (0.6-10.5)	77	12.8 (9.7-15.9)	12.5 (9.5-15.5)	56	9.8 (7.0-12.6)	9.1 (6.6-11.7)
Other Counties	475	10.6 (9.5-11.8)	11.0 (9.8-12.2)	3	19.8 (0.0-41.7)	13.8 (0.6-27.1)	91	11.2 (8.5-14.0)	11.4 (8.6-14.2)	88	12.8 (8.6-16.9)	12.4 (8.7-16.1)

Figure 7. Percent FMD by Demographic Subgroups ('00, '01, '03, '04, '05 & '06 aggregated)




Source: BRFSS.

Table 12. FMD Status (%) ('00, '01, '03, '04, '05 & '06 aggregated)

County	FMD		No FMD	
	N	% and C.I.	N	% and C.I.
Carson City	102	9.6 (7.5-11.8)	901	90.4 (88.2-92.5)
Churchill	46	9.6 (6.3-12.8)	444	90.4 (87.2-93.7)
Clark	591	10.9 (9.9-11.9)	4824	89.1 (88.1-90.1)
Douglas	92	10.6 (7.9-13.3)	807	89.4 (86.7-92.1)
Elko	77	11.2 (8.4-14.1)	645	88.8 (85.9-91.6)
Humboldt	7	18.8 (4.7-32.9)	43	81.2 (67.1-95.3)
Lyon	89	12.0 (9.2-14.7)	718	88.0 (85.3-90.8)
Nye	102	15.4 (12.2-18.6)	542	84.6 (81.4-87.8)
Washoe	588	10.4 (9.5-11.3)	5047	89.6 (88.7-90.5)

Figure 8. FMD (%)




Source: BRFS.

Table 13. FMD by Year, Clark County, NV and U.S. (%)

	2000	2001	2002	2003	2004	2005	2006
Clark	10.5 (7.4-13.6)	11.4 (8.9-13.9)	N/A	12.1 (9.7-14.6)	11.7 (9.3-14.0)	8.3 (6.3-10.3)	11.2 (9.0-13.4)
NV	10.0 (7.9-12.2)	11.1 (9.3-12.9)	N/A	11.8 (10.0-13.5)	11.2 (9.5-12.9)	10.3 (8.7-12.0)	10.7 (9.2-12.3)
U.S.†	9.6	10.0	N/A	9.8	10.2	9.5	9.9

†Median % among participating states, DC and territories.

Figure 9. Year 2006: FMD (%)
(U.S. outlying territories not displayed on map)



*Prevalence in Clark County: 11.2%.

Source: BRFS.

Table 14. Frequent Mental Distress

Source: BRFSS. '00, '01, '03, '04, '05 & '06 aggregated

	State		Clark		Washoe		Other Counties	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	1844	10.9 (10.2-11.6)	591	10.9 (9.9-11.9)	588	10.4 (9.5-11.3)	665	11.3 (10.0-12.7)
Male	674	8.0 (7.2-8.8)	204	7.7 (6.5-8.9)	223	8.4 (7.2-9.6)	247	8.7 (7.2-10.2)
Female	1170	13.8 (12.7-15.0)	387	14.1 (12.5-15.7)	365	12.4 (11.0-13.8)	418	14.1 (11.9-16.4)
Race/Ethnicity	1844	10.9 (10.2-11.6)	591	10.9 (9.9-11.9)	588	10.4 (9.5-11.3)	665	11.3 (10.0-12.7)
White,Non-Hisp.	1280	10.3 (9.5-11.1)	364	10.3 (9.0-11.5)	441	10.2 (9.1-11.2)	475	10.6 (9.5-11.8)
Black,Non-Hisp.	50	10.3 (7.1-13.5)	42	10.2 (6.8-13.5)	5	5.8 (0.4-11.1)	3	19.8 (0.0-41.7)
Other/Multi,Non-Hisp.	263	13.7 (11.4-16.1)	95	14.5 (11.3-17.7)	77	12.8 (9.7-15.9)	91	11.2 (8.5-14.0)
Hispanic	229	11.1 (9.2-13.0)	85	10.7 (8.2-13.2)	56	9.8 (7.0-12.6)	88	12.8 (8.6-16.9)
Age group	1844	10.9 (10.2-11.6)	591	10.9 (9.9-11.9)	588	10.4 (9.5-11.3)	665	11.3 (10.0-12.7)
18-24	180	11.1 (8.9-13.3)	49	9.9 (6.8-13.0)	71	15.1 (11.4-18.7)	60	11.7 (8.2-15.2)
25-34	293	11.4 (9.6-13.2)	105	11.3 (9.0-13.6)	98	11.6 (9.2-13.9)	90	11.6 (7.1-16.1)
35-44	418	12.4 (10.8-14.0)	136	12.2 (10.1-14.4)	121	10.8 (8.7-12.9)	161	14.8 (11.5-18.1)
45-54	411	12.5 (10.6-14.4)	131	13.1 (10.3-15.9)	136	10.4 (8.6-12.3)	144	12.3 (9.3-15.3)
55-64	298	9.9 (8.3-11.5)	97	10.4 (8.1-12.6)	90	8.8 (6.7-10.8)	111	9.2 (7.0-11.5)
65+	242	6.9 (5.6-8.1)	73	6.9 (5.1-8.7)	70	6.2 (4.5-7.9)	99	7.2 (5.3-9.1)
Education	1844	10.9 (10.2-11.6)	591	10.9 (9.9-11.9)	588	10.4 (9.5-11.3)	665	11.3 (10.0-12.7)
Less than H.S. diploma	249	13.8 (11.3-16.2)	65	12.5 (9.2-15.7)	65	14.9 (11.0-18.9)	119	15.8 (11.1-20.6)
H.S. diploma or G.E.D.	649	12.0 (10.7-13.3)	184	11.4 (9.6-13.2)	204	14.2 (12.1-16.3)	261	12.4 (10.5-14.4)
Some post-H.S.	586	10.8 (9.6-12.1)	194	11.1 (9.4-12.9)	187	9.7 (8.2-11.2)	205	10.7 (8.8-12.6)
College graduate	356	8.4 (7.1-9.7)	147	9.5 (7.6-11.3)	132	6.8 (5.5-8.0)	77	5.1 (3.7-6.4)
Income	1844	10.9 (10.2-11.6)	591	10.9 (9.9-11.9)	588	10.4 (9.5-11.3)	665	11.3 (10.0-12.7)
Less than \$15,000	317	19.4 (16.3-22.5)	81	20.0 (15.3-24.8)	92	19.1 (14.8-23.5)	144	18.2 (13.7-22.7)
\$15,000 to 24,999	328	14.6 (12.4-16.9)	98	15.1 (11.8-18.3)	111	14.8 (11.8-17.8)	119	13.2 (9.6-16.8)
\$25,000 to 34,999	224	11.3 (9.2-13.3)	78	11.6 (8.7-14.4)	66	9.6 (7.0-12.2)	80	11.6 (8.2-15.0)
\$35,000 to 49,999	289	10.3 (8.6-12.0)	89	10.1 (7.8-12.5)	94	11.4 (8.9-14.0)	106	9.8 (7.7-12.0)
\$50,000 or more	472	7.6 (6.6-8.6)	165	7.5 (6.1-8.9)	174	8.1 (6.8-9.4)	133	7.3 (5.7-9.0)
Employment	1844	10.9 (10.2-11.6)	591	10.9 (9.9-11.9)	588	10.4 (9.5-11.3)	665	11.3 (10.0-12.7)
Employed/Self-empl.	986	9.4 (8.6-10.3)	316	9.2 (8.1-10.4)	323	9.1 (8.0-10.2)	347	10.5 (8.6-12.4)
Out of work	148	20.6 (16.0-25.1)	55	21.9 (15.7-28.1)	40	17.5 (11.5-23.5)	53	17.4 (11.8-22.9)
Homemaker/Student	185	11.5 (9.2-13.7)	56	10.5 (7.5-13.5)	57	11.6 (8.5-14.8)	72	15.3 (10.5-20.1)
Retired/Unable to work	517	12.8 (11.2-14.3)	161	13.3 (11.1-15.4)	166	12.8 (10.7-15.0)	190	10.9 (9.1-12.8)
Marital status	1844	10.9 (10.2-11.6)	591	10.9 (9.9-11.9)	588	10.4 (9.5-11.3)	665	11.3 (10.0-12.7)
Married	769	9.3 (8.4-10.2)	245	9.3 (8.0-10.6)	234	9.1 (7.9-10.4)	290	9.4 (7.9-10.9)
Divorced	446	14.9 (12.9-16.9)	130	14.2 (11.5-16.9)	151	13.7 (11.3-16.2)	165	19.5 (15.3-23.7)
Widowed	163	9.7 (7.5-11.8)	51	9.9 (6.8-13.0)	45	8.5 (5.8-11.1)	67	10.0 (6.9-13.0)
Separated	85	23.8 (17.0-30.5)	30	27.8 (18.2-37.4)	24	17.3 (10.0-24.6)	31	14.8 (7.7-21.9)
Never married	293	11.7 (9.9-13.6)	106	11.9 (9.4-14.5)	105	11.5 (9.0-14.0)	82	11.1 (7.9-14.4)
Mem. of unmarr. couple	82	11.1 (7.7-14.6)	26	9.8 (6.0-13.7)	28	10.8 (6.7-15.0)	28	15.7 (4.6-26.7)
Health care coverage	1844	10.9 (10.2-11.6)	591	10.9 (9.9-11.9)	588	10.4 (9.5-11.3)	665	11.3 (10.0-12.7)
Have coverage	1375	9.8 (9.0-10.5)	461	10.0 (9.0-11.1)	452	9.4 (8.4-10.3)	462	9.2 (8.1-10.2)
No coverage	456	15.4 (13.4-17.4)	126	14.8 (12.1-17.5)	132	15.6 (12.7-18.4)	198	16.9 (13.0-20.8)
Leisure time exercise?	1844	10.9 (10.2-11.6)	591	10.9 (9.9-11.9)	588	10.4 (9.5-11.3)	665	11.3 (10.0-12.7)
Yes	1199	9.2 (8.4-10.0)	356	9.1 (8.0-10.2)	420	9.3 (8.3-10.3)	423	9.5 (8.2-10.8)
No	639	15.8 (14.2-17.5)	234	16.0 (13.8-18.2)	164	14.8 (12.3-17.2)	241	16.0 (12.5-19.6)
Smoking status	1844	10.9 (10.2-11.6)	591	10.9 (9.9-11.9)	588	10.4 (9.5-11.3)	665	11.3 (10.0-12.7)
Current smokers	708	17.2 (15.4-19.0)	234	17.5 (15.0-19.9)	205	16.5 (14.0-18.9)	269	16.7 (14.1-19.2)
Do not smoke currently	1132	8.8 (8.1-9.6)	355	8.7 (7.7-9.7)	381	8.7 (7.7-9.7)	396	9.6 (8.0-11.3)
Weight status	1844	10.9 (10.2-11.6)	591	10.9 (9.9-11.9)	588	10.4 (9.5-11.3)	665	11.3 (10.0-12.7)
BMI<25	704	10.4 (9.3-11.5)	228	10.7 (9.1-12.2)	243	10.0 (8.6-11.4)	233	9.7 (8.1-11.3)
BMI>=25	1042	10.9 (10.0-11.9)	331	10.8 (9.5-12.2)	320	10.5 (9.3-11.8)	391	11.7 (10.1-13.3)

Table 15. Frequent Mental Distress, Clark County - NV (applicable years from 2000-06)

Source: BRFSS.

	2000		2001		2003		2004		2005		2006	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	73	10.5 (7.4-13.6)	97	11.4 (8.9-13.9)	107	12.1 (9.7-14.6)	109	11.7 (9.3-14.0)	75	8.3 (6.3-10.3)	130	11.2 (9.0-13.4)
Male	28	8.3 (5.1-11.5)	43	10.1 (6.7-13.5)	31	7.6 (4.7-10.5)	38	8.0 (5.2-10.9)	21	4.1 (2.2-5.9)	43	8.5 (5.6-11.5)
Female	45	12.9 (7.7-18.1)	54	12.7 (9.1-16.3)	76	16.6 (12.7-20.6)	71	15.4 (11.6-19.2)	54	12.9 (9.3-16.5)	87	13.8 (10.5-17.1)
Race/Ethnicity	73	10.5 (7.4-13.6)	97	11.4 (8.9-13.9)	107	12.1 (9.7-14.6)	109	11.7 (9.3-14.0)	75	8.3 (6.3-10.3)	130	11.2 (9.0-13.4)
White, Non-Hisp.	49	10.5 (6.5-14.5)	58	9.9 (7.2-12.6)	63	11.1 (8.2-14.0)	64	9.7 (7.0-12.3)	51	9.4 (6.7-12.1)	79	11.0 (8.2-13.7)
Black, Non-Hisp.	11	14.7 (5.4-23.9)	10	14.5 (5.4-23.6)	5	8.1 (0.6-15.7)	6	10.1 (1.7-18.5)	4	4.3 (0.0-8.6)	6	8.0 (0.5-15.5)
Other/Multi, Non-Hisp.	7	12.9 (2.9-22.9)	21	18.5 (10.4-26.6)	14	12.7 (5.5-19.8)	21	18.4 (10.4-26.4)	8	7.3 (2.1-12.5)	24	15.8 (7.9-23.7)
Hispanic	6	5.9 (1.1-10.7)	7	10.2 (1.2-19.2)	23	15.5 (8.8-22.2)	17	13.1 (6.9-19.3)	11	6.5 (2.2-10.8)	21	9.8 (5.4-14.1)
Age group	73	10.5 (7.4-13.6)	97	11.4 (8.9-13.9)	107	12.1 (9.7-14.6)	109	11.7 (9.3-14.0)	75	8.3 (6.3-10.3)	130	11.2 (9.0-13.4)
18-24	13	12.9 (5.6-20.1)	11	15.4 (6.2-24.6)	8	11.9 (3.5-20.3)	7	6.9 (1.5-12.3)	5	6.9 (0.1-13.7)	5	7.1 (0.0-14.7)
25-34	21	12.1 (6.7-17.6)	17	10.8 (5.7-16.0)	21	12.4 (6.5-18.3)	15	10.9 (5.3-16.5)	10	6.3 (2.2-10.3)	21	15.0 (8.5-21.4)
35-44	13	8.7 (3.7-13.7)	22	12.9 (6.9-18.8)	31	16.6 (10.6-22.6)	28	16.4 (10.4-22.3)	17	8.9 (4.5-13.2)	25	9.8 (5.7-14.0)
45-54	11	13.0 (1.8-24.2)	20	13.0 (6.8-19.1)	23	14.6 (8.3-20.8)	26	15.4 (8.8-22.0)	16	9.0 (4.2-13.7)	35	13.9 (9.0-18.8)
55-64	8	9.5 (2.6-16.4)	13	7.4 (3.1-11.8)	13	9.3 (4.0-14.6)	18	8.1 (4.1-12.1)	16	12.8 (6.4-19.2)	29	14.1 (8.3-19.8)
65+	7	7.4 (1.8-13.0)	14	8.4 (3.3-13.6)	11	5.5 (2.2-8.8)	15	8.6 (3.6-13.6)	11	6.6 (2.4-10.9)	15	5.1 (2.2-8.0)
Education	73	10.5 (7.4-13.6)	97	11.4 (8.9-13.9)	107	12.1 (9.7-14.6)	109	11.7 (9.3-14.0)	75	8.3 (6.3-10.3)	130	11.2 (9.0-13.4)
Less than H.S. diploma	6	7.0 (1.2-12.9)	10	13.7 (4.7-22.8)	14	15.6 (7.3-23.9)	15	17.5 (8.2-26.7)	8	6.8 (1.8-11.8)	12	12.6 (4.7-20.6)
H.S. diploma or G.E.D.	34	12.3 (7.8-16.7)	26	12.0 (6.8-17.2)	35	13.4 (8.5-18.3)	36	14.6 (9.7-19.5)	21	7.4 (4.0-10.8)	32	8.5 (5.2-11.8)
Some post-H.S.	20	8.7 (4.5-12.9)	40	13.8 (9.3-18.3)	31	10.7 (6.6-14.7)	32	9.1 (5.5-12.7)	22	9.1 (5.1-13.2)	49	14.6 (10.0-19.1)
College graduate	13	11.9 (2.8-20.9)	20	6.8 (3.6-10.0)	27	11.1 (6.8-15.3)	26	9.1 (5.3-12.9)	24	9.0 (5.2-12.8)	37	9.5 (6.0-13.0)
Income	73	10.5 (7.4-13.6)	97	11.4 (8.9-13.9)	107	12.1 (9.7-14.6)	109	11.7 (9.3-14.0)	75	8.3 (6.3-10.3)	130	11.2 (9.0-13.4)
Less than \$15,000	7	12.2 (0.7-23.7)	14	32.5 (16.1-48.9)	15	22.5 (10.4-34.6)	12	18.8 (7.6-30.0)	11	14.4 (5.6-23.2)	22	22.9 (13.0-32.9)
\$15,000 to 24,999	11	7.8 (3.0-12.6)	15	13.6 (6.3-20.8)	20	21.0 (12.1-29.9)	23	20.3 (11.4-29.1)	8	9.4 (2.4-16.4)	21	17.5 (8.8-26.3)
\$25,000 to 34,999	11	12.7 (5.1-20.4)	14	12.0 (5.5-18.6)	12	7.4 (2.8-11.9)	13	12.6 (5.2-19.9)	12	11.7 (4.6-18.7)	16	13.6 (5.6-21.6)
\$35,000 to 49,999	14	9.4 (4.2-14.7)	19	12.2 (5.7-18.6)	18	12.5 (6.4-18.7)	15	10.0 (4.6-15.4)	4	2.9 (0.0-6.0)	19	12.4 (6.2-18.7)
\$50,000 or more	19	8.8 (2.6-15.0)	23	6.9 (4.0-9.8)	30	8.7 (5.4-12.0)	28	6.3 (3.8-8.9)	29	7.7 (4.7-10.7)	36	7.0 (4.5-9.5)
Employment	73	10.5 (7.4-13.6)	97	11.4 (8.9-13.9)	107	12.1 (9.7-14.6)	109	11.7 (9.3-14.0)	75	8.3 (6.3-10.3)	130	11.2 (9.0-13.4)
Employed/Self-empl.	43	9.2 (5.3-13.2)	55	10.3 (7.4-13.2)	59	10.8 (7.9-13.8)	54	9.2 (6.6-11.9)	41	7.6 (5.1-10.1)	64	8.4 (6.1-10.6)
Out of work	4	15.5 (0.0-31.6)	9	25.4 (8.8-41.9)	10	18.7 (6.1-31.3)	16	34.4 (17.8-51.0)	4	7.3 (0.0-15.1)	12	27.7 (11.7-43.8)
Homemaker/Student	12	18.0 (8.0-27.9)	3	2.2 (0.0-5.3)	13	13.7 (6.1-21.3)	10	9.2 (3.2-15.3)	6	7.5 (1.6-13.4)	12	13.2 (4.6-21.8)
Retired/Unable to work	14	10.7 (4.9-16.5)	29	14.6 (9.0-20.1)	24	12.1 (7.1-17.2)	29	16.0 (9.9-22.1)	23	11.3 (6.5-16.1)	42	14.7 (10.1-19.4)
Marital status	73	10.5 (7.4-13.6)	97	11.4 (8.9-13.9)	107	12.1 (9.7-14.6)	109	11.7 (9.3-14.0)	75	8.3 (6.3-10.3)	130	11.2 (9.0-13.4)
Married	37	11.1 (6.3-15.8)	37	8.7 (5.6-11.8)	41	9.6 (6.6-12.7)	47	10.3 (7.3-13.3)	32	7.4 (4.7-10.0)	51	8.9 (6.4-11.5)
Divorced	10	8.9 (2.8-15.0)	22	14.6 (8.0-21.2)	23	14.7 (7.8-21.5)	26	16.6 (9.7-23.4)	19	13.5 (7.3-19.7)	30	16.2 (9.5-22.9)
Widowed	4	5.3 (0.0-10.7)	9	13.9 (2.4-25.4)	9	11.6 (4.0-19.2)	10	10.6 (3.9-17.3)	4	4.0 (0.1-7.9)	15	13.4 (6.1-20.6)
Separated	3	29.0 (2.6-55.4)	7	33.9 (10.9-56.8)	3	18.0 (0.0-38.4)	7	43.2 (18.3-68.1)	5	24.7 (4.5-44.8)	5	16.9 (0.2-33.7)
Never married	16	10.5 (4.8-16.1)	18	13.8 (7.3-20.3)	21	14.7 (7.8-21.5)	17	10.2 (5.1-15.3)	10	6.5 (1.6-11.4)	24	15.6 (8.0-23.1)
Mem. of unmarr. couple	3	6.6 (0.0-14.2)	4	11.6 (0.0-23.2)	10	21.6 (8.9-34.3)	1	4.2 (0.0-12.2)	4	9.1 (0.2-18.0)	4	5.5 (0.0-11.1)

Health Care Access / Coverage


Indicator: Self-reported health care coverage including health insurance, prepaid plans and governmental plans.

- 18.6% of county residents reported having no health insurance of any kind based on aggregated county data from 2000-06 (Figure 10).
- Hispanics reported a significantly higher percentage of no insurance coverage than other racial/ethnic groups (Figure 10).

Table 16. Percent No Insurance Coverage by Race/Ethnicity (2000-06 aggregated)

	White, Non-Hisp.			Black, Non-Hisp.			Other/Multi, Non-Hisp.			Hispanic		
	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.
State	1797	12.4 (11.6-13.2)	13.7 (12.9-14.6)	97	20.3 (15.8-24.8)	20.0 (15.8-24.2)	402	17.9 (15.5-20.3)	17.4 (15.1-19.6)	1014	48.1 (45.2-51.0)	40.1 (37.4-42.8)
Clark	444	11.5 (10.3-12.6)	12.9 (11.6-14.2)	72	19.1 (14.4-23.8)	18.7 (14.4-23.0)	119	17.2 (14.0-20.4)	16.5 (13.6-19.5)	339	43.9 (40.0-47.9)	35.8 (32.1-39.6)
Washoe	592	12.6 (11.5-13.7)	13.1 (12.0-14.3)	15	20.1 (9.1-31.1)	20.6 (9.9-31.3)	121	18.0 (14.7-21.3)	17.1 (14.0-20.1)	223	39.1 (34.8-43.5)	34.4 (30.4-38.3)
Other Counties	761	16.0 (14.8-17.3)	17.7 (16.3-19.0)	10	44.5 (18.8-70.2)	36.6 (24.0-49.3)	162	21.3 (17.2-25.4)	22.0 (17.8-26.1)	452	62.6 (57.9-67.4)	53.6 (48.8-58.3)

Figure 10. Percent No Insurance Coverage by Demographic Subgroups (2000-06 aggregated)




Source: BRFSS.

Table 17. Health Care Access/Coverage (%) (2000-06 aggregated)

County	Have Coverage		No Coverage	
	N	% and C.I.	N	% and C.I.
Carson City	1001	75.5 (71.7-79.3)	197	24.5 (20.7-28.3)
Churchill	506	83.9 (80.2-87.7)	80	16.1 (12.3-19.8)
Clark	5489	81.4 (80.2-82.7)	981	18.6 (17.3-19.8)
Douglas	923	85.3 (82.5-88.1)	129	14.7 (11.9-17.5)
Elko	714	77.7 (74.4-81.0)	176	22.3 (19.0-25.6)
Humboldt	79	72.7 (61.7-83.8)	21	27.3 (16.2-38.3)
Lyon	783	79.2 (76.1-82.3)	178	20.8 (17.7-23.9)
Nye	616	80.7 (77.4-84.1)	133	19.3 (15.9-22.6)
Washoe	5758	83.6 (82.5-84.6)	955	16.4 (15.4-17.5)

Figure 11. No Insurance Coverage (%)




Source: BRFSS.

Table 18. No Insurance Coverage by Year, Clark County, NV and U.S. (%)

	2000	2001	2002	2003	2004	2005	2006
Clark	12.9 (10.2-15.7)	18.9 (15.2-22.6)	20.6 (17.1-24.0)	19.1 (16.0-22.2)	19.5 (16.3-22.7)	19.1 (15.9-22.4)	19.0 (16.0-22.1)
NV	13.6 (11.6-15.6)	17.5 (14.9-20.1)	22.4 (20.0-24.9)	20.5 (18.2-22.8)	21.6 (19.3-24.0)	21.7 (19.3-24.2)	22.2 (19.9-24.6)
U.S. [†]	11.8	13.3	14.1	14.5	14.9	14.5	14.5

[†]Median % among participating states, DC and territories.

Figure 12. Year 2006: No Insurance Coverage (%) (U.S. outlying territories not displayed on map)



*Prevalence in Clark County: 19.0%.

Source: BRFSS.

Table 19. No Insurance Coverage

Source: BRFSS.

2000-06 aggregated

	State		Clark		Washoe		Other Counties	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	3339	20.1 (19.2-21.1)	981	18.6 (17.3-19.8)	955	16.4 (15.4-17.5)	1403	29.6 (27.7-31.6)
Male	1693	21.6 (20.2-22.9)	507	20.0 (18.2-21.8)	470	17.1 (15.5-18.7)	716	31.6 (28.7-34.4)
Female	1646	18.7 (17.5-19.9)	474	17.1 (15.5-18.7)	485	15.8 (14.4-17.3)	687	27.6 (24.9-30.3)
Race/Ethnicity	3339	20.1 (19.2-21.1)	981	18.6 (17.3-19.8)	955	16.4 (15.4-17.5)	1403	29.6 (27.7-31.6)
White,Non-Hisp.	1797	12.4 (11.6-13.2)	444	11.5 (10.3-12.6)	592	12.6 (11.5-13.7)	761	16.0 (14.8-17.3)
Black,Non-Hisp.	97	20.3 (15.8-24.8)	72	19.1 (14.4-23.8)	15	20.1 (9.1-31.1)	10	44.5 (18.8-70.2)
Other/Multi,Non-Hisp.	402	17.9 (15.5-20.3)	119	17.2 (14.0-20.4)	121	18.0 (14.7-21.3)	162	21.3 (17.2-25.4)
Hispanic	1014	48.1 (45.2-51.0)	339	43.9 (40.0-47.9)	223	39.1 (34.8-43.5)	452	62.6 (57.9-67.4)
Age group	3339	20.1 (19.2-21.1)	981	18.6 (17.3-19.8)	955	16.4 (15.4-17.5)	1403	29.6 (27.7-31.6)
18-24	552	41.6 (38.0-45.3)	178	39.5 (34.3-44.6)	156	31.0 (26.6-35.4)	218	57.5 (51.1-64.0)
25-34	751	29.5 (27.1-31.9)	266	28.3 (25.1-31.5)	198	20.5 (17.6-23.4)	287	42.6 (37.4-47.8)
35-44	753	20.4 (18.6-22.2)	218	18.2 (15.7-20.6)	230	19.2 (16.7-21.7)	305	30.3 (26.2-34.5)
45-54	711	17.6 (15.6-19.6)	181	16.1 (13.3-18.9)	212	15.3 (13.1-17.5)	318	25.9 (22.5-29.3)
55-64	461	12.6 (11.0-14.2)	115	11.0 (8.8-13.3)	135	11.9 (9.7-14.1)	211	19.0 (15.7-22.4)
65+	109	2.2 (1.7-2.8)	23	1.7 (1.0-2.4)	24	2.3 (1.2-3.4)	62	4.3 (2.9-5.6)
Education	3339	20.1 (19.2-21.1)	981	18.6 (17.3-19.8)	955	16.4 (15.4-17.5)	1403	29.6 (27.7-31.6)
Less than H.S. diploma	821	48.2 (44.9-51.5)	219	43.5 (38.6-48.4)	175	41.2 (36.1-46.4)	427	59.6 (54.5-64.8)
H.S. diploma or G.E.D.	1190	23.5 (21.9-25.2)	353	22.4 (20.0-24.7)	302	20.2 (17.9-22.5)	535	30.2 (27.0-33.4)
Some post-H.S.	870	15.1 (13.7-16.5)	271	14.8 (13.0-16.7)	297	15.4 (13.6-17.2)	302	16.0 (13.8-18.2)
College graduate	444	8.6 (7.3-10.0)	134	8.5 (6.6-10.4)	179	7.5 (6.2-8.7)	131	11.5 (8.5-14.5)
Income	3339	20.1 (19.2-21.1)	981	18.6 (17.3-19.8)	955	16.4 (15.4-17.5)	1403	29.6 (27.7-31.6)
Less than \$15,000	597	46.7 (42.8-50.6)	152	43.1 (37.3-48.9)	137	35.6 (30.1-41.0)	308	59.8 (53.7-65.9)
\$15,000 to 24,999	908	40.0 (37.0-42.9)	267	38.8 (34.6-43.0)	254	35.7 (31.8-39.6)	387	46.3 (41.3-51.3)
\$25,000 to 34,999	487	24.8 (22.1-27.5)	147	22.8 (19.2-26.4)	157	24.7 (20.9-28.5)	183	32.3 (26.0-38.6)
\$35,000 to 49,999	405	13.5 (11.7-15.2)	121	13.0 (10.6-15.4)	113	11.6 (9.3-13.8)	171	17.3 (14.2-20.5)
\$50,000 or more	501	7.9 (7.0-8.9)	177	8.1 (6.8-9.4)	170	6.6 (5.5-7.7)	154	9.1 (7.2-11.0)
Employment	3339	20.1 (19.2-21.1)	981	18.6 (17.3-19.8)	955	16.4 (15.4-17.5)	1403	29.6 (27.7-31.6)
Employed/Self-empl.	2072	19.6 (18.5-20.7)	589	17.4 (15.9-18.9)	616	16.1 (14.8-17.4)	867	31.6 (28.9-34.3)
Out of work	443	54.2 (49.3-59.0)	143	52.3 (45.8-58.9)	125	52.6 (45.4-59.9)	175	63.5 (56.4-70.6)
Homemaker/Student	455	30.8 (27.3-34.3)	157	30.2 (25.4-34.9)	117	21.5 (17.7-25.4)	181	41.4 (35.1-47.6)
Retired/Unable to work	344	7.4 (6.3-8.5)	89	6.4 (5.0-7.9)	92	7.0 (5.4-8.5)	163	11.2 (8.7-13.7)
Marital status	3339	20.1 (19.2-21.1)	981	18.6 (17.3-19.8)	955	16.4 (15.4-17.5)	1403	29.6 (27.7-31.6)
Married	1298	14.7 (13.6-15.8)	367	13.2 (11.7-14.7)	332	11.6 (10.4-12.9)	599	22.8 (20.5-25.1)
Divorced	701	20.2 (18.2-22.3)	176	18.0 (15.3-20.8)	225	19.8 (17.1-22.5)	300	31.0 (26.9-35.1)
Widowed	109	5.4 (4.0-6.9)	25	4.4 (2.4-6.3)	31	7.0 (4.2-9.7)	53	7.9 (5.1-10.6)
Separated	147	38.2 (31.2-45.2)	38	33.7 (24.1-43.3)	46	35.2 (25.4-45.0)	63	53.7 (40.6-66.9)
Never married	774	34.2 (31.5-36.9)	277	33.1 (29.4-36.7)	233	25.8 (22.4-29.1)	264	48.0 (42.2-53.8)
Mem. of unmarr. couple	294	44.6 (39.5-49.7)	96	42.4 (35.6-49.3)	83	32.7 (26.5-38.9)	115	61.0 (51.3-70.7)
Overall health status	3339	20.1 (19.2-21.1)	981	18.6 (17.3-19.8)	955	16.4 (15.4-17.5)	1403	29.6 (27.7-31.6)
Good or better	2541	18.3 (17.3-19.3)	762	17.3 (16.0-18.6)	758	15.2 (14.0-16.3)	1021	25.6 (23.5-27.6)
Fair or poor	793	29.3 (26.8-31.8)	219	25.1 (21.8-28.4)	194	24.3 (21.0-27.7)	380	44.3 (39.5-49.2)

Table 20. No Insurance Coverage, Clark County - NV (applicable years from 2000-06)

Source: BRFSS.

	2000		2001		2002		2003		2004		2005		2006	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	103	12.9 (10.2-15.7)	134	18.9 (15.2-22.6)	162	20.6 (17.1-24.0)	144	19.1 (16.0-22.2)	142	19.5 (16.3-22.7)	141	19.1 (15.9-22.4)	155	19.0 (16.0-22.1)
Male	56	14.5 (10.6-18.5)	75	22.3 (16.3-28.3)	75	20.2 (14.9-25.5)	79	22.9 (18.0-27.7)	76	20.6 (16.0-25.2)	76	20.3 (15.7-25.0)	70	18.7 (14.2-23.1)
Female	47	11.3 (7.6-15.0)	59	15.4 (11.4-19.4)	87	20.9 (16.5-25.4)	65	15.3 (11.5-19.1)	66	18.4 (14.0-22.8)	65	17.9 (13.4-22.4)	85	19.4 (15.2-23.6)
Race/Ethnicity	103	12.9 (10.2-15.7)	134	18.9 (15.2-22.6)	162	20.6 (17.1-24.0)	144	19.1 (16.0-22.2)	142	19.5 (16.3-22.7)	141	19.1 (15.9-22.4)	155	19.0 (16.0-22.1)
White, Non-Hisp.	62	11.1 (8.1-14.1)	73	13.4 (10.2-16.6)	73	12.6 (9.6-15.6)	62	11.8 (8.8-14.9)	53	10.2 (7.3-13.1)	59	10.6 (7.6-13.6)	62	10.7 (7.8-13.6)
Black, Non-Hisp.	14	19.6 (7.9-31.3)	11	18.5 (7.7-29.2)	8	14.0 (3.7-24.2)	5	7.7 (0.6-14.8)	12	22.9 (10.2-35.6)	16	29.6 (16.2-42.9)	6	19.9 (4.2-35.6)
Other/Multi, Non-Hisp.	9	15.6 (5.5-25.7)	26	24.1 (15.3-32.9)	20	16.2 (8.9-23.6)	20	23.4 (13.3-33.5)	16	13.0 (6.4-19.5)	18	17.7 (9.4-26.1)	10	11.2 (3.2-19.2)
Hispanic	18	17.0 (8.8-25.2)	23	42.7 (25.5-60.0)	58	51.0 (40.8-61.1)	56	40.3 (31.4-49.2)	61	50.4 (41.1-59.7)	48	45.2 (35.0-55.3)	75	46.5 (38.2-54.8)
Age group	103	12.9 (10.2-15.7)	134	18.9 (15.2-22.6)	162	20.6 (17.1-24.0)	144	19.1 (16.0-22.2)	142	19.5 (16.3-22.7)	141	19.1 (15.9-22.4)	155	19.0 (16.0-22.1)
18-24	25	31.8 (20.0-43.7)	24	37.0 (23.7-50.2)	33	45.5 (31.3-59.8)	21	33.0 (20.8-45.2)	21	34.4 (21.3-47.4)	22	34.2 (21.8-46.6)	32	58.1 (44.2-72.0)
25-34	35	21.7 (14.5-28.9)	29	23.6 (15.3-31.8)	36	22.9 (15.4-30.4)	42	28.2 (20.1-36.3)	40	34.4 (25.3-43.5)	35	30.2 (20.9-39.5)	49	33.9 (25.7-42.2)
35-44	21	12.5 (6.6-18.5)	32	18.8 (12.2-25.5)	39	23.8 (16.6-30.9)	40	23.6 (16.7-30.4)	26	15.4 (9.6-21.2)	35	22.4 (15.1-29.7)	25	10.9 (6.4-15.4)
45-54	13	7.9 (3.0-12.7)	30	24.1 (12.3-36.0)	33	17.5 (11.1-23.8)	18	12.6 (6.6-18.6)	30	19.9 (12.9-26.9)	28	16.3 (10.2-22.3)	29	13.4 (8.3-18.5)
55-64	8	8.1 (2.1-14.2)	15	9.7 (4.2-15.2)	17	14.2 (6.8-21.5)	19	15.9 (8.6-23.2)	23	12.2 (7.0-17.5)	16	8.4 (3.9-12.9)	17	8.2 (4.2-12.2)
65+	1	0.7 (0.0-2.0)	4	2.9 (0.0-5.8)	4	2.2 (0.0-4.3)	4	1.8 (0.0-3.6)	2	0.8 (0.0-2.0)	5	2.3 (0.2-4.4)	3	1.2 (0.0-2.6)
Education	103	12.9 (10.2-15.7)	134	18.9 (15.2-22.6)	162	20.6 (17.1-24.0)	144	19.1 (16.0-22.2)	142	19.5 (16.3-22.7)	141	19.1 (15.9-22.4)	155	19.0 (16.0-22.1)
Less than H.S. diploma	13	19.8 (9.2-30.3)	23	43.3 (28.1-58.5)	28	46.3 (31.7-60.8)	38	44.9 (33.3-56.5)	39	49.0 (37.1-61.0)	29	41.7 (28.8-54.6)	49	52.4 (40.9-63.9)
H.S. diploma or G.E.D.	42	14.8 (10.0-19.7)	42	19.0 (13.3-24.7)	68	24.5 (18.9-30.1)	51	23.9 (17.5-30.2)	48	25.9 (19.1-32.7)	51	23.8 (17.3-30.3)	51	24.0 (17.6-30.5)
Some post-H.S.	36	14.9 (9.6-20.1)	46	16.8 (12.0-21.7)	43	16.3 (11.0-21.6)	37	14.6 (9.7-19.5)	40	14.8 (10.1-19.6)	34	13.1 (8.5-17.7)	35	13.4 (8.5-18.3)
College graduate	12	5.0 (1.8-8.3)	21	13.3 (4.0-22.6)	23	9.4 (5.2-13.7)	18	7.5 (3.9-11.0)	15	5.1 (2.2-7.9)	26	11.5 (6.8-16.1)	19	7.1 (3.7-10.5)
Income	103	12.9 (10.2-15.7)	134	18.9 (15.2-22.6)	162	20.6 (17.1-24.0)	144	19.1 (16.0-22.2)	142	19.5 (16.3-22.7)	141	19.1 (15.9-22.4)	155	19.0 (16.0-22.1)
Less than \$15,000	12	21.8 (8.0-35.6)	16	40.6 (22.9-58.3)	19	31.9 (18.5-45.4)	21	45.6 (30.7-60.6)	28	50.8 (36.4-65.3)	25	49.7 (35.8-63.7)	31	53.6 (40.7-66.4)
\$15,000 to 24,999	30	28.8 (18.2-39.4)	39	41.7 (30.6-52.9)	51	43.1 (32.1-54.1)	37	37.8 (27.5-48.1)	39	44.5 (33.4-55.6)	30	33.0 (22.0-44.0)	41	41.1 (30.3-51.9)
\$25,000 to 34,999	20	16.0 (8.5-23.4)	15	17.4 (8.9-26.0)	26	29.1 (18.7-39.4)	29	26.5 (17.4-35.5)	19	20.6 (11.8-29.4)	17	24.1 (13.2-34.9)	21	26.2 (15.7-36.7)
\$35,000 to 49,999	18	11.7 (6.0-17.4)	25	13.2 (7.7-18.7)	18	14.7 (8.0-21.4)	16	11.7 (5.9-17.6)	15	11.2 (5.5-16.9)	16	17.5 (8.9-26.0)	13	11.7 (4.9-18.6)
\$50,000 or more	13	4.4 (2.0-6.9)	27	9.9 (6.1-13.7)	25	8.5 (4.9-12.1)	25	9.1 (5.2-13.0)	25	7.9 (4.3-11.5)	32	8.3 (5.2-11.4)	30	8.0 (4.9-11.2)
Employment	103	12.9 (10.2-15.7)	134	18.9 (15.2-22.6)	162	20.6 (17.1-24.0)	144	19.1 (16.0-22.2)	142	19.5 (16.3-22.7)	141	19.1 (15.9-22.4)	155	19.0 (16.0-22.1)
Employed/Self-empl.	70	13.9 (10.4-17.5)	90	18.2 (14.3-22.1)	89	17.8 (13.5-22.1)	87	17.9 (14.1-21.7)	80	17.3 (13.4-21.1)	85	18.5 (14.4-22.6)	88	18.1 (14.2-22.0)
Out of work	14	40.2 (21.3-59.2)	21	50.1 (32.9-67.3)	27	60.4 (45.1-75.7)	25	67.2 (53.1-81.3)	22	55.1 (38.8-71.5)	15	48.6 (30.1-67.1)	19	40.1 (23.9-56.2)
Homemaker/Student	11	12.6 (4.6-20.6)	14	31.0 (9.9-52.1)	25	34.3 (22.4-46.1)	22	24.2 (14.6-33.8)	23	32.1 (20.9-43.2)	27	33.8 (22.5-45.0)	35	36.6 (25.9-47.3)
Retired/Unable to work	8	5.2 (1.5-8.8)	9	5.4 (1.5-9.2)	21	11.5 (6.0-16.9)	9	4.7 (1.3-8.0)	17	8.6 (4.0-13.3)	13	5.3 (2.4-8.3)	12	4.7 (1.7-7.7)
Marital status	103	12.9 (10.2-15.7)	134	18.9 (15.2-22.6)	162	20.6 (17.1-24.0)	144	19.1 (16.0-22.2)	142	19.5 (16.3-22.7)	141	19.1 (15.9-22.4)	155	19.0 (16.0-22.1)
Married	26	6.8 (4.1-9.6)	50	15.6 (10.1-21.1)	67	18.0 (13.2-22.7)	52	12.4 (9.1-15.7)	48	11.7 (8.3-15.0)	59	14.9 (11.0-18.8)	65	12.6 (9.6-15.6)
Divorced	21	14.7 (8.0-21.5)	25	19.4 (11.7-27.0)	27	16.9 (10.2-23.7)	23	19.3 (11.3-27.2)	29	19.6 (12.5-26.8)	26	20.6 (12.5-28.8)	25	15.4 (9.0-21.8)
Widowed	2	3.6 (0.0-9.4)	4	4.3 (0.0-8.6)	6	7.3 (1.4-13.1)	6	8.6 (0.5-16.6)	3	4.0 (0.0-8.6)	3	0.8 (0.0-2.5)	3	1.9 (0.0-4.1)
Separated	6	30.8 (7.1-54.4)	5	20.2 (2.0-38.4)	3	16.8 (0.0-36.0)	7	49.8 (22.6-77.0)	5	36.4 (11.5-61.2)	7	36.6 (13.7-59.5)	5	37.6 (9.4-65.8)
Never married	40	31.0 (21.5-40.4)	40	30.0 (21.4-38.6)	47	34.1 (25.1-43.1)	40	35.1 (25.4-44.8)	41	36.7 (26.7-46.7)	33	29.2 (19.7-38.7)	36	35.4 (25.1-45.7)
Mem. of unmarr. couple	8	22.7 (8.3-37.2)	10	33.8 (13.6-54.0)	12	39.5 (21.5-57.6)	16	34.1 (19.6-48.6)	16	68.4 (52.2-84.6)	14	36.1 (19.0-53.1)	20	58.3 (41.7-74.9)

Physical Activity


Indicator 1: Self-reported leisure time physical activities or exercises in the past 30 days.

- 25.7% of county residents reported having no leisure time physical activity or exercise based on aggregated county data from 2000-06 (Figure 13).
- Lack of leisure time activities was more prevalent among Hispanics and non-Hispanic blacks than other racial/ethnic groups.

Table 21. Percent No Leisure Time Activity/Exercise by Race/Ethnicity (2000-06 aggregated)

	White, Non-Hisp.			Black, Non-Hisp.			Other/Multi, Non-Hisp.			Hispanic		
	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.
State	3078	21.8 (20.8-22.8)	21.0 (20.0-22.0)	161	30.0 (25.1-34.9)	30.2 (25.5-34.9)	534	25.2 (22.5-27.8)	25.5 (22.8-28.1)	798	35.2 (32.4-37.9)	35.1 (32.1-38.1)
Clark	1014	23.3 (21.8-24.8)	22.4 (20.9-23.9)	126	29.2 (24.1-34.3)	29.3 (24.4-34.1)	209	26.3 (22.8-29.9)	26.5 (23.0-30.0)	279	32.3 (28.6-35.9)	33.1 (29.0-37.2)
Washoe	879	16.8 (15.6-17.9)	16.4 (15.2-17.6)	21	27.4 (16.0-38.7)	27.3 (16.1-38.5)	141	19.6 (16.2-23.0)	21.1 (17.7-24.6)	185	30.0 (25.9-34.0)	28.5 (24.2-32.8)
Other Counties	1185	21.8 (20.5-23.1)	20.9 (19.5-22.4)	14	49.3 (24.3-74.3)	48.5 (36.9-60.2)	184	25.0 (19.9-30.1)	24.6 (19.8-29.3)	334	44.7 (39.5-50.0)	43.0 (37.9-48.2)

Figure 13. Percent No Leisure Time Activity/Exercise by Demographic Subgroups (2000-06 aggregated)



Source: BRFSS.

Table 22. Leisure Time Physical Activity or Exercise? (%) (2000-06 aggregated)

County	Yes		No	
	N	% and C.I.	N	% and C.I.
Carson City	927	74.1 (70.5-77.7)	277	25.9 (22.3-29.5)
Churchill	463	77.9 (74.0-81.8)	125	22.1 (18.2-26.0)
Clark	4848	74.3 (73.0-75.6)	1646	25.7 (24.4-27.0)
Douglas	890	84.7 (82.2-87.2)	164	15.3 (12.8-17.8)
Elko	665	74.0 (70.7-77.3)	227	26.0 (22.7-29.3)
Humboldt	70	72.2 (62.8-81.6)	31	27.8 (18.4-37.2)
Lyon	729	75.2 (72.1-78.4)	234	24.8 (21.6-27.9)
Nye	538	71.9 (68.2-75.6)	212	28.1 (24.4-31.8)
Washoe	5483	81.2 (80.1-82.3)	1238	18.8 (17.7-19.9)

Figure 14. No Leisure Time Activity or Exercise (%)




Table 23. No Leisure Time Activity or Exercise by Year, Clark County, NV and U.S. (%)

	2000	2001	2002	2003	2004	2005	2006
Clark	25.9 (22.0-29.8)	23.4 (20.1-26.6)	24.8 (21.4-28.2)	25.8 (22.6-29.1)	26.4 (23.2-29.6)	26.3 (22.9-29.7)	27.0 (24.0-30.1)
NV	24.9 (22.2-27.7)	22.6 (20.3-24.9)	24.8 (22.4-27.3)	24.7 (22.4-27.1)	24.2 (21.9-26.6)	26.8 (24.3-29.3)	27.1 (24.8-29.4)
U.S.†	26.9	25.7	24.4	23.1	22.9	23.9	22.8

†Median % among participating states, DC and territories.

Figure 15. Year 2006: No Leisure Time Activity or Exercise (%)
(U.S. outlying territories not displayed on map)




Table 24. No Leisure Time Activity or Exercise

Source: BRFSS.

	State		Clark		Washoe		2000-06 aggregated Other Counties	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	4620	25.1 (24.2-26.0)	1646	25.7 (24.4-27.0)	1238	18.8 (17.7-19.9)	1736	28.7 (26.8-30.6)
Male	2011	22.4 (21.1-23.6)	711	22.7 (21.0-24.5)	528	16.8 (15.3-18.3)	772	26.1 (23.5-28.8)
Female	2609	27.9 (26.6-29.2)	935	28.7 (26.9-30.6)	710	20.8 (19.2-22.3)	964	31.4 (28.7-34.1)
Race/Ethnicity	4620	25.1 (24.2-26.0)	1646	25.7 (24.4-27.0)	1238	18.8 (17.7-19.9)	1736	28.7 (26.8-30.6)
White,Non-Hisp.	3078	21.8 (20.8-22.8)	1014	23.3 (21.8-24.8)	879	16.8 (15.6-17.9)	1185	21.8 (20.5-23.1)
Black,Non-Hisp.	161	30.0 (25.1-34.9)	126	29.2 (24.1-34.3)	21	27.4 (16.0-38.7)	14	49.3 (24.3-74.3)
Other/Multi,Non-Hisp.	534	25.2 (22.5-27.8)	209	26.3 (22.8-29.9)	141	19.6 (16.2-23.0)	184	25.0 (19.9-30.1)
Hispanic	798	35.2 (32.4-37.9)	279	32.3 (28.6-35.9)	185	30.0 (25.9-34.0)	334	44.7 (39.5-50.0)
Age group	4620	25.1 (24.2-26.0)	1646	25.7 (24.4-27.0)	1238	18.8 (17.7-19.9)	1736	28.7 (26.8-30.6)
18-24	290	23.4 (20.0-26.7)	116	23.9 (19.4-28.5)	63	11.7 (8.7-14.8)	111	31.0 (23.6-38.4)
25-34	592	22.8 (20.6-24.9)	222	21.5 (18.7-24.4)	168	19.2 (16.3-22.0)	202	30.9 (25.6-36.2)
35-44	802	23.1 (21.2-25.0)	289	23.3 (20.7-25.9)	221	17.6 (15.3-19.9)	292	27.6 (23.7-31.6)
45-54	871	24.4 (22.3-26.4)	308	26.1 (23.2-29.1)	230	17.2 (14.9-19.6)	333	24.9 (21.5-28.2)
55-64	821	26.3 (24.0-28.6)	291	27.1 (23.9-30.2)	211	19.8 (17.0-22.6)	319	29.3 (24.8-33.7)
65+	1236	31.9 (29.7-34.0)	417	33.8 (30.7-36.8)	343	26.6 (23.8-29.5)	476	29.5 (26.6-32.3)
Education	4620	25.1 (24.2-26.0)	1646	25.7 (24.4-27.0)	1238	18.8 (17.7-19.9)	1736	28.7 (26.8-30.6)
Less than H.S. diploma	789	40.9 (37.6-44.2)	227	39.3 (34.5-44.1)	184	35.9 (31.1-40.8)	378	45.7 (40.2-51.2)
H.S. diploma or G.E.D.	1725	31.4 (29.5-33.2)	601	32.6 (30.1-35.1)	453	26.0 (23.6-28.4)	671	30.9 (27.8-34.0)
Some post-H.S.	1329	21.3 (19.9-22.8)	499	22.8 (20.7-24.8)	347	15.5 (13.7-17.3)	483	21.2 (18.9-23.4)
College graduate	754	14.7 (13.4-16.1)	315	16.0 (14.1-17.8)	248	11.1 (9.6-12.6)	191	13.6 (11.0-16.1)
Income	4620	25.1 (24.2-26.0)	1646	25.7 (24.4-27.0)	1238	18.8 (17.7-19.9)	1736	28.7 (26.8-30.6)
Less than \$15,000	629	40.1 (36.3-44.0)	186	42.0 (36.3-47.8)	165	34.1 (28.9-39.3)	278	38.9 (32.8-45.1)
\$15,000 to 24,999	936	35.0 (32.2-37.7)	312	35.9 (31.9-39.8)	258	28.2 (24.7-31.6)	366	36.8 (31.8-41.8)
\$25,000 to 34,999	633	29.5 (26.7-32.3)	236	30.3 (26.5-34.1)	181	24.1 (20.5-27.6)	216	31.2 (25.1-37.4)
\$35,000 to 49,999	720	23.5 (21.4-25.6)	257	24.5 (21.6-27.4)	206	21.0 (18.1-23.8)	257	22.0 (18.8-25.1)
\$50,000 or more	1036	15.7 (14.5-16.8)	418	16.9 (15.3-18.6)	278	10.9 (9.5-12.3)	340	15.4 (13.6-17.3)
Employment	4620	25.1 (24.2-26.0)	1646	25.7 (24.4-27.0)	1238	18.8 (17.7-19.9)	1736	28.7 (26.8-30.6)
Employed/Self-empl.	2464	22.7 (21.5-23.8)	896	22.9 (21.4-24.5)	666	16.7 (15.4-18.0)	902	27.6 (25.1-30.2)
Out of work	236	28.3 (23.9-32.6)	98	30.4 (24.5-36.3)	61	21.7 (15.9-27.5)	77	24.1 (17.3-30.9)
Homemaker/Student	393	23.1 (20.2-26.0)	142	22.7 (18.9-26.6)	95	17.0 (13.4-20.6)	156	29.9 (23.9-36.0)
Retired/Unable to work	1499	33.2 (31.2-35.3)	504	35.1 (32.2-38.0)	410	26.7 (24.1-29.2)	585	31.8 (28.6-35.0)
Marital status	4620	25.1 (24.2-26.0)	1646	25.7 (24.4-27.0)	1238	18.8 (17.7-19.9)	1736	28.7 (26.8-30.6)
Married	2238	23.6 (22.4-24.8)	764	24.1 (22.4-25.8)	580	18.3 (16.8-19.7)	894	26.3 (24.2-28.5)
Divorced	897	27.6 (25.3-29.8)	324	28.9 (25.8-32.0)	262	21.6 (18.7-24.5)	311	29.0 (25.3-32.6)
Widowed	604	33.8 (30.4-37.2)	193	34.8 (30.0-39.6)	172	30.8 (26.3-35.4)	239	32.7 (26.6-38.7)
Separated	146	36.9 (30.2-43.6)	57	39.1 (29.9-48.4)	32	21.9 (13.8-30.1)	57	39.7 (26.6-52.8)
Never married	520	22.2 (19.8-24.6)	227	23.1 (20.0-26.3)	142	14.4 (11.7-17.0)	151	26.4 (20.5-32.2)
Mem. of un marr. couple	193	29.7 (24.7-34.7)	73	27.5 (21.3-33.6)	49	17.9 (12.9-22.8)	71	46.3 (34.5-58.0)
Overall health status	4620	25.1 (24.2-26.0)	1646	25.7 (24.4-27.0)	1238	18.8 (17.7-19.9)	1736	28.7 (26.8-30.6)
Good or better	3107	20.7 (19.8-21.7)	1125	21.4 (20.1-22.7)	841	15.3 (14.2-16.4)	1141	23.6 (21.7-25.6)
Fair or poor	1504	46.5 (43.9-49.1)	515	47.2 (43.6-50.7)	396	42.0 (38.3-45.6)	593	47.1 (42.4-51.9)
Alcohol consumption	4620	25.1 (24.2-26.0)	1646	25.7 (24.4-27.0)	1238	18.8 (17.7-19.9)	1736	28.7 (26.8-30.6)
Heavy drinker	369	24.4 (21.4-27.5)	115	24.9 (20.5-29.4)	97	18.1 (14.3-21.9)	157	29.2 (23.7-34.6)
Not a heavy drinker	4170	25.1 (24.1-26.1)	1501	25.7 (24.4-27.0)	1121	18.9 (17.7-20.0)	1548	28.7 (26.7-30.7)
Smoking status	4620	25.1 (24.2-26.0)	1646	25.7 (24.4-27.0)	1238	18.8 (17.7-19.9)	1736	28.7 (26.8-30.6)
Current smokers	1434	30.4 (28.5-32.3)	518	30.9 (28.3-33.5)	386	26.6 (24.0-29.3)	530	31.7 (28.0-35.4)
Do not smoke currently	3172	23.3 (22.3-24.4)	1122	23.9 (22.5-25.3)	849	16.6 (15.4-17.8)	1201	27.8 (25.6-30.0)
Weight status	4620	25.1 (24.2-26.0)	1646	25.7 (24.4-27.0)	1238	18.8 (17.7-19.9)	1736	28.7 (26.8-30.6)
BMI<25	1568	21.8 (20.4-23.2)	562	22.8 (20.8-24.7)	436	15.4 (13.8-17.0)	570	25.0 (21.8-28.2)
BMI>=25	2727	25.8 (24.6-27.0)	986	26.7 (25.0-28.4)	739	20.7 (19.2-22.3)	1002	26.7 (24.7-28.8)

Table 25. No Leisure Time Activity or Exercise, Clark County - NV (applicable years from 2000-06)

Source: BRFSS.

	2000		2001		2002		2003		2004		2005		2006	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	181	25.9 (22.0-29.8)	195	23.4 (20.1-26.6)	239	24.8 (21.4-28.2)	228	25.8 (22.6-29.1)	252	26.4 (23.2-29.6)	224	26.3 (22.9-29.7)	327	27.0 (24.0-30.1)
Male	89	25.5 (19.8-31.2)	90	18.5 (14.7-22.4)	100	21.4 (16.3-26.4)	85	20.4 (16.1-24.6)	121	25.3 (20.8-29.8)	98	24.6 (19.8-29.3)	128	23.2 (19.0-27.5)
Female	92	26.3 (21.0-31.7)	105	28.3 (23.2-33.3)	139	28.3 (23.7-33.0)	143	31.2 (26.5-36.0)	131	27.5 (22.9-32.2)	126	28.2 (23.3-33.0)	199	30.8 (26.4-35.1)
Race/Ethnicity	181	25.9 (22.0-29.8)	195	23.4 (20.1-26.6)	239	24.8 (21.4-28.2)	228	25.8 (22.6-29.1)	252	26.4 (23.2-29.6)	224	26.3 (22.9-29.7)	327	27.0 (24.0-30.1)
White, Non-Hisp.	110	24.2 (19.5-28.9)	137	24.0 (20.1-27.9)	149	21.6 (18.1-25.2)	131	22.9 (19.1-26.6)	150	23.1 (19.3-26.8)	138	23.6 (19.7-27.5)	199	23.6 (20.2-27.1)
Black, Non-Hisp.	24	33.5 (20.0-47.1)	22	45.6 (31.0-60.3)	14	20.4 (9.5-31.3)	16	25.5 (12.0-39.0)	13	20.2 (9.3-31.0)	14	24.4 (12.0-36.8)	23	31.9 (18.2-45.6)
Other/Multi, Non-Hisp.	20	25.9 (14.3-37.4)	21	20.5 (11.9-29.1)	33	28.5 (19.2-37.9)	28	25.4 (15.9-34.9)	33	24.9 (16.4-33.5)	31	29.1 (19.4-38.9)	43	29.1 (20.1-38.1)
Hispanic	27	31.2 (20.0-42.4)	14	14.7 (6.5-22.9)	39	32.9 (22.2-43.5)	50	34.1 (25.7-42.5)	51	36.8 (27.8-45.7)	39	33.9 (24.0-43.7)	59	34.2 (26.3-42.2)
Age group	181	25.9 (22.0-29.8)	195	23.4 (20.1-26.6)	239	24.8 (21.4-28.2)	228	25.8 (22.6-29.1)	252	26.4 (23.2-29.6)	224	26.3 (22.9-29.7)	327	27.0 (24.0-30.1)
18-24	19	21.7 (11.1-32.3)	16	21.8 (11.3-32.3)	21	31.4 (16.1-46.7)	10	12.6 (4.7-20.6)	17	25.0 (13.6-36.4)	15	23.4 (12.2-34.6)	18	29.5 (16.9-42.2)
25-34	31	18.2 (11.7-24.7)	26	17.7 (10.9-24.5)	36	22.5 (15.1-29.8)	38	22.1 (15.2-28.9)	31	22.9 (15.2-30.7)	28	25.3 (16.5-34.1)	32	20.8 (13.8-27.9)
35-44	41	25.0 (17.8-32.3)	42	26.4 (18.9-33.8)	45	22.0 (15.5-28.5)	44	23.2 (16.6-29.9)	39	21.4 (14.8-27.9)	32	23.4 (15.7-31.2)	46	21.9 (15.7-28.2)
45-54	33	24.4 (15.4-33.4)	30	19.4 (12.1-26.7)	46	26.2 (18.7-33.6)	42	30.0 (21.8-38.2)	50	29.8 (21.9-37.6)	46	26.0 (18.8-33.2)	61	27.4 (20.7-34.2)
55-64	23	28.2 (14.9-41.5)	31	22.7 (14.8-30.5)	30	17.2 (11.0-23.5)	42	30.2 (21.7-38.6)	53	29.0 (21.7-36.2)	36	25.1 (17.3-33.0)	76	35.4 (28.1-42.6)
65+	33	39.3 (27.9-50.7)	50	32.4 (24.2-40.5)	60	31.4 (23.8-39.0)	52	34.6 (26.1-43.2)	62	32.8 (25.3-40.2)	67	34.8 (27.3-42.3)	93	31.7 (25.7-37.7)
Education	181	25.9 (22.0-29.8)	195	23.4 (20.1-26.6)	239	24.8 (21.4-28.2)	228	25.8 (22.6-29.1)	252	26.4 (23.2-29.6)	224	26.3 (22.9-29.7)	327	27.0 (24.0-30.1)
Less than H.S. diploma	32	45.5 (32.0-59.1)	23	36.2 (22.7-49.8)	35	44.3 (29.6-58.9)	37	42.4 (31.0-53.7)	29	30.7 (20.1-41.4)	27	35.4 (22.8-48.0)	44	41.7 (30.2-53.1)
H.S. diploma or G.E.D.	63	27.6 (20.3-34.8)	68	29.6 (23.1-36.2)	101	32.0 (25.9-38.0)	79	30.4 (24.0-36.8)	98	37.5 (30.6-44.3)	91	37.2 (30.2-44.2)	101	33.8 (27.4-40.3)
Some post-H.S.	58	25.2 (18.7-31.6)	73	24.8 (19.3-30.3)	57	19.2 (13.9-24.5)	54	18.5 (13.5-23.5)	85	24.8 (19.5-30.1)	66	21.0 (15.8-26.2)	106	25.5 (20.4-30.6)
College graduate	28	16.5 (10.2-22.8)	29	11.4 (7.0-15.7)	46	14.1 (9.6-18.5)	56	21.0 (15.7-26.3)	40	14.5 (9.8-19.3)	40	17.3 (11.9-22.7)	76	16.9 (12.8-21.0)
Income	181	25.9 (22.0-29.8)	195	23.4 (20.1-26.6)	239	24.8 (21.4-28.2)	228	25.8 (22.6-29.1)	252	26.4 (23.2-29.6)	224	26.3 (22.9-29.7)	327	27.0 (24.0-30.1)
Less than \$15,000	15	47.2 (26.5-67.8)	16	39.1 (21.5-56.8)	26	33.8 (21.3-46.3)	20	33.9 (19.8-47.9)	36	50.7 (36.1-65.2)	29	44.4 (30.5-58.3)	44	43.7 (30.8-56.6)
\$15,000 to 24,999	32	30.9 (20.3-41.6)	38	31.1 (21.5-40.7)	60	43.0 (32.3-53.7)	40	35.6 (25.7-45.5)	42	36.1 (25.8-46.5)	41	34.4 (24.1-44.6)	59	38.0 (28.2-47.9)
\$25,000 to 34,999	36	37.7 (26.5-49.0)	33	30.2 (20.6-39.7)	33	25.3 (16.0-34.6)	37	27.8 (19.2-36.4)	38	33.1 (23.2-43.0)	21	24.1 (13.8-34.4)	38	34.0 (23.5-44.6)
\$35,000 to 49,999	39	26.6 (18.6-34.5)	36	21.9 (15.1-28.7)	36	21.3 (14.3-28.4)	33	26.2 (18.0-34.3)	45	27.2 (19.4-34.9)	26	26.3 (16.7-35.8)	42	22.5 (15.2-29.7)
\$50,000 or more	47	16.2 (11.6-20.9)	51	18.1 (13.3-22.9)	43	12.3 (8.3-16.2)	52	15.7 (11.4-20.0)	60	16.7 (12.5-21.0)	68	18.2 (13.8-22.6)	97	19.6 (15.5-23.6)
Employment	181	25.9 (22.0-29.8)	195	23.4 (20.1-26.6)	239	24.8 (21.4-28.2)	228	25.8 (22.6-29.1)	252	26.4 (23.2-29.6)	224	26.3 (22.9-29.7)	327	27.0 (24.0-30.1)
Employed/Self-empl.	121	23.9 (19.5-28.2)	115	21.4 (17.6-25.1)	134	22.4 (18.0-26.8)	125	23.0 (19.1-26.9)	131	22.7 (18.8-26.6)	109	23.5 (19.1-27.9)	161	23.6 (19.8-27.3)
Out of work	7	25.1 (7.7-42.5)	6	14.5 (2.2-26.7)	10	19.0 (7.1-31.0)	15	27.5 (13.9-41.1)	23	45.1 (28.6-61.6)	20	45.9 (27.7-64.1)	17	35.3 (19.2-51.5)
Homemaker/Student	12	15.1 (6.4-23.8)	14	21.3 (9.5-33.0)	26	30.0 (18.3-41.7)	24	22.8 (14.0-31.6)	19	23.5 (13.6-33.4)	18	20.5 (10.8-30.1)	29	23.6 (14.6-32.5)
Retired/Unable to work	41	37.6 (27.1-48.1)	59	33.4 (25.7-41.0)	69	31.6 (24.4-38.7)	63	36.1 (28.2-44.1)	77	35.7 (28.6-42.9)	75	32.8 (26.0-39.5)	120	38.7 (32.5-45.0)
Marital status	181	25.9 (22.0-29.8)	195	23.4 (20.1-26.6)	239	24.8 (21.4-28.2)	228	25.8 (22.6-29.1)	252	26.4 (23.2-29.6)	224	26.3 (22.9-29.7)	327	27.0 (24.0-30.1)
Married	88	24.8 (19.3-30.3)	92	22.3 (17.9-26.7)	120	25.4 (20.6-30.2)	107	24.5 (20.2-28.8)	116	24.4 (20.2-28.6)	93	22.2 (17.9-26.5)	148	25.2 (21.3-29.0)
Divorced	32	27.9 (18.9-36.9)	37	26.4 (18.2-34.6)	46	25.7 (18.2-33.1)	44	29.2 (20.8-37.7)	56	33.6 (24.9-42.2)	45	31.2 (22.6-39.9)	64	28.5 (21.3-35.6)
Widowed	15	33.5 (17.2-49.8)	20	28.5 (16.2-40.8)	32	38.7 (26.3-51.2)	24	38.5 (25.2-51.8)	28	37.6 (25.4-49.9)	26	30.8 (19.6-42.0)	48	35.5 (26.1-44.8)
Separated	7	43.7 (18.3-69.2)	5	25.5 (4.2-46.9)	7	32.7 (10.4-54.9)	8	45.9 (19.6-72.1)	12	49.4 (25.9-72.9)	10	42.6 (20.3-64.8)	8	26.2 (6.7-45.8)
Never married	29	23.3 (14.4-32.2)	33	24.2 (16.0-32.3)	30	19.5 (11.6-27.5)	30	18.2 (11.2-25.2)	31	22.5 (14.5-30.5)	35	27.8 (18.6-37.0)	39	25.8 (16.9-34.6)
Mem. of unmarr. couple	9	22.3 (8.6-36.0)	8	18.2 (5.5-31.0)	3	10.4 (0.0-21.5)	13	29.5 (15.4-43.6)	8	23.3 (7.2-39.5)	13	38.4 (20.7-56.0)	19	38.2 (21.4-55.1)


Indicator 2: Self-reports of 30+ minutes of moderate physical activity per day on five or more days per week, or vigorous activity for 20+ minutes per occasion on three or more days per week.

- Based on aggregated county data from 2000-06, about one-half of county residents engaged in moderate physical activity for at least 30 minutes five or more days per week, or vigorous physical activity for 20 or more minutes three or more days per week, while about one-half did not (Figure 16).

Table 26. Percent Insufficient Moderate Physical Activity by Race/Ethnicity ('01, '03 & '05 aggregated)

	White, Non-Hisp.			Black, Non-Hisp.			Other/Multi, Non-Hisp.			Hispanic		
	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.
State	2866	48.7 (46.9-50.6)	47.7 (45.8-49.5)	118	56.4 (48.3-64.4)	56.3 (48.5-64.0)	404	45.1 (40.5-49.8)	46.4 (41.9-50.8)	510	54.0 (49.2-58.7)	54.4 (48.9-59.8)
Clark	886	50.8 (48.1-53.4)	49.5 (46.8-52.2)	91	56.3 (47.7-64.8)	56.1 (47.9-64.3)	147	45.5 (39.4-51.7)	47.0 (41.1-52.8)	170	50.2 (43.8-56.7)	51.5 (44.1-58.8)
Washoe	972	44.3 (42.0-46.6)	43.8 (41.4-46.1)	22	57.4 (39.9-74.9)	63.7 (49.0-78.4)	119	41.6 (35.1-48.1)	44.6 (38.4-50.8)	140	53.3 (46.5-60.1)	53.9 (46.8-61.0)
Other Counties	1008	45.6 (43.0-48.1)	44.7 (42.0-47.3)	5	59.3 (20.9-97.7)	49.1 (41.8-56.3)	138	46.9 (38.6-55.3)	46.8 (39.0-54.5)	200	64.2 (56.4-71.9)	62.4 (54.8-70.0)

Figure 16. Percent Insufficient Moderate Physical Activity by Demographic Subgroups ('01, '03 & '05 aggregated)



Source: BRFSS.

Table 27. Sufficient Moderate Physical Activity? (%) ('01, '03 & '05 aggregated)

County	Yes		No	
	N	% and C.I.	N	% and C.I.
Carson City	275	52.3 (46.3-58.2)	232	47.7 (41.8-53.7)
Churchill	138	59.2 (52.3-66.1)	100	40.8 (33.9-47.7)
Clark	1232	49.7 (47.5-51.9)	1304	50.3 (48.1-52.5)
Douglas	266	60.1 (54.8-65.5)	182	39.9 (34.5-45.2)
Elko	192	53.5 (47.8-59.1)	187	46.5 (40.9-52.2)
Lyon	218	53.4 (47.9-58.9)	173	46.6 (41.1-52.1)
Nye	148	46.5 (40.1-53.0)	164	53.5 (47.0-59.9)
Washoe	1542	54.7 (52.6-56.8)	1267	45.3 (43.2-47.4)

Figure 17. Insufficient Moderate Physical Activity (%)





Table 28. Insufficient Moderate Physical Activity by Year, Clark County, NV and U.S. (%)

	2000	2001	2002	2003	2004	2005	2006
Clark	N/A	51.2 (47.1-55.3)	N/A	50.4 (46.7-54.1)	N/A	49.4 (45.5-53.3)	N/A
NV	N/A	50.2 (47.3-53.2)	N/A	49.2 (46.5-51.8)	N/A	49.3 (46.6-52.1)	N/A
U.S.†	N/A	54.0	N/A	52.8	N/A	51.3	N/A

†Median % among participating states, DC and territories.

Figure 18. Year 2005: Insufficient Moderate Physical Activity (%) (U.S. outlying territories not displayed on map)



*Prevalence in Clark County: 49.4%.
Source: BRFSS.

Table 29. Insufficient Moderate Physical Activity

Source: BRFSS.

'01, '03 & '05 aggregated

	State		Clark		Washoe		Other Counties	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	3934	49.6 (48.0-51.2)	1304	50.3 (48.1-52.5)	1267	45.3 (43.2-47.4)	1363	50.8 (47.9-53.7)
Male	1859	46.7 (44.4-49.0)	616	46.4 (43.2-49.6)	591	44.3 (41.3-47.2)	652	50.2 (46.1-54.2)
Female	2075	52.5 (50.3-54.8)	688	54.3 (51.2-57.4)	676	46.3 (43.4-49.3)	711	51.5 (47.4-55.6)
Race/Ethnicity	3934	49.6 (48.0-51.2)	1304	50.3 (48.1-52.5)	1267	45.3 (43.2-47.4)	1363	50.8 (47.9-53.7)
White,Non-Hisp.	2866	48.7 (46.9-50.6)	886	50.8 (48.1-53.4)	972	44.3 (42.0-46.6)	1008	45.6 (43.0-48.1)
Black,Non-Hisp.	118	56.4 (48.3-64.4)	91	56.3 (47.7-64.8)	22	57.4 (39.9-74.9)	5	59.3 (20.9-97.7)
Other/Multi,Non-Hisp.	404	45.1 (40.5-49.8)	147	45.5 (39.4-51.7)	119	41.6 (35.1-48.1)	138	46.9 (38.6-55.3)
Hispanic	510	54.0 (49.2-58.7)	170	50.2 (43.8-56.7)	140	53.3 (46.5-60.1)	200	64.2 (56.4-71.9)
Age group	3934	49.6 (48.0-51.2)	1304	50.3 (48.1-52.5)	1267	45.3 (43.2-47.4)	1363	50.8 (47.9-53.7)
18-24	237	37.8 (32.5-43.1)	76	36.0 (28.7-43.3)	82	33.6 (27.1-40.1)	79	46.9 (36.0-57.7)
25-34	560	48.6 (44.7-52.5)	206	48.7 (43.5-53.9)	170	42.4 (37.1-47.8)	184	53.7 (46.0-61.4)
35-44	748	44.9 (41.4-48.3)	244	44.4 (39.6-49.1)	265	45.9 (41.4-50.3)	239	46.0 (40.1-52.0)
45-54	794	51.0 (47.2-54.8)	255	52.8 (47.4-58.3)	261	44.0 (39.6-48.3)	278	50.9 (45.0-56.8)
55-64	725	57.0 (53.3-60.7)	238	59.1 (53.8-64.3)	227	53.9 (48.6-59.2)	260	51.8 (45.8-57.9)
65+	865	58.2 (54.7-61.7)	284	60.5 (55.5-65.4)	259	51.4 (46.5-56.3)	322	55.9 (50.8-61.0)
Education	3934	49.6 (48.0-51.2)	1304	50.3 (48.1-52.5)	1267	45.3 (43.2-47.4)	1363	50.8 (47.9-53.7)
Less than H.S. diploma	449	63.5 (58.3-68.7)	137	63.4 (55.9-70.9)	114	58.9 (51.1-66.6)	198	65.6 (57.4-73.8)
H.S. diploma or G.E.D.	1200	50.2 (47.2-53.2)	376	50.6 (46.4-54.8)	348	49.5 (45.2-53.8)	476	49.5 (44.7-54.2)
Some post-H.S.	1239	47.4 (44.6-50.1)	423	48.4 (44.6-52.2)	419	44.0 (40.4-47.6)	397	46.5 (41.9-51.1)
College graduate	1036	45.1 (42.2-48.1)	363	46.9 (42.8-51.1)	384	40.0 (36.6-43.4)	289	43.6 (38.2-49.0)
Income	3934	49.6 (48.0-51.2)	1304	50.3 (48.1-52.5)	1267	45.3 (43.2-47.4)	1363	50.8 (47.9-53.7)
Less than \$15,000	371	57.7 (51.5-63.9)	96	56.7 (47.6-65.9)	107	61.1 (52.7-69.5)	168	58.2 (47.9-68.4)
\$15,000 to 24,999	612	56.5 (52.1-61.0)	187	56.1 (49.6-62.5)	188	50.2 (44.4-56.1)	237	61.9 (54.5-69.3)
\$25,000 to 34,999	474	48.8 (44.2-53.3)	163	48.8 (42.5-55.0)	160	49.1 (42.9-55.3)	151	48.5 (40.8-56.1)
\$35,000 to 49,999	649	49.7 (45.9-53.6)	224	52.6 (47.1-58.1)	204	48.0 (42.5-53.5)	221	40.2 (35.3-45.2)
\$50,000 or more	1326	44.1 (41.6-46.6)	462	45.6 (42.3-49.0)	458	38.7 (35.7-41.7)	406	43.5 (39.0-47.9)
Employment	3934	49.6 (48.0-51.2)	1304	50.3 (48.1-52.5)	1267	45.3 (43.2-47.4)	1363	50.8 (47.9-53.7)
Employed/Self-empl.	2378	48.4 (46.4-50.4)	784	48.6 (45.9-51.4)	797	44.7 (42.2-47.3)	797	51.0 (47.2-54.9)
Out of work	169	48.8 (41.0-56.5)	64	48.3 (38.3-58.4)	37	48.9 (36.6-61.2)	68	50.6 (39.2-62.0)
Homemaker/Student	300	41.4 (36.0-46.9)	100	42.2 (34.6-49.8)	96	36.1 (29.4-42.7)	104	43.4 (34.1-52.7)
Retired/Unable to work	1074	58.2 (55.1-61.3)	351	60.8 (56.4-65.3)	333	51.3 (47.0-55.7)	390	54.6 (49.8-59.4)
Marital status	3934	49.6 (48.0-51.2)	1304	50.3 (48.1-52.5)	1267	45.3 (43.2-47.4)	1363	50.8 (47.9-53.7)
Married	2010	48.1 (45.9-50.2)	621	48.4 (45.4-51.5)	610	44.2 (41.4-47.1)	779	50.2 (46.8-53.6)
Divorced	734	54.2 (50.4-58.0)	258	57.2 (51.9-62.5)	259	49.2 (44.3-54.0)	217	45.8 (39.3-52.3)
Widowed	412	62.8 (57.4-68.2)	128	65.2 (57.4-72.9)	130	56.9 (49.4-64.3)	154	59.6 (51.9-67.2)
Separated	91	52.4 (41.9-62.9)	32	52.8 (38.4-67.1)	21	43.0 (28.2-57.8)	38	56.3 (35.7-77.0)
Never married	501	46.1 (41.8-50.4)	202	47.8 (42.1-53.4)	179	39.8 (34.4-45.2)	120	45.1 (35.0-55.1)
Mem. of unmar. couple	169	49.9 (42.4-57.4)	56	45.2 (35.2-55.3)	63	49.6 (40.7-58.6)	50	67.7 (54.5-80.9)
Overall health status	3934	49.6 (48.0-51.2)	1304	50.3 (48.1-52.5)	1267	45.3 (43.2-47.4)	1363	50.8 (47.9-53.7)
Good or better	3113	46.6 (44.8-48.3)	1041	47.4 (45.0-49.8)	1034	42.5 (40.3-44.7)	1038	47.4 (44.3-50.6)
Fair or poor	816	65.8 (61.8-69.8)	261	66.9 (61.3-72.5)	230	64.3 (58.7-70.0)	325	63.6 (56.7-70.5)
Smoking status	3934	49.6 (48.0-51.2)	1304	50.3 (48.1-52.5)	1267	45.3 (43.2-47.4)	1363	50.8 (47.9-53.7)
Current smokers	985	50.9 (47.7-54.1)	343	52.0 (47.6-56.4)	297	49.9 (45.3-54.4)	345	47.6 (41.9-53.3)
Do not smoke currently	2937	49.1 (47.3-51.0)	957	49.8 (47.2-52.4)	964	44.0 (41.7-46.3)	1016	51.9 (48.6-55.2)
Weight status	3934	49.6 (48.0-51.2)	1304	50.3 (48.1-52.5)	1267	45.3 (43.2-47.4)	1363	50.8 (47.9-53.7)
BMI<25	1384	45.0 (42.4-47.5)	453	46.1 (42.6-49.7)	471	39.7 (36.6-42.8)	460	46.2 (41.4-51.0)
BMI>=25	2365	51.9 (49.8-54.1)	798	52.8 (49.8-55.8)	744	49.0 (46.1-51.8)	823	51.1 (47.8-54.4)
Been told hypertensive?	3934	49.6 (48.0-51.2)	1304	50.3 (48.1-52.5)	1267	45.3 (43.2-47.4)	1363	50.8 (47.9-53.7)
Yes	1249	57.5 (54.3-60.8)	423	59.9 (55.3-64.5)	377	53.5 (49.4-57.6)	449	51.8 (47.5-56.2)
No	2669	47.0 (45.1-48.8)	875	47.1 (44.5-49.7)	883	42.8 (40.4-45.2)	911	50.4 (46.8-53.9)

Table 30. Insufficient Moderate Physical Activity, Clark County - NV (applicable years from 2000-06)
Source: BRFSS.

	2001		2003		2005	
	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	417	51.2 (47.1-55.3)	467	50.4 (46.7-54.1)	420	49.4 (45.5-53.3)
Male	211	45.9 (40.2-51.6)	205	47.0 (41.7-52.3)	200	46.3 (40.8-51.8)
Female	206	56.7 (51.1-62.3)	262	53.8 (48.7-58.8)	220	52.7 (47.2-58.2)
Race/Ethnicity	417	51.2 (47.1-55.3)	467	50.4 (46.7-54.1)	420	49.4 (45.5-53.3)
White, Non-Hisp.	289	51.2 (46.6-55.8)	308	50.4 (45.9-54.8)	289	50.8 (46.1-55.5)
Black, Non-Hisp.	33	66.5 (52.8-80.2)	31	53.9 (38.6-69.2)	27	49.6 (34.9-64.3)
Other/Multi, Non-Hisp.	56	55.5 (45.1-65.9)	43	37.5 (27.1-47.9)	48	44.0 (33.4-54.5)
Hispanic	36	41.7 (26.7-56.6)	80	57.3 (48.3-66.3)	54	48.0 (37.5-58.4)
Age group	417	51.2 (47.1-55.3)	467	50.4 (46.7-54.1)	420	49.4 (45.5-53.3)
18-24	29	39.8 (27.2-52.5)	23	28.9 (17.9-39.9)	24	38.9 (25.6-52.3)
25-34	63	44.6 (35.7-53.5)	82	48.8 (40.4-57.2)	61	52.0 (42.3-61.7)
35-44	88	49.3 (40.8-57.7)	92	45.4 (37.5-53.2)	64	38.8 (30.5-47.1)
45-54	84	53.2 (42.5-64.0)	88	56.5 (47.8-65.1)	83	49.0 (40.4-57.5)
55-64	68	57.7 (47.8-67.6)	86	60.3 (51.3-69.2)	84	59.0 (50.5-67.6)
65+	84	62.4 (53.4-71.3)	96	58.1 (49.6-66.6)	104	61.0 (52.9-69.1)
Education	417	51.2 (47.1-55.3)	467	50.4 (46.7-54.1)	420	49.4 (45.5-53.3)
Less than H.S. diploma	35	68.0 (53.0-83.0)	58	66.1 (54.7-77.5)	44	57.6 (44.6-70.5)
H.S. diploma or G.E.D.	112	47.2 (39.9-54.5)	142	52.6 (45.6-59.6)	122	51.5 (44.0-58.9)
Some post-H.S.	148	50.4 (44.0-56.9)	138	46.5 (40.0-53.0)	137	48.1 (41.4-54.9)
College graduate	119	50.5 (42.0-59.1)	127	44.9 (38.5-51.4)	117	45.5 (38.7-52.4)
Income	417	51.2 (47.1-55.3)	467	50.4 (46.7-54.1)	420	49.4 (45.5-53.3)
Less than \$15,000	23	50.1 (32.6-67.7)	36	59.2 (44.3-74.0)	37	57.8 (42.9-72.7)
\$15,000 to 24,999	60	52.5 (41.0-64.0)	71	59.9 (49.5-70.4)	56	55.3 (43.8-66.8)
\$25,000 to 34,999	54	51.0 (40.4-61.6)	66	50.6 (40.6-60.5)	43	44.4 (32.7-56.1)
\$35,000 to 49,999	88	53.5 (44.7-62.4)	78	52.5 (43.3-61.8)	58	51.3 (40.6-62.0)
\$50,000 or more	145	49.9 (43.8-56.1)	148	41.3 (35.7-46.9)	169	46.2 (40.5-51.9)
Employment	417	51.2 (47.1-55.3)	467	50.4 (46.7-54.1)	420	49.4 (45.5-53.3)
Employed/Self-empl.	266	51.0 (46.1-55.8)	285	49.0 (44.4-53.6)	233	46.2 (41.2-51.2)
Out of work	19	48.2 (30.8-65.5)	22	45.3 (29.0-61.6)	23	51.8 (33.2-70.5)
Homemaker/Student	21	33.9 (18.8-49.1)	45	44.9 (34.0-55.8)	34	46.6 (34.1-59.1)
Retired/Unable to work	110	62.0 (54.1-70.0)	113	59.5 (51.6-67.4)	128	61.0 (53.8-68.1)
Marital status	417	51.2 (47.1-55.3)	467	50.4 (46.7-54.1)	420	49.4 (45.5-53.3)
Married	198	49.7 (43.9-55.5)	226	50.2 (45.2-55.2)	197	45.6 (40.4-50.7)
Divorced	81	57.9 (48.9-67.0)	96	55.9 (47.1-64.8)	81	57.8 (48.3-67.3)
Widowed	36	63.7 (49.3-78.1)	50	66.1 (52.9-79.3)	42	65.6 (52.9-78.2)
Separated	10	54.4 (30.8-78.0)	9	48.6 (22.0-75.2)	13	55.9 (33.0-78.8)
Never married	74	48.7 (39.5-57.9)	60	41.7 (32.2-51.2)	68	52.5 (42.3-62.7)
Mem. of unmarr. couple	17	44.0 (24.9-63.1)	22	48.3 (32.9-63.7)	17	43.4 (25.9-60.9)


Indicator 3: Self-reports of 20+ minutes of vigorous activity per occasion on three or more days per week.

- Based on aggregated county data from 2000-06, about 30% of county residents engaged in sufficient vigorous physical activity, while about 70% did not (Figure 19).

Table 31. Percent Insufficient Vigorous Physical Activity by Race/Ethnicity ('01, '03 & '05 aggregated)

	White, Non-Hisp.			Black, Non-Hisp.			Other/Multi, Non-Hisp.			Hispanic		
	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.
State	4374	70.5 (68.8-72.1)	69.0 (67.3-70.7)	160	71.9 (64.6-79.3)	71.5 (64.4-78.6)	616	65.3 (60.8-69.7)	66.6 (62.7-70.5)	683	70.4 (66.3-74.5)	73.3 (69.3-77.3)
Clark	1269	71.7 (69.4-74.1)	70.1 (67.7-72.6)	123	71.5 (63.7-79.2)	71.0 (63.4-78.5)	208	65.0 (59.0-70.9)	66.6 (61.4-71.8)	229	69.0 (63.4-74.7)	73.3 (67.9-78.7)
Washoe	1483	65.7 (63.4-67.9)	64.7 (62.5-67.0)	29	75.7 (59.8-91.5)	83.2 (74.7-91.7)	180	60.1 (53.6-66.6)	64.0 (58.5-69.6)	192	70.3 (64.0-76.6)	70.0 (63.8-76.1)
Other Counties	1622	71.0 (68.8-73.3)	69.3 (66.9-71.7)	8	84.0 (63.2-100.0)	84.3 (78.2-90.5)	228	72.2 (66.2-78.3)	71.7 (65.6-77.7)	262	74.1 (67.0-81.3)	75.3 (68.4-82.3)

Figure 19. Percent Insufficient Vigorous Physical Activity by Demographic Subgroups ('01, '03 & '05 aggregated)




Source: BRFSS.

Table 32. Sufficient Vigorous Physical Activity? (%) ('01, '03 & '05 aggregated)

County	Yes		No	
	N	% and C.I.	N	% and C.I.
Carson City	148	28.2 (23.5-33.0)	367	71.8 (67.0-76.5)
Churchill	76	33.8 (27.2-40.4)	169	66.2 (59.6-72.8)
Clark	745	29.5 (27.5-31.5)	1847	70.5 (68.5-72.5)
Douglas	151	32.2 (27.3-37.1)	309	67.8 (62.9-72.7)
Elko	109	28.7 (23.6-33.9)	273	71.3 (66.1-76.4)
Lyon	113	25.9 (21.2-30.6)	289	74.1 (69.4-78.8)
Nye	76	23.2 (18.0-28.3)	242	76.8 (71.7-82.0)
Washoe	944	34.2 (32.2-36.2)	1904	65.8 (63.8-67.8)

Figure 20. Insufficient Vigorous Physical Activity (%)




Source: BRFS.

Table 33. Insufficient Vigorous Physical Activity by Year, Clark County, NV and U.S. (%)

	2000	2001	2002	2003	2004	2005	2006
Clark	N/A	73.7 (70.3-77.1)	N/A	71.1 (67.8-74.4)	N/A	67.0 (63.4-70.7)	N/A
NV	N/A	73.3 (70.9-75.8)	N/A	69.7 (67.3-72.1)	N/A	67.4 (64.7-70.0)	N/A
U.S.†	N/A	75.5	N/A	73.7	N/A	72.6	N/A

†Median % among participating states, DC and territories.

Figure 21. Year 2005: Insufficient Vigorous Physical Activity (%) (U.S. outlying territories not displayed on map)



*Prevalence in Clark County: 67.0%.
Source: BRFS.

Table 34. Insufficient Vigorous Physical Activity

Source: BRFSS. '01, '03 & '05 aggregated

	State		Clark		Washoe		Other Counties	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	5886	70.0 (68.6-71.4)	1847	70.5 (68.5-72.5)	1904	65.8 (63.8-67.8)	2135	72.0 (69.6-74.5)
Male	2726	65.8 (63.6-67.9)	867	66.0 (63.0-69.0)	854	61.5 (58.6-64.3)	1005	68.9 (65.4-72.5)
Female	3160	74.4 (72.5-76.3)	980	75.2 (72.5-77.8)	1050	70.2 (67.5-72.9)	1130	75.3 (71.9-78.6)
Race/Ethnicity	5886	70.0 (68.6-71.4)	1847	70.5 (68.5-72.5)	1904	65.8 (63.8-67.8)	2135	72.0 (69.6-74.5)
White, Non-Hisp.	4374	70.5 (68.8-72.1)	1269	71.7 (69.4-74.1)	1483	65.7 (63.4-67.9)	1622	71.0 (68.8-73.3)
Black, Non-Hisp.	160	71.9 (64.6-79.3)	123	71.5 (63.7-79.2)	29	75.7 (59.8-91.5)	8	84.0 (63.2-100.0)
Other/Multi, Non-Hisp.	616	65.3 (60.8-69.7)	208	65.0 (59.0-70.9)	180	60.1 (53.6-66.6)	228	72.2 (66.2-78.3)
Hispanic	683	70.4 (66.3-74.5)	229	69.0 (63.4-74.7)	192	70.3 (64.0-76.6)	262	74.1 (67.0-81.3)
Age group	5886	70.0 (68.6-71.4)	1847	70.5 (68.5-72.5)	1904	65.8 (63.8-67.8)	2135	72.0 (69.6-74.5)
18-24	341	52.5 (47.2-57.9)	112	51.7 (44.3-59.2)	119	48.8 (41.8-55.7)	110	58.3 (48.1-68.4)
25-34	800	64.5 (60.8-68.1)	274	63.8 (58.9-68.7)	256	61.0 (55.8-66.2)	270	70.5 (64.0-77.0)
35-44	1091	65.8 (62.5-69.0)	349	65.9 (61.4-70.4)	383	64.9 (60.7-69.2)	359	66.1 (60.3-71.8)
45-54	1185	72.4 (69.3-75.6)	351	74.3 (69.8-78.7)	391	64.1 (59.9-68.2)	443	73.9 (69.8-78.0)
55-64	1097	79.5 (76.6-82.5)	339	80.3 (76.1-84.4)	340	77.3 (73.0-81.6)	418	78.7 (74.3-83.1)
65+	1363	84.6 (82.2-86.9)	421	86.0 (82.7-89.3)	409	77.8 (73.8-81.7)	533	85.1 (81.9-88.3)
Education	5886	70.0 (68.6-71.4)	1847	70.5 (68.5-72.5)	1904	65.8 (63.8-67.8)	2135	72.0 (69.6-74.5)
Less than H.S. diploma	609	79.6 (75.6-83.6)	179	81.1 (75.4-86.7)	157	76.2 (69.6-82.9)	273	77.8 (70.8-84.9)
H.S. diploma or G.E.D.	1795	72.1 (69.4-74.9)	542	72.2 (68.4-76.1)	517	71.8 (67.8-75.7)	736	71.9 (67.8-76.1)
Some post-H.S.	1919	69.4 (66.9-72.0)	615	69.7 (66.3-73.2)	638	65.8 (62.3-69.3)	666	72.4 (68.8-75.9)
College graduate	1549	64.2 (61.4-66.9)	504	65.6 (61.8-69.4)	588	58.4 (55.0-61.7)	457	65.5 (60.3-70.7)
Income	5886	70.0 (68.6-71.4)	1847	70.5 (68.5-72.5)	1904	65.8 (63.8-67.8)	2135	72.0 (69.6-74.5)
Less than \$15,000	528	79.3 (74.0-84.6)	141	82.9 (75.7-90.1)	159	82.3 (75.1-89.5)	228	70.2 (59.8-80.7)
\$15,000 to 24,999	899	77.6 (74.0-81.3)	266	78.2 (72.8-83.5)	278	71.7 (66.4-77.0)	355	80.0 (74.3-85.8)
\$25,000 to 34,999	715	68.8 (64.5-73.2)	224	67.8 (61.8-73.7)	234	71.4 (65.8-77.1)	257	70.9 (63.9-77.8)
\$35,000 to 49,999	971	69.8 (66.3-73.3)	303	70.8 (65.8-75.8)	298	68.3 (63.1-73.4)	370	67.3 (62.8-71.8)
\$50,000 or more	2002	63.4 (61.1-65.8)	666	64.6 (61.4-67.8)	702	57.6 (54.5-60.6)	634	65.7 (61.7-69.8)
Employment	5886	70.0 (68.6-71.4)	1847	70.5 (68.5-72.5)	1904	65.8 (63.8-67.8)	2135	72.0 (69.6-74.5)
Employed/Self-empl.	3430	66.6 (64.7-68.4)	1086	66.9 (64.4-69.5)	1142	62.2 (59.7-64.7)	1202	69.6 (66.3-72.8)
Out of work	250	68.9 (61.5-76.3)	90	68.9 (59.2-78.6)	63	75.4 (65.1-85.7)	97	64.4 (53.3-75.4)
Homemaker/Student	512	67.3 (62.3-72.4)	161	68.0 (61.1-74.8)	170	63.3 (56.5-70.1)	181	68.6 (59.7-77.5)
Retired/Unable to work	1674	82.9 (80.7-85.2)	504	84.2 (81.0-87.3)	524	77.3 (73.7-80.8)	646	83.4 (80.5-86.4)
Marital status	5886	70.0 (68.6-71.4)	1847	70.5 (68.5-72.5)	1904	65.8 (63.8-67.8)	2135	72.0 (69.6-74.5)
Married	3054	69.9 (68.0-71.9)	898	69.8 (67.1-72.5)	941	66.5 (63.9-69.2)	1215	73.5 (70.6-76.4)
Divorced	1097	75.9 (72.9-79.0)	360	79.1 (74.9-83.3)	390	70.1 (65.8-74.4)	347	68.3 (63.1-73.5)
Widowed	626	87.5 (84.0-91.0)	182	89.2 (84.3-94.1)	194	81.9 (76.3-87.6)	250	86.2 (81.3-91.0)
Separated	153	80.9 (73.0-88.7)	52	85.3 (76.8-93.7)	39	71.4 (59.3-83.6)	62	73.3 (52.1-94.5)
Never married	702	59.1 (55.0-63.3)	269	60.3 (54.8-65.8)	252	54.6 (49.0-60.2)	181	58.5 (49.4-67.7)
Mem. of unmarr. couple	232	66.5 (59.8-73.3)	78	63.9 (54.4-73.3)	83	62.3 (53.8-70.8)	71	80.6 (71.4-89.8)
Overall health status	5886	70.0 (68.6-71.4)	1847	70.5 (68.5-72.5)	1904	65.8 (63.8-67.8)	2135	72.0 (69.6-74.5)
Good or better	4768	67.2 (65.6-68.8)	1497	67.7 (65.4-69.9)	1586	63.0 (60.9-65.2)	1685	69.8 (67.2-72.5)
Fair or poor	1111	84.9 (81.9-87.9)	348	86.5 (82.5-90.6)	315	84.6 (80.3-89.0)	448	80.3 (74.0-86.6)
Smoking status	5886	70.0 (68.6-71.4)	1847	70.5 (68.5-72.5)	1904	65.8 (63.8-67.8)	2135	72.0 (69.6-74.5)
Current smokers	1501	74.7 (71.9-77.5)	510	76.0 (72.2-79.7)	448	72.8 (68.7-76.9)	543	71.2 (65.8-76.6)
Do not smoke currently	4370	68.5 (66.8-70.2)	1331	68.7 (66.3-71.1)	1449	63.8 (61.6-66.1)	1590	72.3 (69.6-75.0)
Weight status	5886	70.0 (68.6-71.4)	1847	70.5 (68.5-72.5)	1904	65.8 (63.8-67.8)	2135	72.0 (69.6-74.5)
BMI<25	2173	66.4 (64.0-68.7)	689	67.8 (64.5-71.0)	750	60.4 (57.4-63.5)	734	67.1 (62.9-71.4)
BMI≥25	3455	71.9 (70.1-73.8)	1084	72.0 (69.4-74.6)	1078	69.3 (66.7-72.0)	1293	74.3 (71.5-77.1)
Been told hypertensive?	5886	70.0 (68.6-71.4)	1847	70.5 (68.5-72.5)	1904	65.8 (63.8-67.8)	2135	72.0 (69.6-74.5)
Yes	1872	80.9 (78.5-83.2)	582	82.1 (78.9-85.3)	578	78.9 (75.6-82.2)	712	77.9 (74.3-81.5)
No	3995	66.5 (64.8-68.2)	1259	66.7 (64.3-69.2)	1317	61.8 (59.5-64.2)	1419	70.1 (67.0-73.1)

Table 35. Insufficient Vigorous Physical Activity, Clark County - NV (applicable years from 2000-06)
Source: BRFS.

	2001		2003		2005	
	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	602	73.7 (70.3-77.1)	659	71.1 (67.8-74.4)	586	67.0 (63.4-70.7)
Male	305	69.1 (64.1-74.2)	288	66.4 (61.4-71.4)	274	62.8 (57.5-68.2)
Female	297	78.4 (73.9-82.8)	371	75.8 (71.5-80.0)	312	71.5 (66.6-76.5)
Race/Ethnicity	602	73.7 (70.3-77.1)	659	71.1 (67.8-74.4)	586	67.0 (63.4-70.7)
White, Non-Hisp.	427	73.8 (69.9-77.7)	439	71.9 (68.0-75.9)	403	69.6 (65.1-74.0)
Black, Non-Hisp.	42	79.6 (68.1-91.0)	42	73.0 (59.7-86.3)	39	62.9 (48.6-77.3)
Other/Multi, Non-Hisp.	74	71.3 (62.2-80.4)	69	62.2 (51.2-73.1)	65	61.4 (50.8-72.0)
Hispanic	52	72.3 (59.5-85.1)	102	72.8 (65.1-80.6)	75	63.0 (53.2-72.8)
Age group	602	73.7 (70.3-77.1)	659	71.1 (67.8-74.4)	586	67.0 (63.4-70.7)
18-24	40	56.6 (43.7-69.6)	39	50.0 (37.8-62.3)	33	49.2 (35.9-62.5)
25-34	88	62.0 (53.7-70.2)	109	64.8 (56.8-72.8)	77	64.3 (55.2-73.4)
35-44	123	71.8 (64.3-79.3)	127	65.1 (57.8-72.4)	99	61.2 (52.9-69.5)
45-54	117	77.7 (70.2-85.2)	121	79.6 (72.8-86.3)	113	65.7 (57.3-74.0)
55-64	100	79.2 (71.3-87.1)	119	81.3 (74.2-88.4)	120	80.2 (73.5-86.9)
65+	133	91.6 (86.9-96.4)	144	83.8 (77.6-90.0)	144	82.9 (77.1-88.7)
Education	602	73.7 (70.3-77.1)	659	71.1 (67.8-74.4)	586	67.0 (63.4-70.7)
Less than H.S. diploma	48	86.8 (78.6-95.0)	73	84.9 (77.1-92.7)	58	73.2 (61.9-84.5)
H.S. diploma or G.E.D.	175	74.8 (68.3-81.4)	194	72.6 (66.1-79.1)	173	69.7 (62.8-76.6)
Some post-H.S.	211	71.2 (65.5-76.8)	208	70.7 (64.8-76.6)	196	67.3 (60.8-73.8)
College graduate	164	71.7 (65.1-78.3)	181	63.6 (57.5-69.8)	159	61.9 (55.2-68.6)
Income	602	73.7 (70.3-77.1)	659	71.1 (67.8-74.4)	586	67.0 (63.4-70.7)
Less than \$15,000	38	80.6 (64.4-96.8)	50	85.2 (74.2-96.3)	53	81.9 (70.5-93.4)
\$15,000 to 24,999	83	75.0 (65.4-84.6)	100	85.5 (78.3-92.7)	83	72.8 (62.1-83.4)
\$25,000 to 34,999	75	70.9 (61.4-80.5)	88	69.3 (60.3-78.3)	61	62.7 (50.5-74.9)
\$35,000 to 49,999	122	72.8 (65.1-80.4)	104	69.4 (60.6-78.2)	77	69.5 (59.5-79.5)
\$50,000 or more	210	70.7 (65.3-76.1)	223	61.8 (56.3-67.3)	233	62.2 (56.7-67.7)
Employment	602	73.7 (70.3-77.1)	659	71.1 (67.8-74.4)	586	67.0 (63.4-70.7)
Employed/Self-empl.	368	70.0 (65.8-74.1)	392	68.4 (64.1-72.6)	326	62.8 (57.9-67.6)
Out of work	29	69.2 (52.2-86.2)	35	73.5 (58.2-88.8)	26	63.4 (45.3-81.5)
Homemaker/Student	43	75.4 (62.8-88.0)	66	63.6 (53.1-74.0)	52	66.2 (54.5-77.8)
Retired/Unable to work	161	85.7 (80.1-91.2)	164	84.3 (78.6-90.0)	179	82.6 (77.3-87.9)
Marital status	602	73.7 (70.3-77.1)	659	71.1 (67.8-74.4)	586	67.0 (63.4-70.7)
Married	295	74.2 (69.5-78.8)	326	71.6 (67.3-76.0)	277	64.0 (59.1-69.0)
Divorced	115	79.4 (72.7-86.2)	130	78.0 (71.0-84.9)	115	80.0 (71.8-88.1)
Widowed	56	93.4 (86.5-100.0)	65	86.2 (76.1-96.4)	61	88.4 (80.9-95.9)
Separated	16	79.6 (63.3-95.9)	16	91.8 (83.1-100.0)	20	82.4 (64.5-100.0)
Never married	96	61.2 (52.2-70.3)	89	58.5 (49.0-68.0)	84	61.3 (51.4-71.2)
Mem. of unmarr. couple	23	72.9 (57.4-88.4)	28	59.5 (44.2-74.7)	27	62.1 (45.9-78.4)

Fruit & Vegetable Consumption


Indicator: Eating five or more servings of fruits and vegetables daily.

- 78.3% of county residents reported eating less than five daily servings of fruits and vegetables based on aggregated county data from 2000-06 (Figure 22).

Table 36. Percent Eating Less Than 5 Fruits and Vegetables Daily by Race/Ethnicity ('00, '02, '03 & '05 aggregated)

	White, Non-Hisp.			Black, Non-Hisp.			Other/Multi, Non-Hisp.			Hispanic		
	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.
State	6638	79.8 (78.5-81.1)	80.3 (79.0-81.6)	227	74.6 (68.4-80.9)	74.5 (68.5-80.6)	894	74.2 (70.5-77.9)	74.1 (70.5-77.8)	1065	76.7 (73.5-79.9)	75.1 (71.5-78.7)
Clark	1893	79.8 (77.9-81.7)	80.3 (78.4-82.2)	190	75.0 (68.4-81.5)	74.8 (68.5-81.2)	292	72.9 (68.0-77.8)	72.5 (67.6-77.4)	378	77.8 (73.7-81.9)	75.3 (70.3-80.3)
Washoe	2268	78.3 (76.6-80.0)	78.7 (77.0-80.4)	24	67.7 (49.8-85.6)	57.9 (39.6-76.2)	270	75.6 (70.4-80.7)	76.6 (71.8-81.4)	287	77.5 (72.6-82.5)	77.3 (71.9-82.6)
Other Counties	2477	81.4 (79.8-83.1)	82.1 (80.5-83.7)	13	72.1 (44.2-99.9)	63.2 (45.0-81.4)	332	78.8 (72.3-85.2)	79.1 (73.4-84.7)	400	73.6 (67.0-80.1)	74.4 (68.5-80.4)

Figure 22. Percent Eating Less Than 5 Fruits and Vegetables Daily by Demographic Subgroups ('00, '02, '03 & '05 aggregated)




Source: BRFSS.

Table 37. Eating 5+ Servings of Fruits and Vegetables Daily? (%) ('00, '02, '03 & '05 aggregated)

County	Yes		No	
	N	% and C.I.	N	% and C.I.
Carson City	148	22.6 (18.3-27.0)	542	77.4 (73.0-81.7)
Churchill	67	21.4 (16.1-26.7)	273	78.6 (73.3-83.9)
Clark	769	21.7 (20.1-23.2)	2779	78.3 (76.8-79.9)
Douglas	141	23.4 (19.5-27.4)	450	76.6 (72.6-80.5)
Elko	83	15.0 (11.4-18.6)	444	85.0 (81.4-88.6)
Humboldt	6	11.2 (2.0-20.4)	44	88.8 (79.6-98.0)
Lyon	90	16.0 (12.7-19.4)	445	84.0 (80.6-87.3)
Nye	93	21.0 (16.7-25.3)	340	79.0 (74.7-83.3)
Washoe	846	22.1 (20.6-23.7)	2875	77.9 (76.3-79.4)

Figure 23. Eating < 5 Daily Servings of Fruits and Vegetables (%)




Source: BRFS.

Table 38. Eating < 5 Daily Servings by Year, Clark County, NV and U.S. (%)

	2000	2001	2002	2003	2004	2005	2006
Clark	77.8 (74.1-81.5)	N/A	76.6 (73.5-79.6)	80.9 (78.1-83.7)	N/A	78.0 (74.9-81.2)	N/A
NV	78.7 (76.1-81.3)	N/A	77.7 (75.6-79.9)	79.6 (77.6-81.7)	N/A	77.5 (75.1-79.8)	N/A
U.S.†	76.9	75.6	77.3	77.4	N/A	76.8	N/A

†Median % among participating states, DC and territories.

Figure 24. Year 2005: Eating < 5 Daily Servings of Fruits and Vegetables (%)
(U.S. outlying territories not displayed on map)



*Prevalence in Clark County: 78.0%.

Source: BRFS.

Table 39. Eating Less Than 5 Fruit and Vegetable Servings per Day

Source: BRFSS.

'00, '02, '03 & '05 aggregated

	State		Clark		Washoe		Other Counties	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	8910	78.4 (77.2-79.5)	2779	78.3 (76.8-79.9)	2875	77.9 (76.3-79.4)	3256	78.9 (76.8-81.1)
Male	4634	82.9 (81.3-84.4)	1442	82.5 (80.3-84.6)	1502	83.5 (81.5-85.5)	1690	83.8 (81.1-86.4)
Female	4276	73.8 (72.1-75.4)	1337	74.1 (71.7-76.4)	1373	72.2 (69.9-74.5)	1566	74.0 (70.6-77.4)
Race/Ethnicity	8910	78.4 (77.2-79.5)	2779	78.3 (76.8-79.9)	2875	77.9 (76.3-79.4)	3256	78.9 (76.8-81.1)
White,Non-Hisp.	6638	79.8 (78.5-81.1)	1893	79.8 (77.9-81.7)	2268	78.3 (76.6-80.0)	2477	81.4 (79.8-83.1)
Black,Non-Hisp.	227	74.6 (68.4-80.9)	190	75.0 (68.4-81.5)	24	67.7 (49.8-85.6)	13	72.1 (44.2-99.9)
Other/Multi,Non-Hisp.	894	74.2 (70.5-77.9)	292	72.9 (68.0-77.8)	270	75.6 (70.4-80.7)	332	78.8 (72.3-85.2)
Hispanic	1065	76.7 (73.5-79.9)	378	77.8 (73.7-81.9)	287	77.5 (72.6-82.5)	400	73.6 (67.0-80.1)
Age group	8910	78.4 (77.2-79.5)	2779	78.3 (76.8-79.9)	2875	77.9 (76.3-79.4)	3256	78.9 (76.8-81.1)
18-24	750	81.3 (77.8-84.9)	268	83.4 (78.6-88.1)	246	79.4 (74.5-84.3)	236	76.5 (68.2-84.7)
25-34	1417	79.6 (77.0-82.3)	500	79.2 (75.7-82.7)	458	80.7 (77.0-84.5)	459	80.5 (73.9-87.1)
35-44	1877	80.2 (77.7-82.6)	592	79.2 (75.8-82.6)	613	80.7 (77.5-83.9)	672	83.5 (79.9-87.1)
45-54	1812	78.1 (75.5-80.7)	521	78.8 (75.2-82.4)	614	77.6 (74.2-80.9)	677	75.9 (71.1-80.6)
55-64	1403	76.1 (72.8-79.3)	414	75.3 (70.7-79.9)	446	75.9 (71.9-79.8)	543	78.9 (73.8-83.9)
65+	1636	74.4 (71.6-77.1)	480	74.4 (70.5-78.2)	493	71.5 (67.5-75.4)	663	76.8 (73.3-80.3)
Education	8910	78.4 (77.2-79.5)	2779	78.3 (76.8-79.9)	2875	77.9 (76.3-79.4)	3256	78.9 (76.8-81.1)
Less than H.S. diploma	905	79.4 (75.8-83.1)	264	80.6 (75.7-85.6)	218	77.9 (72.2-83.6)	423	77.7 (70.8-84.6)
H.S. diploma or G.E.D.	2738	81.2 (79.1-83.3)	848	80.5 (77.7-83.4)	746	82.7 (79.8-85.6)	1144	82.6 (79.3-85.8)
Some post-H.S.	2862	78.5 (76.5-80.5)	888	78.2 (75.4-81.0)	941	77.9 (75.3-80.6)	1033	80.4 (77.4-83.5)
College graduate	2381	74.4 (72.2-76.5)	773	75.0 (71.9-78.0)	966	74.0 (71.3-76.7)	642	71.6 (67.5-75.7)
Income	8910	78.4 (77.2-79.5)	2779	78.3 (76.8-79.9)	2875	77.9 (76.3-79.4)	3256	78.9 (76.8-81.1)
Less than \$15,000	675	76.4 (71.5-81.4)	185	74.6 (67.1-82.1)	190	76.4 (69.9-83.0)	300	80.5 (74.1-86.9)
\$15,000 to 24,999	1289	80.5 (77.6-83.3)	386	81.2 (77.3-85.1)	389	78.3 (73.8-82.8)	514	79.8 (74.3-85.2)
\$25,000 to 34,999	1138	78.9 (75.7-82.0)	353	77.9 (73.5-82.3)	354	80.9 (77.0-84.8)	431	80.6 (75.6-85.7)
\$35,000 to 49,999	1515	80.4 (77.8-83.0)	459	81.1 (77.3-84.8)	481	77.6 (73.9-81.4)	575	80.9 (77.6-84.1)
\$50,000 or more	3249	77.3 (75.5-79.2)	1064	77.3 (74.8-79.8)	1164	77.6 (75.2-80.0)	1021	77.3 (73.7-81.0)
Employment	8910	78.4 (77.2-79.5)	2779	78.3 (76.8-79.9)	2875	77.9 (76.3-79.4)	3256	78.9 (76.8-81.1)
Employed/Self-empl.	5710	80.0 (78.6-81.4)	1797	80.2 (78.3-82.1)	1918	80.0 (78.2-81.9)	1995	79.3 (76.3-82.4)
Out of work	397	81.8 (76.4-87.2)	133	78.6 (71.0-86.1)	112	89.0 (83.6-94.5)	152	89.2 (83.6-94.9)
Homemaker/Student	735	74.2 (70.5-77.8)	258	76.0 (71.0-80.9)	225	69.0 (63.5-74.6)	252	71.8 (64.9-78.6)
Retired/Unable to work	2024	74.2 (71.5-76.8)	580	73.2 (69.4-76.9)	611	72.3 (68.7-76.0)	833	79.1 (76.0-82.2)
Marital status	8910	78.4 (77.2-79.5)	2779	78.3 (76.8-79.9)	2875	77.9 (76.3-79.4)	3256	78.9 (76.8-81.1)
Married	4668	77.6 (76.1-79.2)	1375	77.1 (74.9-79.3)	1450	77.5 (75.4-79.6)	1843	79.6 (77.2-82.0)
Divorced	1606	79.1 (76.4-81.8)	503	79.4 (75.7-83.1)	558	78.9 (75.3-82.5)	545	78.1 (72.7-83.5)
Widowed	732	72.2 (67.8-76.5)	202	70.7 (64.5-76.9)	233	72.9 (67.5-78.4)	297	77.0 (71.5-82.4)
Separated	223	80.8 (73.9-87.7)	74	85.5 (77.5-93.5)	65	76.1 (65.6-86.7)	84	71.0 (54.1-87.9)
Never married	1254	81.9 (79.2-84.6)	479	82.8 (79.3-86.4)	427	80.3 (76.3-84.3)	348	79.3 (72.5-86.1)
Mem. of un marr. couple	386	79.3 (73.8-84.9)	133	79.5 (72.5-86.5)	131	77.3 (70.4-84.3)	122	80.5 (65.0-95.9)
Overall health status	8910	78.4 (77.2-79.5)	2779	78.3 (76.8-79.9)	2875	77.9 (76.3-79.4)	3256	78.9 (76.8-81.1)
Good or better	7484	78.4 (77.2-79.7)	2348	78.8 (77.1-80.5)	2477	77.5 (75.8-79.1)	2659	78.0 (75.5-80.5)
Fair or poor	1418	78.2 (75.2-81.2)	428	76.2 (72.0-80.5)	396	80.7 (76.6-84.9)	594	82.4 (78.0-86.7)
Leisure time exercise?	8910	78.4 (77.2-79.5)	2779	78.3 (76.8-79.9)	2875	77.9 (76.3-79.4)	3256	78.9 (76.8-81.1)
Yes	6759	76.8 (75.5-78.1)	2049	76.8 (75.0-78.6)	2281	76.0 (74.3-77.7)	2429	77.4 (75.0-79.8)
No	2141	83.1 (80.7-85.4)	726	82.7 (79.6-85.8)	591	86.3 (83.1-89.4)	824	82.5 (77.7-87.3)
Smoking status	8910	78.4 (77.2-79.5)	2779	78.3 (76.8-79.9)	2875	77.9 (76.3-79.4)	3256	78.9 (76.8-81.1)
Current smokers	2346	84.3 (82.3-86.4)	798	84.1 (81.4-86.8)	694	85.5 (82.6-88.4)	854	84.4 (80.3-88.6)
Do not smoke currently	6536	76.3 (74.9-77.6)	1971	76.2 (74.3-78.1)	2175	75.7 (73.9-77.5)	2390	77.1 (74.5-79.7)
Weight status	8910	78.4 (77.2-79.5)	2779	78.3 (76.8-79.9)	2875	77.9 (76.3-79.4)	3256	78.9 (76.8-81.1)
BMI<25	3412	74.7 (72.8-76.6)	1064	74.9 (72.2-77.5)	1147	73.4 (70.9-75.9)	1201	75.4 (71.7-79.1)
BMI>=25	5089	81.6 (80.1-83.0)	1604	81.4 (79.4-83.4)	1622	81.8 (79.8-83.8)	1863	82.2 (80.0-84.4)

Table 40. Eating Less Than 5 Fruit and Vegetable Servings per Day, Clark County - NV (applicable years from 2000-06)
Source: BRFS.

	2000		2002		2003		2005	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	586	77.8 (74.1-81.5)	769	76.6 (73.5-79.6)	756	80.9 (78.1-83.7)	668	78.0 (74.9-81.2)
Male	320	81.6 (76.5-86.8)	397	81.4 (77.3-85.5)	373	84.3 (80.5-88.1)	352	82.4 (78.2-86.7)
Female	266	73.9 (68.4-79.3)	372	71.5 (67.0-76.0)	383	77.4 (73.3-81.5)	316	73.3 (68.7-77.9)
Race/Ethnicity	586	77.8 (74.1-81.5)	769	76.6 (73.5-79.6)	756	80.9 (78.1-83.7)	668	78.0 (74.9-81.2)
White, Non-Hisp.	405	77.9 (73.4-82.4)	528	79.7 (76.3-83.1)	507	82.2 (78.9-85.6)	453	79.3 (75.6-83.0)
Black, Non-Hisp.	58	73.9 (60.0-87.9)	45	74.0 (62.2-85.7)	46	83.4 (73.8-93.0)	41	69.1 (55.9-82.3)
Other/Multi, Non-Hisp.	50	77.4 (65.4-89.3)	80	60.7 (50.7-70.7)	81	77.0 (68.3-85.6)	81	79.4 (71.0-87.8)
Hispanic	70	80.8 (71.5-90.1)	103	77.8 (70.1-85.6)	115	78.0 (70.7-85.2)	90	76.0 (67.3-84.6)
Age group	586	77.8 (74.1-81.5)	769	76.6 (73.5-79.6)	756	80.9 (78.1-83.7)	668	78.0 (74.9-81.2)
18-24	76	83.6 (75.0-92.1)	74	85.7 (77.1-94.3)	65	83.7 (74.5-92.8)	53	80.6 (70.0-91.3)
25-34	134	78.2 (71.1-85.3)	131	80.4 (73.6-87.1)	141	83.3 (77.3-89.2)	94	74.8 (66.8-82.8)
35-44	135	80.1 (72.7-87.6)	162	76.0 (69.4-82.6)	169	83.4 (77.9-89.0)	126	77.0 (69.6-84.4)
45-54	109	81.1 (72.6-89.5)	154	71.1 (63.5-78.7)	134	84.3 (78.3-90.4)	124	78.9 (72.4-85.4)
55-64	61	66.3 (52.5-80.1)	115	76.8 (68.6-84.9)	113	75.2 (67.3-83.1)	125	81.1 (74.4-87.8)
65+	68	74.7 (64.9-84.4)	132	71.2 (64.3-78.2)	134	73.3 (65.7-81.0)	146	78.0 (71.3-84.7)
Education	586	77.8 (74.1-81.5)	769	76.6 (73.5-79.6)	756	80.9 (78.1-83.7)	668	78.0 (74.9-81.2)
Less than H.S. diploma	61	88.7 (81.1-96.2)	72	84.3 (75.3-93.3)	70	78.0 (68.8-87.2)	61	74.0 (62.5-85.5)
H.S. diploma or G.E.D.	205	79.8 (72.9-86.6)	233	77.1 (71.6-82.7)	211	82.1 (77.2-87.1)	199	83.1 (77.9-88.4)
Some post-H.S.	179	76.7 (70.1-83.4)	250	76.6 (71.3-81.9)	242	82.3 (77.5-87.2)	217	76.9 (71.3-82.5)
College graduate	140	71.8 (64.3-79.3)	213	72.2 (66.3-78.1)	230	79.6 (74.4-84.8)	190	75.4 (69.7-81.2)
Income	586	77.8 (74.1-81.5)	769	76.6 (73.5-79.6)	756	80.9 (78.1-83.7)	668	78.0 (74.9-81.2)
Less than \$15,000	34	69.5 (47.3-91.7)	52	69.2 (55.8-82.6)	47	79.0 (66.8-91.3)	52	79.4 (67.5-91.2)
\$15,000 to 24,999	86	85.1 (77.6-92.5)	117	79.4 (72.4-86.4)	101	84.3 (77.2-91.3)	82	76.1 (66.5-85.6)
\$25,000 to 34,999	85	73.5 (63.3-83.7)	101	77.5 (69.4-85.6)	104	85.4 (78.8-92.0)	63	74.8 (65.0-84.5)
\$35,000 to 49,999	122	84.4 (77.5-91.3)	136	82.7 (76.1-89.2)	115	78.1 (70.5-85.7)	86	78.3 (69.2-87.4)
\$50,000 or more	209	76.3 (70.2-82.4)	271	73.0 (67.6-78.5)	294	79.6 (75.1-84.1)	290	79.2 (74.7-83.6)
Employment	586	77.8 (74.1-81.5)	769	76.6 (73.5-79.6)	756	80.9 (78.1-83.7)	668	78.0 (74.9-81.2)
Employed/Self-empl.	419	80.9 (76.7-85.1)	497	77.9 (74.0-81.7)	480	82.8 (79.5-86.2)	401	79.3 (75.3-83.3)
Out of work	26	80.6 (63.8-97.4)	38	72.1 (56.3-87.8)	39	84.5 (72.6-96.3)	30	77.0 (61.6-92.5)
Homemaker/Student	48	68.9 (56.3-81.4)	69	77.0 (68.0-86.0)	86	83.8 (76.2-91.4)	55	71.9 (61.3-82.5)
Retired/Unable to work	92	70.9 (60.9-80.8)	163	72.9 (66.4-79.3)	147	70.4 (63.1-77.8)	178	77.9 (72.0-83.8)
Marital status	586	77.8 (74.1-81.5)	769	76.6 (73.5-79.6)	756	80.9 (78.1-83.7)	668	78.0 (74.9-81.2)
Married	276	74.6 (69.0-80.2)	386	75.9 (71.6-80.1)	368	79.7 (75.8-83.6)	345	78.0 (73.8-82.2)
Divorced	102	79.8 (71.6-88.1)	143	75.1 (67.3-82.9)	143	81.2 (74.5-87.8)	115	81.3 (74.5-88.2)
Widowed	33	78.6 (65.7-91.5)	63	70.1 (58.9-81.2)	56	72.0 (60.3-83.7)	50	62.0 (49.2-74.9)
Separated	20	93.0 (82.8-100.0)	18	83.6 (68.1-99.1)	18	87.2 (70.4-100.0)	18	77.3 (59.6-95.1)
Never married	122	84.5 (77.6-91.3)	129	83.1 (76.5-89.7)	126	85.0 (78.3-91.6)	102	79.3 (71.5-87.2)
Mem. of unmarr. couple	30	77.2 (63.9-90.5)	26	71.8 (55.1-88.4)	40	83.2 (71.6-94.7)	37	82.5 (68.4-96.6)

Alcohol Consumption


Indicator 1: Binge drinking[#], defined as having five or more drinks on one or more occasions in the past 30 days ([#]newly defined as males having five or more drinks on one occasion or females having four or more drinks on one occasion since year 2006).

- 18.4% of county residents engaged in binge drinking based on aggregated county data from 2000-06 (Figure 25).
- Binge drinking was more prevalent among non-Hispanic whites than other racial/ethnic groups based on age-adjusted prevalence estimates (Table 41).

Table 41. Percent Binge Drinking by Race/Ethnicity (2000-05 aggregated)

	White, Non-Hisp.			Black, Non-Hisp.			Other/Multi, Non-Hisp.			Hispanic		
	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.
State	2209	18.4 (17.5-19.4)	20.1 (19.0-21.2)	64	13.9 (10.2-17.5)	13.7 (10.1-17.3)	312	16.9 (14.4-19.4)	16.3 (14.0-18.6)	393	22.5 (19.6-25.5)	17.6 (15.3-19.8)
Clark	615	17.7 (16.3-19.1)	19.5 (18.0-21.1)	53	14.3 (10.4-18.3)	14.2 (10.3-18.1)	109	17.1 (13.7-20.4)	16.4 (13.3-19.6)	148	23.7 (19.6-27.8)	18.0 (14.9-21.1)
Washoe	817	20.5 (19.1-22.0)	21.5 (20.0-22.9)	8	15.6 (4.8-26.5)	16.4 (4.8-28.1)	99	17.7 (14.0-21.3)	16.6 (13.3-20.0)	94	18.9 (15.1-22.6)	16.7 (13.1-20.3)
Other Counties	777	18.9 (17.5-20.4)	20.5 (19.0-22.1)	3	3.1 (0.0-7.3)	4.4 (0.0-10.1)	104	15.4 (11.9-19.0)	15.7 (12.2-19.2)	151	21.0 (16.4-25.6)	16.7 (13.1-20.3)

Figure 25. Percent Binge Drinking by Demographic Subgroups (2000-05 aggregated)




Source: BRFSS.

Table 42. Binge Drinking? (%) (2000-05 aggregated)

County	Yes		No	
	N	% and C.I.	N	% and C.I.
Carson City	155	17.2 (14.3-20.1)	849	82.8 (79.9-85.7)
Churchill	90	20.6 (16.0-25.1)	396	79.4 (74.9-84.0)
Clark	930	18.4 (17.1-19.6)	4359	81.6 (80.4-82.9)
Douglas	140	16.9 (14.0-19.9)	731	83.1 (80.1-86.0)
Elko	145	19.4 (16.3-22.6)	609	80.6 (77.4-83.7)
Humboldt	12	30.1 (14.1-46.1)	36	69.9 (53.9-85.9)
Lyon	135	19.5 (16.2-22.8)	633	80.5 (77.2-83.8)
Nye	102	17.6 (14.2-21.1)	518	82.4 (78.9-85.8)
Washoe	1023	19.9 (18.7-21.2)	4472	80.1 (78.8-81.3)

Figure 26. Binge Drinking (%)



Source: BRFSS.


Table 43. Binge Drinking by Year, Clark County, NV and U.S. (%)

	2000	2001	2002	2003	2004	2005	2006 [#]
Clark	23.1 (19.5-26.7)	16.0 (13.1-18.9)	19.7 (16.4-23.0)	18.2 (15.3-21.2)	17.2 (14.3-20.1)	16.7 (13.7-19.7)	15.0 (12.4-17.5)
NV	22.6 (20.1-25.1)	16.7 (14.6-18.7)	19.8 (17.5-22.2)	17.9 (15.8-20.0)	18.0 (16.0-20.1)	17.6 (15.4-19.7)	15.5 (13.6-17.3)
U.S. [†]	N/A	14.7	16.1	16.5	14.9	14.4	15.3

[†]Median % among participating states, DC and territories.

[#]Results may not be comparable with those of previous years due to the change in BRFSS binge drinking definition.

Figure 27. Year 2006: Binge Drinking (%)
(U.S. outlying territories not displayed on map)



*Prevalence in Clark County: 15.0%.

Source: BRFSS.

Table 44. Binge Drinking

Source: BRFSS.

	State		Clark		Washoe		2000-05 aggregated Other Counties	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	2993	18.7 (17.8-19.6)	930	18.4 (17.1-19.6)	1023	19.9 (18.7-21.2)	1040	18.7 (17.2-20.2)
Male	2155	27.9 (26.4-29.4)	688	27.8 (25.7-29.9)	712	28.4 (26.4-30.4)	755	28.0 (25.6-30.4)
Female	838	9.3 (8.4-10.2)	242	8.8 (7.6-10.0)	311	11.4 (10.0-12.7)	285	9.4 (7.8-11.0)
Race/Ethnicity	2993	18.7 (17.8-19.6)	930	18.4 (17.1-19.6)	1023	19.9 (18.7-21.2)	1040	18.7 (17.2-20.2)
White,Non-Hisp.	2209	18.4 (17.5-19.4)	615	17.7 (16.3-19.1)	817	20.5 (19.1-22.0)	777	18.9 (17.5-20.4)
Black,Non-Hisp.	64	13.9 (10.2-17.5)	53	14.3 (10.4-18.3)	8	15.6 (4.8-26.5)	3	3.1 (0.0-7.3)
Other/Multi,Non-Hisp.	312	16.9 (14.4-19.4)	109	17.1 (13.7-20.4)	99	17.7 (14.0-21.3)	104	15.4 (11.9-19.0)
Hispanic	393	22.5 (19.6-25.5)	148	23.7 (19.6-27.8)	94	18.9 (15.1-22.6)	151	21.0 (16.4-25.6)
Age group	2993	18.7 (17.8-19.6)	930	18.4 (17.1-19.6)	1023	19.9 (18.7-21.2)	1040	18.7 (17.2-20.2)
18-24	437	31.1 (27.4-34.7)	140	30.9 (25.7-36.2)	169	34.0 (29.2-38.7)	128	29.1 (22.9-35.4)
25-34	707	28.5 (26.1-31.0)	266	29.3 (25.9-32.7)	233	29.3 (25.8-32.9)	208	24.6 (20.3-29.0)
35-44	765	21.1 (19.2-23.0)	232	20.3 (17.6-22.9)	242	21.4 (18.7-24.0)	291	24.0 (20.5-27.5)
45-54	591	16.2 (14.4-18.0)	161	15.5 (13.0-18.0)	208	17.4 (15.0-19.8)	222	17.5 (14.8-20.3)
55-64	296	9.2 (7.7-10.6)	75	8.7 (6.6-10.8)	104	10.5 (8.3-12.8)	117	9.8 (7.8-11.8)
65+	193	5.3 (4.3-6.3)	55	4.9 (3.5-6.3)	65	6.9 (5.0-8.7)	73	5.3 (4.0-6.7)
Education	2993	18.7 (17.8-19.6)	930	18.4 (17.1-19.6)	1023	19.9 (18.7-21.2)	1040	18.7 (17.2-20.2)
Less than H.S. diploma	305	22.1 (18.8-25.4)	104	24.4 (19.4-29.4)	66	18.9 (14.2-23.5)	135	18.6 (14.3-22.8)
H.S. diploma or G.E.D.	921	18.8 (17.2-20.4)	264	17.9 (15.7-20.2)	281	21.2 (18.8-23.7)	376	19.9 (17.5-22.4)
Some post-H.S.	937	18.8 (17.2-20.4)	308	18.6 (16.4-20.8)	319	19.8 (17.6-21.9)	310	18.6 (16.0-21.3)
College graduate	819	17.0 (15.5-18.5)	252	16.3 (14.2-18.4)	355	19.3 (17.2-21.3)	212	16.8 (13.9-19.7)
Income	2993	18.7 (17.8-19.6)	930	18.4 (17.1-19.6)	1023	19.9 (18.7-21.2)	1040	18.7 (17.2-20.2)
Less than \$15,000	170	13.6 (10.7-16.5)	42	12.5 (8.3-16.6)	48	15.3 (10.7-20.0)	80	15.4 (10.4-20.4)
\$15,000 to 24,999	402	19.4 (16.7-22.2)	117	19.7 (15.7-23.8)	132	21.3 (17.6-25.0)	153	17.3 (13.4-21.2)
\$25,000 to 34,999	349	17.5 (15.1-19.9)	105	16.0 (12.8-19.2)	123	19.2 (15.7-22.7)	121	21.5 (16.6-26.5)
\$35,000 to 49,999	564	20.2 (18.1-22.3)	178	19.8 (16.8-22.9)	180	20.9 (17.8-24.0)	206	21.0 (17.9-24.0)
\$50,000 or more	1283	21.6 (20.0-23.1)	414	21.2 (19.1-23.3)	475	22.3 (20.3-24.3)	394	22.5 (19.8-25.1)
Employment	2993	18.7 (17.8-19.6)	930	18.4 (17.1-19.6)	1023	19.9 (18.7-21.2)	1040	18.7 (17.2-20.2)
Employed/Self-empl.	2352	23.3 (22.1-24.5)	742	23.2 (21.5-24.9)	811	23.6 (22.0-25.3)	799	23.4 (21.3-25.6)
Out of work	146	23.4 (18.7-28.1)	56	24.3 (18.0-30.6)	37	20.7 (14.0-27.5)	53	21.8 (14.5-29.0)
Homemaker/Student	177	10.6 (8.5-12.7)	50	9.2 (6.5-12.0)	71	15.9 (12.2-19.7)	56	11.3 (7.2-15.3)
Retired/Unable to work	309	7.1 (6.0-8.2)	82	6.6 (5.1-8.1)	101	8.2 (6.4-10.0)	126	7.9 (6.3-9.4)
Marital status	2993	18.7 (17.8-19.6)	930	18.4 (17.1-19.6)	1023	19.9 (18.7-21.2)	1040	18.7 (17.2-20.2)
Married	1364	15.1 (14.0-16.2)	379	14.3 (12.8-15.9)	453	17.0 (15.4-18.5)	532	16.1 (14.4-17.8)
Divorced	569	20.6 (18.4-22.8)	179	20.9 (17.8-24.0)	198	19.1 (16.3-22.0)	192	21.0 (17.6-24.4)
Widowed	77	5.0 (3.4-6.7)	18	4.6 (2.2-7.0)	30	7.4 (4.5-10.3)	29	4.7 (2.7-6.6)
Separated	83	25.5 (18.7-32.3)	29	25.5 (16.2-34.8)	21	20.8 (12.0-29.5)	33	28.4 (15.4-41.3)
Never married	680	31.1 (28.3-33.9)	266	32.3 (28.5-36.0)	233	29.4 (25.7-33.1)	181	27.9 (22.3-33.4)
Mem. of unmarr. couple	212	28.0 (23.4-32.6)	57	25.3 (18.9-31.7)	85	36.6 (29.9-43.4)	70	29.8 (20.5-39.1)
Overall health status	2993	18.7 (17.8-19.6)	930	18.4 (17.1-19.6)	1023	19.9 (18.7-21.2)	1040	18.7 (17.2-20.2)
Good or better	2656	20.0 (19.0-21.0)	836	19.7 (18.3-21.1)	919	20.5 (19.1-21.8)	901	20.4 (18.7-22.1)
Fair or poor	335	12.3 (10.5-14.2)	94	11.5 (9.0-14.1)	103	16.2 (13.0-19.4)	138	12.5 (9.5-15.5)
Leisure time exercise?	2993	18.7 (17.8-19.6)	930	18.4 (17.1-19.6)	1023	19.9 (18.7-21.2)	1040	18.7 (17.2-20.2)
Yes	2441	19.9 (18.9-21.0)	744	19.8 (18.3-21.2)	882	20.8 (19.4-22.2)	815	19.7 (17.9-21.4)
No	548	14.8 (13.1-16.6)	184	14.2 (11.8-16.6)	139	16.0 (13.2-18.8)	225	16.4 (13.3-19.4)
Smoking status	2993	18.7 (17.8-19.6)	930	18.4 (17.1-19.6)	1023	19.9 (18.7-21.2)	1040	18.7 (17.2-20.2)
Current smokers	1181	31.5 (29.4-33.7)	398	31.2 (28.2-34.2)	351	31.3 (28.2-34.4)	432	33.1 (29.4-36.8)
Do not smoke currently	1806	14.4 (13.5-15.3)	531	13.9 (12.6-15.2)	671	16.7 (15.4-18.0)	604	14.0 (12.5-15.5)
Weight status	2993	18.7 (17.8-19.6)	930	18.4 (17.1-19.6)	1023	19.9 (18.7-21.2)	1040	18.7 (17.2-20.2)
BMI<25	1209	18.3 (17.0-19.7)	370	17.7 (15.9-19.6)	456	19.9 (18.0-21.7)	383	19.1 (16.6-21.5)
BMI>=25	1711	19.5 (18.3-20.7)	537	19.1 (17.4-20.8)	552	20.7 (18.9-22.4)	622	19.8 (17.9-21.7)

Table 45. Binge Drinking, Clark County - NV (applicable years from 2000-06)
 Source: BRFSS. #Binge drinking defined differently for men and women since 2006. 2006 results may not be entirely comparable with those of previous years.

	2000		2001		2002		2003		2004		2005		2006#	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	185	23.1 (19.5-26.7)	141	16.0 (13.1-18.9)	177	19.7 (16.4-23.0)	156	18.2 (15.3-21.2)	146	17.2 (14.3-20.1)	125	16.7 (13.7-19.7)	154	15.0 (12.4-17.5)
Male	137	34.7 (28.9-40.5)	109	24.4 (19.5-29.3)	126	28.4 (22.9-33.8)	116	28.9 (24.0-33.8)	109	26.2 (21.5-31.0)	91	25.1 (20.1-30.0)	91	18.6 (14.6-22.7)
Female	48	11.3 (7.7-14.9)	32	7.5 (4.8-10.2)	51	10.7 (7.6-13.9)	40	7.5 (5.0-10.0)	37	8.1 (5.2-11.0)	34	7.9 (5.1-10.7)	63	11.5 (8.3-14.6)
Race/Ethnicity	185	23.1 (19.5-26.7)	141	16.0 (13.1-18.9)	177	19.7 (16.4-23.0)	156	18.2 (15.3-21.2)	146	17.2 (14.3-20.1)	125	16.7 (13.7-19.7)	154	15.0 (12.4-17.5)
White, Non-Hisp.	114	19.9 (16.1-23.7)	98	15.0 (11.9-18.0)	124	20.4 (16.8-24.0)	97	17.5 (14.1-21.0)	96	16.1 (12.8-19.4)	86	17.6 (13.9-21.3)	97	14.8 (11.7-18.0)
Black, Non-Hisp.	23	26.2 (15.5-37.0)	3	3.6 (0.0-7.6)	8	13.8 (3.9-23.7)	7	11.4 (2.6-20.2)	5	11.9 (1.6-22.2)	7	12.6 (2.9-22.2)	9	18.1 (3.7-32.5)
Other/Multi, Non-Hisp.	17	25.3 (12.1-38.5)	21	18.1 (10.5-25.7)	23	19.3 (11.1-27.5)	15	14.1 (5.9-22.4)	17	13.5 (6.8-20.3)	16	15.7 (8.2-23.1)	19	11.9 (5.8-18.0)
Hispanic	28	37.3 (24.0-50.7)	18	25.2 (11.6-38.7)	21	20.2 (9.2-31.2)	37	25.2 (17.3-33.1)	28	25.1 (16.6-33.7)	16	15.9 (7.9-24.0)	28	17.1 (10.5-23.6)
Age group	185	23.1 (19.5-26.7)	141	16.0 (13.1-18.9)	177	19.7 (16.4-23.0)	156	18.2 (15.3-21.2)	146	17.2 (14.3-20.1)	125	16.7 (13.7-19.7)	154	15.0 (12.4-17.5)
18-24	45	49.5 (37.2-61.8)	14	23.3 (10.7-35.8)	27	38.9 (24.1-53.8)	23	28.3 (17.2-39.4)	18	26.2 (14.4-37.9)	13	22.1 (10.5-33.6)	15	25.5 (13.1-37.8)
25-34	62	41.6 (32.3-50.9)	51	30.6 (22.9-38.4)	50	31.5 (23.6-39.5)	37	22.6 (15.5-29.8)	35	26.2 (18.0-34.4)	31	26.1 (17.6-34.7)	30	18.5 (12.0-25.1)
35-44	36	20.6 (14.0-27.3)	39	19.9 (13.1-26.7)	49	20.5 (14.7-26.4)	45	23.6 (16.7-30.5)	32	17.7 (11.7-23.7)	31	19.4 (12.7-26.1)	33	16.4 (10.8-22.0)
45-54	31	21.3 (13.6-29.1)	19	9.1 (4.6-13.6)	29	13.0 (7.6-18.4)	27	18.3 (11.4-25.2)	28	15.6 (9.7-21.5)	27	16.5 (10.4-22.6)	39	14.8 (9.9-19.7)
55-64	6	4.9 (0.7-9.1)	10	8.2 (2.8-13.7)	14	10.6 (4.7-16.4)	15	11.5 (5.8-17.3)	19	9.7 (5.0-14.4)	11	6.1 (2.2-10.0)	23	11.2 (6.3-16.2)
65+	4	2.9 (0.0-6.1)	8	4.6 (1.3-7.9)	8	3.9 (0.9-6.9)	9	4.1 (1.4-6.9)	14	6.8 (3.0-10.7)	12	6.8 (2.8-10.8)	14	4.9 (2.2-7.6)
Education	185	23.1 (19.5-26.7)	141	16.0 (13.1-18.9)	177	19.7 (16.4-23.0)	156	18.2 (15.3-21.2)	146	17.2 (14.3-20.1)	125	16.7 (13.7-19.7)	154	15.0 (12.4-17.5)
Less than H.S. diploma	25	35.9 (22.9-49.0)	9	17.2 (4.2-30.3)	15	23.3 (7.3-39.3)	20	25.1 (14.6-35.5)	21	26.1 (15.6-36.5)	14	19.6 (9.1-30.1)	14	17.0 (7.5-26.5)
H.S. diploma or G.E.D.	62	22.0 (16.1-27.8)	33	13.4 (8.7-18.1)	47	18.2 (12.8-23.5)	44	18.3 (12.7-23.8)	46	19.9 (13.9-25.8)	32	15.1 (9.8-20.3)	36	14.4 (9.2-19.6)
Some post-H.S.	50	22.7 (15.8-29.6)	52	16.6 (11.8-21.4)	65	21.7 (16.3-27.0)	50	18.1 (13.1-23.1)	50	16.8 (11.9-21.6)	41	17.0 (11.6-22.4)	48	15.1 (10.6-19.5)
College graduate	47	19.7 (13.8-25.7)	46	17.2 (11.9-22.6)	50	18.0 (12.9-23.1)	42	15.7 (10.9-20.4)	29	11.0 (6.8-15.2)	38	16.9 (11.6-22.2)	56	14.5 (10.5-18.5)
Income	185	23.1 (19.5-26.7)	141	16.0 (13.1-18.9)	177	19.7 (16.4-23.0)	156	18.2 (15.3-21.2)	146	17.2 (14.3-20.1)	125	16.7 (13.7-19.7)	154	15.0 (12.4-17.5)
Less than \$15,000	7	12.3 (1.9-22.8)	7	10.0 (1.9-18.0)	8	14.7 (4.0-25.4)	9	18.8 (6.6-31.0)	6	10.2 (1.0-19.4)	5	8.5 (1.1-15.8)	9	14.7 (3.9-25.5)
\$15,000 to 24,999	26	24.5 (14.3-34.7)	14	15.9 (6.2-25.6)	23	21.8 (10.1-33.5)	24	23.4 (14.2-32.7)	19	17.7 (9.6-25.7)	11	14.2 (5.4-23.1)	14	12.9 (5.3-20.6)
\$25,000 to 34,999	23	15.5 (9.0-22.1)	16	15.4 (7.7-23.0)	21	19.2 (10.7-27.7)	17	16.4 (8.5-24.3)	18	16.6 (8.5-24.7)	10	12.6 (4.2-21.1)	16	15.6 (6.6-24.6)
\$35,000 to 49,999	47	32.7 (24.0-41.3)	29	17.0 (10.0-23.9)	32	20.3 (13.1-27.6)	26	18.7 (11.6-25.8)	28	17.0 (10.4-23.5)	16	13.5 (6.4-20.5)	25	16.3 (9.8-22.9)
\$50,000 or more	74	25.8 (19.4-32.1)	57	17.0 (12.6-21.3)	78	22.4 (17.4-27.4)	72	20.6 (15.9-25.4)	62	19.3 (14.5-24.2)	71	22.5 (17.5-27.5)	82	17.6 (13.7-21.6)
Employment	185	23.1 (19.5-26.7)	141	16.0 (13.1-18.9)	177	19.7 (16.4-23.0)	156	18.2 (15.3-21.2)	146	17.2 (14.3-20.1)	125	16.7 (13.7-19.7)	154	15.0 (12.4-17.5)
Employed/Self-empl.	157	29.8 (24.9-34.6)	114	20.3 (16.4-24.2)	149	26.2 (21.6-30.8)	120	21.9 (18.1-25.8)	105	20.0 (16.1-23.8)	97	21.5 (17.3-25.6)	110	17.7 (14.2-21.3)
Out of work	8	26.9 (9.6-44.3)	9	22.9 (8.7-37.1)	9	18.9 (6.5-31.3)	13	36.5 (19.9-53.0)	14	27.1 (12.3-42.0)	3	12.8 (0.0-28.1)	7	15.5 (2.5-28.4)
Homemaker/Student	12	14.5 (6.4-22.5)	5	6.0 (0.0-12.1)	5	4.9 (0.5-9.3)	9	7.2 (2.1-12.4)	12	14.0 (5.9-22.1)	7	8.7 (2.2-15.3)	15	13.1 (6.0-20.2)
Retired/Unable to work	8	4.7 (1.3-8.2)	13	5.9 (2.6-9.2)	14	6.5 (2.5-10.5)	14	7.2 (3.3-11.1)	15	7.5 (3.5-11.6)	18	7.6 (4.0-11.3)	22	7.5 (4.0-11.0)
Marital status	185	23.1 (19.5-26.7)	141	16.0 (13.1-18.9)	177	19.7 (16.4-23.0)	156	18.2 (15.3-21.2)	146	17.2 (14.3-20.1)	125	16.7 (13.7-19.7)	154	15.0 (12.4-17.5)
Married	71	18.0 (13.3-22.7)	52	11.5 (8.1-14.9)	63	14.3 (9.9-18.7)	72	16.1 (12.4-19.8)	61	12.4 (9.3-15.5)	60	14.2 (10.7-17.8)	68	11.7 (8.8-14.7)
Divorced	26	21.0 (13.0-29.1)	28	17.5 (10.9-24.2)	43	26.6 (18.6-34.5)	25	18.6 (11.1-26.0)	33	21.6 (14.1-29.1)	24	20.3 (12.1-28.4)	25	13.6 (7.9-19.2)
Widowed	2	2.8 (0.0-6.8)	3	4.7 (0.0-10.7)	3	2.4 (0.0-5.1)	4	5.8 (0.2-11.4)	2	1.7 (0.0-4.1)	4	9.8 (0.2-19.4)	6	6.7 (1.1-12.2)
Separated	9	39.1 (14.8-63.4)	3	10.8 (0.0-23.5)	2	13.0 (0.0-32.0)	8	47.1 (20.9-73.4)	6	31.4 (8.2-54.7)	1	1.9 (0.0-5.5)	6	29.2 (5.9-52.5)
Never married	60	43.0 (33.2-52.8)	49	31.0 (22.8-39.2)	55	38.6 (29.3-47.9)	39	26.1 (17.8-34.3)	38	33.6 (23.7-43.5)	25	24.3 (14.7-33.8)	37	28.1 (18.8-37.4)
Mem. of unmarr. couple	16	39.1 (23.0-55.2)	6	25.6 (4.9-46.3)	10	30.4 (13.8-47.1)	8	14.5 (4.2-24.7)	6	23.2 (6.4-40.0)	11	23.3 (10.2-36.4)	10	16.9 (6.0-27.9)


Indicator 2: Heavy drinking, defined as drinking more than two drinks per day on average for men or more than one drink per day on average for women.

- 6.9% of county residents engaged in heavy drinking based on aggregated county data from 2000-06 (Figure 28).
- Heavy drinking was more prevalent among non-Hispanic whites than other racial/ethnic groups based on age-adjusted prevalence estimates (Table 46).

Table 46. Percent Heavy Drinking by Race/Ethnicity (2000-06 aggregated)

	White, Non-Hisp.			Black, Non-Hisp.			Other/Multi, Non-Hisp.			Hispanic		
	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.
State	1274	8.1 (7.5-8.7)	8.3 (7.7-9.0)	28	4.8 (2.8-6.8)	4.6 (2.6-6.5)	173	6.8 (5.3-8.2)	6.7 (5.3-8.1)	164	6.4 (5.0-7.8)	6.0 (4.6-7.4)
Clark	337	7.5 (6.6-8.4)	7.8 (6.8-8.7)	23	5.0 (2.9-7.1)	4.8 (2.7-7.0)	54	6.4 (4.5-8.3)	6.3 (4.4-8.3)	48	6.0 (4.1-8.0)	5.6 (3.7-7.5)
Washoe	459	9.3 (8.3-10.2)	9.4 (8.4-10.4)	3	2.6 (0.0-5.5)	2.8 (0.0-5.9)	59	8.1 (5.7-10.5)	7.7 (5.5-9.8)	45	7.1 (4.9-9.4)	7.5 (5.1-10.0)
Other Counties	478	9.0 (8.1-10.0)	9.3 (8.3-10.3)	2	2.2 (0.0-5.9)	2.9 (0.0-7.3)	60	7.3 (5.0-9.5)	7.4 (5.1-9.7)	71	6.9 (4.5-9.4)	6.3 (4.2-8.4)

Figure 28. Percent Heavy Drinking by Demographic Subgroups (2000-06 aggregated)




Source: BRFSS.

Table 47. Heavy Drinking? (%) (2000-06 aggregated)

County	Yes		No	
	N	% and C.I.	N	% and C.I.
Carson City	99	7.9 (6.1-9.7)	1082	92.1 (90.3-93.9)
Churchill	52	10.6 (7.2-14.0)	526	89.4 (86.0-92.8)
Clark	463	6.9 (6.2-7.6)	5932	93.1 (92.4-93.8)
Douglas	104	10.8 (8.4-13.2)	935	89.2 (86.8-91.6)
Elko	89	9.5 (7.4-11.7)	796	90.5 (88.3-92.6)
Humboldt	10	10.0 (3.6-16.3)	85	90.0 (83.7-96.4)
Lyon	77	8.7 (6.5-10.8)	877	91.3 (89.2-93.5)
Nye	52	7.1 (5.1-9.1)	689	92.9 (90.9-94.9)
Washoe	568	8.8 (8.0-9.6)	6069	91.2 (90.4-92.0)

Figure 29. Heavy Drinking (%)




Source: BRFS.

Table 48. Heavy Drinking by Year, Clark County, NV and U.S. (%)

	2000	2001	2002	2003	2004	2005	2006
Clark	8.6 (6.5-10.8)	7.2 (5.2-9.3)	8.2 (6.2-10.1)	7.1 (5.2-8.9)	6.5 (4.7-8.3)	6.4 (4.6-8.3)	4.7 (3.4-6.0)
NV	8.8 (7.3-10.4)	7.8 (6.3-9.3)	8.3 (6.9-9.7)	7.4 (6.0-8.7)	6.9 (5.6-8.2)	7.4 (6.1-8.8)	5.8 (4.8-6.7)
U.S.†	N/A	5.1	5.9	5.7	4.8	4.9	4.9

†Median % among participating states, DC and territories.

Figure 30. Year 2006: Heavy Drinking (%)
(U.S. outlying territories not displayed on map)



*Prevalence in Clark County: 4.7%.

Source: BRFS.

Table 49. Heavy Drinking

Source: BRFSS.

2000-06 aggregated

	State		Clark		Washoe		Other Counties	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	1646	7.4 (6.9-7.9)	463	6.9 (6.2-7.6)	568	8.8 (8.0-9.6)	615	8.2 (7.3-9.1)
Male	887	8.8 (8.0-9.6)	273	8.5 (7.3-9.6)	275	9.2 (8.0-10.4)	339	9.8 (8.4-11.1)
Female	759	6.0 (5.4-6.6)	190	5.3 (4.5-6.1)	293	8.4 (7.3-9.4)	276	6.6 (5.4-7.7)
Race/Ethnicity	1646	7.4 (6.9-7.9)	463	6.9 (6.2-7.6)	568	8.8 (8.0-9.6)	615	8.2 (7.3-9.1)
White,Non-Hisp.	1274	8.1 (7.5-8.7)	337	7.5 (6.6-8.4)	459	9.3 (8.3-10.2)	478	9.0 (8.1-10.0)
Black,Non-Hisp.	28	4.8 (2.8-6.8)	23	5.0 (2.9-7.1)	3	2.6 (0.0-5.5)	2	2.2 (0.0-5.9)
Other/Multi,Non-Hisp.	173	6.8 (5.3-8.2)	54	6.4 (4.5-8.3)	59	8.1 (5.7-10.5)	60	7.3 (5.0-9.5)
Hispanic	164	6.4 (5.0-7.8)	48	6.0 (4.1-8.0)	45	7.1 (4.9-9.4)	71	6.9 (4.5-9.4)
Age group	1646	7.4 (6.9-7.9)	463	6.9 (6.2-7.6)	568	8.8 (8.0-9.6)	615	8.2 (7.3-9.1)
18-24	180	11.0 (8.8-13.2)	56	10.2 (7.2-13.2)	69	13.3 (10.0-16.6)	55	11.8 (7.4-16.1)
25-34	236	6.9 (5.7-8.0)	77	6.4 (4.8-8.0)	76	8.5 (6.5-10.6)	83	7.2 (5.3-9.1)
35-44	353	7.5 (6.4-8.5)	95	6.6 (5.1-8.0)	125	9.7 (7.9-11.6)	133	8.8 (6.9-10.7)
45-54	354	7.5 (6.4-8.6)	89	6.9 (5.3-8.4)	124	8.2 (6.7-9.7)	141	9.2 (7.4-11.1)
55-64	263	6.9 (5.7-8.1)	74	7.0 (5.2-8.7)	93	7.7 (5.9-9.4)	96	6.0 (4.7-7.3)
65+	257	5.8 (4.8-6.8)	71	5.6 (4.1-7.1)	80	6.1 (4.6-7.5)	106	6.3 (5.0-7.6)
Education	1646	7.4 (6.9-7.9)	463	6.9 (6.2-7.6)	568	8.8 (8.0-9.6)	615	8.2 (7.3-9.1)
Less than H.S. diploma	160	8.0 (6.3-9.8)	51	8.8 (6.1-11.6)	40	8.5 (5.6-11.4)	69	6.2 (4.3-8.2)
H.S. diploma or G.E.D.	540	8.2 (7.2-9.2)	149	7.6 (6.2-9.0)	168	10.2 (8.5-11.9)	223	8.8 (7.4-10.2)
Some post-H.S.	524	7.7 (6.8-8.6)	148	6.9 (5.7-8.1)	177	9.0 (7.6-10.5)	199	10.0 (7.9-12.1)
College graduate	421	6.1 (5.2-6.9)	115	5.5 (4.3-6.6)	183	7.6 (6.4-8.8)	123	7.1 (5.5-8.7)
Income	1646	7.4 (6.9-7.9)	463	6.9 (6.2-7.6)	568	8.8 (8.0-9.6)	615	8.2 (7.3-9.1)
Less than \$15,000	106	5.3 (3.7-6.9)	22	4.4 (2.2-6.7)	31	7.9 (4.6-11.1)	53	5.9 (3.5-8.3)
\$15,000 to 24,999	223	7.7 (6.1-9.2)	57	7.3 (5.1-9.5)	73	10.0 (7.4-12.7)	93	7.3 (5.0-9.6)
\$25,000 to 34,999	222	7.5 (6.2-8.8)	58	6.2 (4.4-7.9)	75	9.9 (7.4-12.3)	89	10.4 (7.5-13.2)
\$35,000 to 49,999	301	8.5 (7.2-9.8)	94	8.4 (6.6-10.2)	95	8.6 (6.7-10.6)	112	9.0 (7.0-10.9)
\$50,000 or more	641	7.8 (6.9-8.6)	182	7.0 (5.9-8.1)	250	9.1 (7.9-10.4)	209	10.0 (8.2-11.9)
Employment	1646	7.4 (6.9-7.9)	463	6.9 (6.2-7.6)	568	8.8 (8.0-9.6)	615	8.2 (7.3-9.1)
Employed/Self-empl.	1140	8.3 (7.6-9.0)	316	7.7 (6.7-8.6)	397	9.5 (8.5-10.5)	427	9.7 (8.4-10.9)
Out of work	80	8.6 (6.2-11.1)	26	8.2 (4.9-11.5)	26	10.4 (5.9-14.9)	28	9.0 (4.6-13.3)
Homemaker/Student	107	5.2 (3.9-6.5)	35	4.8 (3.0-6.5)	49	8.6 (6.1-11.2)	23	3.8 (1.9-5.7)
Retired/Unable to work	316	5.6 (4.7-6.5)	86	5.3 (4.1-6.5)	94	5.9 (4.6-7.3)	136	6.3 (5.1-7.5)
Marital status	1646	7.4 (6.9-7.9)	463	6.9 (6.2-7.6)	568	8.8 (8.0-9.6)	615	8.2 (7.3-9.1)
Married	709	5.7 (5.2-6.3)	175	5.1 (4.3-5.9)	236	7.1 (6.2-8.1)	298	7.1 (6.1-8.0)
Divorced	385	10.7 (9.2-12.2)	117	10.7 (8.6-12.8)	137	10.6 (8.5-12.6)	131	11.1 (8.8-13.5)
Widowed	116	5.9 (4.0-7.7)	24	5.6 (2.9-8.3)	45	7.6 (5.2-9.9)	47	5.6 (3.7-7.4)
Separated	45	8.3 (5.1-11.6)	15	6.9 (2.9-11.0)	15	12.4 (5.8-19.1)	15	9.8 (2.2-17.4)
Never married	288	10.3 (8.7-11.8)	105	10.1 (8.0-12.2)	99	11.2 (8.7-13.7)	84	9.9 (6.7-13.2)
Mem. of unmarr. couple	98	10.7 (7.7-13.7)	26	9.2 (5.2-13.3)	35	14.6 (9.6-19.5)	37	12.4 (6.4-18.4)
Overall health status	1646	7.4 (6.9-7.9)	463	6.9 (6.2-7.6)	568	8.8 (8.0-9.6)	615	8.2 (7.3-9.1)
Good or better	1414	7.7 (7.1-8.3)	402	7.2 (6.4-8.0)	501	8.8 (8.0-9.7)	511	8.6 (7.6-9.6)
Fair or poor	232	6.2 (5.1-7.3)	61	5.5 (4.0-7.1)	67	8.5 (6.3-10.8)	104	6.8 (5.0-8.6)
Leisure time exercise?	1646	7.4 (6.9-7.9)	463	6.9 (6.2-7.6)	568	8.8 (8.0-9.6)	615	8.2 (7.3-9.1)
Yes	1273	7.5 (6.9-8.0)	346	6.9 (6.1-7.7)	470	8.9 (8.0-9.7)	457	8.2 (7.2-9.1)
No	369	7.2 (6.2-8.2)	115	6.7 (5.3-8.0)	97	8.5 (6.5-10.4)	157	8.3 (6.4-10.2)
Smoking status	1646	7.4 (6.9-7.9)	463	6.9 (6.2-7.6)	568	8.8 (8.0-9.6)	615	8.2 (7.3-9.1)
Current smokers	735	14.7 (13.3-16.1)	227	13.6 (11.7-15.5)	232	17.5 (15.1-19.9)	276	16.9 (14.1-19.6)
Do not smoke currently	907	5.0 (4.5-5.5)	234	4.6 (3.9-5.2)	335	6.3 (5.6-7.1)	338	5.4 (4.6-6.1)
Weight status	1646	7.4 (6.9-7.9)	463	6.9 (6.2-7.6)	568	8.8 (8.0-9.6)	615	8.2 (7.3-9.1)
BMI<25	764	8.6 (7.7-9.4)	214	7.9 (6.8-9.1)	286	10.1 (8.8-11.3)	264	9.4 (7.7-11.0)
BMI>=25	850	7.1 (6.4-7.7)	242	6.5 (5.6-7.4)	274	8.2 (7.1-9.3)	334	8.3 (7.2-9.4)

Table 50. Heavy Drinking, Clark County - NV (applicable years from 2000-06)

Source: BRFSS.

	2000		2001		2002		2003		2004		2005		2006	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	69	8.6 (6.5-10.8)	64	7.2 (5.2-9.3)	76	8.2 (6.2-10.1)	71	7.1 (5.2-8.9)	67	6.5 (4.7-8.3)	55	6.4 (4.6-8.3)	61	4.7 (3.4-6.0)
Male	40	9.7 (6.6-12.8)	45	9.6 (6.2-13.0)	43	8.8 (5.8-11.7)	34	8.3 (5.2-11.3)	45	9.6 (6.4-12.7)	36	8.4 (5.4-11.4)	30	5.3 (3.2-7.3)
Female	29	7.6 (4.5-10.6)	19	4.8 (2.4-7.2)	33	7.5 (4.8-10.2)	37	5.9 (3.8-7.9)	22	3.4 (1.8-4.9)	19	4.3 (2.2-6.5)	31	4.2 (2.5-5.8)
Race/Ethnicity	69	8.6 (6.5-10.8)	64	7.2 (5.2-9.3)	76	8.2 (6.2-10.1)	71	7.1 (5.2-8.9)	67	6.5 (4.7-8.3)	55	6.4 (4.6-8.3)	61	4.7 (3.4-6.0)
White, Non-Hisp.	44	8.4 (5.7-11.0)	44	6.7 (4.6-8.7)	60	9.8 (7.2-12.4)	48	7.6 (5.3-9.9)	56	8.2 (5.9-10.5)	38	6.5 (4.2-8.7)	47	5.6 (3.8-7.3)
Black, Non-Hisp.	11	12.6 (4.9-20.2)	3	3.4 (0.0-7.2)	1	1.7 (0.0-5.1)	5	7.2 (0.5-13.9)	1	2.2 (0.0-6.6)	1	2.1 (0.0-6.1)	1	1.0 (0.0-3.1)
Other/Multi, Non-Hisp.	4	5.1 (0.0-10.2)	12	11.3 (4.3-18.2)	10	8.9 (3.0-14.9)	10	7.5 (1.8-13.3)	4	1.4 (0.0-2.9)	9	8.5 (2.9-14.2)	5	2.5 (0.1-4.9)
Hispanic	10	10.2 (3.7-16.6)	5	8.2 (0.0-17.6)	4	4.0 (0.0-8.1)	8	5.5 (1.0-9.9)	6	6.3 (1.1-11.5)	7	6.5 (1.5-11.5)	8	4.7 (1.3-8.0)
Age group	69	8.6 (6.5-10.8)	64	7.2 (5.2-9.3)	76	8.2 (6.2-10.1)	71	7.1 (5.2-8.9)	67	6.5 (4.7-8.3)	55	6.4 (4.6-8.3)	61	4.7 (3.4-6.0)
18-24	18	19.9 (10.7-29.0)	5	10.1 (0.0-20.6)	9	12.6 (4.1-21.0)	9	9.6 (3.0-16.2)	8	11.7 (2.8-20.5)	5	7.3 (0.8-13.8)	2	2.1 (0.0-5.0)
25-34	15	7.5 (3.5-11.4)	8	4.4 (1.1-7.8)	17	10.8 (5.4-16.2)	14	6.7 (2.9-10.5)	7	4.5 (0.9-8.1)	9	6.8 (2.0-11.5)	7	4.2 (1.0-7.4)
35-44	13	7.4 (3.1-11.6)	21	9.4 (5.2-13.7)	18	7.3 (3.7-10.9)	15	6.8 (2.5-11.1)	12	6.6 (2.7-10.6)	9	5.6 (1.5-9.6)	7	3.4 (0.8-6.0)
45-54	13	8.0 (3.4-12.5)	12	6.0 (2.4-9.7)	14	6.5 (2.8-10.2)	13	8.3 (3.2-13.3)	9	4.4 (1.3-7.5)	13	8.1 (3.7-12.6)	15	6.8 (3.0-10.6)
55-64	6	9.0 (1.8-16.3)	4	3.0 (0.0-6.1)	12	9.0 (3.7-14.3)	15	9.9 (4.7-15.2)	17	7.9 (3.7-12.0)	10	5.8 (1.9-9.7)	10	4.4 (1.5-7.4)
65+	4	4.8 (0.0-10.0)	13	10.1 (4.1-16.0)	6	3.5 (0.5-6.5)	5	2.1 (0.2-4.0)	14	6.5 (2.9-10.1)	9	5.2 (1.8-8.6)	20	6.7 (3.7-9.8)
Education	69	8.6 (6.5-10.8)	64	7.2 (5.2-9.3)	76	8.2 (6.2-10.1)	71	7.1 (5.2-8.9)	67	6.5 (4.7-8.3)	55	6.4 (4.6-8.3)	61	4.7 (3.4-6.0)
Less than H.S. diploma	10	14.6 (5.4-23.8)	4	9.8 (0.0-21.9)	9	8.4 (2.4-14.3)	9	11.0 (3.1-18.9)	8	6.9 (1.4-12.5)	7	9.5 (2.1-16.9)	4	3.8 (0.0-7.7)
H.S. diploma or G.E.D.	27	10.1 (6.0-14.1)	18	6.2 (3.2-9.1)	25	8.8 (4.9-12.6)	15	5.2 (2.1-8.2)	24	8.6 (4.6-12.7)	21	8.9 (4.9-12.9)	19	5.0 (2.6-7.4)
Some post-H.S.	17	6.7 (3.4-10.0)	26	8.5 (5.0-12.0)	26	9.9 (5.9-13.8)	28	8.5 (5.1-11.9)	19	5.3 (2.6-8.0)	15	5.3 (2.3-8.3)	17	4.4 (2.1-6.6)
College graduate	15	6.7 (2.8-10.6)	16	6.0 (2.8-9.2)	16	5.4 (2.5-8.3)	19	5.9 (3.0-8.9)	16	5.4 (2.5-8.4)	12	4.0 (1.5-6.5)	21	5.1 (2.6-7.6)
Income	69	8.6 (6.5-10.8)	64	7.2 (5.2-9.3)	76	8.2 (6.2-10.1)	71	7.1 (5.2-8.9)	67	6.5 (4.7-8.3)	55	6.4 (4.6-8.3)	61	4.7 (3.4-6.0)
Less than \$15,000	3	6.9 (0.0-17.3)	3	2.9 (0.0-6.4)	3	7.4 (0.0-15.9)	3	2.8 (0.0-6.0)	3	1.9 (0.0-4.1)	5	8.1 (1.1-15.1)	2	1.2 (0.0-3.0)
\$15,000 to 24,999	10	9.1 (3.4-14.8)	7	7.5 (0.0-15.4)	11	7.6 (2.6-12.5)	8	7.6 (1.3-14.0)	7	5.3 (1.1-9.6)	7	5.3 (1.1-9.6)	8	9.7 (3.0-16.5)
\$25,000 to 34,999	10	6.3 (2.2-10.5)	5	4.3 (0.1-8.5)	6	4.2 (0.5-8.0)	7	4.7 (0.9-8.5)	14	9.3 (4.1-14.5)	6	6.8 (0.6-13.1)	10	7.8 (2.5-13.1)
\$35,000 to 49,999	17	11.4 (6.0-16.8)	12	5.4 (2.2-8.5)	16	10.6 (5.1-16.1)	18	11.3 (5.8-16.8)	9	4.8 (1.2-8.5)	11	10.0 (3.8-16.2)	11	6.9 (2.3-11.4)
\$50,000 or more	24	9.0 (5.2-12.7)	24	8.0 (4.7-11.3)	34	9.9 (6.3-13.5)	29	7.6 (4.6-10.7)	24	6.9 (3.7-10.1)	20	5.0 (2.5-7.5)	27	4.5 (2.7-6.4)
Employment	69	8.6 (6.5-10.8)	64	7.2 (5.2-9.3)	76	8.2 (6.2-10.1)	71	7.1 (5.2-8.9)	67	6.5 (4.7-8.3)	55	6.4 (4.6-8.3)	61	4.7 (3.4-6.0)
Employed/Self-empl.	49	8.4 (5.9-10.8)	43	7.8 (5.0-10.5)	61	10.3 (7.5-13.2)	54	8.7 (6.0-11.3)	41	7.1 (4.6-9.5)	37	7.6 (4.9-10.2)	31	4.4 (2.7-6.1)
Out of work	4	15.2 (1.2-29.1)	3	5.7 (0.0-12.2)	5	12.5 (1.7-23.2)	4	10.3 (0.4-20.2)	4	5.6 (0.0-11.5)	3	5.8 (0.0-12.7)	3	5.5 (0.0-12.7)
Homemaker/Student	10	18.0 (7.2-28.7)	3	4.0 (0.0-9.2)	2	1.9 (0.0-4.7)	5	2.6 (0.1-5.0)	8	5.0 (1.2-8.8)	2	2.8 (0.0-6.8)	5	3.2 (0.3-6.1)
Retired/Unable to work	6	4.4 (0.4-8.3)	15	7.8 (3.6-11.9)	8	3.2 (0.8-5.5)	8	3.7 (1.1-6.4)	14	6.0 (2.6-9.4)	13	5.4 (2.4-8.4)	22	6.5 (3.6-9.4)
Marital status	69	8.6 (6.5-10.8)	64	7.2 (5.2-9.3)	76	8.2 (6.2-10.1)	71	7.1 (5.2-8.9)	67	6.5 (4.7-8.3)	55	6.4 (4.6-8.3)	61	4.7 (3.4-6.0)
Married	22	5.3 (3.0-7.7)	26	5.5 (3.3-7.7)	25	4.7 (2.8-6.6)	22	5.6 (3.0-8.1)	25	4.3 (2.5-6.1)	27	6.1 (3.7-8.6)	28	4.1 (2.5-5.7)
Divorced	9	8.6 (2.8-14.3)	17	10.3 (5.1-15.4)	23	17.5 (10.1-24.9)	23	11.6 (6.7-16.6)	21	12.5 (6.5-18.5)	13	9.1 (3.9-14.2)	11	5.2 (1.6-8.7)
Widowed	2	6.7 (0.0-16.6)	4	10.7 (0.0-22.5)	1	0.8 (0.0-2.3)	3	3.7 (0.0-7.8)	3	2.9 (0.0-6.1)	3	6.7 (0.0-14.1)	8	7.6 (2.0-13.2)
Separated	3	13.1 (0.0-28.1)	2	5.2 (0.0-12.4)	1	4.8 (0.0-14.0)	1	1.8 (0.0-5.4)	1	0.4 (0.0-1.3)	1	1.9 (0.0-5.5)	6	28.8 (5.2-52.4)
Never married	27	17.7 (10.8-24.6)	13	8.2 (3.4-13.0)	21	15.7 (8.5-22.9)	15	7.8 (3.5-12.2)	16	13.7 (6.4-21.0)	9	7.2 (2.0-12.4)	4	2.6 (0.0-5.2)
Mem. of unmarr. couple	6	17.0 (4.5-29.6)	2	12.7 (0.0-32.9)	4	9.5 (0.1-18.9)	7	14.7 (3.7-25.6)	1	3.3 (0.0-9.7)	2	3.9 (0.0-9.3)	4	6.2 (0.0-13.2)

Tobacco Use


Indicator 1: Smoke everyday or some days currently.

- The prevalence of current smokers among county residents was 25.7% based on aggregated county data from 2000-06 (Figure 31).
- Hispanics were less likely to smoke compared with other racial/ethnic groups.

Table 51. Percent Current Smokers by Race/Ethnicity (2000-06 aggregated)

	White, Non-Hisp.			Black, Non-Hisp.			Other/Multi, Non-Hisp.			Hispanic		
	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.
State	3479	24.9 (23.9-26.0)	25.6 (24.6-26.7)	143	26.8 (22.2-31.4)	26.8 (22.3-31.3)	665	29.7 (26.9-32.5)	29.2 (26.5-31.9)	540	21.4 (19.1-23.8)	20.4 (18.0-22.7)
Clark	1099	25.8 (24.3-27.4)	26.7 (25.1-28.3)	116	26.9 (22.0-31.7)	26.9 (22.0-31.7)	232	30.3 (26.5-34.0)	29.6 (26.0-33.2)	199	21.4 (18.2-24.6)	21.0 (17.6-24.3)
Washoe	1082	21.7 (20.3-23.0)	21.9 (20.5-23.3)	15	19.9 (9.6-30.3)	21.7 (10.8-32.6)	193	26.0 (22.4-29.7)	25.7 (22.2-29.2)	137	22.4 (18.7-26.0)	21.7 (18.0-25.4)
Other Counties	1298	25.1 (23.7-26.5)	26.3 (24.7-27.8)	12	32.0 (10.3-53.7)	26.7 (14.1-39.4)	240	30.4 (25.3-35.6)	30.6 (25.6-35.6)	204	21.1 (16.7-25.5)	18.8 (15.2-22.3)

Figure 31. Percent Current Smokers by Demographic Subgroups (2000-06 aggregated)




Source: BRFSS.

Table 52. Smoke Everyday or Some Days Currently? (%) (2000-06 aggregated)

County	Yes		No	
	N	% and C.I.	N	% and C.I.
Carson City	266	23.5 (20.4-26.6)	935	76.5 (73.4-79.6)
Churchill	136	27.5 (22.9-32.1)	451	72.5 (67.9-77.1)
Clark	1660	25.7 (24.4-26.9)	4822	74.3 (73.1-75.6)
Douglas	224	21.9 (18.9-25.0)	827	78.1 (75.0-81.1)
Elko	235	26.2 (22.9-29.5)	658	73.8 (70.5-77.1)
Humboldt	30	28.0 (18.3-37.8)	70	72.0 (62.2-81.7)
Lyon	268	29.7 (26.4-33.1)	689	70.3 (66.9-73.6)
Nye	215	27.6 (24.0-31.3)	537	72.4 (68.7-76.0)
Washoe	1435	22.1 (20.9-23.3)	5277	77.9 (76.7-79.1)

Figure 32. Current Smokers (%)




Source: BRFS.

Table 53. Current Smokers by Year, Clark County, NV and U.S. (%)

	2000	2001	2002	2003	2004	2005	2006
Clark	30.0 (26.0-34.0)	27.4 (24.0-30.8)	27.2 (23.7-30.6)	26.0 (22.8-29.1)	24.2 (21.1-27.3)	23.8 (20.5-27.0)	22.4 (19.5-25.4)
NV	29.0 (26.2-31.8)	26.9 (24.5-29.4)	26.0 (23.6-28.5)	25.2 (22.9-27.5)	23.2 (21.0-25.4)	23.1 (20.8-25.4)	22.2 (20.0-24.3)
U.S.†	23.2	22.9	23.0	22.0	20.8	20.5	20.0

†Median % among participating states, DC and territories.

Figure 33. Year 2006: Current Smokers (%) (U.S. outlying territories not displayed on map)



*Prevalence in Clark County: 22.4%.

Source: BRFS.

Table 54. Smoke Everyday or Some Days Currently

Source: BRFSS.

	State		Clark		Washoe		2000-06 aggregated Other Counties	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	4869	24.9 (24.0-25.8)	1660	25.7 (24.4-26.9)	1435	22.1 (20.9-23.3)	1774	24.6 (23.0-26.2)
Male	2441	26.5 (25.2-27.8)	851	27.2 (25.4-29.0)	685	22.8 (21.0-24.5)	905	27.3 (24.9-29.7)
Female	2428	23.3 (22.1-24.5)	809	24.1 (22.4-25.8)	750	21.5 (19.9-23.0)	869	21.7 (19.8-23.6)
Race/Ethnicity	4869	24.9 (24.0-25.8)	1660	25.7 (24.4-26.9)	1435	22.1 (20.9-23.3)	1774	24.6 (23.0-26.2)
White,Non-Hisp.	3479	24.9 (23.9-26.0)	1099	25.8 (24.3-27.4)	1082	21.7 (20.3-23.0)	1298	25.1 (23.7-26.5)
Black,Non-Hisp.	143	26.8 (22.2-31.4)	116	26.9 (22.0-31.7)	15	19.9 (9.6-30.3)	12	32.0 (10.3-53.7)
Other/Multi,Non-Hisp.	665	29.7 (26.9-32.5)	232	30.3 (26.5-34.0)	193	26.0 (22.4-29.7)	240	30.4 (25.3-35.6)
Hispanic	540	21.4 (19.1-23.8)	199	21.4 (18.2-24.6)	137	22.4 (18.7-26.0)	204	21.1 (16.7-25.5)
Age group	4869	24.9 (24.0-25.8)	1660	25.7 (24.4-26.9)	1435	22.1 (20.9-23.3)	1774	24.6 (23.0-26.2)
18-24	438	29.4 (26.0-32.7)	163	30.5 (25.8-35.2)	128	22.7 (18.9-26.6)	147	31.3 (24.3-38.2)
25-34	775	25.1 (23.0-27.3)	282	25.4 (22.4-28.3)	227	23.8 (20.7-26.9)	266	25.5 (21.7-29.3)
35-44	1068	25.9 (24.0-27.8)	356	26.1 (23.5-28.8)	320	24.6 (22.0-27.2)	392	26.2 (23.0-29.4)
45-54	1143	29.6 (27.4-31.7)	384	31.4 (28.3-34.5)	344	24.9 (22.2-27.5)	415	27.1 (24.2-30.1)
55-64	841	24.8 (22.7-26.9)	279	26.1 (23.1-29.1)	250	22.1 (19.3-25.0)	312	22.5 (19.5-25.5)
65+	600	14.5 (12.9-16.1)	194	14.9 (12.6-17.1)	165	12.4 (10.3-14.5)	241	14.9 (12.0-17.8)
Education	4869	24.9 (24.0-25.8)	1660	25.7 (24.4-26.9)	1435	22.1 (20.9-23.3)	1774	24.6 (23.0-26.2)
Less than H.S. diploma	680	32.8 (29.6-35.9)	208	35.0 (30.3-39.6)	179	37.4 (32.4-42.3)	293	26.9 (22.1-31.7)
H.S. diploma or G.E.D.	1751	29.2 (27.5-30.8)	563	29.5 (27.1-31.8)	494	29.3 (26.8-31.8)	694	27.9 (25.5-30.4)
Some post-H.S.	1616	25.8 (24.3-27.4)	578	26.7 (24.6-28.9)	475	22.3 (20.2-24.4)	563	25.6 (23.1-28.2)
College graduate	807	15.4 (13.9-16.8)	309	16.7 (14.6-18.7)	283	11.7 (10.2-13.1)	215	14.3 (11.8-16.8)
Income	4869	24.9 (24.0-25.8)	1660	25.7 (24.4-26.9)	1435	22.1 (20.9-23.3)	1774	24.6 (23.0-26.2)
Less than \$15,000	572	30.4 (27.0-33.8)	148	30.5 (25.5-35.6)	168	32.9 (27.9-37.9)	256	28.8 (23.3-34.4)
\$15,000 to 24,999	875	30.5 (27.9-33.2)	269	31.1 (27.3-35.0)	276	32.9 (29.2-36.7)	330	27.2 (23.0-31.3)
\$25,000 to 34,999	683	29.8 (27.0-32.5)	236	29.9 (26.2-33.6)	206	28.6 (24.8-32.3)	241	30.3 (24.3-36.3)
\$35,000 to 49,999	859	28.0 (25.7-30.2)	295	29.2 (26.0-32.3)	265	25.3 (22.3-28.3)	299	25.9 (22.8-28.9)
\$50,000 or more	1377	20.2 (18.9-21.6)	533	21.3 (19.5-23.2)	394	15.3 (13.7-16.9)	450	21.0 (18.7-23.3)
Employment	4869	24.9 (24.0-25.8)	1660	25.7 (24.4-26.9)	1435	22.1 (20.9-23.3)	1774	24.6 (23.0-26.2)
Employed/Self-empl.	3132	26.2 (25.0-27.4)	1092	27.1 (25.5-28.7)	930	22.7 (21.3-24.2)	1110	26.1 (23.9-28.2)
Out of work	364	40.3 (35.5-45.1)	128	40.9 (34.5-47.3)	106	40.9 (33.8-48.0)	130	37.2 (29.7-44.7)
Homemaker/Student	337	18.3 (15.7-20.8)	124	19.1 (15.5-22.6)	97	15.8 (12.6-19.0)	116	17.2 (13.3-21.1)
Retired/Unable to work	1014	20.6 (19.0-22.3)	312	20.8 (18.5-23.1)	298	19.4 (17.1-21.7)	404	20.9 (18.2-23.7)
Marital status	4869	24.9 (24.0-25.8)	1660	25.7 (24.4-26.9)	1435	22.1 (20.9-23.3)	1774	24.6 (23.0-26.2)
Married	2038	20.2 (19.0-21.3)	666	20.7 (19.1-22.3)	555	17.7 (16.3-19.2)	817	20.2 (18.6-21.8)
Divorced	1178	35.7 (33.4-38.1)	402	37.1 (33.8-40.4)	371	30.2 (27.1-33.4)	405	36.5 (32.7-40.2)
Widowed	371	21.4 (18.4-24.5)	115	21.8 (17.7-25.9)	109	19.3 (15.5-23.0)	147	21.9 (15.6-28.3)
Separated	188	43.6 (36.8-50.5)	67	47.2 (37.9-56.6)	54	39.2 (29.6-48.8)	67	35.6 (22.9-48.3)
Never married	771	28.9 (26.4-31.4)	316	30.7 (27.3-34.1)	238	24.3 (21.0-27.5)	217	26.0 (21.1-31.0)
Mem. of un marr. couple	300	33.7 (29.0-38.3)	88	31.3 (25.2-37.5)	102	36.6 (30.4-42.8)	110	39.0 (27.9-50.1)
Overall health status	4869	24.9 (24.0-25.8)	1660	25.7 (24.4-26.9)	1435	22.1 (20.9-23.3)	1774	24.6 (23.0-26.2)
Good or better	3794	23.6 (22.6-24.6)	1316	24.5 (23.1-25.8)	1135	20.5 (19.3-21.8)	1343	23.2 (21.6-24.8)
Fair or poor	1064	31.2 (28.8-33.6)	340	31.6 (28.3-34.9)	296	32.2 (28.7-35.6)	428	29.6 (25.1-34.1)
Leisure time exercise?	4869	24.9 (24.0-25.8)	1660	25.7 (24.4-26.9)	1435	22.1 (20.9-23.3)	1774	24.6 (23.0-26.2)
Yes	3427	23.1 (22.1-24.1)	1139	23.8 (22.4-25.2)	1046	20.0 (18.7-21.2)	1242	23.6 (21.9-25.2)
No	1434	30.2 (28.2-32.1)	518	30.8 (28.2-33.5)	386	31.3 (28.3-34.4)	530	27.1 (23.5-30.7)
Alcohol consumption	4869	24.9 (24.0-25.8)	1660	25.7 (24.4-26.9)	1435	22.1 (20.9-23.3)	1774	24.6 (23.0-26.2)
Heavy drinker	735	49.3 (45.7-52.8)	227	50.5 (45.3-55.8)	232	43.7 (38.9-48.5)	276	50.8 (45.2-56.3)
Not a heavy drinker	4031	22.9 (22.0-23.8)	1398	23.7 (22.5-25.0)	1173	19.9 (18.7-21.0)	1460	22.3 (20.7-23.9)
Weight status	4869	24.9 (24.0-25.8)	1660	25.7 (24.4-26.9)	1435	22.1 (20.9-23.3)	1774	24.6 (23.0-26.2)
BMI<25	2262	29.4 (27.9-30.8)	769	30.2 (28.2-32.3)	705	25.4 (23.5-27.3)	788	30.2 (27.2-33.1)
BMI>=25	2447	22.3 (21.2-23.5)	848	23.0 (21.4-24.6)	691	19.8 (18.3-21.3)	908	21.8 (20.1-23.5)

Table 55. Smoke Everyday or Some Days Currently, Clark County - NV (applicable years from 2000-06)
Source: BRFSS.

	2000		2001		2002		2003		2004		2005		2006	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	237	30.0 (26.0-34.0)	235	27.4 (24.0-30.8)	256	27.2 (23.7-30.6)	248	26.0 (22.8-29.1)	230	24.2 (21.1-27.3)	206	23.8 (20.5-27.0)	248	22.4 (19.5-25.4)
Male	125	29.9 (24.9-34.9)	124	28.4 (23.4-33.3)	129	29.0 (23.6-34.4)	133	31.2 (26.2-36.1)	120	26.2 (21.7-30.8)	103	25.1 (20.4-29.8)	117	21.7 (17.5-25.9)
Female	112	30.1 (24.1-36.1)	111	26.4 (21.7-31.1)	127	25.3 (20.9-29.7)	115	20.8 (16.9-24.7)	110	22.1 (17.9-26.3)	103	22.3 (17.9-26.8)	131	23.1 (19.0-27.2)
Race/Ethnicity	237	30.0 (26.0-34.0)	235	27.4 (24.0-30.8)	256	27.2 (23.7-30.6)	248	26.0 (22.8-29.1)	230	24.2 (21.1-27.3)	206	23.8 (20.5-27.0)	248	22.4 (19.5-25.4)
White, Non-Hisp.	162	30.7 (25.8-35.7)	163	27.7 (23.7-31.6)	166	25.3 (21.5-29.1)	172	27.8 (23.9-31.8)	151	23.9 (20.1-27.6)	134	24.1 (20.1-28.2)	151	21.5 (18.0-25.1)
Black, Non-Hisp.	23	27.7 (16.3-39.1)	16	28.9 (15.6-42.2)	20	32.4 (19.2-45.5)	13	18.5 (7.5-29.5)	11	22.1 (9.4-34.9)	18	29.8 (17.0-42.7)	15	28.6 (13.2-44.0)
Other/Multi, Non-Hisp.	23	30.2 (17.8-42.5)	36	33.4 (23.6-43.1)	41	37.0 (27.0-47.0)	29	25.7 (16.3-35.1)	30	23.1 (15.1-31.2)	31	30.4 (20.5-40.2)	42	31.8 (22.1-41.5)
Hispanic	27	26.3 (16.3-36.2)	17	18.5 (8.0-29.0)	26	24.4 (13.8-34.9)	32	22.2 (14.5-29.8)	35	25.6 (17.6-33.5)	22	16.7 (9.1-24.4)	40	17.9 (12.2-23.6)
Age group	237	30.0 (26.0-34.0)	235	27.4 (24.0-30.8)	256	27.2 (23.7-30.6)	248	26.0 (22.8-29.1)	230	24.2 (21.1-27.3)	206	23.8 (20.5-27.0)	248	22.4 (19.5-25.4)
18-24	42	46.3 (34.1-58.6)	21	28.4 (17.1-39.7)	29	44.0 (29.5-58.4)	18	20.7 (11.3-30.1)	23	30.0 (18.2-41.8)	12	16.0 (7.1-24.8)	18	30.6 (17.4-43.8)
25-34	58	30.9 (23.1-38.6)	44	27.6 (20.0-35.3)	52	34.2 (25.9-42.5)	41	24.1 (16.7-31.4)	31	21.3 (13.8-28.7)	27	23.5 (14.8-32.2)	29	18.4 (11.7-25.2)
35-44	51	28.4 (21.0-35.9)	63	33.8 (25.9-41.6)	50	20.6 (14.8-26.4)	54	27.4 (20.3-34.4)	52	29.3 (22.0-36.5)	45	26.6 (19.2-34.0)	41	17.6 (12.2-23.1)
45-54	48	36.7 (25.5-47.9)	51	30.1 (21.8-38.5)	60	30.2 (22.9-37.5)	57	35.9 (27.6-44.2)	51	26.8 (19.7-33.9)	52	31.2 (23.5-39.0)	65	29.5 (22.6-36.4)
55-64	24	28.9 (17.9-39.8)	36	27.4 (18.9-36.0)	36	20.7 (13.8-27.6)	41	25.7 (18.1-33.3)	44	22.4 (15.9-28.9)	41	27.4 (19.5-35.3)	57	30.4 (23.1-37.7)
65+	14	12.9 (6.0-19.8)	20	14.6 (7.8-21.3)	28	14.9 (8.9-20.8)	37	19.0 (12.5-25.6)	28	15.5 (9.8-21.3)	29	14.5 (9.2-19.8)	38	12.6 (8.5-16.7)
Education	237	30.0 (26.0-34.0)	235	27.4 (24.0-30.8)	256	27.2 (23.7-30.6)	248	26.0 (22.8-29.1)	230	24.2 (21.1-27.3)	206	23.8 (20.5-27.0)	248	22.4 (19.5-25.4)
Less than H.S. diploma	36	49.2 (35.6-62.7)	27	38.6 (25.2-52.1)	25	30.3 (15.1-45.5)	32	32.3 (21.6-43.0)	36	40.9 (29.1-52.6)	24	32.0 (19.7-44.2)	28	26.8 (16.4-37.1)
H.S. diploma or G.E.D.	91	31.8 (25.5-38.1)	73	29.8 (23.4-36.2)	95	33.1 (26.9-39.3)	80	28.6 (22.5-34.7)	72	26.8 (20.8-32.8)	70	27.4 (21.1-33.7)	82	28.7 (22.5-35.0)
Some post-H.S.	71	28.2 (21.9-34.6)	89	30.6 (24.7-36.5)	90	29.7 (23.8-35.7)	86	27.5 (21.8-33.2)	87	24.2 (19.1-29.3)	71	23.9 (18.3-29.5)	84	23.7 (18.4-29.1)
College graduate	38	21.6 (12.5-30.7)	45	17.8 (12.3-23.2)	46	15.6 (10.9-20.3)	50	18.8 (13.6-24.0)	35	13.9 (9.2-18.6)	41	16.8 (11.6-21.9)	54	13.8 (9.8-17.8)
Income	237	30.0 (26.0-34.0)	235	27.4 (24.0-30.8)	256	27.2 (23.7-30.6)	248	26.0 (22.8-29.1)	230	24.2 (21.1-27.3)	206	23.8 (20.5-27.0)	248	22.4 (19.5-25.4)
Less than \$15,000	15	30.1 (13.6-46.5)	13	31.5 (15.3-47.6)	23	28.0 (16.0-40.0)	20	22.7 (12.2-33.1)	24	37.1 (23.4-50.8)	22	33.2 (20.0-46.5)	31	30.3 (19.1-41.5)
\$15,000 to 24,999	44	36.7 (26.2-47.2)	38	27.9 (18.9-36.9)	47	36.0 (25.1-46.9)	41	34.0 (24.1-44.0)	30	23.0 (14.0-32.0)	32	29.1 (19.1-39.0)	37	30.1 (19.9-40.2)
\$25,000 to 34,999	42	36.1 (25.9-46.2)	35	33.1 (23.2-43.0)	41	33.1 (23.1-43.1)	38	27.7 (18.9-36.6)	27	22.2 (13.7-30.8)	24	28.6 (17.6-39.6)	29	27.5 (17.3-37.6)
\$35,000 to 49,999	54	36.2 (27.4-45.1)	47	29.8 (21.7-37.9)	45	30.1 (22.1-38.0)	42	29.2 (20.9-37.5)	44	26.9 (19.2-34.5)	25	23.3 (14.3-32.4)	38	27.8 (18.9-36.7)
\$50,000 or more	64	23.0 (16.1-29.9)	74	25.3 (20.0-30.6)	75	21.6 (16.7-26.5)	77	22.1 (17.3-26.8)	76	20.7 (16.1-25.3)	77	20.4 (15.8-24.9)	90	18.2 (14.3-22.1)
Employment	237	30.0 (26.0-34.0)	235	27.4 (24.0-30.8)	256	27.2 (23.7-30.6)	248	26.0 (22.8-29.1)	230	24.2 (21.1-27.3)	206	23.8 (20.5-27.0)	248	22.4 (19.5-25.4)
Employed/Self-empl.	167	31.1 (26.1-36.1)	169	31.2 (26.9-35.6)	176	28.7 (24.1-33.2)	155	27.3 (23.1-31.4)	145	25.1 (21.1-29.1)	138	26.1 (21.8-30.4)	142	21.5 (17.8-25.2)
Out of work	15	48.2 (28.7-67.7)	20	40.9 (24.7-57.1)	18	40.6 (24.7-56.5)	19	36.0 (20.9-51.2)	21	45.4 (28.6-62.2)	12	37.7 (19.0-56.4)	23	41.0 (24.8-57.2)
Homemaker/Student	21	28.6 (17.2-40.1)	11	14.3 (5.2-23.5)	22	30.4 (18.4-42.4)	21	14.1 (8.0-20.2)	15	13.4 (6.3-20.4)	14	15.3 (7.1-23.6)	20	21.5 (11.9-31.0)
Retired/Unable to work	34	24.0 (16.0-31.9)	35	18.1 (12.1-24.1)	40	17.2 (11.5-22.9)	52	25.7 (18.9-32.6)	46	21.9 (15.7-28.0)	42	18.2 (12.8-23.6)	63	21.2 (15.8-26.6)
Marital status	237	30.0 (26.0-34.0)	235	27.4 (24.0-30.8)	256	27.2 (23.7-30.6)	248	26.0 (22.8-29.1)	230	24.2 (21.1-27.3)	206	23.8 (20.5-27.0)	248	22.4 (19.5-25.4)
Married	95	24.6 (19.1-30.0)	94	23.2 (18.7-27.7)	106	22.9 (18.2-27.6)	89	20.1 (16.1-24.2)	95	19.0 (15.3-22.6)	80	18.3 (14.4-22.3)	107	18.2 (14.8-21.6)
Divorced	44	34.9 (25.5-44.2)	52	34.3 (25.8-42.8)	61	37.3 (28.8-45.7)	68	42.5 (33.7-51.3)	61	37.7 (29.1-46.3)	57	42.1 (32.8-51.4)	59	30.7 (22.9-38.5)
Widowed	12	23.2 (10.0-36.4)	12	23.1 (9.7-36.5)	18	19.3 (9.6-28.9)	25	29.3 (18.0-40.7)	13	16.8 (7.3-26.3)	13	19.1 (8.7-29.5)	22	21.4 (12.7-30.0)
Separated	11	53.7 (28.9-78.4)	9	49.6 (26.6-72.6)	10	50.5 (27.0-74.0)	8	38.3 (13.2-63.5)	11	52.1 (28.7-75.5)	8	44.3 (21.4-67.2)	10	43.6 (17.8-69.4)
Never married	59	40.9 (31.2-50.6)	54	32.0 (23.9-40.2)	50	35.1 (25.9-44.3)	42	25.8 (17.7-33.8)	40	31.1 (21.8-40.5)	33	24.2 (15.5-32.9)	38	28.5 (18.9-38.1)
Mem. of unmarr. couple	15	39.7 (23.3-56.1)	14	35.8 (18.4-53.1)	10	29.6 (12.7-46.4)	15	33.3 (18.8-47.9)	8	24.3 (8.1-40.5)	15	34.3 (18.0-50.6)	11	23.5 (9.0-38.0)

Indicator 2: Stopped smoking one day or longer in the past 12 months because of cessation attempts.


- Based on aggregated county data from 2000-06, about one-half of current smokers in the county stopped smoking for one day or longer in the past 12 months in attempts to quit smoking (Figure 34).

Table 56. Percent Smoking Cessation Attempted by Race/Ethnicity (2000-06 aggregated)

	White, Non-Hisp.			Black, Non-Hisp.			Other/Multi, Non-Hisp.			Hispanic		
	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.
State	1625	46.5 (44.0-49.1)	46.7 (44.2-49.1)	79	57.6 (47.4-67.9)	59.4 (49.1-69.6)	361	57.0 (51.3-62.6)	57.0 (51.2-62.8)	308	64.9 (59.2-70.5)	59.3 (52.2-66.4)
Clark	471	44.7 (41.2-48.3)	45.0 (41.6-48.5)	63	57.0 (46.1-67.9)	59.2 (48.5-69.9)	120	57.3 (49.8-64.8)	56.1 (48.5-63.8)	109	64.5 (56.9-72.2)	59.2 (49.8-68.6)
Washoe	540	53.0 (49.5-56.5)	--	9	60.7 (30.8-90.7)	--	110	56.2 (48.2-64.3)	--	77	60.9 (51.4-70.3)	--
Other Counties	614	47.5 (44.1-50.8)	--	7	65.7 (24.9-100.0)	--	131	56.0 (46.1-66.0)	--	122	67.4 (56.8-78.0)	--

--Age-adjustment not feasible due to small number of observations for certain combinations of race/ethnicity and age.

Figure 34. Percent Smoking Cessation Attempted by Demographic Subgroups (2000-06 aggregated)



Source: BRFSS.

Table 57. Stopped Smoking for 1 Day or Longer in Trying to Quit Smoking

Source: BRFSS.

2000-06 aggregated

	State		Clark		Washoe		Other Counties	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	2388	51.4 (49.3-53.6)	769	50.3 (47.4-53.3)	738	54.3 (51.3-57.3)	881	53.4 (49.7-57.0)
Male	1129	50.3 (47.3-53.2)	358	48.7 (44.7-52.7)	346	53.1 (48.7-57.5)	425	54.0 (48.7-59.3)
Female	1259	52.8 (49.6-55.9)	411	52.2 (47.9-56.5)	392	55.7 (51.4-59.9)	456	52.5 (47.6-57.3)
Race/Ethnicity	2388	51.4 (49.3-53.6)	769	50.3 (47.4-53.3)	738	54.3 (51.3-57.3)	881	53.4 (49.7-57.0)
White,Non-Hisp.	1625	46.5 (44.0-49.1)	471	44.7 (41.2-48.3)	540	53.0 (49.5-56.5)	614	47.5 (44.1-50.8)
Black,Non-Hisp.	79	57.6 (47.4-67.9)	63	57.0 (46.1-67.9)	9	60.7 (30.8-90.7)	7	65.7 (24.9-100.0)
Other/Multi,Non-Hisp.	361	57.0 (51.3-62.6)	120	57.3 (49.8-64.8)	110	56.2 (48.2-64.3)	131	56.0 (46.1-66.0)
Hispanic	308	64.9 (59.2-70.5)	109	64.5 (56.9-72.2)	77	60.9 (51.4-70.3)	122	67.4 (56.8-78.0)
Age group	2388	51.4 (49.3-53.6)	769	50.3 (47.4-53.3)	738	54.3 (51.3-57.3)	881	53.4 (49.7-57.0)
18-24	266	67.9 (61.6-74.2)	97	69.2 (60.7-77.7)	77	63.1 (53.7-72.6)	92	66.6 (54.2-79.1)
25-34	446	61.8 (57.0-66.6)	162	62.9 (56.3-69.4)	131	61.7 (54.1-69.3)	153	57.8 (49.7-65.9)
35-44	555	49.8 (45.5-54.0)	161	46.3 (40.4-52.3)	179	58.3 (52.2-64.4)	215	55.3 (48.4-62.2)
45-54	534	45.3 (41.0-49.7)	164	43.7 (37.8-49.6)	164	46.6 (40.4-52.8)	206	51.5 (45.5-57.4)
55-64	352	42.0 (37.2-46.8)	111	41.6 (35.0-48.2)	114	48.0 (40.6-55.4)	127	38.2 (31.8-44.5)
65+	234	38.3 (32.3-44.2)	73	36.3 (28.5-44.0)	73	45.2 (36.3-54.0)	88	40.6 (28.3-53.0)
Education	2388	51.4 (49.3-53.6)	769	50.3 (47.4-53.3)	738	54.3 (51.3-57.3)	881	53.4 (49.7-57.0)
Less than H.S. diploma	354	57.9 (52.2-63.7)	101	55.5 (47.1-64.0)	95	56.8 (48.3-65.2)	158	64.3 (55.5-73.2)
H.S. diploma or G.E.D.	837	49.3 (45.9-52.7)	243	47.7 (42.9-52.5)	262	53.8 (48.6-58.9)	332	51.3 (46.3-56.2)
Some post-H.S.	781	49.9 (46.3-53.5)	269	49.7 (44.9-54.5)	232	52.3 (46.9-57.7)	280	48.3 (42.5-54.1)
College graduate	409	52.4 (47.0-57.8)	154	51.9 (44.8-59.0)	148	57.6 (51.0-64.3)	107	48.4 (38.5-58.3)
Income	2388	51.4 (49.3-53.6)	769	50.3 (47.4-53.3)	738	54.3 (51.3-57.3)	881	53.4 (49.7-57.0)
Less than \$15,000	294	62.2 (56.3-68.1)	81	62.6 (53.8-71.4)	85	53.5 (44.2-62.7)	128	66.1 (57.5-74.6)
\$15,000 to 24,999	466	55.1 (49.7-60.5)	132	53.4 (45.7-61.2)	162	64.0 (57.3-70.7)	172	53.3 (44.5-62.0)
\$25,000 to 34,999	334	56.0 (50.4-61.6)	123	57.4 (49.9-64.9)	100	54.3 (46.3-62.3)	111	52.5 (39.7-65.3)
\$35,000 to 49,999	418	50.1 (45.2-55.0)	129	48.8 (42.0-55.6)	140	52.9 (45.9-59.9)	149	53.0 (46.3-59.7)
\$50,000 or more	638	46.5 (42.7-50.3)	228	45.6 (40.7-50.6)	187	48.7 (43.0-54.5)	223	48.6 (42.2-54.9)
Employment	2388	51.4 (49.3-53.6)	769	50.3 (47.4-53.3)	738	54.3 (51.3-57.3)	881	53.4 (49.7-57.0)
Employed/Self-empl.	1550	51.5 (48.8-54.2)	499	49.8 (46.1-53.5)	476	54.0 (50.4-57.7)	575	56.1 (51.5-60.8)
Out of work	190	56.3 (48.8-63.8)	66	57.8 (47.7-67.8)	59	51.9 (40.5-63.2)	65	53.4 (42.6-64.2)
Homemaker/Student	188	59.1 (51.7-66.6)	67	60.0 (50.2-69.9)	59	66.8 (56.7-76.8)	62	48.9 (36.8-61.1)
Retired/Unable to work	449	45.3 (40.7-49.9)	135	43.9 (37.5-50.2)	142	51.1 (44.4-57.8)	172	45.8 (37.8-53.9)
Marital status	2388	51.4 (49.3-53.6)	769	50.3 (47.4-53.3)	738	54.3 (51.3-57.3)	881	53.4 (49.7-57.0)
Married	1007	50.6 (47.4-53.7)	309	49.0 (44.7-53.4)	295	55.8 (51.3-60.3)	403	52.3 (48.0-56.6)
Divorced	561	46.4 (42.2-50.6)	178	44.8 (39.1-50.5)	187	50.1 (43.6-56.6)	196	49.8 (43.2-56.5)
Widowed	155	38.5 (30.6-46.3)	42	32.4 (22.9-41.9)	46	40.1 (29.7-50.5)	67	57.6 (42.0-73.1)
Separated	97	53.6 (43.0-64.2)	30	50.4 (36.4-64.4)	30	59.7 (43.6-75.8)	37	61.7 (41.1-82.3)
Never married	399	59.6 (54.6-64.7)	165	61.7 (55.2-68.3)	121	55.3 (47.6-63.1)	113	53.5 (42.6-64.3)
Mem. of unmarr. couple	156	56.9 (48.5-65.3)	43	55.0 (43.0-67.1)	56	60.1 (49.7-70.5)	57	59.0 (41.8-76.2)
Overall health status	2388	51.4 (49.3-53.6)	769	50.3 (47.4-53.3)	738	54.3 (51.3-57.3)	881	53.4 (49.7-57.0)
Good or better	1844	50.9 (48.5-53.3)	601	50.0 (46.6-53.3)	576	53.9 (50.5-57.3)	667	52.0 (48.2-55.8)
Fair or poor	537	53.2 (48.6-57.8)	166	51.4 (45.2-57.7)	159	55.3 (48.8-61.9)	212	57.0 (48.3-65.8)
Leisure time exercise?	2388	51.4 (49.3-53.6)	769	50.3 (47.4-53.3)	738	54.3 (51.3-57.3)	881	53.4 (49.7-57.0)
Yes	1746	53.3 (50.7-55.8)	544	51.8 (48.3-55.4)	547	55.5 (51.9-59.0)	655	57.0 (53.0-61.0)
No	639	47.7 (43.7-51.7)	225	47.7 (42.4-52.9)	189	51.0 (45.4-56.6)	225	45.5 (37.6-53.4)
Alcohol consumption	2388	51.4 (49.3-53.6)	769	50.3 (47.4-53.3)	738	54.3 (51.3-57.3)	881	53.4 (49.7-57.0)
Heavy drinker	326	49.2 (43.9-54.5)	98	50.3 (42.6-58.0)	113	52.7 (45.1-60.2)	115	42.8 (34.3-51.3)
Not a heavy drinker	2004	51.5 (49.2-53.9)	650	49.9 (46.7-53.1)	613	54.7 (51.3-58.1)	741	55.5 (51.5-59.5)
Weight status	2388	51.4 (49.3-53.6)	769	50.3 (47.4-53.3)	738	54.3 (51.3-57.3)	881	53.4 (49.7-57.0)
BMI<25	1097	50.8 (47.8-53.9)	348	48.9 (44.7-53.1)	369	56.2 (51.8-60.6)	380	53.5 (47.6-59.4)
BMI>=25	1207	51.7 (48.8-54.7)	397	51.0 (46.9-55.0)	347	51.8 (47.4-56.1)	463	55.0 (50.8-59.2)

Table 58. Stopped Smoking for 1 Day or Longer in Trying to Quit Smoking, Clark County - NV (applicable years from 2000-06)
Source: BRFSS.

	2000		2001		2002		2003		2004		2005		2006			
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.		
Gender	72	40.2 (30.2-50.3)	113	49.5 (42.3-56.6)	129	56.0 (48.6-63.4)	109	44.7 (37.6-51.9)	100	44.1 (36.9-51.4)	115	60.0 (52.4-67.6)	131	55.4 (48.0-62.8)		
Male	38	49.0 (37.2-60.8)	53	48.3 (38.7-57.9)	56	54.2 (43.3-65.1)	51	40.7 (31.0-50.4)	52	44.4 (34.4-54.4)	56	57.6 (46.9-68.3)	52	47.2 (36.1-58.2)		
Female	34	32.6 (17.9-47.4)	60	50.7 (40.4-60.9)	73	58.2 (48.0-68.4)	58	50.7 (40.4-61.1)	48	43.8 (33.3-54.3)	59	62.8 (52.2-73.4)	79	63.0 (53.4-72.6)		
Race/Ethnicity	72	40.2 (30.2-50.3)	113	49.5 (42.3-56.6)	129	56.0 (48.6-63.4)	109	44.7 (37.6-51.9)	100	44.1 (36.9-51.4)	115	60.0 (52.4-67.6)	131	55.4 (48.0-62.8)		
White, Non-Hisp.	53	39.5 (27.3-51.6)	70	43.2 (34.9-51.6)	76	47.0 (38.3-55.7)	74	43.8 (35.5-52.1)	52	31.2 (23.1-39.2)	71	54.8 (45.2-64.4)	75	53.5 (44.1-62.9)		
Black, Non-Hisp.	7	53.0 (24.1-82.0)	12	72.7 (48.4-96.9)	12	49.5 (24.8-74.1)	7	37.8 (9.5-66.1)	7	61.8 (28.5-95.1)	12	67.9 (44.6-91.3)	6	49.2 (15.8-82.6)		
Other/Multi, Non-Hisp.	5	37.5 (8.3-66.6)	21	59.4 (40.8-78.0)	20	58.2 (41.3-75.1)	13	49.3 (28.1-70.4)	17	54.4 (35.2-73.5)	18	67.5 (50.5-84.5)	26	59.0 (40.0-77.9)		
Hispanic	6	39.0 (12.2-65.9)	10	70.3 (47.6-93.1)	19	83.8 (70.2-97.5)	15	49.3 (29.7-68.9)	21	65.6 (48.9-82.2)	14	72.3 (51.5-93.1)	24	59.8 (43.0-76.6)		
Age group	72	40.2 (30.2-50.3)	113	49.5 (42.3-56.6)	129	56.0 (48.6-63.4)	109	44.7 (37.6-51.9)	100	44.1 (36.9-51.4)	115	60.0 (52.4-67.6)	131	55.4 (48.0-62.8)		
18-24	15	65.6 (46.0-85.1)	18	87.1 (73.2-100.0)	25	90.2 (79.2-100.0)	11	63.4 (39.7-87.1)	10	35.9 (14.9-57.0)	8	71.7 (46.0-97.3)	10	61.8 (36.6-86.9)		
25-34	20	48.5 (31.7-65.3)	23	48.9 (32.7-65.0)	35	66.8 (52.8-80.9)	24	60.8 (43.8-77.7)	22	70.3 (52.3-88.3)	21	81.0 (64.9-97.0)	17	58.2 (38.0-78.4)		
35-44	16	43.4 (25.7-61.0)	33	52.6 (38.7-66.4)	21	41.3 (26.0-56.5)	25	39.4 (24.9-53.8)	23	43.3 (28.7-57.8)	24	53.4 (37.0-69.7)	19	48.0 (31.0-65.1)		
45-54	12	24.8 (8.3-41.2)	21	43.3 (28.7-57.9)	25	42.3 (27.9-56.6)	26	47.6 (33.3-61.9)	18	40.0 (24.9-55.1)	27	51.9 (36.7-67.0)	35	52.7 (38.6-66.9)		
55-64	6	34.5 (11.1-57.8)	10	27.8 (11.4-44.3)	12	31.8 (14.6-48.9)	14	31.4 (15.9-46.9)	14	32.5 (17.1-47.8)	21	56.5 (39.9-73.2)	34	62.7 (49.0-76.5)		
65+	3	26.9 (0.0-54.9)	8	37.9 (14.0-61.8)	10	32.5 (13.2-51.8)	9	24.7 (8.9-40.5)	13	38.3 (18.9-57.7)	14	49.5 (29.7-69.4)	16	43.3 (25.9-60.7)		
Education	72	40.2 (30.2-50.3)	113	49.5 (42.3-56.6)	129	56.0 (48.6-63.4)	109	44.7 (37.6-51.9)	100	44.1 (36.9-51.4)	115	60.0 (52.4-67.6)	131	55.4 (48.0-62.8)		
Less than H.S. diploma	13	53.6 (32.1-75.2)	16	58.6 (38.9-78.2)	12	67.3 (42.5-92.1)	13	39.6 (19.9-59.3)	13	39.6 (19.9-59.3)	20	56.8 (38.1-75.5)	13	66.5 (46.5-86.4)	14	48.1 (25.1-71.1)
H.S. diploma or G.E.D.	24	37.2 (24.2-50.3)	33	46.4 (33.9-58.9)	49	54.8 (43.3-66.3)	27	33.7 (21.9-45.6)	27	40.0 (27.5-52.6)	40	61.9 (49.2-74.6)	43	55.8 (43.1-68.5)		
Some post-H.S.	21	36.3 (22.3-50.3)	38	46.3 (34.0-58.7)	44	54.7 (42.9-66.5)	41	49.0 (36.7-61.3)	39	43.2 (31.5-54.9)	38	53.7 (40.2-67.2)	48	61.5 (49.4-73.6)		
College graduate	13	38.9 (9.6-68.3)	25	54.3 (38.1-70.5)	24	52.7 (36.3-69.2)	28	60.5 (45.5-75.5)	14	37.6 (20.2-54.9)	24	61.7 (45.2-78.3)	26	49.5 (33.7-65.2)		
Income	72	40.2 (30.2-50.3)	113	49.5 (42.3-56.6)	129	56.0 (48.6-63.4)	109	44.7 (37.6-51.9)	100	44.1 (36.9-51.4)	115	60.0 (52.4-67.6)	131	55.4 (48.0-62.8)		
Less than \$15,000	8	70.4 (45.4-95.3)	7	54.9 (24.6-85.2)	14	71.3 (51.1-91.4)	6	27.8 (7.3-48.3)	6	27.8 (7.3-48.3)	14	68.1 (48.9-87.3)	15	75.9 (57.7-94.1)	17	56.7 (35.6-77.7)
\$15,000 to 24,999	15	43.4 (25.0-61.7)	20	54.2 (36.0-72.4)	24	61.7 (42.2-81.3)	19	42.9 (24.9-60.8)	16	47.3 (25.2-69.5)	19	68.2 (50.8-85.6)	19	53.1 (32.5-73.7)		
\$25,000 to 34,999	16	54.3 (34.1-74.4)	18	53.0 (34.8-71.1)	23	65.8 (49.4-82.2)	21	53.0 (34.4-71.6)	16	57.7 (36.1-79.3)	13	52.3 (29.2-75.4)	16	65.5 (46.5-84.6)		
\$35,000 to 49,999	15	42.6 (22.9-62.3)	26	59.8 (44.3-75.4)	24	52.7 (36.5-68.8)	19	51.0 (33.9-68.1)	15	31.4 (16.3-46.4)	9	42.4 (20.1-64.8)	21	59.2 (40.7-77.7)		
\$50,000 or more	13	21.0 (7.3-34.6)	31	42.2 (30.2-54.2)	34	48.9 (36.0-61.8)	36	48.5 (36.1-60.9)	24	33.9 (22.2-45.6)	42	57.7 (45.5-70.0)	48	55.6 (43.9-67.2)		
Employment	72	40.2 (30.2-50.3)	113	49.5 (42.3-56.6)	129	56.0 (48.6-63.4)	109	44.7 (37.6-51.9)	100	44.1 (36.9-51.4)	115	60.0 (52.4-67.6)	131	55.4 (48.0-62.8)		
Employed/Self-empl.	51	39.7 (26.5-52.9)	78	47.7 (39.1-56.2)	87	55.0 (45.7-64.3)	74	48.7 (39.6-57.8)	60	42.3 (33.3-51.3)	74	58.1 (48.8-67.4)	75	54.2 (44.5-63.9)		
Out of work	5	61.6 (27.8-95.4)	9	44.1 (20.3-67.9)	8	46.3 (20.7-72.0)	7	38.2 (14.3-62.2)	11	64.2 (40.6-87.8)	9	83.4 (64.2-100.0)	17	69.6 (45.1-94.1)		
Homemaker/Student	5	31.3 (6.8-55.8)	10	87.4 (64.5-100.0)	14	75.6 (57.5-93.8)	10	45.4 (23.1-67.8)	7	39.3 (12.4-66.3)	8	53.7 (24.3-83.2)	13	72.1 (51.6-92.7)		
Retired/Unable to work	11	41.2 (21.4-60.9)	16	47.5 (29.1-65.9)	20	48.8 (29.6-67.9)	18	34.6 (20.2-49.0)	20	39.8 (24.2-55.4)	24	58.9 (42.8-74.9)	26	40.6 (26.5-54.7)		
Marital status	72	40.2 (30.2-50.3)	113	49.5 (42.3-56.6)	129	56.0 (48.6-63.4)	109	44.7 (37.6-51.9)	100	44.1 (36.9-51.4)	115	60.0 (52.4-67.6)	131	55.4 (48.0-62.8)		
Married	28	31.4 (19.2-43.6)	44	48.6 (37.7-59.5)	56	58.3 (47.4-69.3)	41	44.0 (32.8-55.2)	37	39.9 (29.4-50.4)	44	61.3 (49.7-72.8)	59	56.2 (46.0-66.4)		
Divorced	14	37.6 (20.0-55.1)	21	38.1 (23.8-52.4)	26	40.4 (25.7-55.1)	29	41.0 (27.5-54.5)	28	52.6 (38.2-66.9)	29	44.4 (29.8-58.9)	31	59.9 (45.2-74.6)		
Widowed	2	26.2 (0.0-58.3)	3	19.4 (0.0-42.7)	5	20.6 (2.4-38.9)	7	29.8 (9.0-50.6)	6	32.9 (7.0-58.7)	7	44.4 (14.5-74.3)	12	50.4 (27.2-73.7)		
Separated	5	74.2 (45.2-100.0)	4	28.8 (0.8-56.8)	2	16.4 (0.0-39.1)	5	73.8 (43.1-100.0)	5	55.5 (22.5-88.5)	4	54.1 (17.1-91.1)	5	44.5 (8.6-80.3)		
Never married	21	62.6 (45.1-80.1)	33	67.7 (54.5-80.8)	31	71.0 (57.0-84.9)	21	51.2 (33.1-69.2)	20	48.4 (30.3-66.5)	20	73.1 (57.2-89.0)	19	56.4 (36.2-76.6)		
Mem. of unmar. couple	2	26.3 (0.0-59.0)	8	61.9 (35.4-88.3)	8	83.6 (60.0-100.0)	6	45.5 (18.6-72.3)	3	30.8 (0.0-64.0)	11	73.8 (49.7-97.8)	5	45.8 (10.4-81.3)		

Weight Status


Indicator 1: Overweight or obese, defined as body mass index (BMI) greater than or equal to 25.

- 59.4% of county residents were either overweight or obese based on aggregated county data from 2000-06 (Figure 35).

Table 59. Percent Overweight/Obese by Race/Ethnicity (2000-06 aggregated)

	White, Non-Hisp.			Black, Non-Hisp.			Other/Multi, Non-Hisp.			Hispanic		
	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.
State	8333	57.5 (56.4-58.7)	56.5 (55.2-57.7)	333	63.6 (58.3-68.8)	64.8 (59.7-69.8)	1294	57.0 (53.9-60.1)	57.2 (54.2-60.3)	1385	62.3 (59.4-65.3)	66.3 (63.5-69.1)
Clark	2467	58.5 (56.8-60.3)	57.3 (55.6-59.1)	273	64.6 (59.0-70.2)	65.8 (60.5-71.2)	436	56.9 (52.8-60.9)	57.0 (53.0-60.9)	515	62.5 (58.6-66.4)	67.1 (63.2-70.9)
Washoe	2783	53.5 (51.9-55.1)	52.9 (51.3-54.5)	45	57.7 (44.9-70.6)	60.4 (48.7-72.1)	378	55.9 (51.6-60.1)	56.7 (52.6-60.9)	376	63.1 (58.7-67.6)	65.1 (60.6-69.6)
Other Counties	3083	58.2 (56.6-59.9)	57.4 (55.7-59.1)	15	37.8 (17.6-57.9)	35.9 (23.4-48.5)	480	58.5 (52.6-64.4)	58.1 (52.3-63.9)	494	61.3 (55.4-67.3)	65.2 (60.3-70.1)

Figure 35. Percent Overweight/Obese by Demographic Subgroups (2000-06 aggregated)




Source: BRFSS.

Table 60. Overweight/Obese? (%) (2000-06 aggregated)

County	Yes or BMI >= 25		No or BMI < 25	
	N	% and C.I.	N	% and C.I.
Carson City	658	57.2 (53.7-60.8)	489	42.8 (39.2-46.3)
Churchill	339	56.4 (51.6-61.1)	235	43.6 (38.9-48.4)
Clark	3725	59.4 (58.0-60.8)	2523	40.6 (39.2-42.0)
Douglas	584	56.7 (53.0-60.3)	429	43.3 (39.7-47.0)
Elko	542	63.8 (60.2-67.3)	315	36.2 (32.7-39.8)
Humboldt	64	60.3 (49.1-71.5)	35	39.7 (28.5-50.9)
Lyon	584	60.9 (57.3-64.5)	350	39.1 (35.5-42.7)
Nye	464	63.1 (59.0-67.2)	264	36.9 (32.8-41.0)
Washoe	3614	54.9 (53.5-56.3)	2881	45.1 (43.7-46.5)

Figure 36. Overweight/Obese or BMI >= 25 (%)




Source: BRFSS.

Table 61. Overweight/Obese by Year, Clark County, NV and U.S. (%)

	2000	2001	2002	2003	2004	2005	2006
Clark	54.4	56.8	59.4	59.6	61.9	57.6	64.8
	(50.0-58.8)	(52.8-60.8)	(55.9-63.0)	(55.9-63.3)	(58.2-65.5)	(53.8-61.4)	(61.4-68.2)
NV	53.2	56.5	58.9	58.5	59.9	57.9	63.6
	(50.1-56.4)	(53.7-59.4)	(56.3-61.4)	(55.8-61.2)	(57.3-62.6)	(55.2-60.7)	(61.0-66.1)
U.S.†	57.1	59.1	58.9	60.1	60.4	61.0	62.3

†Median % among participating states, DC and territories.

Figure 37. Year 2006: Overweight/Obese or BMI >= 25 (%) (U.S. outlying territories not displayed on map)



*Prevalence in Clark County: 64.8%.

Source: BRFSS.

Table 62. Overweight / Obese or BMI >= 25

Source: BRFSS.	2000-06 aggregated							
	State		Clark		Washoe		Other Counties	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	11452	58.5 (57.5-59.6)	3725	59.4 (58.0-60.8)	3614	54.9 (53.5-56.3)	4113	58.7 (56.9-60.6)
Male	6715	68.3 (66.9-69.7)	2197	69.2 (67.3-71.1)	2137	65.9 (64.0-67.9)	2381	67.1 (64.5-69.7)
Female	4737	48.1 (46.6-49.6)	1528	48.9 (46.9-51.0)	1477	43.4 (41.4-45.3)	1732	49.4 (46.9-51.9)
Race/Ethnicity	11452	58.5 (57.5-59.6)	3725	59.4 (58.0-60.8)	3614	54.9 (53.5-56.3)	4113	58.7 (56.9-60.6)
White,Non-Hisp.	8333	57.5 (56.4-58.7)	2467	58.5 (56.8-60.3)	2783	53.5 (51.9-55.1)	3083	58.2 (56.6-59.9)
Black,Non-Hisp.	333	63.6 (58.3-68.8)	273	64.6 (59.0-70.2)	45	57.7 (44.9-70.6)	15	37.8 (17.6-57.9)
Other/Multi,Non-Hisp.	1294	57.0 (53.9-60.1)	436	56.9 (52.8-60.9)	378	55.9 (51.6-60.1)	480	58.5 (52.6-64.4)
Hispanic	1385	62.3 (59.4-65.3)	515	62.5 (58.6-66.4)	376	63.1 (58.7-67.6)	494	61.3 (55.4-67.3)
Age group	11452	58.5 (57.5-59.6)	3725	59.4 (58.0-60.8)	3614	54.9 (53.5-56.3)	4113	58.7 (56.9-60.6)
18-24	560	39.0 (35.4-42.6)	198	41.4 (36.3-46.5)	171	31.8 (27.4-36.2)	191	37.2 (30.7-43.7)
25-34	1531	55.3 (52.7-57.9)	565	55.9 (52.4-59.3)	493	53.9 (50.3-57.4)	473	54.2 (49.3-59.0)
35-44	2328	61.8 (59.6-63.9)	780	62.0 (59.0-65.0)	724	56.8 (53.8-59.8)	824	66.1 (62.5-69.7)
45-54	2509	64.8 (62.5-67.0)	777	66.1 (62.9-69.2)	829	61.9 (58.9-64.8)	903	62.6 (59.2-66.0)
55-64	2182	66.6 (64.3-69.0)	673	67.5 (64.3-70.8)	690	62.6 (59.3-66.0)	819	66.9 (63.0-70.9)
65+	2334	58.0 (55.7-60.2)	729	57.9 (54.7-61.1)	704	56.0 (52.8-59.2)	901	59.9 (56.7-63.2)
Education	11452	58.5 (57.5-59.6)	3725	59.4 (58.0-60.8)	3614	54.9 (53.5-56.3)	4113	58.7 (56.9-60.6)
Less than H.S. diploma	1109	62.5 (59.1-65.9)	335	63.6 (58.8-68.3)	269	57.5 (52.2-62.9)	505	62.3 (56.3-68.4)
H.S. diploma or G.E.D.	3361	56.6 (54.7-58.5)	1028	56.4 (53.7-59.1)	949	56.8 (54.0-59.6)	1384	57.1 (54.2-60.0)
Some post-H.S.	3696	58.3 (56.5-60.1)	1216	58.6 (56.2-61.1)	1162	54.9 (52.4-57.4)	1318	60.5 (57.8-63.2)
College graduate	3266	59.3 (57.5-61.2)	1139	61.9 (59.3-64.4)	1228	52.8 (50.5-55.1)	899	55.6 (52.4-58.9)
Income	11452	58.5 (57.5-59.6)	3725	59.4 (58.0-60.8)	3614	54.9 (53.5-56.3)	4113	58.7 (56.9-60.6)
Less than \$15,000	862	55.2 (51.1-59.2)	242	54.2 (48.4-60.1)	265	57.6 (52.2-63.1)	355	56.0 (49.3-62.8)
\$15,000 to 24,999	1551	59.9 (57.0-62.7)	488	61.4 (57.4-65.3)	448	54.1 (50.1-58.2)	615	59.3 (54.4-64.1)
\$25,000 to 34,999	1344	56.0 (53.1-59.0)	454	57.4 (53.4-61.5)	404	51.4 (47.2-55.5)	486	55.0 (49.2-60.8)
\$35,000 to 49,999	1992	59.4 (57.0-61.9)	618	59.0 (55.5-62.4)	620	57.4 (54.0-60.9)	754	63.3 (59.8-66.8)
\$50,000 or more	4554	61.6 (60.0-63.2)	1565	62.8 (60.6-64.9)	1536	56.4 (54.2-58.5)	1453	62.7 (60.0-65.3)
Employment	11452	58.5 (57.5-59.6)	3725	59.4 (58.0-60.8)	3614	54.9 (53.5-56.3)	4113	58.7 (56.9-60.6)
Employed/Self-empl.	7305	60.9 (59.6-62.2)	2395	62.0 (60.2-63.7)	2361	56.5 (54.8-58.2)	2549	61.0 (58.6-63.4)
Out of work	439	53.0 (48.0-58.0)	157	53.9 (47.2-60.6)	132	54.5 (47.1-61.8)	150	47.7 (39.2-56.2)
Homemaker/Student	724	43.5 (39.9-47.1)	257	44.6 (39.7-49.5)	200	36.0 (31.5-40.6)	267	45.9 (40.1-51.7)
Retired/Unable to work	2959	60.7 (58.6-62.7)	908	60.9 (58.0-63.8)	914	59.7 (56.9-62.6)	1137	60.6 (57.4-63.8)
Marital status	11452	58.5 (57.5-59.6)	3725	59.4 (58.0-60.8)	3614	54.9 (53.5-56.3)	4113	58.7 (56.9-60.6)
Married	6418	63.1 (61.7-64.4)	2008	63.8 (61.9-65.6)	1962	60.1 (58.2-61.9)	2448	63.1 (60.9-65.3)
Divorced	2049	56.1 (53.7-58.5)	659	56.8 (53.5-60.2)	712	53.5 (50.1-56.8)	678	56.1 (52.4-59.9)
Widowed	928	52.9 (49.3-56.6)	281	53.1 (48.0-58.3)	267	49.4 (44.5-54.2)	380	55.3 (49.4-61.2)
Separated	275	59.8 (52.9-66.6)	94	62.1 (52.9-71.2)	77	50.9 (40.9-60.9)	104	58.4 (44.1-72.6)
Never married	1329	47.1 (44.3-49.9)	520	48.2 (44.4-52.0)	446	43.9 (40.1-47.6)	363	45.8 (39.9-51.6)
Mem. of unmarr. couple	417	56.3 (51.3-61.2)	151	59.4 (52.9-66.0)	138	46.2 (39.8-52.6)	128	53.5 (42.2-64.9)
Overall health status	11452	58.5 (57.5-59.6)	3725	59.4 (58.0-60.8)	3614	54.9 (53.5-56.3)	4113	58.7 (56.9-60.6)
Good or better	9375	57.1 (56.0-58.2)	3056	58.2 (56.6-59.7)	3011	53.1 (51.6-54.6)	3308	56.7 (54.8-58.7)
Fair or poor	2063	66.1 (63.6-68.7)	663	65.6 (62.1-69.1)	601	67.5 (63.9-71.0)	799	67.0 (62.3-71.7)
Leisure time exercise?	11452	58.5 (57.5-59.6)	3725	59.4 (58.0-60.8)	3614	54.9 (53.5-56.3)	4113	58.7 (56.9-60.6)
Yes	8705	57.2 (56.1-58.4)	2733	58.1 (56.4-59.7)	2867	53.3 (51.7-54.8)	3105	58.2 (56.3-60.1)
No	2727	62.5 (60.4-64.7)	986	63.1 (60.3-66.0)	739	62.1 (58.8-65.5)	1002	60.4 (55.9-64.8)
Alcohol consumption	11452	58.5 (57.5-59.6)	3725	59.4 (58.0-60.8)	3614	54.9 (53.5-56.3)	4113	58.7 (56.9-60.6)
Heavy drinker	850	53.9 (50.4-57.5)	242	54.7 (49.4-60.0)	274	49.8 (45.0-54.7)	334	55.7 (50.2-61.2)
Not a heavy drinker	10448	59.1 (58.0-60.1)	3434	59.9 (58.4-61.4)	3303	55.5 (54.1-57.0)	3711	59.0 (57.1-61.0)
Smoking status	11452	58.5 (57.5-59.6)	3725	59.4 (58.0-60.8)	3614	54.9 (53.5-56.3)	4113	58.7 (56.9-60.6)
Current smokers	2447	51.7 (49.6-53.8)	848	52.6 (49.8-55.5)	691	48.7 (45.6-51.8)	908	50.7 (47.0-54.4)
Do not smoke currently	8967	60.8 (59.6-62.0)	2861	61.7 (60.0-63.3)	2914	56.7 (55.2-58.3)	3192	61.4 (59.4-63.5)

Table 63. Overweight / Obese or BMI >= 25 , Clark County - NV (applicable years from 2000-06)

Source: BRFSS.

	2000		2001		2002		2003		2004		2005		2006	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	382	54.4 (50.0-58.8)	478	56.8 (52.8-60.8)	567	59.4 (55.9-63.0)	529	59.6 (55.9-63.3)	551	61.9 (58.2-65.5)	505	57.6 (53.8-61.4)	713	64.8 (61.4-68.2)
Male	248	64.5 (58.8-70.2)	314	69.2 (63.9-74.4)	338	69.6 (64.8-74.4)	295	66.7 (61.5-71.9)	325	72.1 (67.4-76.7)	304	69.1 (64.0-74.1)	373	72.4 (67.5-77.3)
Female	134	43.4 (36.7-50.1)	164	43.7 (38.1-49.3)	229	48.6 (43.4-53.7)	234	51.8 (46.6-57.1)	226	51.0 (45.5-56.4)	201	45.2 (39.8-50.5)	340	57.2 (52.4-61.9)
Race/Ethnicity	382	54.4 (50.0-58.8)	478	56.8 (52.8-60.8)	567	59.4 (55.9-63.0)	529	59.6 (55.9-63.3)	551	61.9 (58.2-65.5)	505	57.6 (53.8-61.4)	713	64.8 (61.4-68.2)
White, Non-Hisp.	259	53.0 (47.7-58.3)	332	56.0 (51.6-60.5)	372	58.3 (54.0-62.6)	343	58.3 (53.9-62.7)	360	61.4 (57.0-65.8)	331	57.8 (53.2-62.4)	470	64.8 (60.6-69.0)
Black, Non-Hisp.	44	59.7 (44.8-74.7)	36	61.3 (46.3-76.2)	40	65.5 (52.3-78.8)	37	66.5 (51.5-81.4)	37	67.5 (52.8-82.2)	40	65.4 (51.6-79.2)	39	69.2 (55.6-82.8)
Other/Multi, Non-Hisp.	31	54.3 (40.0-68.6)	61	55.4 (44.8-66.0)	73	57.2 (46.8-67.6)	64	61.5 (50.5-72.4)	57	50.7 (40.3-61.1)	61	54.3 (43.8-64.9)	89	63.1 (53.5-72.6)
Hispanic	47	60.2 (47.8-72.5)	44	59.9 (44.2-75.5)	77	64.7 (55.2-74.1)	81	60.8 (51.1-70.6)	90	69.1 (60.2-77.9)	68	56.2 (46.0-66.4)	108	63.8 (55.4-72.2)
Age group	382	54.4 (50.0-58.8)	478	56.8 (52.8-60.8)	567	59.4 (55.9-63.0)	529	59.6 (55.9-63.3)	551	61.9 (58.2-65.5)	505	57.6 (53.8-61.4)	713	64.8 (61.4-68.2)
18-24	29	35.4 (23.2-47.6)	28	39.1 (25.8-52.4)	33	44.4 (32.1-56.7)	27	42.5 (29.3-55.8)	33	52.7 (39.0-66.4)	25	37.2 (24.1-50.3)	23	38.0 (24.1-51.8)
25-34	85	52.8 (43.5-62.0)	74	48.5 (39.7-57.3)	87	60.9 (52.3-69.4)	88	53.5 (44.6-62.4)	74	57.7 (48.3-67.1)	66	52.0 (42.4-61.6)	91	63.9 (55.5-72.3)
35-44	89	54.7 (46.0-63.4)	99	51.3 (42.7-59.9)	132	65.6 (58.0-73.3)	115	60.7 (53.0-68.4)	116	67.3 (59.8-74.8)	97	64.4 (56.5-72.4)	132	68.8 (62.2-75.4)
45-54	75	60.9 (50.2-71.6)	106	70.3 (61.6-79.1)	124	58.5 (50.6-66.5)	108	70.0 (61.7-78.3)	106	63.1 (55.4-70.9)	105	63.4 (55.3-71.5)	153	75.2 (69.1-81.4)
55-64	51	60.0 (47.6-72.4)	86	69.8 (61.0-78.6)	94	68.3 (59.9-76.7)	86	62.7 (53.8-71.7)	117	71.7 (64.4-78.9)	102	67.9 (59.8-76.1)	137	70.4 (63.2-77.6)
65+	51	56.1 (44.4-67.8)	85	57.6 (48.6-66.5)	97	54.1 (46.0-62.2)	105	61.4 (53.2-69.6)	104	56.6 (48.6-64.7)	110	55.4 (47.5-63.4)	177	63.5 (57.2-69.8)
Education	382	54.4 (50.0-58.8)	478	56.8 (52.8-60.8)	567	59.4 (55.9-63.0)	529	59.6 (55.9-63.3)	551	61.9 (58.2-65.5)	505	57.6 (53.8-61.4)	713	64.8 (61.4-68.2)
Less than H.S. diploma	42	58.7 (44.6-72.8)	37	61.5 (46.7-76.3)	46	61.0 (49.3-72.6)	51	66.5 (54.9-78.1)	49	63.8 (52.0-75.5)	46	63.1 (50.7-75.5)	64	67.8 (56.3-79.3)
H.S. diploma or G.E.D.	135	57.6 (50.1-65.1)	120	52.8 (45.5-60.2)	160	54.5 (47.8-61.1)	144	56.5 (49.4-63.7)	150	58.7 (51.6-65.8)	136	53.1 (45.9-60.4)	183	61.5 (54.5-68.5)
Some post-H.S.	105	48.6 (40.7-56.4)	173	53.9 (47.6-60.3)	186	61.0 (54.8-67.2)	164	57.7 (51.1-64.3)	191	63.1 (56.9-69.2)	172	60.0 (53.5-66.5)	225	64.3 (58.3-70.4)
College graduate	100	55.4 (46.6-64.1)	145	62.6 (55.1-70.1)	175	63.1 (56.7-69.4)	168	62.3 (55.9-68.6)	159	62.9 (56.4-69.4)	151	57.8 (51.0-64.5)	241	67.1 (61.8-72.5)
Income	382	54.4 (50.0-58.8)	478	56.8 (52.8-60.8)	567	59.4 (55.9-63.0)	529	59.6 (55.9-63.3)	551	61.9 (58.2-65.5)	505	57.6 (53.8-61.4)	713	64.8 (61.4-68.2)
Less than \$15,000	20	48.9 (28.1-69.6)	29	53.0 (36.7-69.3)	38	53.6 (39.8-67.3)	37	67.1 (52.6-81.5)	33	49.3 (34.3-64.4)	31	41.8 (27.9-55.6)	54	65.4 (53.0-77.8)
\$15,000 to 24,999	51	55.6 (43.9-67.3)	59	53.9 (42.7-65.0)	83	58.7 (49.4-67.9)	70	65.8 (55.8-75.9)	73	66.8 (56.4-77.2)	66	60.4 (49.5-71.2)	86	68.5 (58.5-78.4)
\$25,000 to 34,999	57	47.6 (36.7-58.5)	57	52.8 (42.3-63.4)	75	59.3 (49.4-69.3)	74	61.5 (51.3-71.6)	71	63.9 (53.7-74.0)	53	54.9 (43.1-66.6)	67	63.6 (52.3-74.8)
\$35,000 to 49,999	74	53.6 (44.2-62.9)	99	57.0 (48.2-65.8)	89	56.0 (47.5-64.6)	83	60.7 (51.5-69.8)	107	66.1 (57.8-74.5)	64	56.1 (45.5-66.8)	102	62.1 (52.8-71.4)
\$50,000 or more	147	57.3 (50.2-64.4)	192	62.7 (56.8-68.7)	228	64.3 (58.6-69.9)	213	58.9 (53.2-64.7)	215	61.7 (56.1-67.4)	239	63.1 (57.6-68.5)	331	68.8 (64.1-73.5)
Employment	382	54.4 (50.0-58.8)	478	56.8 (52.8-60.8)	567	59.4 (55.9-63.0)	529	59.6 (55.9-63.3)	551	61.9 (58.2-65.5)	505	57.6 (53.8-61.4)	713	64.8 (61.4-68.2)
Employed/Self-empl.	286	57.7 (52.4-63.0)	321	58.8 (54.0-63.5)	376	62.0 (57.6-66.4)	339	61.1 (56.5-65.8)	351	66.8 (62.3-71.2)	305	59.4 (54.5-64.2)	417	67.0 (62.7-71.4)
Out of work	12	44.7 (24.6-64.7)	16	37.9 (21.4-54.3)	29	68.5 (54.5-82.5)	26	60.1 (42.7-77.5)	24	53.8 (36.8-70.7)	23	57.5 (39.1-75.9)	27	55.3 (38.1-72.5)
Homemaker/Student	21	36.7 (23.2-50.2)	25	47.4 (28.6-66.1)	37	42.7 (30.6-54.8)	46	47.8 (36.3-59.2)	39	41.5 (30.3-52.7)	31	41.0 (29.0-53.0)	58	52.3 (41.3-63.3)
Retired/Unable to work	63	52.8 (42.2-63.3)	115	61.3 (53.5-69.1)	125	57.9 (50.4-65.4)	117	61.8 (54.1-69.4)	136	62.4 (55.1-69.7)	142	59.9 (52.8-67.0)	210	68.9 (63.1-74.7)
Marital status	382	54.4 (50.0-58.8)	478	56.8 (52.8-60.8)	567	59.4 (55.9-63.0)	529	59.6 (55.9-63.3)	551	61.9 (58.2-65.5)	505	57.6 (53.8-61.4)	713	64.8 (61.4-68.2)
Married	196	57.6 (51.4-63.7)	254	63.2 (57.8-68.7)	304	63.9 (59.3-68.6)	280	64.9 (60.1-69.7)	305	63.7 (59.0-68.5)	277	61.5 (56.6-66.5)	392	70.4 (66.3-74.4)
Divorced	67	57.7 (47.9-67.6)	79	51.1 (42.0-60.3)	115	61.8 (53.5-70.0)	98	54.2 (45.3-63.1)	93	54.5 (45.6-63.4)	81	55.7 (46.5-65.0)	126	63.1 (54.9-71.2)
Widowed	20	50.9 (32.3-69.5)	33	52.1 (37.0-67.1)	41	47.3 (34.9-59.7)	40	57.5 (44.5-70.4)	37	51.0 (38.1-63.8)	39	53.8 (41.0-66.6)	71	58.2 (48.1-68.4)
Separated	16	61.3 (35.6-87.0)	13	56.5 (33.0-80.0)	12	60.9 (37.3-84.4)	13	76.0 (51.2-100.0)	13	61.5 (39.8-83.1)	14	54.2 (31.7-76.7)	13	63.0 (38.3-87.6)
Never married	65	46.1 (36.1-56.1)	80	42.9 (34.1-51.8)	74	45.8 (36.3-55.2)	72	46.2 (36.3-56.1)	79	58.9 (48.8-69.1)	69	47.3 (37.1-57.6)	81	50.1 (39.6-60.5)
Mem. of unmarr. couple	17	38.8 (22.8-54.8)	19	56.0 (37.3-74.6)	19	63.9 (47.8-80.1)	23	54.7 (38.9-70.4)	23	78.8 (62.7-95.0)	22	56.8 (40.0-73.6)	28	66.6 (49.9-83.3)


Indicator 2: Obese, defined as BMI greater than or equal to 30.

- 21.9% of county residents were obese based on aggregated county data from 2000-06 (Figure 38).
- In both Clark County and Nevada, non-Hispanic blacks and Hispanics were more at risk for obesity than other racial/ethnic groups based on age-adjusted prevalence estimates (Table 64).

Table 64. Percent Obese by Race/Ethnicity (2000-06 aggregated)

	White, Non-Hisp.			Black, Non-Hisp.			Other/Multi, Non-Hisp.			Hispanic		
	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.
State	2864	20.7 (19.7-21.7)	20.4 (19.4-21.4)	134	27.8 (22.9-32.8)	28.2 (23.3-33.2)	472	18.2 (15.9-20.5)	18.4 (16.1-20.7)	527	23.9 (21.1-26.7)	26.3 (23.3-29.4)
Clark	879	21.7 (20.2-23.2)	21.2 (19.8-22.7)	114	28.6 (23.3-33.9)	29.0 (23.7-34.3)	126	16.2 (13.2-19.2)	16.3 (13.3-19.2)	191	24.8 (21.0-28.6)	28.0 (23.7-32.3)
Washoe	885	17.2 (15.9-18.4)	17.0 (15.8-18.2)	13	15.9 (6.9-24.8)	17.5 (7.7-27.2)	150	22.6 (19.0-26.3)	22.6 (19.0-26.2)	140	23.6 (19.7-27.4)	22.6 (18.9-26.4)
Other Counties	1100	20.7 (19.4-22.0)	20.8 (19.4-22.2)	7	20.5 (2.9-38.1)	18.7 (6.8-30.7)	196	23.6 (18.8-28.4)	23.3 (18.9-27.8)	196	21.3 (17.1-25.4)	23.8 (19.5-28.2)

Figure 38. Percent Obese by Demographic Subgroups (2000-06 aggregated)




Source: BRFSS.

Table 66. Obesity by Year, Clark County, NV and U.S. (%)

	2000	2001	2002	2003	2004	2005	2006
Clark	18.3 (14.7-21.9)	20.6 (16.8-24.3)	22.6 (19.5-25.6)	22.2 (19.1-25.4)	22.1 (18.9-25.3)	21.4 (18.3-24.6)	25.1 (22.1-28.2)
NV	17.9 (15.4-20.5)	19.5 (16.9-22.1)	21.6 (19.4-23.7)	21.2 (19.0-23.4)	21.1 (18.8-23.3)	21.1 (18.8-23.3)	25.0 (22.8-27.2)
U.S.†	20.1	21.1	22.2	22.8	23.2	24.0	25.1

†Median % among participating states, DC and territories.

Figure 40. Year 2006: Obesity or BMI >=30 (%)
(U.S. outlying territories not displayed on map)




*Prevalence in Clark County: 25.1%.
Source: BRFSS.

Table 65. Obese? (%) (2000-06 aggregated)

County	Yes or BMI >=30		No or BMI <30	
	N	% and C.I.	N	% and C.I.
Carson City	220	19.5 (16.6-22.4)	927	80.5 (77.6-83.4)
Churchill	134	21.3 (17.6-24.9)	440	78.7 (75.1-82.4)
Clark	1319	21.9 (20.6-23.1)	4929	78.1 (76.9-79.4)
Douglas	169	16.1 (13.5-18.7)	844	83.9 (81.3-86.5)
Elko	213	24.0 (20.9-27.1)	644	76.0 (72.9-79.1)
Humboldt	26	23.4 (14.7-32.1)	73	76.6 (67.9-85.3)
Lyon	215	23.0 (20.0-25.9)	719	77.0 (74.1-80.0)
Nye	205	27.8 (24.0-31.6)	523	72.2 (68.4-76.0)
Washoe	1195	18.4 (17.3-19.5)	5300	81.6 (80.5-82.7)

Figure 39. Obesity or BMI >=30 (%)



Source: BRFSS.

Table 67. Obese Only or BMI >= 30

Source: BRFSS.

2000-06 aggregated

	State		Clark		Washoe		Other Counties	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	4028	21.2 (20.3-22.0)	1319	21.9 (20.6-23.1)	1195	18.4 (17.3-19.5)	1514	21.0 (19.7-22.4)
Male	2163	23.2 (21.9-24.5)	736	24.4 (22.6-26.2)	617	19.4 (17.8-21.0)	810	22.2 (20.3-24.1)
Female	1865	19.0 (17.8-20.1)	583	19.2 (17.5-20.8)	578	17.3 (15.8-18.8)	704	19.8 (17.8-21.7)
Race/Ethnicity	4028	21.2 (20.3-22.0)	1319	21.9 (20.6-23.1)	1195	18.4 (17.3-19.5)	1514	21.0 (19.7-22.4)
White,Non-Hisp.	2864	20.7 (19.7-21.7)	879	21.7 (20.2-23.2)	885	17.2 (15.9-18.4)	1100	20.7 (19.4-22.0)
Black,Non-Hisp.	134	27.8 (22.9-32.8)	114	28.6 (23.3-33.9)	13	15.9 (6.9-24.8)	7	20.5 (2.9-38.1)
Other/Multi,Non-Hisp.	472	18.2 (15.9-20.5)	126	16.2 (13.2-19.2)	150	22.6 (19.0-26.3)	196	23.6 (18.8-28.4)
Hispanic	527	23.9 (21.1-26.7)	191	24.8 (21.0-28.6)	140	23.6 (19.7-27.4)	196	21.3 (17.1-25.4)
Age group	4028	21.2 (20.3-22.0)	1319	21.9 (20.6-23.1)	1195	18.4 (17.3-19.5)	1514	21.0 (19.7-22.4)
18-24	163	11.2 (8.8-13.6)	53	11.5 (8.1-14.9)	51	10.0 (7.0-12.9)	59	11.4 (7.4-15.4)
25-34	565	21.3 (19.2-23.5)	210	21.9 (18.9-24.9)	169	19.0 (16.1-21.8)	186	21.3 (17.6-25.0)
35-44	840	22.4 (20.6-24.3)	276	22.6 (20.0-25.2)	251	20.5 (18.0-23.0)	313	23.8 (20.6-27.1)
45-54	920	24.9 (22.7-27.2)	294	26.7 (23.4-29.9)	277	20.2 (17.8-22.5)	349	22.8 (20.1-25.5)
55-64	811	24.5 (22.2-26.8)	244	25.0 (21.8-28.2)	248	22.6 (19.7-25.5)	319	24.5 (21.4-27.6)
65+	727	19.0 (17.2-20.9)	241	19.7 (17.1-22.3)	199	15.4 (13.1-17.7)	287	19.9 (16.7-23.0)
Education	4028	21.2 (20.3-22.0)	1319	21.9 (20.6-23.1)	1195	18.4 (17.3-19.5)	1514	21.0 (19.7-22.4)
Less than H.S. diploma	427	23.8 (20.8-26.7)	123	24.5 (20.1-28.8)	112	24.7 (20.1-29.3)	192	21.8 (17.3-26.3)
H.S. diploma or G.E.D.	1253	22.3 (20.6-23.9)	397	22.9 (20.6-25.2)	348	21.1 (18.9-23.4)	508	21.0 (18.7-23.3)
Some post-H.S.	1344	21.2 (19.7-22.7)	434	21.4 (19.3-23.5)	399	19.1 (17.1-21.1)	511	22.9 (20.8-25.0)
College graduate	997	18.7 (17.1-20.4)	363	20.3 (18.0-22.6)	334	13.9 (12.3-15.5)	300	17.7 (15.6-19.8)
Income	4028	21.2 (20.3-22.0)	1319	21.9 (20.6-23.1)	1195	18.4 (17.3-19.5)	1514	21.0 (19.7-22.4)
Less than \$15,000	397	25.4 (21.7-29.0)	104	25.0 (19.7-30.3)	119	24.2 (19.5-28.8)	174	26.9 (20.5-33.3)
\$15,000 to 24,999	566	22.8 (20.3-25.3)	190	24.8 (21.1-28.5)	160	19.6 (16.4-22.8)	216	18.8 (15.4-22.2)
\$25,000 to 34,999	472	20.2 (17.9-22.5)	165	21.1 (17.8-24.4)	124	16.9 (13.7-20.1)	183	19.8 (16.2-23.5)
\$35,000 to 49,999	733	21.6 (19.6-23.6)	221	21.0 (18.2-23.8)	234	22.5 (19.5-25.5)	278	23.1 (20.2-26.1)
\$50,000 or more	1497	21.2 (19.8-22.5)	525	22.2 (20.3-24.1)	460	16.9 (15.3-18.5)	512	21.7 (19.7-23.6)
Employment	4028	21.2 (20.3-22.0)	1319	21.9 (20.6-23.1)	1195	18.4 (17.3-19.5)	1514	21.0 (19.7-22.4)
Employed/Self-empl.	2525	21.6 (20.5-22.7)	835	22.5 (21.0-24.1)	762	18.5 (17.1-19.8)	928	21.1 (19.4-22.8)
Out of work	168	20.1 (16.0-24.1)	59	20.8 (15.3-26.3)	47	19.4 (13.5-25.3)	62	17.4 (12.3-22.6)
Homemaker/Student	271	16.7 (13.6-19.9)	93	16.9 (12.6-21.3)	68	13.5 (10.0-16.9)	110	19.2 (14.8-23.5)
Retired/Unable to work	1059	22.5 (20.7-24.4)	331	22.9 (20.3-25.5)	317	20.7 (18.4-23.1)	411	22.8 (19.7-25.9)
Marital status	4028	21.2 (20.3-22.0)	1319	21.9 (20.6-23.1)	1195	18.4 (17.3-19.5)	1514	21.0 (19.7-22.4)
Married	2233	22.7 (21.4-23.9)	714	23.6 (21.8-25.3)	625	19.3 (17.8-20.8)	894	22.3 (20.7-23.9)
Divorced	752	21.2 (19.2-23.2)	244	21.5 (18.7-24.3)	254	20.2 (17.5-22.9)	254	20.9 (17.9-23.9)
Widowed	315	18.9 (15.8-22.0)	94	18.9 (14.7-23.1)	79	14.4 (10.8-18.0)	142	22.6 (15.8-29.5)
Separated	110	23.8 (17.5-30.2)	30	22.9 (14.3-31.6)	34	22.9 (14.5-31.4)	46	27.4 (14.5-40.2)
Never married	465	16.7 (14.6-18.8)	182	17.4 (14.6-20.2)	155	15.4 (12.7-18.2)	128	15.0 (10.9-19.1)
Mem. of un marr. couple	142	19.9 (15.6-24.2)	51	21.6 (15.5-27.6)	47	16.1 (11.4-20.8)	44	17.1 (10.8-23.4)
Overall health status	4028	21.2 (20.3-22.0)	1319	21.9 (20.6-23.1)	1195	18.4 (17.3-19.5)	1514	21.0 (19.7-22.4)
Good or better	3043	19.4 (18.4-20.3)	1008	20.2 (18.9-21.6)	898	16.1 (15.0-17.2)	1137	19.1 (17.7-20.5)
Fair or poor	977	30.5 (28.0-32.9)	309	30.3 (26.9-33.7)	295	33.5 (30.0-37.1)	373	29.0 (24.9-33.0)
Leisure time exercise?	4028	21.2 (20.3-22.0)	1319	21.9 (20.6-23.1)	1195	18.4 (17.3-19.5)	1514	21.0 (19.7-22.4)
Yes	2820	19.0 (18.1-20.0)	895	19.7 (18.3-21.1)	860	16.2 (15.1-17.4)	1065	19.3 (17.9-20.8)
No	1201	27.8 (25.8-29.8)	423	28.3 (25.7-31.0)	332	27.8 (24.8-30.8)	446	25.8 (22.6-29.1)
Alcohol consumption	4028	21.2 (20.3-22.0)	1319	21.9 (20.6-23.1)	1195	18.4 (17.3-19.5)	1514	21.0 (19.7-22.4)
Heavy drinker	243	17.0 (14.1-19.9)	74	17.6 (13.3-21.9)	71	14.9 (11.1-18.7)	98	17.3 (12.9-21.6)
Not a heavy drinker	3744	21.7 (20.7-22.6)	1235	22.4 (21.1-23.7)	1110	18.7 (17.6-19.9)	1399	21.6 (20.1-23.0)
Smoking status	4028	21.2 (20.3-22.0)	1319	21.9 (20.6-23.1)	1195	18.4 (17.3-19.5)	1514	21.0 (19.7-22.4)
Current smokers	774	16.3 (14.8-17.9)	256	16.3 (14.2-18.4)	229	16.6 (14.3-19.0)	289	16.1 (13.5-18.6)
Do not smoke currently	3246	22.8 (21.7-23.8)	1058	23.8 (22.3-25.3)	965	18.9 (17.7-20.2)	1223	22.8 (21.2-24.4)

Table 68. Obese Only or BMI >= 30, Clark County - NV (applicable years from 2000-06)

Source: BRFSS.

	2000		2001		2002		2003		2004		2005		2006	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	118	18.3 (14.7-21.9)	170	20.6 (16.8-24.3)	210	22.6 (19.5-25.6)	190	22.2 (19.1-25.4)	183	22.1 (18.9-25.3)	180	21.4 (18.3-24.6)	268	25.1 (22.1-28.2)
Male	72	21.8 (16.4-27.3)	105	24.5 (18.6-30.4)	118	25.5 (21.0-30.0)	109	25.3 (20.7-29.8)	97	23.8 (19.2-28.3)	95	22.9 (18.3-27.5)	140	26.7 (22.3-31.1)
Female	46	14.4 (9.9-18.8)	65	16.4 (12.2-20.5)	92	19.4 (15.5-23.4)	81	19.0 (14.6-23.3)	86	20.3 (15.8-24.8)	85	19.9 (15.5-24.2)	128	23.5 (19.3-27.8)
Race/Ethnicity	118	18.3 (14.7-21.9)	170	20.6 (16.8-24.3)	210	22.6 (19.5-25.6)	190	22.2 (19.1-25.4)	183	22.1 (18.9-25.3)	180	21.4 (18.3-24.6)	268	25.1 (22.1-28.2)
White, Non-Hisp.	74	16.5 (12.3-20.8)	127	21.2 (17.5-24.8)	145	23.6 (19.8-27.3)	128	22.3 (18.6-26.1)	116	20.7 (16.9-24.5)	111	21.0 (17.1-24.9)	178	26.5 (22.6-30.3)
Black, Non-Hisp.	20	29.2 (15.8-42.7)	16	27.4 (14.8-40.1)	13	21.1 (9.1-33.0)	14	30.3 (14.2-46.5)	13	24.8 (11.6-37.9)	21	36.9 (22.9-50.9)	17	27.7 (14.0-41.3)
Other/Multi, Non-Hisp.	11	16.5 (6.7-26.4)	11	7.9 (3.0-12.7)	19	17.3 (9.3-25.2)	21	23.9 (14.0-33.8)	16	14.5 (7.1-21.9)	20	15.5 (8.9-22.2)	28	17.7 (10.2-25.1)
Hispanic	13	21.8 (8.0-35.5)	16	28.9 (9.8-48.0)	32	24.9 (16.5-33.3)	27	19.1 (12.0-26.2)	34	29.7 (20.7-38.7)	26	21.8 (13.0-30.5)	43	26.1 (18.6-33.7)
Age group	118	18.3 (14.7-21.9)	170	20.6 (16.8-24.3)	210	22.6 (19.5-25.6)	190	22.2 (19.1-25.4)	183	22.1 (18.9-25.3)	180	21.4 (18.3-24.6)	268	25.1 (22.1-28.2)
18-24	8	11.8 (2.0-21.7)	7	11.9 (1.0-22.8)	11	15.6 (6.5-24.7)	7	11.7 (2.4-21.1)	6	12.0 (2.4-21.7)	7	6.1 (1.1-11.1)	7	12.1 (3.0-21.2)
25-34	30	22.3 (13.0-31.5)	20	12.9 (7.0-18.8)	45	30.7 (22.7-38.8)	31	19.0 (12.4-25.7)	32	27.6 (19.0-36.3)	21	19.4 (11.1-27.6)	31	20.4 (13.4-27.4)
35-44	21	12.6 (7.2-17.9)	35	16.8 (11.1-22.5)	39	19.2 (13.1-25.2)	47	25.7 (18.9-32.5)	40	24.1 (17.0-31.1)	42	29.1 (21.2-37.0)	52	28.8 (21.7-35.9)
45-54	28	22.3 (13.5-31.1)	40	30.0 (18.2-41.9)	42	20.4 (13.8-27.1)	45	29.0 (20.9-37.0)	39	24.2 (16.6-31.7)	40	25.1 (17.8-32.5)	60	35.0 (27.2-42.7)
55-64	18	25.5 (11.8-39.2)	32	25.5 (17.0-34.0)	34	25.6 (17.4-33.8)	31	22.4 (14.6-30.2)	35	22.0 (15.0-29.0)	35	24.9 (17.2-32.7)	59	28.5 (21.6-35.5)
65+	12	15.0 (6.8-23.3)	36	24.1 (16.3-32.0)	39	21.7 (15.1-28.4)	29	20.1 (12.4-27.8)	31	17.1 (11.1-23.1)	35	18.2 (12.1-24.3)	59	21.3 (15.9-26.8)
Education	118	18.3 (14.7-21.9)	170	20.6 (16.8-24.3)	210	22.6 (19.5-25.6)	190	22.2 (19.1-25.4)	183	22.1 (18.9-25.3)	180	21.4 (18.3-24.6)	268	25.1 (22.1-28.2)
Less than H.S. diploma	14	18.6 (8.7-28.5)	14	27.7 (12.8-42.7)	17	24.6 (13.8-35.5)	22	28.0 (17.1-38.9)	15	21.7 (10.5-32.9)	19	28.9 (16.2-41.5)	22	21.9 (12.1-31.7)
H.S. diploma or G.E.D.	44	21.3 (14.4-28.1)	46	21.3 (15.3-27.4)	69	23.0 (17.5-28.5)	57	24.3 (18.1-30.4)	53	24.7 (18.3-31.1)	55	21.9 (16.1-27.8)	73	23.4 (17.7-29.0)
Some post-H.S.	32	16.4 (9.7-23.1)	58	15.9 (11.7-20.1)	66	21.2 (16.1-26.4)	54	19.4 (14.2-24.6)	76	27.4 (21.6-33.3)	61	21.1 (15.7-26.4)	87	26.8 (21.2-32.4)
College graduate	28	16.2 (10.0-22.4)	51	23.3 (14.2-32.5)	58	22.8 (17.0-28.6)	56	20.7 (15.3-26.1)	39	12.8 (8.6-17.0)	45	18.6 (13.2-24.0)	86	26.2 (20.8-31.5)
Income	118	18.3 (14.7-21.9)	170	20.6 (16.8-24.3)	210	22.6 (19.5-25.6)	190	22.2 (19.1-25.4)	183	22.1 (18.9-25.3)	180	21.4 (18.3-24.6)	268	25.1 (22.1-28.2)
Less than \$15,000	6	21.3 (0.0-44.4)	14	24.4 (12.0-36.9)	19	28.2 (16.1-40.3)	17	35.3 (20.4-50.2)	15	30.0 (15.6-44.3)	14	18.6 (8.6-28.5)	19	17.6 (8.9-26.4)
\$15,000 to 24,999	22	22.7 (12.5-32.8)	23	25.3 (14.7-36.0)	29	20.5 (13.0-27.9)	26	27.7 (17.6-37.8)	24	28.1 (17.3-38.9)	23	19.5 (10.7-28.2)	43	30.3 (20.8-39.9)
\$25,000 to 34,999	18	16.9 (9.1-24.7)	19	16.4 (8.8-23.9)	32	23.6 (15.0-32.1)	33	25.4 (17.0-33.7)	20	19.3 (10.6-28.0)	21	22.3 (12.4-32.1)	22	24.4 (14.3-34.6)
\$35,000 to 49,999	25	17.9 (11.0-24.7)	39	20.6 (14.0-27.1)	35	22.2 (14.9-29.4)	25	20.6 (12.5-28.6)	37	21.6 (14.6-28.6)	24	20.3 (12.4-28.3)	36	23.7 (15.8-31.7)
\$50,000 or more	40	17.7 (11.5-24.0)	61	19.1 (14.4-23.8)	78	24.2 (19.0-29.5)	72	20.6 (16.0-25.3)	71	21.1 (16.3-25.9)	82	22.7 (17.9-27.5)	121	27.5 (22.8-32.1)
Employment	118	18.3 (14.7-21.9)	170	20.6 (16.8-24.3)	210	22.6 (19.5-25.6)	190	22.2 (19.1-25.4)	183	22.1 (18.9-25.3)	180	21.4 (18.3-24.6)	268	25.1 (22.1-28.2)
Employed/Self-empl.	93	20.1 (15.6-24.6)	102	18.6 (14.8-22.3)	130	22.7 (18.9-26.6)	124	22.5 (18.7-26.4)	114	22.5 (18.4-26.6)	115	23.7 (19.4-27.9)	157	26.9 (22.8-31.1)
Out of work	1	4.0 (0.0-11.7)	6	15.7 (3.2-28.2)	11	26.3 (11.5-41.1)	12	29.3 (12.5-46.0)	11	31.2 (14.1-48.2)	8	15.7 (4.0-27.3)	10	18.6 (6.7-30.6)
Homemaker/Student	7	11.5 (2.8-20.3)	13	28.3 (6.6-50.1)	16	15.9 (8.0-23.8)	14	16.5 (7.9-25.2)	16	19.4 (9.9-28.8)	10	13.0 (4.7-21.3)	17	13.5 (6.8-20.2)
Retired/Unable to work	17	17.6 (8.1-27.1)	49	24.6 (17.7-31.4)	53	24.7 (18.1-31.2)	40	23.1 (15.8-30.4)	42	20.4 (14.1-26.7)	46	20.2 (14.4-26.1)	84	28.8 (22.9-34.7)
Marital status	118	18.3 (14.7-21.9)	170	20.6 (16.8-24.3)	210	22.6 (19.5-25.6)	190	22.2 (19.1-25.4)	183	22.1 (18.9-25.3)	180	21.4 (18.3-24.6)	268	25.1 (22.1-28.2)
Married	63	20.1 (14.6-25.6)	90	22.9 (17.3-28.6)	114	24.1 (19.9-28.3)	98	23.2 (18.9-27.5)	106	23.3 (19.1-27.5)	94	22.8 (18.5-27.2)	149	27.7 (23.5-31.8)
Divorced	17	15.7 (8.1-23.3)	32	19.1 (12.2-26.1)	40	22.7 (15.3-30.1)	45	26.2 (18.4-34.0)	32	17.8 (11.5-24.0)	32	24.3 (15.9-32.7)	46	23.8 (16.8-30.7)
Widowed	3	4.0 (0.0-8.8)	16	28.7 (13.8-43.5)	14	19.4 (8.9-29.8)	12	21.2 (8.7-33.8)	9	12.2 (3.6-20.9)	14	21.4 (10.4-32.4)	26	23.9 (14.6-33.3)
Separated	4	17.7 (0.0-37.6)	1	3.3 (0.0-9.8)	7	38.5 (14.0-63.0)	5	38.8 (10.2-67.4)	6	32.4 (8.3-56.5)	5	20.2 (1.8-38.5)	2	7.9 (0.0-20.2)
Never married	26	22.4 (13.6-31.3)	25	12.8 (7.3-18.3)	30	17.8 (10.9-24.7)	19	13.4 (6.7-20.1)	21	18.9 (10.3-27.5)	26	15.1 (8.3-21.9)	35	21.8 (13.8-29.9)
Mem. of unmarr. couple	5	10.4 (1.2-19.7)	6	25.4 (4.9-45.8)	5	20.1 (3.8-36.3)	11	23.2 (10.1-36.3)	9	32.5 (12.9-52.1)	7	20.3 (4.7-36.0)	8	19.3 (5.0-33.5)

Diabetes


Indicator: Ever been told by a doctor, nurse or health professional that respondent has diabetes (borderline or pregnancy-related diabetes not included).

- 6.9% of county residents reported having diabetes based on aggregated county data from 2000-06 (Figure 41).
- In both Clark County and Nevada, non-Hispanic blacks and Hispanics were more at risk for diabetes than other racial/ethnic groups based on age-adjusted prevalence estimates (Table 69).

Table 69. Percent Diabetes by Race/Ethnicity (2000-06 aggregated)

	White, Non-Hisp.			Black, Non-Hisp.			Other/Multi, Non-Hisp.			Hispanic		
	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.
State	1033	6.7 (6.1-7.3)	5.9 (5.3-6.4)	60	9.5 (6.7-12.2)	10.1 (7.4-12.9)	179	6.0 (4.7-7.2)	6.4 (5.1-7.8)	172	5.9 (4.7-7.1)	10.7 (8.6-12.7)
Clark	335	7.1 (6.2-8.0)	6.2 (5.4-6.9)	52	10.1 (7.1-13.1)	10.8 (7.8-13.8)	52	5.5 (3.8-7.1)	6.0 (4.3-7.8)	67	6.1 (4.5-7.6)	11.1 (8.2-14.1)
Washoe	299	5.2 (4.6-5.9)	4.9 (4.3-5.5)	7	5.8 (1.1-10.5)	5.8 (1.3-10.2)	58	6.9 (5.0-8.8)	7.7 (5.6-9.8)	41	5.8 (3.8-7.8)	9.6 (6.5-12.6)
Other Counties	399	6.9 (6.0-7.7)	5.9 (5.0-6.7)	1	0.8 (0.0-2.5)	0.6 (0.0-1.8)	69	7.5 (4.9-10.2)	7.2 (4.8-9.6)	64	5.5 (3.3-7.7)	10.1 (6.7-13.5)

Figure 41. Percent Diabetes by Demographic Subgroups (2000-06 aggregated)




Source: BRFSS.

Table 70. Been Told Have Diabetes? (%) (2000-06 aggregated)

County	Yes		No	
	N	% and C.I.	N	% and C.I.
Carson City	83	5.8 (4.3-7.2)	1122	94.2 (92.8-95.7)
Churchill	44	5.9 (4.0-7.8)	544	94.1 (92.2-96.0)
Clark	514	6.9 (6.2-7.6)	5982	93.1 (92.4-93.8)
Douglas	66	5.5 (4.0-6.9)	984	94.5 (93.1-96.0)
Elko	50	4.9 (3.5-6.3)	843	95.1 (93.7-96.5)
Humboldt	12	10.1 (4.2-16.0)	89	89.9 (84.0-95.8)
Lyon	86	8.1 (6.3-9.9)	877	91.9 (90.1-93.7)
Nye	76	9.7 (7.3-12.0)	674	90.3 (88.0-92.7)
Washoe	410	5.5 (4.9-6.1)	6305	94.5 (93.9-95.1)

Figure 42. Been Told Have Diabetes (%)



Source: BRFS.


Table 71. Diabetes[#] by Year, Clark County, NV and U.S. (%)

	2000	2001	2002	2003	2004	2005	2006
Clark	7.8 (4.8-10.8)	5.9 (4.1-7.7)	6.3 (4.6-7.9)	6.6 (4.9-8.3)	6.4 (4.8-8.0)	7.5 (5.8-9.3)	7.9 (6.3-9.4)
NV	6.8 (4.7-8.8)	5.7 (4.4-7.0)	6.2 (5.0-7.5)	6.3 (5.0-7.5)	6.4 (5.2-7.6)	7.1 (5.9-8.3)	7.5 (6.4-8.6)
U.S. [†]	6.1	6.6	6.8	7.2	7.0	7.3	7.5

[†]Median % among participating states, DC and territories.

[#]Pre-diabetes or borderline diabetes category added since 2004. This category was not included.

Figure 43. Year 2006: Been Told Have Diabetes (%) (U.S. outlying territories not displayed on map)



*Prevalence in Clark County: 7.9%.

Source: BRFS.

Table 72. Been Told Have Diabetes

Source: BRFSS.

2000-06 aggregated

	State		Clark		Washoe		Other Counties	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	1461	6.6 (6.1-7.1)	514	6.9 (6.2-7.6)	410	5.5 (4.9-6.1)	537	6.5 (5.6-7.3)
Male	794	7.3 (6.6-8.1)	282	7.6 (6.6-8.7)	232	6.3 (5.4-7.2)	280	7.1 (5.7-8.5)
Female	667	5.9 (5.2-6.5)	232	6.2 (5.3-7.1)	178	4.7 (3.9-5.4)	257	5.8 (4.9-6.7)
Race/Ethnicity	1461	6.6 (6.1-7.1)	514	6.9 (6.2-7.6)	410	5.5 (4.9-6.1)	537	6.5 (5.6-7.3)
White,Non-Hisp.	1033	6.7 (6.1-7.3)	335	7.1 (6.2-8.0)	299	5.2 (4.6-5.9)	399	6.9 (6.0-7.7)
Black,Non-Hisp.	60	9.5 (6.7-12.2)	52	10.1 (7.1-13.1)	7	5.8 (1.1-10.5)	1	0.8 (0.0-2.5)
Other/Multi,Non-Hisp.	179	6.0 (4.7-7.2)	52	5.5 (3.8-7.1)	58	6.9 (5.0-8.8)	69	7.5 (4.9-10.2)
Hispanic	172	5.9 (4.7-7.1)	67	6.1 (4.5-7.6)	41	5.8 (3.8-7.8)	64	5.5 (3.3-7.7)
Age group	1461	6.6 (6.1-7.1)	514	6.9 (6.2-7.6)	410	5.5 (4.9-6.1)	537	6.5 (5.6-7.3)
18-24	18	0.9 (0.4-1.3)	6	0.7 (0.1-1.3)	5	1.0 (0.1-2.0)	7	1.1 (0.2-2.1)
25-34	43	1.3 (0.8-1.9)	13	1.3 (0.6-2.1)	16	1.6 (0.8-2.5)	14	1.1 (0.5-1.8)
35-44	137	3.7 (2.9-4.6)	57	3.8 (2.7-4.9)	38	2.8 (1.8-3.8)	42	4.4 (2.0-6.8)
45-54	258	6.6 (5.4-7.7)	89	7.0 (5.3-8.6)	74	5.6 (4.2-7.0)	95	5.9 (4.5-7.4)
55-64	408	12.3 (10.5-14.0)	131	12.3 (9.8-14.8)	122	10.9 (8.7-13.0)	155	13.4 (10.2-16.7)
65+	595	16.5 (14.7-18.4)	218	18.0 (15.4-20.7)	154	12.6 (10.5-14.6)	223	14.5 (12.1-16.8)
Education	1461	6.6 (6.1-7.1)	514	6.9 (6.2-7.6)	410	5.5 (4.9-6.1)	537	6.5 (5.6-7.3)
Less than H.S. diploma	205	9.3 (7.5-11.1)	73	10.9 (8.0-13.7)	34	6.4 (4.0-8.7)	98	7.4 (5.1-9.8)
H.S. diploma or G.E.D.	451	6.5 (5.6-7.5)	138	6.3 (5.0-7.7)	134	7.0 (5.7-8.3)	179	6.9 (5.3-8.5)
Some post-H.S.	475	6.7 (5.8-7.5)	173	7.0 (5.9-8.2)	154	6.2 (5.1-7.3)	148	5.5 (4.3-6.7)
College graduate	325	5.3 (4.5-6.1)	128	5.7 (4.6-6.9)	88	3.3 (2.6-4.1)	109	6.0 (4.6-7.5)
Income	1461	6.6 (6.1-7.1)	514	6.9 (6.2-7.6)	410	5.5 (4.9-6.1)	537	6.5 (5.6-7.3)
Less than \$15,000	186	10.6 (8.0-13.2)	62	11.8 (7.8-15.8)	52	9.0 (6.4-11.6)	72	8.7 (4.9-12.5)
\$15,000 to 24,999	270	7.7 (6.3-9.1)	81	7.8 (5.7-9.9)	83	8.6 (6.5-10.7)	106	6.6 (5.0-8.2)
\$25,000 to 34,999	195	8.3 (6.6-10.1)	74	9.6 (7.0-12.2)	57	6.2 (4.4-7.9)	64	5.7 (4.0-7.4)
\$35,000 to 49,999	231	6.8 (5.6-8.0)	82	6.8 (5.2-8.5)	71	6.5 (4.8-8.2)	78	6.7 (4.2-9.3)
\$50,000 or more	384	4.7 (4.0-5.3)	145	4.9 (4.0-5.8)	103	3.4 (2.7-4.1)	136	5.0 (4.1-5.9)
Employment	1461	6.6 (6.1-7.1)	514	6.9 (6.2-7.6)	410	5.5 (4.9-6.1)	537	6.5 (5.6-7.3)
Employed/Self-empl.	565	4.0 (3.6-4.5)	200	4.1 (3.4-4.7)	160	3.5 (2.9-4.1)	205	4.3 (3.3-5.3)
Out of work	65	7.5 (5.0-10.1)	25	8.1 (4.7-11.6)	19	6.0 (2.8-9.1)	21	6.1 (2.9-9.3)
Homemaker/Student	81	3.1 (2.2-4.1)	24	3.0 (1.7-4.3)	19	2.6 (1.3-3.8)	38	4.2 (2.7-5.7)
Retired/Unable to work	745	17.0 (15.2-18.7)	265	18.3 (15.8-20.8)	212	14.3 (12.3-16.3)	268	14.5 (12.1-17.0)
Marital status	1461	6.6 (6.1-7.1)	514	6.9 (6.2-7.6)	410	5.5 (4.9-6.1)	537	6.5 (5.6-7.3)
Married	735	6.7 (6.0-7.4)	242	7.0 (6.0-8.0)	205	5.7 (4.9-6.5)	288	6.8 (5.7-8.0)
Divorced	287	7.8 (6.6-9.1)	112	8.6 (6.8-10.4)	88	6.1 (4.7-7.6)	87	6.2 (4.8-7.7)
Widowed	262	17.3 (14.2-20.5)	94	18.9 (14.4-23.4)	63	12.3 (9.0-15.5)	105	16.1 (11.3-20.9)
Separated	50	9.5 (5.5-13.4)	15	8.3 (3.5-13.2)	12	8.4 (3.4-13.4)	23	13.7 (3.3-24.1)
Never married	98	2.6 (1.9-3.3)	38	2.6 (1.7-3.6)	36	3.0 (1.8-4.2)	24	2.1 (1.1-3.1)
Mem. of unmarr. couple	23	2.0 (1.0-3.1)	11	2.4 (0.9-3.9)	6	1.5 (0.2-2.7)	6	1.4 (0.0-2.8)
Overall health status	1461	6.6 (6.1-7.1)	514	6.9 (6.2-7.6)	410	5.5 (4.9-6.1)	537	6.5 (5.6-7.3)
Good or better	801	4.2 (3.7-4.6)	277	4.3 (3.7-4.8)	221	3.4 (2.9-3.9)	303	4.6 (3.7-5.4)
Fair or poor	657	18.6 (16.6-20.6)	235	20.3 (17.4-23.2)	189	19.3 (16.4-22.1)	233	13.4 (11.0-15.8)
Leisure time exercise?	1461	6.6 (6.1-7.1)	514	6.9 (6.2-7.6)	410	5.5 (4.9-6.1)	537	6.5 (5.6-7.3)
Yes	955	5.5 (5.0-6.1)	322	5.7 (5.0-6.4)	274	4.6 (4.0-5.2)	359	5.9 (5.1-6.8)
No	504	9.8 (8.5-11.1)	192	10.5 (8.7-12.2)	134	9.1 (7.4-10.9)	178	7.8 (5.9-9.8)
Weight status	1461	6.6 (6.1-7.1)	514	6.9 (6.2-7.6)	410	5.5 (4.9-6.1)	537	6.5 (5.6-7.3)
BMI<25	296	3.2 (2.6-3.8)	95	3.3 (2.5-4.1)	87	2.6 (2.0-3.2)	114	3.6 (2.7-4.5)
BMI>=25	1094	9.0 (8.2-9.8)	390	9.3 (8.2-10.4)	308	7.9 (7.0-8.9)	396	8.9 (7.6-10.2)

Table 73. Been Told Have Diabetes, Clark County - NV (applicable years from 2000-06)

Source: BRFSS.

	2000		2001		2002		2003		2004		2005		2006	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	41	7.8 (4.8-10.8)	58	5.9 (4.1-7.7)	70	6.3 (4.6-7.9)	66	6.6 (4.9-8.3)	71	6.4 (4.8-8.0)	85	7.5 (5.8-9.3)	123	7.9 (6.3-9.4)
Male	27	10.3 (5.5-15.1)	27	4.5 (2.6-6.4)	43	7.1 (4.7-9.5)	37	8.1 (5.3-10.8)	42	7.3 (4.9-9.6)	42	7.4 (5.0-9.8)	64	8.9 (6.4-11.3)
Female	14	5.3 (2.0-8.6)	31	7.4 (4.3-10.4)	27	5.5 (3.1-7.8)	29	5.1 (3.0-7.1)	29	5.5 (3.3-7.6)	43	7.6 (5.1-10.2)	59	6.9 (4.9-8.9)
Race/Ethnicity	41	7.8 (4.8-10.8)	58	5.9 (4.1-7.7)	70	6.3 (4.6-7.9)	66	6.6 (4.9-8.3)	71	6.4 (4.8-8.0)	85	7.5 (5.8-9.3)	123	7.9 (6.3-9.4)
White, Non-Hisp.	21	7.0 (3.2-10.8)	44	6.7 (4.4-9.0)	41	5.7 (3.7-7.7)	41	6.9 (4.6-9.2)	48	6.9 (4.8-8.9)	57	7.5 (5.4-9.7)	83	8.6 (6.5-10.7)
Black, Non-Hisp.	5	7.8 (0.7-14.9)	4	5.8 (0.0-11.9)	8	10.5 (2.5-18.4)	7	11.0 (2.6-19.3)	6	10.3 (1.7-18.9)	9	12.0 (3.3-20.6)	13	14.0 (5.6-22.4)
Other/Multi, Non-Hisp.	9	15.3 (4.8-25.8)	4	2.1 (0.0-4.4)	5	4.5 (0.0-9.0)	6	4.2 (0.7-7.7)	6	3.3 (0.4-6.3)	7	5.5 (1.4-9.7)	15	7.3 (3.3-11.2)
Hispanic	6	7.7 (1.7-13.7)	5	5.0 (0.0-10.2)	15	7.8 (3.6-11.9)	10	5.5 (2.0-9.0)	9	5.4 (1.6-9.1)	12	7.5 (3.1-12.0)	10	4.4 (1.5-7.4)
Age group	41	7.8 (4.8-10.8)	58	5.9 (4.1-7.7)	70	6.3 (4.6-7.9)	66	6.6 (4.9-8.3)	71	6.4 (4.8-8.0)	85	7.5 (5.8-9.3)	123	7.9 (6.3-9.4)
18-24	2	2.8 (0.0-6.7)	1	0.9 (0.0-2.6)	1	0.4 (0.0-1.1)	1	0.9 (0.0-2.7)	0	N/A	1	0.7 (0.0-2.0)	0	N/A
25-34	1	0.7 (0.0-2.0)	1	0.8 (0.0-2.4)	3	2.2 (0.0-4.8)	3	1.7 (0.0-3.8)	1	1.0 (0.0-2.8)	2	1.1 (0.0-2.7)	2	1.7 (0.0-4.2)
35-44	5	2.7 (0.2-5.1)	6	2.7 (0.0-5.5)	10	4.5 (1.3-7.8)	10	4.2 (1.3-7.0)	4	1.9 (0.0-3.9)	8	4.3 (1.1-7.5)	14	6.3 (2.9-9.7)
45-54	6	6.5 (0.0-13.0)	10	5.4 (1.8-9.0)	16	7.1 (3.1-11.1)	16	8.9 (4.3-13.4)	17	10.3 (5.1-15.4)	7	4.4 (1.1-7.8)	17	6.4 (2.9-9.8)
55-64	11	15.9 (3.2-28.7)	17	12.1 (5.8-18.3)	15	8.7 (3.7-13.7)	13	8.3 (3.7-12.9)	19	10.5 (5.6-15.3)	28	19.4 (12.3-26.5)	28	12.1 (7.5-16.8)
65+	16	22.7 (11.4-34.0)	23	15.2 (8.2-22.3)	25	15.8 (9.5-22.1)	23	16.2 (9.5-22.9)	30	16.1 (10.3-21.8)	39	18.6 (12.6-24.6)	62	21.8 (16.4-27.1)
Education	41	7.8 (4.8-10.8)	58	5.9 (4.1-7.7)	70	6.3 (4.6-7.9)	66	6.6 (4.9-8.3)	71	6.4 (4.8-8.0)	85	7.5 (5.8-9.3)	123	7.9 (6.3-9.4)
Less than H.S. diploma	13	23.6 (10.8-36.4)	9	13.7 (2.9-24.4)	10	9.5 (3.1-15.8)	9	9.1 (2.7-15.4)	7	7.6 (1.8-13.4)	10	8.4 (2.6-14.3)	15	8.8 (3.8-13.7)
H.S. diploma or G.E.D.	14	9.7 (3.1-16.3)	13	4.9 (2.1-7.7)	19	4.6 (2.2-7.1)	21	6.3 (3.4-9.2)	21	6.2 (3.4-9.0)	25	6.5 (3.8-9.2)	25	5.8 (3.3-8.3)
Some post-H.S.	8	3.6 (1.1-6.2)	23	5.3 (3.0-7.5)	22	7.0 (3.7-10.3)	18	6.6 (3.4-9.7)	26	6.8 (3.9-9.6)	33	9.4 (6.0-12.9)	43	9.8 (6.4-13.2)
College graduate	6	3.9 (0.7-7.2)	13	5.4 (1.9-9.0)	18	5.4 (2.7-8.1)	17	5.7 (2.8-8.6)	17	5.5 (2.6-8.5)	17	6.1 (2.9-9.3)	40	7.3 (4.9-9.7)
Income	41	7.8 (4.8-10.8)	58	5.9 (4.1-7.7)	70	6.3 (4.6-7.9)	66	6.6 (4.9-8.3)	71	6.4 (4.8-8.0)	85	7.5 (5.8-9.3)	123	7.9 (6.3-9.4)
Less than \$15,000	4	18.0 (0.0-40.7)	8	10.7 (3.0-18.3)	9	10.9 (3.4-18.3)	6	8.6 (1.2-16.0)	6	12.1 (3.5-20.7)	13	14.0 (5.4-22.5)	13	9.3 (3.8-14.8)
\$15,000 to 24,999	6	8.8 (0.0-17.9)	12	7.9 (3.0-12.8)	14	6.4 (2.6-10.2)	13	10.0 (4.1-15.9)	10	5.3 (1.7-9.0)	13	8.9 (3.6-14.2)	13	7.8 (3.0-12.6)
\$25,000 to 34,999	16	21.4 (10.6-32.3)	7	4.6 (1.0-8.2)	8	5.9 (0.9-10.9)	7	7.0 (1.9-12.1)	10	9.8 (3.5-16.1)	8	8.2 (2.2-14.2)	18	9.2 (4.3-14.2)
\$35,000 to 49,999	5	2.8 (0.1-5.5)	11	6.9 (2.0-11.7)	8	4.8 (1.1-8.5)	14	9.9 (4.5-15.4)	11	5.3 (2.0-8.6)	15	11.9 (5.9-18.0)	18	7.8 (3.9-11.7)
\$50,000 or more	6	2.7 (0.4-5.0)	13	4.0 (1.7-6.4)	21	5.0 (2.6-7.3)	14	3.5 (1.5-5.4)	21	5.4 (2.9-7.8)	24	4.7 (2.7-6.8)	46	7.8 (5.3-10.3)
Employment	41	7.8 (4.8-10.8)	58	5.9 (4.1-7.7)	70	6.3 (4.6-7.9)	66	6.6 (4.9-8.3)	71	6.4 (4.8-8.0)	85	7.5 (5.8-9.3)	123	7.9 (6.3-9.4)
Employed/Self-empl.	12	2.9 (0.8-5.1)	19	2.5 (1.3-3.7)	31	4.1 (2.5-5.8)	32	4.9 (3.1-6.7)	26	3.6 (2.1-5.1)	34	5.0 (3.2-6.8)	46	5.2 (3.5-6.9)
Out of work	3	11.1 (0.0-23.6)	4	12.2 (0.3-24.1)	7	12.2 (2.6-21.8)	3	5.3 (0.0-11.4)	4	10.8 (0.3-21.3)	2	4.7 (0.0-12.1)	2	2.3 (0.0-5.5)
Homemaker/Student	1	1.3 (0.0-3.8)	5	5.0 (0.1-9.8)	1	0.8 (0.0-2.3)	5	3.5 (0.2-6.7)	4	3.7 (0.0-7.5)	2	2.2 (0.0-5.3)	6	3.8 (0.7-7.0)
Retired/Unable to work	25	26.2 (15.4-36.9)	30	15.0 (8.9-21.1)	31	14.9 (9.3-20.5)	26	15.1 (9.1-21.1)	37	16.7 (11.3-22.2)	47	19.4 (13.8-25.0)	69	20.9 (15.8-25.9)
Marital status	41	7.8 (4.8-10.8)	58	5.9 (4.1-7.7)	70	6.3 (4.6-7.9)	66	6.6 (4.9-8.3)	71	6.4 (4.8-8.0)	85	7.5 (5.8-9.3)	123	7.9 (6.3-9.4)
Married	19	7.9 (3.6-12.2)	24	5.5 (3.1-7.8)	34	6.0 (3.8-8.3)	32	7.1 (4.5-9.6)	38	7.0 (4.7-9.3)	41	7.8 (5.4-10.3)	54	7.4 (5.3-9.5)
Divorced	9	8.4 (2.6-14.2)	15	8.4 (3.1-13.7)	17	8.3 (3.8-12.7)	13	7.6 (3.2-11.9)	16	8.5 (4.0-12.9)	14	7.3 (3.4-11.3)	28	11.7 (7.0-16.5)
Widowed	8	26.2 (7.0-45.4)	11	20.7 (6.6-34.8)	14	21.2 (10.4-32.1)	8	9.7 (2.7-16.7)	10	14.1 (4.9-23.3)	20	24.8 (14.0-35.6)	23	15.6 (9.1-22.2)
Separated	0	N/A	2	5.7 (0.0-13.7)	2	9.2 (0.0-22.8)	2	5.2 (0.0-12.6)	2	9.5 (0.0-24.5)	4	19.4 (0.0-39.4)	3	10.0 (0.0-22.0)
Never married	3	2.7 (0.0-5.7)	5	2.1 (0.2-4.0)	3	1.4 (0.0-3.0)	9	4.7 (1.3-8.2)	2	0.5 (0.0-1.2)	5	1.8 (0.2-3.4)	11	4.6 (1.1-8.1)
Mem. of unmarr. couple	2	3.3 (0.0-7.9)	0	N/A	0	N/A	1	1.7 (0.0-5.0)	3	3.5 (0.0-7.5)	1	2.0 (0.0-5.9)	4	5.2 (0.0-10.6)

Hypertension Awareness


Indicator: Ever been told by a doctor, nurse or health professional that respondent has high blood pressure (borderline or pregnancy-related hypertension not included).

- 24.6% of county residents reported having high blood pressure based on aggregated county data from 2000-06 (Figure 44).
- Hypertension was more prevalent among non-Hispanic blacks than other racial/ethnic groups (Figure 44).

Table 74. Percent Hypertension by Race/Ethnicity ('01, '03 & '05 aggregated)

	White, Non-Hisp.			Black, Non-Hisp.			Other/Multi, Non-Hisp.			Hispanic		
	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.
State	1881	26.6 (25.0-28.1)	24.1 (22.7-25.4)	87	35.2 (27.8-42.6)	34.4 (27.5-41.3)	270	24.4 (20.6-28.2)	25.3 (21.8-28.8)	164	14.3 (10.5-18.1)	22.5 (17.6-27.4)
Clark	514	26.3 (24.1-28.6)	23.9 (22.0-25.8)	65	34.3 (26.4-42.1)	33.9 (26.5-41.4)	81	23.5 (18.5-28.6)	24.4 (19.7-29.1)	62	16.2 (10.6-21.9)	24.7 (17.7-31.7)
Washoe	606	24.6 (22.7-26.6)	22.9 (21.2-24.7)	15	39.4 (22.5-56.3)	35.9 (21.7-50.2)	70	20.1 (15.3-25.0)	22.4 (17.6-27.3)	45	14.2 (9.7-18.6)	23.9 (17.7-30.1)
Other Counties	761	29.7 (27.5-31.8)	26.3 (24.3-28.3)	7	51.5 (17.3-85.7)	29.2 (19.6-38.7)	119	32.6 (25.4-39.8)	32.8 (26.3-39.2)	57	9.6 (5.9-13.3)	18.2 (12.6-23.9)

Figure 44. Percent Hypertension by Demographic Subgroups ('01, '03 & '05 aggregated)



Source: BRFSS.

Table 75. Been Told Have High Blood Pressure? (%) ('01, '03 & '05 aggregated)

County	Yes			No		
	N	% and C.I.	N	% and C.I.		
Carson City	147	21.3 (17.5-25.1)	385	78.7 (74.9-82.5)		
Churchill	82	29.2 (23.2-35.1)	169	70.8 (64.9-76.8)		
Clark	725	24.6 (22.7-26.5)	1931	75.4 (73.5-77.3)		
Douglas	147	28.8 (24.3-33.3)	326	71.2 (66.7-75.7)		
Elko	100	23.1 (18.6-27.6)	293	76.9 (72.4-81.4)		
Lyon	148	33.6 (28.7-38.6)	267	66.4 (61.4-71.3)		
Nye	113	32.3 (26.5-38.2)	213	67.7 (61.8-73.5)		
Washoe	749	23.3 (21.6-25.0)	2164	76.7 (75.0-78.4)		

Figure 45. Been Told Have High Blood Pressure (%)




Table 76. Hypertension# by Year, Clark County, NV and U.S. (%)

	2000	2001	2002	2003	2004	2005	2006
Clark	N/A	25.3 (21.6-29.0)	N/A	24.3 (21.3-27.3)	N/A	24.1 (21.0-27.2)	N/A
NV	N/A	25.6 (22.9-28.2)	N/A	23.6 (21.5-25.7)	N/A	24.1 (21.9-26.2)	N/A
U.S.†	N/A	25.6	N/A	24.8	N/A	25.5	N/A

†Median % among participating states, DC and territories.
Borderline high category added since 2005. This category was not included.

Figure 46. Year 2005: Been Told Have High Blood Pressure (%) (U.S. outlying territories not displayed on map)




Table 77. Been Told Have High Blood Pressure

Source: BRFSS. '01, '03 & '05 aggregated

	State		Clark		Washoe		Other Counties	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	2426	24.4 (23.1-25.7)	725	24.6 (22.7-26.5)	749	23.3 (21.6-25.0)	952	24.7 (22.7-26.8)
Male	1227	23.8 (21.9-25.7)	357	23.7 (21.0-26.4)	376	23.5 (21.2-25.9)	494	24.5 (21.8-27.2)
Female	1199	25.0 (23.1-26.8)	368	25.4 (22.8-28.0)	373	23.0 (20.7-25.4)	458	25.0 (21.9-28.1)
Race/Ethnicity	2426	24.4 (23.1-25.7)	725	24.6 (22.7-26.5)	749	23.3 (21.6-25.0)	952	24.7 (22.7-26.8)
White,Non-Hisp.	1881	26.6 (25.0-28.1)	514	26.3 (24.1-28.6)	606	24.6 (22.7-26.6)	761	29.7 (27.5-31.8)
Black,Non-Hisp.	87	35.2 (27.8-42.6)	65	34.3 (26.4-42.1)	15	39.4 (22.5-56.3)	7	51.5 (17.3-85.7)
Other/Multi,Non-Hisp.	270	24.4 (20.6-28.2)	81	23.5 (18.5-28.6)	70	20.1 (15.3-25.0)	119	32.6 (25.4-39.8)
Hispanic	164	14.3 (10.5-18.1)	62	16.2 (10.6-21.9)	45	14.2 (9.7-18.6)	57	9.6 (5.9-13.3)
Age group	2426	24.4 (23.1-25.7)	725	24.6 (22.7-26.5)	749	23.3 (21.6-25.0)	952	24.7 (22.7-26.8)
18-24	42	5.8 (3.6-8.0)	14	5.8 (2.6-8.9)	14	5.7 (2.6-8.8)	14	6.0 (2.3-9.7)
25-34	125	10.3 (8.0-12.6)	47	10.4 (7.2-13.6)	35	8.2 (5.5-11.0)	43	11.8 (7.2-16.5)
35-44	254	15.3 (12.9-17.7)	98	16.8 (13.4-20.3)	70	12.0 (9.1-14.9)	86	12.6 (9.7-15.5)
45-54	470	25.5 (21.8-29.1)	118	25.1 (19.8-30.4)	162	25.6 (21.8-29.3)	190	26.7 (22.0-31.4)
55-64	618	39.0 (35.4-42.5)	172	37.3 (32.3-42.3)	195	43.6 (38.4-48.8)	251	41.0 (34.7-47.3)
65+	911	53.2 (49.8-56.6)	275	54.1 (49.3-58.9)	269	48.7 (43.9-53.5)	367	53.7 (48.6-58.7)
Education	2426	24.4 (23.1-25.7)	725	24.6 (22.7-26.5)	749	23.3 (21.6-25.0)	952	24.7 (22.7-26.8)
Less than H.S. diploma	239	22.5 (18.5-26.6)	69	25.5 (19.2-31.7)	62	24.7 (18.4-31.0)	108	15.9 (11.3-20.6)
H.S. diploma or G.E.D.	744	24.1 (21.8-26.4)	200	23.2 (20.0-26.4)	204	25.9 (22.3-29.4)	340	25.9 (22.5-29.3)
Some post-H.S.	807	25.4 (23.2-27.7)	249	25.0 (21.9-28.1)	253	23.4 (20.5-26.3)	305	29.8 (26.0-33.7)
College graduate	629	24.5 (21.7-27.3)	205	25.2 (21.2-29.2)	228	20.6 (17.9-23.3)	196	26.7 (22.3-31.1)
Income	2426	24.4 (23.1-25.7)	725	24.6 (22.7-26.5)	749	23.3 (21.6-25.0)	952	24.7 (22.7-26.8)
Less than \$15,000	257	30.1 (25.0-35.1)	65	29.8 (22.3-37.2)	76	35.2 (27.4-42.9)	116	28.3 (20.4-36.3)
\$15,000 to 24,999	367	23.4 (20.1-26.7)	103	24.2 (19.4-29.0)	98	22.6 (18.0-27.2)	166	21.8 (16.9-26.7)
\$25,000 to 34,999	279	23.1 (19.6-26.6)	90	23.3 (18.5-28.2)	74	19.8 (15.1-24.5)	115	25.3 (19.8-30.8)
\$35,000 to 49,999	394	26.6 (23.4-29.9)	126	27.6 (22.9-32.2)	111	23.3 (19.0-27.6)	157	26.3 (21.9-30.7)
\$50,000 or more	769	21.8 (19.9-23.8)	246	22.2 (19.5-24.9)	277	20.3 (18.0-22.7)	246	21.9 (19.0-24.8)
Employment	2426	24.4 (23.1-25.7)	725	24.6 (22.7-26.5)	749	23.3 (21.6-25.0)	952	24.7 (22.7-26.8)
Employed/Self-empl.	1092	18.0 (16.6-19.5)	333	18.2 (16.1-20.2)	357	17.9 (16.0-19.7)	402	17.7 (15.4-20.0)
Out of work	98	20.0 (14.6-25.4)	30	19.4 (12.2-26.5)	21	19.8 (11.2-28.4)	47	22.9 (15.6-30.3)
Homemaker/Student	145	18.4 (12.8-23.9)	41	19.2 (11.3-27.1)	39	14.3 (9.6-19.1)	65	18.8 (13.0-24.6)
Retired/Unable to work	1075	49.2 (46.2-52.3)	319	50.1 (45.7-54.4)	330	46.6 (42.4-50.8)	426	48.7 (43.8-53.5)
Marital status	2426	24.4 (23.1-25.7)	725	24.6 (22.7-26.5)	749	23.3 (21.6-25.0)	952	24.7 (22.7-26.8)
Married	1222	25.2 (23.3-27.1)	349	25.4 (22.7-28.1)	356	23.7 (21.3-26.0)	517	25.7 (23.2-28.3)
Divorced	491	28.0 (24.8-31.2)	149	27.7 (23.2-32.2)	173	28.5 (24.3-32.7)	169	28.8 (23.8-33.9)
Widowed	399	52.1 (46.6-57.6)	107	52.3 (44.5-60.1)	125	54.1 (46.9-61.3)	167	49.7 (39.8-59.5)
Separated	57	23.0 (15.2-30.9)	21	24.5 (13.4-35.5)	12	20.8 (9.3-32.3)	24	20.3 (7.2-33.3)
Never married	195	12.8 (10.4-15.2)	76	13.0 (9.8-16.2)	65	12.0 (8.8-15.2)	54	12.8 (7.7-18.0)
Mem. of unmarr. couple	51	14.8 (9.4-20.2)	21	17.0 (9.2-24.8)	16	9.3 (4.6-14.0)	14	11.9 (3.6-20.2)
Overall health status	2426	24.4 (23.1-25.7)	725	24.6 (22.7-26.5)	749	23.3 (21.6-25.0)	952	24.7 (22.7-26.8)
Good or better	1733	20.8 (19.4-22.2)	516	21.0 (19.0-23.0)	551	19.4 (17.7-21.0)	666	21.6 (19.6-23.7)
Fair or poor	688	42.8 (39.0-46.6)	207	44.3 (38.8-49.7)	197	50.4 (44.6-56.2)	284	35.1 (29.2-41.0)
Leisure time exercise?	2426	24.4 (23.1-25.7)	725	24.6 (22.7-26.5)	749	23.3 (21.6-25.0)	952	24.7 (22.7-26.8)
Yes	1713	22.3 (20.8-23.8)	487	22.1 (20.0-24.3)	555	21.4 (19.6-23.2)	671	24.2 (21.9-26.4)
No	709	30.7 (27.8-33.6)	236	31.9 (27.9-35.9)	192	31.3 (27.0-35.6)	281	26.2 (21.6-30.8)
Weight status	2426	24.4 (23.1-25.7)	725	24.6 (22.7-26.5)	749	23.3 (21.6-25.0)	952	24.7 (22.7-26.8)
BMI<25	620	14.0 (12.5-15.5)	170	13.0 (10.9-15.1)	203	14.6 (12.4-16.7)	247	17.6 (14.7-20.6)
BMI>=25	1698	32.0 (30.0-34.0)	523	32.7 (29.8-35.5)	519	30.4 (27.9-32.9)	656	31.0 (28.3-33.6)
Diabetes status	2426	24.4 (23.1-25.7)	725	24.6 (22.7-26.5)	749	23.3 (21.6-25.0)	952	24.7 (22.7-26.8)
Been told diabetic	382	58.2 (52.5-64.0)	121	56.9 (49.2-64.6)	107	60.5 (52.4-68.7)	154	61.9 (51.1-72.7)
Not been told diabetic	2040	22.0 (20.7-23.4)	602	22.2 (20.3-24.1)	640	21.1 (19.5-22.8)	798	22.3 (20.2-24.3)

Table 78. Been Told Have High Blood Pressure , Clark County - NV (applicable years from 2000-06)
Source: BRFSS.

	2001		2003		2005	
	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	230	25.3 (21.6-29.0)	251	24.3 (21.3-27.3)	244	24.1 (21.0-27.2)
Male	123	25.1 (19.4-30.9)	117	23.5 (19.2-27.8)	117	22.6 (18.4-26.7)
Female	107	25.5 (20.8-30.2)	134	25.1 (20.8-29.3)	127	25.7 (21.2-30.3)
Race/Ethnicity	230	25.3 (21.6-29.0)	251	24.3 (21.3-27.3)	244	24.1 (21.0-27.2)
White,Non-Hisp.	162	24.7 (21.0-28.5)	179	26.9 (23.1-30.8)	173	27.4 (23.4-31.4)
Black,Non-Hisp.	18	29.2 (16.5-41.9)	21	35.5 (20.7-50.2)	26	37.5 (24.2-50.7)
Other/Multi,Non-Hisp.	32	27.7 (18.5-36.9)	23	22.5 (13.4-31.7)	26	20.3 (12.5-28.1)
Hispanic	17	24.9 (6.5-43.2)	27	15.3 (9.5-21.0)	18	11.9 (5.3-18.5)
Age group	230	25.3 (21.6-29.0)	251	24.3 (21.3-27.3)	244	24.1 (21.0-27.2)
18-24	5	6.0 (0.5-11.4)	3	4.7 (0.0-10.1)	6	6.5 (1.0-12.0)
25-34	17	9.5 (4.9-14.1)	15	8.7 (4.3-13.1)	15	12.8 (6.0-19.7)
35-44	36	16.6 (11.0-22.3)	38	19.4 (13.2-25.6)	24	14.5 (8.7-20.3)
45-54	42	32.1 (20.5-43.8)	39	21.4 (14.5-28.2)	37	21.5 (14.6-28.3)
55-64	52	35.7 (26.7-44.6)	64	38.1 (29.6-46.6)	56	37.8 (29.3-46.3)
65+	77	50.6 (41.7-59.5)	92	56.1 (47.8-64.5)	106	55.6 (47.7-63.4)
Education	230	25.3 (21.6-29.0)	251	24.3 (21.3-27.3)	244	24.1 (21.0-27.2)
Less than H.S. diploma	20	28.4 (15.8-41.1)	26	27.2 (17.3-37.1)	23	21.5 (11.2-31.9)
H.S. diploma or G.E.D.	58	22.5 (16.9-28.1)	70	22.8 (17.3-28.2)	72	24.3 (18.5-30.0)
Some post-H.S.	85	23.2 (18.3-28.2)	75	25.2 (19.5-30.8)	89	26.7 (21.3-32.2)
College graduate	67	30.1 (21.1-39.2)	78	23.7 (18.5-28.8)	60	22.2 (16.6-27.7)
Income	230	25.3 (21.6-29.0)	251	24.3 (21.3-27.3)	244	24.1 (21.0-27.2)
Less than \$15,000	19	32.0 (17.9-46.1)	25	36.8 (22.8-50.8)	21	22.0 (11.9-32.2)
\$15,000 to 24,999	31	21.9 (14.0-29.7)	32	25.0 (16.4-33.5)	40	25.7 (17.3-34.1)
\$25,000 to 34,999	31	23.5 (15.3-31.6)	33	23.1 (15.0-31.2)	26	23.5 (14.3-32.7)
\$35,000 to 49,999	45	21.8 (15.4-28.2)	43	30.7 (22.0-39.3)	38	32.5 (22.9-42.2)
\$50,000 or more	78	25.7 (20.4-31.0)	83	20.0 (15.7-24.3)	85	21.5 (17.0-26.0)
Employment	230	25.3 (21.6-29.0)	251	24.3 (21.3-27.3)	244	24.1 (21.0-27.2)
Employed/Self-empl.	116	19.0 (15.5-22.5)	113	17.5 (14.2-20.9)	104	18.0 (14.4-21.6)
Out of work	10	22.6 (9.1-36.1)	11	17.5 (6.5-28.4)	9	17.8 (5.6-30.1)
Homemaker/Student	12	26.8 (5.7-48.0)	18	17.9 (9.9-26.0)	11	13.9 (5.7-22.1)
Retired/Unable to work	91	44.8 (37.1-52.5)	109	54.8 (46.9-62.6)	119	50.8 (43.7-58.0)
Marital status	230	25.3 (21.6-29.0)	251	24.3 (21.3-27.3)	244	24.1 (21.0-27.2)
Married	113	28.0 (22.3-33.6)	113	23.3 (19.2-27.3)	123	25.1 (20.9-29.3)
Divorced	49	25.8 (18.7-33.0)	56	30.5 (22.4-38.6)	44	26.5 (18.6-34.4)
Widowed	28	49.8 (34.9-64.7)	41	55.9 (43.0-68.7)	38	50.9 (38.1-63.7)
Separated	7	24.0 (6.4-41.6)	5	18.1 (1.3-34.8)	9	32.6 (11.4-53.8)
Never married	27	12.8 (7.6-18.0)	27	14.6 (8.7-20.5)	22	11.7 (6.3-17.1)
Mem. of unmarr. couple	5	11.0 (0.9-21.1)	8	18.5 (6.3-30.7)	8	19.7 (4.8-34.6)

Cholesterol Awareness

Indicator 1: Ever been told by a doctor, nurse or health professional that respondent's blood cholesterol is high.


- 39.4% of county residents reported having high blood cholesterol based on aggregated county data from 2000-06 (Figure 47).

Table 79. Percent High Cholesterol by Race/Ethnicity ('01, '03 & '05 aggregated)

	White, Non-Hisp.			Black, Non-Hisp.			Other/Multi, Non-Hisp.			Hispanic		
	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.
State	1942	39.4 (37.4-41.3)	34.1 (32.2-36.1)	60	37.9 (28.6-47.1)	32.7 (24.6-40.7)	265	37.1 (32.1-42.1)	34.0 (29.2-38.8)	176	28.9 (22.5-35.3)	34.6 (28.7-40.5)
Clark	609	41.7 (38.9-44.6)	36.6 (33.7-39.5)	46	38.3 (28.4-48.2)	32.5 (24.2-40.8)	94	39.0 (32.3-45.8)	35.9 (29.3-42.5)	66	30.0 (21.5-38.6)	38.1 (30.2-46.1)
Washoe	643	33.4 (31.0-35.8)	28.5 (26.2-30.7)	9	30.6 (12.3-49.0)	20.1 (7.7-32.5)	74	32.2 (25.4-39.0)	30.4 (24.4-36.5)	45	28.0 (20.0-35.9)	32.1 (24.7-39.5)
Other Counties	690	36.7 (34.1-39.3)	--	5	36.4 (0.0-74.0)	--	97	33.2 (25.7-40.7)	--	65	25.1 (16.8-33.4)	--

--Age-adjustment not feasible due to small number of observations for certain combinations of race/ethnicity and age.

Figure 47. Percent High Cholesterol by Demographic Subgroups ('01, '03 & '05 aggregated)




Source: BRFSS.

Table 80. Been Told Have High Blood Cholesterol? (%) ('01, '03 & '05 aggregated)

County	Yes		No	
	N	% and C.I.	N	% and C.I.
Carson City	180	41.7 (35.6-47.8)	220	58.3 (52.2-64.4)
Churchill	63	32.0 (24.8-39.1)	119	68.0 (60.9-75.2)
Clark	820	39.4 (36.9-41.8)	1212	60.6 (58.2-63.1)
Douglas	142	34.1 (28.8-39.3)	258	65.9 (60.7-71.2)
Elko	83	28.8 (23.0-34.5)	188	71.2 (65.5-77.0)
Lyon	130	40.8 (34.9-46.8)	182	59.2 (53.2-65.1)
Nye	101	38.2 (31.4-44.9)	157	61.8 (55.1-68.6)
Washoe	779	32.9 (30.7-35.0)	1456	67.1 (65.0-69.3)

Figure 48. Been Told Have High Blood Cholesterol (%)




Source: BRFSS.

Table 81. High Blood Cholesterol by Year, Clark County, NV and U.S. (%)

	2000	2001	2002	2003	2004	2005	2006
Clark	N/A	38.7 (34.1-43.3)	N/A	38.8 (34.8-42.8)	N/A	40.7 (36.6-44.8)	N/A
NV	N/A	36.5 (33.2-39.8)	N/A	36.8 (33.9-39.7)	N/A	39.2 (36.3-42.2)	N/A
U.S.†	N/A	30.2	N/A	33.1	N/A	35.6	N/A

†Median % among participating states, DC and territories.

Figure 49. Year 2005: Been Told Have High Blood Cholesterol (%) (U.S. outlying territories not displayed on map)



*Prevalence in Clark County: 40.7%.
Source: BRFSS.

Table 82. Been Told Have High Blood Cholesterol

Source: BRFSS.

'01, '03 & '05 aggregated

	State		Clark		Washoe		Other Counties	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	2462	37.5 (35.8-39.3)	820	39.4 (36.9-41.8)	779	32.9 (30.7-35.0)	863	34.2 (31.6-36.8)
Male	1276	38.5 (35.9-41.1)	406	39.3 (35.7-43.0)	401	35.2 (32.1-38.3)	469	38.5 (34.7-42.3)
Female	1186	36.6 (34.2-39.0)	414	39.5 (36.1-42.8)	378	30.6 (27.7-33.6)	394	30.2 (26.8-33.7)
Race/Ethnicity	2462	37.5 (35.8-39.3)	820	39.4 (36.9-41.8)	779	32.9 (30.7-35.0)	863	34.2 (31.6-36.8)
White,Non-Hisp.	1942	39.4 (37.4-41.3)	609	41.7 (38.9-44.6)	643	33.4 (31.0-35.8)	690	36.7 (34.1-39.3)
Black,Non-Hisp.	60	37.9 (28.6-47.1)	46	38.3 (28.4-48.2)	9	30.6 (12.3-49.0)	5	36.4 (0.0-74.0)
Other/Multi,Non-Hisp.	265	37.1 (32.1-42.1)	94	39.0 (32.3-45.8)	74	32.2 (25.4-39.0)	97	33.2 (25.7-40.7)
Hispanic	176	28.9 (22.5-35.3)	66	30.0 (21.5-38.6)	45	28.0 (20.0-35.9)	65	25.1 (16.8-33.4)
Age group	2462	37.5 (35.8-39.3)	820	39.4 (36.9-41.8)	779	32.9 (30.7-35.0)	863	34.2 (31.6-36.8)
18-24	22	9.4 (4.3-14.4)	9	10.6 (3.1-18.0)	6	5.9 (1.1-10.8)	7	8.3 (1.4-15.1)
25-34	125	21.3 (16.9-25.7)	58	23.3 (17.5-29.1)	31	14.6 (9.5-19.7)	36	17.5 (10.6-24.4)
35-44	316	29.1 (25.4-32.7)	127	31.4 (26.3-36.4)	96	22.6 (18.3-27.0)	93	25.3 (19.8-30.8)
45-54	563	40.0 (35.8-44.1)	166	42.5 (36.6-48.4)	199	35.8 (31.5-40.2)	198	33.9 (28.8-39.0)
55-64	653	50.0 (46.2-53.9)	197	51.9 (46.4-57.3)	201	45.8 (40.5-51.2)	255	47.0 (40.9-53.1)
65+	778	51.5 (47.9-55.1)	262	53.5 (48.5-58.5)	242	48.0 (43.0-52.9)	274	47.1 (41.7-52.5)
Education	2462	37.5 (35.8-39.3)	820	39.4 (36.9-41.8)	779	32.9 (30.7-35.0)	863	34.2 (31.6-36.8)
Less than H.S. diploma	186	38.3 (31.5-45.0)	58	39.6 (30.2-48.9)	50	37.3 (27.6-47.0)	78	35.0 (24.4-45.6)
H.S. diploma or G.E.D.	668	35.7 (32.5-38.9)	195	35.8 (31.3-40.4)	180	33.7 (28.9-38.4)	293	36.7 (32.3-41.2)
Some post-H.S.	843	38.9 (35.9-41.8)	305	41.3 (37.3-45.4)	266	32.9 (29.3-36.6)	272	33.5 (29.6-37.4)
College graduate	757	37.4 (34.1-40.7)	259	40.1 (35.5-44.7)	281	31.7 (28.3-35.1)	217	31.6 (27.1-36.2)
Income	2462	37.5 (35.8-39.3)	820	39.4 (36.9-41.8)	779	32.9 (30.7-35.0)	863	34.2 (31.6-36.8)
Less than \$15,000	206	47.2 (40.0-54.5)	68	51.8 (41.8-61.9)	56	43.6 (33.5-53.7)	82	34.8 (25.0-44.6)
\$15,000 to 24,999	322	37.8 (32.5-43.1)	96	39.5 (32.0-47.1)	92	31.2 (24.8-37.6)	134	37.1 (28.5-45.7)
\$25,000 to 34,999	254	33.6 (28.7-38.5)	84	34.5 (27.7-41.2)	72	29.9 (23.2-36.7)	98	33.3 (26.1-40.5)
\$35,000 to 49,999	355	35.0 (30.8-39.1)	129	38.2 (32.3-44.1)	89	25.7 (20.5-31.0)	137	30.8 (25.8-35.8)
\$50,000 or more	1007	37.3 (34.8-39.9)	341	38.5 (35.0-42.1)	359	33.3 (30.1-36.4)	307	36.7 (32.7-40.6)
Employment	2462	37.5 (35.8-39.3)	820	39.4 (36.9-41.8)	779	32.9 (30.7-35.0)	863	34.2 (31.6-36.8)
Employed/Self-empl.	1247	31.8 (29.7-33.9)	415	32.9 (30.0-35.8)	410	28.3 (25.7-30.9)	422	30.8 (27.6-34.1)
Out of work	87	40.2 (30.6-49.7)	30	41.1 (28.4-53.7)	18	39.5 (23.9-55.1)	39	36.8 (24.8-48.7)
Homemaker/Student	149	34.3 (26.5-42.1)	57	39.6 (29.1-50.2)	40	23.0 (15.9-30.2)	52	22.0 (14.7-29.2)
Retired/Unable to work	970	52.6 (49.3-55.8)	315	55.5 (50.9-60.0)	309	47.3 (42.9-51.7)	346	46.5 (41.4-51.6)
Marital status	2462	37.5 (35.8-39.3)	820	39.4 (36.9-41.8)	779	32.9 (30.7-35.0)	863	34.2 (31.6-36.8)
Married	1393	40.0 (37.6-42.3)	452	42.2 (38.8-45.5)	419	34.7 (31.8-37.7)	522	36.1 (32.8-39.5)
Divorced	475	36.5 (32.5-40.5)	148	36.7 (31.2-42.2)	176	37.1 (32.1-42.1)	151	34.7 (28.8-40.6)
Widowed	306	46.4 (40.7-52.2)	97	49.6 (41.4-57.8)	101	44.7 (37.1-52.4)	108	35.9 (28.5-43.2)
Separated	59	43.9 (31.2-56.6)	25	46.2 (29.7-62.8)	15	32.8 (16.5-49.0)	19	41.8 (21.4-62.3)
Never married	154	20.7 (16.6-24.9)	69	22.9 (17.3-28.5)	42	13.6 (9.1-18.2)	43	17.7 (10.9-24.5)
Mem. of unmarr. couple	61	33.2 (24.2-42.1)	27	36.5 (24.5-48.4)	22	23.4 (13.9-32.8)	12	25.8 (11.9-39.7)
Overall health status	2462	37.5 (35.8-39.3)	820	39.4 (36.9-41.8)	779	32.9 (30.7-35.0)	863	34.2 (31.6-36.8)
Good or better	1893	33.9 (32.0-35.8)	628	35.4 (32.8-38.1)	624	30.3 (28.0-32.5)	641	31.1 (28.5-33.8)
Fair or poor	565	56.6 (52.2-61.0)	191	61.4 (55.3-67.6)	154	49.7 (43.3-56.1)	220	45.8 (38.6-53.1)
Leisure time exercise?	2462	37.5 (35.8-39.3)	820	39.4 (36.9-41.8)	779	32.9 (30.7-35.0)	863	34.2 (31.6-36.8)
Yes	1849	35.4 (33.4-37.4)	597	37.3 (34.5-40.1)	610	31.2 (28.9-33.6)	642	32.0 (29.2-34.7)
No	610	44.8 (41.0-48.6)	223	46.5 (41.5-51.6)	167	39.7 (34.3-45.2)	220	41.5 (35.2-47.8)
Weight status	2462	37.5 (35.8-39.3)	820	39.4 (36.9-41.8)	779	32.9 (30.7-35.0)	863	34.2 (31.6-36.8)
BMI<25	739	29.9 (27.2-32.5)	245	31.6 (27.9-35.3)	263	26.6 (23.5-29.8)	231	25.9 (21.8-30.0)
BMI>=25	1644	43.0 (40.6-45.4)	551	44.5 (41.1-47.8)	496	37.9 (34.9-40.9)	597	41.4 (38.1-44.6)
Diabetes status	2462	37.5 (35.8-39.3)	820	39.4 (36.9-41.8)	779	32.9 (30.7-35.0)	863	34.2 (31.6-36.8)
Been told diabetic	312	57.0 (51.0-63.1)	113	59.4 (51.2-67.6)	89	52.1 (43.6-60.7)	110	51.0 (41.5-60.4)
Not been told diabetic	2146	35.8 (33.9-37.6)	706	37.5 (35.0-40.1)	687	31.4 (29.2-33.6)	753	32.6 (30.0-35.3)

Table 83. Been Told Have High Blood Cholesterol, Clark County - NV (applicable years from 2000-06)
Source: BRFSS.

	2001		2003		2005	
	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	243	38.7 (34.1-43.3)	281	38.8 (34.8-42.8)	296	40.7 (36.6-44.8)
Male	121	36.8 (29.6-44.0)	130	36.8 (31.1-42.5)	155	44.3 (38.3-50.4)
Female	122	40.5 (34.5-46.6)	151	40.6 (35.0-46.1)	141	37.3 (31.6-42.9)
Race/Ethnicity	243	38.7 (34.1-43.3)	281	38.8 (34.8-42.8)	296	40.7 (36.6-44.8)
White, Non-Hisp.	178	38.2 (33.3-43.0)	207	42.2 (37.4-47.1)	224	44.9 (39.9-49.9)
Black, Non-Hisp.	19	52.3 (35.0-69.5)	13	28.8 (12.3-45.2)	14	36.9 (20.0-53.8)
Other/Multi, Non-Hisp.	31	41.6 (29.6-53.5)	30	38.5 (26.8-50.2)	33	37.1 (25.7-48.4)
Hispanic	12	32.7 (9.7-55.7)	31	31.3 (21.0-41.5)	23	26.3 (15.5-37.1)
Age group	243	38.7 (34.1-43.3)	281	38.8 (34.8-42.8)	296	40.7 (36.6-44.8)
18-24	2	2.4 (0.0-5.9)	4	19.3 (1.4-37.2)	3	12.4 (0.0-26.7)
25-34	23	25.7 (15.0-36.3)	19	18.5 (10.5-26.4)	16	26.9 (15.1-38.6)
35-44	44	31.0 (22.2-39.9)	51	35.6 (27.0-44.2)	32	27.0 (18.4-35.7)
45-54	54	48.4 (37.0-59.8)	49	35.1 (26.2-44.0)	63	42.9 (34.1-51.8)
55-64	49	44.0 (34.0-54.0)	72	56.3 (47.1-65.4)	76	54.2 (45.2-63.3)
65+	70	51.3 (42.2-60.5)	86	52.2 (43.3-61.1)	106	56.7 (48.5-64.8)
Education	243	38.7 (34.1-43.3)	281	38.8 (34.8-42.8)	296	40.7 (36.6-44.8)
Less than H.S. diploma	20	42.5 (24.2-60.7)	23	41.4 (26.5-56.4)	15	34.1 (18.7-49.5)
H.S. diploma or G.E.D.	50	29.7 (22.1-37.2)	66	36.8 (28.9-44.8)	79	40.5 (32.4-48.6)
Some post-H.S.	101	43.0 (35.9-50.2)	92	36.4 (29.7-43.2)	112	44.3 (37.1-51.4)
College graduate	70	39.6 (29.9-49.3)	99	41.9 (35.0-48.7)	90	38.8 (31.7-46.0)
Income	243	38.7 (34.1-43.3)	281	38.8 (34.8-42.8)	296	40.7 (36.6-44.8)
Less than \$15,000	21	63.4 (44.7-82.1)	27	55.6 (39.3-71.9)	20	39.2 (23.4-55.0)
\$15,000 to 24,999	32	41.0 (27.0-55.0)	33	41.7 (28.9-54.4)	31	35.4 (23.3-47.5)
\$25,000 to 34,999	24	31.0 (19.5-42.4)	34	35.9 (24.7-47.1)	26	36.9 (24.1-49.6)
\$35,000 to 49,999	42	34.9 (25.4-44.4)	45	38.4 (28.5-48.2)	42	42.9 (31.3-54.6)
\$50,000 or more	96	37.6 (31.1-44.1)	107	35.2 (29.4-41.0)	138	42.1 (36.1-48.2)
Employment	243	38.7 (34.1-43.3)	281	38.8 (34.8-42.8)	296	40.7 (36.6-44.8)
Employed/Self-empl.	124	30.3 (25.2-35.5)	141	31.6 (26.8-36.5)	150	36.8 (31.4-42.1)
Out of work	9	42.3 (20.5-64.0)	13	49.3 (27.6-71.0)	8	30.7 (9.9-51.6)
Homemaker/Student	18	51.7 (28.4-75.0)	25	37.5 (25.3-49.8)	14	30.4 (16.1-44.6)
Retired/Unable to work	90	53.6 (45.5-61.7)	102	57.7 (49.4-66.1)	123	55.2 (47.7-62.6)
Marital status	243	38.7 (34.1-43.3)	281	38.8 (34.8-42.8)	296	40.7 (36.6-44.8)
Married	130	41.5 (34.9-48.1)	156	42.3 (36.9-47.7)	166	42.6 (37.2-48.0)
Divorced	48	39.7 (29.7-49.6)	49	30.6 (22.0-39.1)	51	40.6 (30.7-50.6)
Widowed	26	46.6 (31.3-61.8)	34	53.1 (39.0-67.2)	37	49.1 (36.0-62.3)
Separated	10	53.1 (27.2-79.1)	6	36.1 (6.5-65.7)	9	52.6 (25.7-79.6)
Never married	23	22.9 (13.6-32.3)	25	25.0 (15.2-34.8)	21	20.6 (10.7-30.5)
Mem. of unmarr. couple	6	22.1 (4.9-39.3)	11	43.1 (23.2-63.0)	10	44.2 (22.5-65.8)


Indicator 2: Had blood cholesterol checked within the past five years.

- 70.3% of county residents had their blood cholesterol checked within the past five years based on aggregated county data from 2000-06 (Figure 50).

Table 84. Percent Having Cholesterol Checked by Race/Ethnicity ('01, '03 & '05 aggregated)

	White, Non-Hisp.			Black, Non-Hisp.			Other/Multi, Non-Hisp.			Hispanic		
	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.
State	4727	73.7 (72.1-75.4)	70.3 (68.6-71.9)	155	72.4 (65.4-79.4)	70.8 (64.6-77.0)	670	67.2 (62.7-71.7)	68.1 (64.2-72.0)	529	52.3 (47.7-57.0)	61.3 (56.8-65.8)
Clark	1334	73.9 (71.5-76.3)	70.4 (68.0-72.8)	121	72.8 (65.3-80.3)	71.6 (65.1-78.0)	229	67.8 (61.7-73.8)	68.7 (63.5-73.9)	205	58.5 (52.3-64.7)	65.9 (59.8-71.9)
Washoe	1718	75.9 (73.8-77.9)	73.1 (71.0-75.2)	25	67.6 (50.7-84.6)	59.9 (44.6-75.2)	203	64.4 (58.0-70.8)	68.9 (63.6-74.2)	143	50.7 (43.9-57.5)	62.1 (56.5-67.6)
Other Counties	1675	70.4 (68.0-72.9)	66.4 (63.9-68.8)	9	67.6 (34.9-100.0)	62.8 (53.4-72.2)	238	67.6 (59.4-75.7)	67.1 (59.8-74.3)	181	38.0 (30.4-45.6)	48.6 (40.5-56.7)

Figure 50. Percent Having Cholesterol Checked by Demographic Subgroups ('01, '03 & '05 aggregated)



Source: BRFSS.

Table 85. Had Cholesterol Checked in Past 5 Years

Source: BRFSS.

'01, '03 & '05 aggregated

	State		Clark		Washoe		Other Counties	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	6131	68.9 (67.3-70.4)	1902	70.3 (68.2-72.4)	2105	71.5 (69.5-73.4)	2124	61.0 (58.0-64.1)
Male	2959	65.0 (62.8-67.3)	907	65.8 (62.7-68.9)	998	69.1 (66.2-71.9)	1054	58.3 (54.2-62.5)
Female	3172	72.9 (70.8-74.9)	995	75.0 (72.2-77.7)	1107	73.9 (71.3-76.6)	1070	63.8 (59.4-68.3)
Race/Ethnicity	6131	68.9 (67.3-70.4)	1902	70.3 (68.2-72.4)	2105	71.5 (69.5-73.4)	2124	61.0 (58.0-64.1)
White,Non-Hisp.	4727	73.7 (72.1-75.4)	1334	73.9 (71.5-76.3)	1718	75.9 (73.8-77.9)	1675	70.4 (68.0-72.9)
Black,Non-Hisp.	155	72.4 (65.4-79.4)	121	72.8 (65.3-80.3)	25	67.6 (50.7-84.6)	9	67.6 (34.9-100.0)
Other/Multi,Non-Hisp.	670	67.2 (62.7-71.7)	229	67.8 (61.7-73.8)	203	64.4 (58.0-70.8)	238	67.6 (59.4-75.7)
Hispanic	529	52.3 (47.7-57.0)	205	58.5 (52.3-64.7)	143	50.7 (43.9-57.5)	181	38.0 (30.4-45.6)
Age group	6131	68.9 (67.3-70.4)	1902	70.3 (68.2-72.4)	2105	71.5 (69.5-73.4)	2124	61.0 (58.0-64.1)
18-24	217	34.2 (29.0-39.4)	79	35.3 (27.9-42.6)	79	37.0 (30.0-44.1)	59	28.3 (19.3-37.4)
25-34	612	50.3 (46.4-54.2)	237	53.8 (48.5-59.1)	200	46.5 (41.1-51.9)	175	39.5 (32.0-47.1)
35-44	1109	64.8 (61.4-68.1)	370	66.7 (62.2-71.3)	400	68.8 (64.7-73.0)	339	53.0 (46.8-59.1)
45-54	1386	78.1 (75.0-81.1)	371	77.9 (73.7-82.1)	513	83.8 (80.5-87.1)	502	72.8 (66.7-79.0)
55-64	1265	89.1 (86.5-91.6)	376	89.5 (86.2-92.8)	412	92.3 (89.4-95.2)	477	84.3 (77.9-90.6)
65+	1532	92.1 (90.4-93.8)	468	92.7 (90.3-95.1)	493	93.5 (91.3-95.8)	571	88.6 (85.7-91.6)
Education	6131	68.9 (67.3-70.4)	1902	70.3 (68.2-72.4)	2105	71.5 (69.5-73.4)	2124	61.0 (58.0-64.1)
Less than H.S. diploma	431	52.2 (47.0-57.4)	135	59.7 (52.3-67.2)	113	49.9 (42.1-57.6)	183	38.9 (30.8-47.0)
H.S. diploma or G.E.D.	1622	61.6 (58.6-64.6)	486	62.2 (58.0-66.3)	455	62.5 (58.3-66.7)	681	59.1 (54.2-64.0)
Some post-H.S.	2070	73.5 (71.0-76.0)	657	73.9 (70.5-77.3)	720	75.0 (71.7-78.3)	693	69.7 (65.1-74.3)
College graduate	1990	79.0 (76.5-81.4)	617	78.6 (75.2-82.0)	812	80.4 (77.6-83.1)	561	78.8 (74.2-83.4)
Income	6131	68.9 (67.3-70.4)	1902	70.3 (68.2-72.4)	2105	71.5 (69.5-73.4)	2124	61.0 (58.0-64.1)
Less than \$15,000	403	58.2 (52.0-64.4)	124	64.8 (55.7-73.9)	112	57.0 (48.3-65.8)	167	44.5 (35.1-54.0)
\$15,000 to 24,999	751	59.5 (55.1-63.9)	218	62.0 (55.9-68.2)	233	56.4 (50.5-62.2)	300	54.7 (46.6-62.9)
\$25,000 to 34,999	698	64.5 (60.1-69.0)	216	65.2 (59.1-71.3)	227	64.4 (58.3-70.6)	255	62.1 (54.1-70.1)
\$35,000 to 49,999	1011	69.9 (66.3-73.5)	302	70.5 (65.4-75.6)	325	71.8 (66.6-76.9)	384	65.7 (60.8-70.7)
\$50,000 or more	2518	76.1 (73.9-78.4)	813	76.2 (73.2-79.1)	964	78.3 (75.6-80.9)	741	72.8 (68.3-77.3)
Employment	6131	68.9 (67.3-70.4)	1902	70.3 (68.2-72.4)	2105	71.5 (69.5-73.4)	2124	61.0 (58.0-64.1)
Employed/Self-empl.	3576	65.1 (63.2-67.1)	1122	67.1 (64.4-69.8)	1288	68.8 (66.3-71.2)	1166	53.7 (49.8-57.7)
Out of work	205	53.0 (45.1-60.9)	71	53.9 (43.6-64.2)	45	45.6 (33.3-57.9)	89	53.9 (42.1-65.6)
Homemaker/Student	469	63.1 (57.9-68.4)	157	64.3 (57.0-71.5)	157	59.2 (52.3-66.1)	155	62.2 (53.4-71.0)
Retired/Unable to work	1854	88.8 (86.8-90.8)	545	89.1 (86.3-91.9)	611	91.6 (89.2-94.0)	698	85.5 (81.7-89.2)
Marital status	6131	68.9 (67.3-70.4)	1902	70.3 (68.2-72.4)	2105	71.5 (69.5-73.4)	2124	61.0 (58.0-64.1)
Married	3379	74.6 (72.7-76.5)	1004	75.4 (72.7-78.0)	1117	77.6 (75.1-80.0)	1258	69.0 (65.6-72.4)
Divorced	1141	71.5 (68.0-75.0)	350	72.6 (67.7-77.5)	419	70.2 (65.4-75.0)	372	67.7 (62.1-73.4)
Widowed	648	87.8 (83.8-91.9)	185	90.3 (85.6-95.1)	217	91.8 (88.2-95.5)	246	76.1 (64.3-87.9)
Separated	124	62.8 (52.7-72.9)	47	73.2 (60.6-85.7)	39	64.5 (50.5-78.5)	38	34.6 (18.8-50.5)
Never married	609	47.4 (43.1-51.7)	231	48.9 (43.1-54.6)	221	50.3 (44.7-55.9)	157	37.3 (28.6-46.0)
Mem. of unmarr. couple	200	49.3 (41.9-56.7)	75	55.0 (45.0-65.0)	85	56.0 (46.9-65.1)	40	22.8 (13.0-32.6)
Overall health status	6131	68.9 (67.3-70.4)	1902	70.3 (68.2-72.4)	2105	71.5 (69.5-73.4)	2124	61.0 (58.0-64.1)
Good or better	5143	68.9 (67.2-70.6)	1602	69.9 (67.6-72.2)	1812	70.6 (68.5-72.7)	1729	62.8 (59.5-66.0)
Fair or poor	982	68.8 (64.9-72.8)	299	72.4 (67.0-77.7)	289	77.3 (72.1-82.5)	394	55.8 (48.4-63.1)
Leisure time exercise?	6131	68.9 (67.3-70.4)	1902	70.3 (68.2-72.4)	2105	71.5 (69.5-73.4)	2124	61.0 (58.0-64.1)
Yes	4868	70.9 (69.2-72.5)	1467	71.9 (69.6-74.2)	1730	72.0 (69.9-74.2)	1671	65.5 (62.4-68.6)
No	1257	62.7 (59.3-66.1)	432	65.3 (60.8-69.7)	373	69.1 (64.5-73.8)	452	49.9 (43.2-56.6)
Weight status	6131	68.9 (67.3-70.4)	1902	70.3 (68.2-72.4)	2105	71.5 (69.5-73.4)	2124	61.0 (58.0-64.1)
BMI<25	2306	65.3 (62.8-67.8)	711	66.1 (62.7-69.5)	857	66.8 (63.7-69.8)	738	60.0 (55.2-64.9)
BMI>=25	3599	73.1 (71.2-75.1)	1132	73.9 (71.3-76.6)	1174	75.5 (72.9-78.1)	1293	67.5 (64.1-70.9)
Diabetes status	6131	68.9 (67.3-70.4)	1902	70.3 (68.2-72.4)	2105	71.5 (69.5-73.4)	2124	61.0 (58.0-64.1)
Been told diabetic	546	92.1 (89.1-95.1)	183	91.7 (87.7-95.7)	158	95.0 (91.1-99.0)	205	91.5 (85.7-97.3)
Not been told diabetic	5577	67.3 (65.7-68.9)	1716	68.7 (66.5-70.9)	1942	70.2 (68.1-72.2)	1919	59.2 (56.1-62.4)

Table 86. Had Cholesterol Checked in Past 5 Years, Clark County - NV (applicable years from 2000-06)
Source: BRFSS.

	2001		2003		2005	
	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	612	72.2 (68.7-75.8)	667	70.1 (66.6-73.6)	623	68.6 (64.9-72.3)
Male	315	68.3 (63.1-73.4)	292	64.3 (59.0-69.6)	300	64.9 (59.4-70.3)
Female	297	76.4 (71.6-81.3)	375	75.9 (71.4-80.5)	323	72.6 (67.6-77.6)
Race/Ethnicity	612	72.2 (68.7-75.8)	667	70.1 (66.6-73.6)	623	68.6 (64.9-72.3)
White, Non-Hisp.	440	73.0 (69.0-77.1)	457	74.5 (70.5-78.6)	437	74.3 (70.0-78.6)
Black, Non-Hisp.	37	69.9 (56.4-83.4)	45	81.7 (70.9-92.5)	39	66.9 (53.1-80.7)
Other/Multi, Non-Hisp.	73	66.5 (56.6-76.5)	81	71.6 (60.6-82.7)	75	65.3 (54.7-75.8)
Hispanic	56	74.8 (62.8-86.8)	80	53.5 (44.5-62.5)	69	53.5 (43.1-63.8)
Age group	612	72.2 (68.7-75.8)	667	70.1 (66.6-73.6)	623	68.6 (64.9-72.3)
18-24	32	42.3 (29.1-55.4)	25	29.2 (18.3-40.2)	22	34.3 (20.8-47.8)
25-34	81	56.2 (47.4-64.9)	96	58.6 (50.0-67.2)	60	46.9 (37.2-56.6)
35-44	124	66.1 (58.0-74.3)	142	70.6 (63.5-77.7)	104	63.6 (55.2-72.0)
45-54	122	81.2 (74.3-88.1)	121	73.6 (65.5-81.6)	128	78.7 (72.0-85.4)
55-64	114	91.4 (86.0-96.7)	128	88.2 (81.8-94.6)	134	89.3 (84.2-94.4)
65+	138	91.4 (86.7-96.0)	155	90.5 (85.7-95.4)	175	96.0 (93.3-98.6)
Education	612	72.2 (68.7-75.8)	667	70.1 (66.6-73.6)	623	68.6 (64.9-72.3)
Less than H.S. diploma	42	72.2 (59.8-84.7)	49	57.7 (46.1-69.3)	44	52.6 (39.4-65.7)
H.S. diploma or G.E.D.	159	68.1 (61.5-74.8)	167	61.3 (54.2-68.4)	160	57.9 (50.5-65.3)
Some post-H.S.	217	69.5 (63.3-75.6)	225	77.6 (72.2-83.1)	215	75.2 (69.4-80.9)
College graduate	191	80.2 (74.5-85.9)	223	76.8 (71.0-82.6)	203	78.7 (72.7-84.7)
Income	612	72.2 (68.7-75.8)	667	70.1 (66.6-73.6)	623	68.6 (64.9-72.3)
Less than \$15,000	36	73.6 (56.6-90.5)	47	73.9 (59.2-88.6)	41	51.4 (37.1-65.7)
\$15,000 to 24,999	75	65.4 (55.2-75.6)	72	62.0 (51.7-72.4)	71	58.6 (47.3-69.9)
\$25,000 to 34,999	76	72.3 (62.7-81.8)	77	60.6 (50.9-70.3)	63	63.1 (50.9-75.4)
\$35,000 to 49,999	116	68.6 (60.4-76.9)	108	72.8 (64.2-81.4)	78	70.7 (60.8-80.6)
\$50,000 or more	236	74.9 (69.5-80.2)	285	76.4 (71.2-81.6)	292	77.0 (72.0-81.9)
Employment	612	72.2 (68.7-75.8)	667	70.1 (66.6-73.6)	623	68.6 (64.9-72.3)
Employed/Self-empl.	374	68.9 (64.6-73.3)	400	67.7 (63.3-72.2)	348	64.7 (59.9-69.6)
Out of work	26	60.4 (43.5-77.3)	23	49.6 (32.5-66.7)	22	51.0 (31.9-70.1)
Homemaker/Student	40	65.9 (51.3-80.6)	74	70.4 (59.8-80.9)	43	56.6 (44.3-68.8)
Retired/Unable to work	170	89.3 (84.1-94.4)	169	86.4 (81.0-91.8)	206	91.3 (87.3-95.4)
Marital status	612	72.2 (68.7-75.8)	667	70.1 (66.6-73.6)	623	68.6 (64.9-72.3)
Married	315	76.7 (72.1-81.3)	347	73.7 (69.2-78.1)	342	75.7 (71.2-80.3)
Divorced	113	75.4 (67.8-83.0)	133	74.2 (65.9-82.5)	104	67.8 (58.4-77.2)
Widowed	58	92.0 (84.2-99.7)	60	85.2 (75.1-95.4)	67	93.9 (88.0-99.7)
Separated	16	75.8 (58.3-93.3)	15	79.5 (57.9-100.0)	16	62.6 (39.0-86.2)
Never married	82	48.5 (39.4-57.7)	81	52.8 (42.8-62.8)	68	45.3 (34.8-55.8)
Mem. of unmarr. couple	26	71.0 (54.0-88.0)	27	54.6 (39.1-70.1)	22	44.4 (27.9-60.8)

Asthma


Indicator 1: Ever been told by a doctor, nurse or health professional that respondent has asthma.

- The estimated proportion of county adults who have been told they had asthma was 12.9% based on aggregated county data from 2000-06 (Figure 51).

Table 87. Percent Asthma History by Race/Ethnicity (2000-06 aggregated)

	White, Non-Hisp.			Black, Non-Hisp.			Other/Multi, Non-Hisp.			Hispanic		
	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.
State	1862	13.0 (12.2-13.8)	13.3 (12.4-14.1)	70	14.2 (10.2-18.1)	13.9 (10.2-17.5)	376	15.5 (13.3-17.6)	15.2 (13.1-17.2)	208	8.7 (7.1-10.3)	8.8 (7.2-10.4)
Clark	574	13.4 (12.2-14.6)	13.7 (12.4-14.9)	62	15.0 (10.7-19.2)	14.7 (10.7-18.7)	124	14.9 (12.1-17.7)	14.5 (11.9-17.2)	82	9.2 (7.0-11.4)	9.3 (7.0-11.6)
Washoe	653	13.1 (12.1-14.2)	13.4 (12.2-14.5)	5	4.5 (0.0-9.2)	3.6 (0.2-7.0)	117	16.5 (13.3-19.7)	16.1 (13.0-19.1)	57	9.0 (6.5-11.5)	8.8 (6.1-11.4)
Other Counties	635	11.4 (10.5-12.4)	11.7 (10.6-12.7)	3	6.8 (0.0-16.1)	7.8 (0.0-17.0)	135	17.2 (12.7-21.6)	17.5 (13.4-21.6)	69	7.2 (4.7-9.7)	7.5 (5.0-10.0)

Figure 51. Percent Asthma History by Demographic Subgroups (2000-06 aggregated)




Source: BRFSS.

Table 88. Ever Been Told Have Asthma? (%) (2000-06 aggregated)

County	Yes		No	
	N	% and C.I.	N	% and C.I.
Carson City	142	10.8 (8.9-12.8)	1061	89.2 (87.2-91.1)
Churchill	66	11.7 (7.7-14.8)	523	88.3 (85.2-91.3)
Clark	847	12.9 (12.0-13.8)	5641	87.1 (86.2-88.0)
Douglas	127	12.1 (9.6-14.5)	925	87.9 (85.5-90.4)
Elko	104	11.5 (9.2-13.8)	790	88.5 (86.2-90.8)
Humboldt	12	17.4 (7.9-27.0)	89	82.6 (73.0-92.1)
Lyon	126	13.0 (10.6-15.4)	834	87.0 (84.6-89.4)
Nye	107	14.8 (11.9-17.8)	643	85.2 (82.2-88.1)
Washoe	839	12.9 (12.0-13.9)	5880	87.1 (86.1-88.0)

Figure 52. Ever Been Told Have Asthma (%)




Source: BRFS.

Table 89. Asthma History by Year, Clark County, NV and U.S. (%)

	2000	2001	2002	2003	2004	2005	2006
Clark	13.5 (10.5-16.5)	13.6 (11.0-16.1)	13.1 (10.7-15.5)	11.7 (9.4-13.9)	13.2 (10.8-15.7)	12.6 (9.9-15.3)	12.8 (10.5-15.1)
NV	13.4 (11.3-15.6)	13.3 (11.5-15.1)	12.4 (10.8-14.1)	11.4 (9.8-13.0)	12.6 (10.8-14.3)	12.6 (10.7-14.4)	12.3 (10.7-13.9)
U.S.†	10.6	11.2	11.8	11.7	13.2	12.6	13.0

†Median % among participating states, DC and territories.

Figure 53. Year 2006: Ever Been Told Have Asthma (%)
(U.S. outlying territories not displayed on map)



*Prevalence in Clark County: 12.8%.
Source: BRFS.

Table 90. Ever Been Told Have Asthma

Source: BRFSS.	2000-06 aggregated							
	State		Clark		Washoe		Other Counties	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	2534	12.5 (11.9-13.2)	847	12.9 (12.0-13.8)	839	12.9 (12.0-13.9)	848	10.9 (9.8-11.9)
Male	1046	10.8 (9.9-11.7)	346	11.1 (9.8-12.3)	365	11.9 (10.6-13.2)	335	8.9 (7.6-10.2)
Female	1488	14.3 (13.3-15.3)	501	14.8 (13.3-16.2)	474	14.0 (12.6-15.3)	513	12.9 (11.3-14.5)
Race/Ethnicity	2534	12.5 (11.9-13.2)	847	12.9 (12.0-13.8)	839	12.9 (12.0-13.9)	848	10.9 (9.8-11.9)
White,Non-Hisp.	1862	13.0 (12.2-13.8)	574	13.4 (12.2-14.6)	653	13.1 (12.1-14.2)	635	11.4 (10.5-12.4)
Black,Non-Hisp.	70	14.2 (10.2-18.1)	62	15.0 (10.7-19.2)	5	4.5 (0.0-9.2)	3	6.8 (0.0-16.1)
Other/Multi,Non-Hisp.	376	15.5 (13.3-17.6)	124	14.9 (12.1-17.7)	117	16.5 (13.3-19.7)	135	17.2 (12.7-21.6)
Hispanic	208	8.7 (7.1-10.3)	82	9.2 (7.0-11.4)	57	9.0 (6.5-11.5)	69	7.2 (4.7-9.7)
Age group	2534	12.5 (11.9-13.2)	847	12.9 (12.0-13.8)	839	12.9 (12.0-13.9)	848	10.9 (9.8-11.9)
18-24	242	15.5 (13.0-18.1)	82	16.3 (12.6-20.0)	86	15.9 (12.5-19.3)	74	13.0 (8.9-17.0)
25-34	392	12.5 (10.9-14.1)	143	12.6 (10.4-14.8)	141	14.9 (12.3-17.4)	108	10.1 (7.4-12.7)
35-44	477	11.2 (9.8-12.5)	151	11.3 (9.3-13.3)	162	11.6 (9.8-13.5)	164	10.1 (8.3-11.9)
45-54	527	13.3 (11.8-14.9)	181	14.3 (12.1-16.6)	167	12.1 (10.1-14.1)	179	10.7 (8.7-12.6)
55-64	459	14.0 (12.3-15.7)	155	14.5 (12.1-16.9)	144	12.8 (10.5-15.1)	160	13.3 (9.9-16.8)
65+	434	10.0 (8.7-11.3)	134	9.9 (8.0-11.8)	138	11.3 (9.2-13.3)	162	9.2 (7.6-10.8)
Education	2534	12.5 (11.9-13.2)	847	12.9 (12.0-13.8)	839	12.9 (12.0-13.9)	848	10.9 (9.8-11.9)
Less than H.S. diploma	210	10.2 (8.2-12.2)	67	11.4 (8.4-14.5)	51	9.6 (6.7-12.5)	92	8.1 (5.3-10.9)
H.S. diploma or G.E.D.	707	12.1 (10.9-13.3)	235	12.4 (10.7-14.2)	204	12.4 (10.5-14.2)	268	10.8 (9.2-12.5)
Some post-H.S.	864	13.5 (12.3-14.8)	290	13.6 (11.8-15.3)	285	14.1 (12.3-15.8)	289	12.8 (10.9-14.7)
College graduate	745	13.2 (11.9-14.4)	254	13.3 (11.6-15.1)	298	13.2 (11.6-14.8)	193	12.1 (9.8-14.5)
Income	2534	12.5 (11.9-13.2)	847	12.9 (12.0-13.8)	839	12.9 (12.0-13.9)	848	10.9 (9.8-11.9)
Less than \$15,000	244	12.6 (10.2-14.9)	69	13.8 (10.2-17.4)	72	12.9 (9.6-16.3)	103	9.8 (6.8-12.8)
\$15,000 to 24,999	348	11.4 (9.6-13.1)	101	11.2 (8.7-13.8)	114	13.2 (10.5-16.0)	133	10.5 (7.7-13.2)
\$25,000 to 34,999	315	13.0 (11.1-15.0)	102	13.4 (10.6-16.2)	100	13.2 (10.4-16.0)	113	11.5 (8.9-14.2)
\$35,000 to 49,999	428	13.6 (11.8-15.3)	141	14.1 (11.6-16.5)	144	13.1 (10.7-15.4)	143	12.0 (9.3-14.7)
\$50,000 or more	916	12.9 (11.8-14.0)	335	13.3 (11.8-14.8)	322	12.5 (11.1-14.0)	259	11.2 (9.6-12.7)
Employment	2534	12.5 (11.9-13.2)	847	12.9 (12.0-13.8)	839	12.9 (12.0-13.9)	848	10.9 (9.8-11.9)
Employed/Self-empl.	1511	12.2 (11.3-13.0)	508	12.6 (11.4-13.8)	532	12.7 (11.5-13.9)	471	10.0 (8.8-11.2)
Out of work	127	14.3 (10.9-17.7)	44	13.9 (9.4-18.4)	30	13.1 (8.0-18.3)	53	16.8 (10.6-23.1)
Homemaker/Student	239	13.5 (11.2-15.7)	86	13.7 (10.6-16.8)	81	14.0 (10.8-17.2)	72	12.2 (8.2-16.2)
Retired/Unable to work	647	13.0 (11.6-14.4)	207	13.3 (11.3-15.2)	196	13.2 (11.3-15.2)	244	12.0 (9.6-14.4)
Marital status	2534	12.5 (11.9-13.2)	847	12.9 (12.0-13.8)	839	12.9 (12.0-13.9)	848	10.9 (9.8-11.9)
Married	1199	11.6 (10.8-12.5)	392	11.8 (10.6-13.0)	374	11.7 (10.4-12.9)	433	11.1 (9.7-12.5)
Divorced	526	13.9 (12.3-15.5)	168	14.0 (11.7-16.3)	188	13.9 (11.8-16.1)	170	13.5 (11.1-15.8)
Widowed	209	10.3 (8.3-12.2)	65	10.5 (7.7-13.3)	57	10.3 (7.4-13.1)	87	9.5 (7.2-11.8)
Separated	75	14.6 (9.6-19.6)	24	16.6 (9.3-23.9)	24	14.0 (7.8-20.2)	27	8.8 (4.3-13.2)
Never married	408	15.5 (13.5-17.5)	158	16.1 (13.3-18.8)	151	16.8 (13.9-19.7)	99	11.7 (8.2-15.2)
Mem. of unmarr. couple	110	12.0 (8.8-15.2)	37	13.2 (8.5-17.9)	44	14.4 (10.1-18.8)	29	6.3 (3.4-9.1)
Overall health status	2534	12.5 (11.9-13.2)	847	12.9 (12.0-13.8)	839	12.9 (12.0-13.9)	848	10.9 (9.8-11.9)
Good or better	1894	11.5 (10.8-12.2)	626	11.6 (10.6-12.6)	659	12.2 (11.2-13.2)	609	10.2 (9.1-11.4)
Fair or poor	637	17.9 (16.0-19.8)	220	19.6 (16.8-22.3)	178	17.7 (14.9-20.4)	239	13.2 (10.7-15.6)
Leisure time exercise?	2534	12.5 (11.9-13.2)	847	12.9 (12.0-13.8)	839	12.9 (12.0-13.9)	848	10.9 (9.8-11.9)
Yes	1892	12.5 (11.7-13.2)	616	12.8 (11.7-13.9)	661	12.7 (11.7-13.8)	615	10.9 (9.8-12.1)
No	639	12.8 (11.5-14.2)	231	13.3 (11.5-15.2)	176	13.6 (11.4-15.9)	232	10.7 (8.4-12.9)
Smoking status	2534	12.5 (11.9-13.2)	847	12.9 (12.0-13.8)	839	12.9 (12.0-13.9)	848	10.9 (9.8-11.9)
Current smokers	605	13.5 (12.0-15.0)	221	14.4 (12.4-16.4)	173	12.5 (10.4-14.6)	211	10.8 (8.9-12.7)
Do not smoke currently	1919	12.2 (11.4-13.0)	622	12.4 (11.3-13.4)	662	13.0 (11.9-14.1)	635	10.9 (9.6-12.1)
Weight status	2534	12.5 (11.9-13.2)	847	12.9 (12.0-13.8)	839	12.9 (12.0-13.9)	848	10.9 (9.8-11.9)
BMI<25	908	11.7 (10.6-12.7)	289	11.6 (10.1-13.1)	311	11.8 (10.4-13.2)	308	11.6 (9.6-13.6)
BMI>=25	1516	13.4 (12.5-14.3)	522	13.9 (12.6-15.1)	496	13.9 (12.6-15.3)	498	11.2 (10.0-12.4)

Table 91. Ever Been Told Have Asthma, Clark County - NV (applicable years from 2000-06)

Source: BRFSS.

	2000		2001		2002		2003		2004		2005		2006	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	99	13.5 (10.5-16.5)	118	13.6 (11.0-16.1)	135	13.1 (10.7-15.5)	111	11.7 (9.4-13.9)	124	13.2 (10.8-15.7)	104	12.6 (9.9-15.3)	156	12.8 (10.5-15.1)
Male	47	12.2 (8.4-16.0)	62	13.0 (9.6-16.4)	52	11.3 (8.0-14.6)	43	10.2 (7.1-13.4)	49	11.0 (7.8-14.2)	39	10.0 (6.5-13.5)	54	10.2 (7.1-13.3)
Female	52	14.8 (10.2-19.4)	56	14.1 (10.3-17.9)	83	14.9 (11.4-18.4)	68	13.1 (9.8-16.4)	75	15.5 (11.8-19.2)	65	15.4 (11.4-19.5)	102	15.3 (11.8-18.7)
Race/Ethnicity	99	13.5 (10.5-16.5)	118	13.6 (11.0-16.1)	135	13.1 (10.7-15.5)	111	11.7 (9.4-13.9)	124	13.2 (10.8-15.7)	104	12.6 (9.9-15.3)	156	12.8 (10.5-15.1)
White, Non-Hisp.	58	11.6 (8.3-14.8)	83	14.2 (11.1-17.4)	96	14.7 (11.5-17.8)	79	14.2 (11.0-17.4)	80	13.2 (10.2-16.3)	75	13.0 (9.9-16.1)	103	13.0 (10.1-15.8)
Black, Non-Hisp.	18	28.0 (14.0-42.0)	5	6.3 (0.2-12.5)	9	19.8 (7.7-32.0)	4	5.2 (0.0-11.0)	8	12.4 (3.7-21.1)	9	16.3 (5.5-27.0)	9	10.4 (2.4-18.3)
Other/Multi, Non-Hisp.	12	16.2 (6.2-26.2)	21	17.8 (10.3-25.3)	20	13.7 (7.1-20.4)	14	11.5 (5.1-17.8)	21	17.5 (10.1-24.8)	10	8.5 (3.2-13.9)	26	18.5 (10.2-26.9)
Hispanic	11	11.6 (4.1-19.0)	7	8.1 (1.5-14.6)	10	6.9 (2.4-11.4)	14	6.7 (2.9-10.4)	13	9.9 (4.4-15.4)	10	13.1 (4.8-21.5)	17	8.9 (4.3-13.4)
Age group	99	13.5 (10.5-16.5)	118	13.6 (11.0-16.1)	135	13.1 (10.7-15.5)	111	11.7 (9.4-13.9)	124	13.2 (10.8-15.7)	104	12.6 (9.9-15.3)	156	12.8 (10.5-15.1)
18-24	12	15.0 (6.0-24.0)	11	14.3 (5.9-22.6)	10	11.5 (3.7-19.2)	15	17.6 (8.7-26.5)	15	20.3 (10.2-30.4)	10	17.0 (6.0-27.9)	9	17.9 (6.3-29.5)
25-34	31	14.8 (9.4-20.2)	24	17.9 (11.0-24.9)	27	16.3 (10.2-22.5)	19	11.2 (5.9-16.4)	17	11.7 (5.9-17.4)	11	9.9 (3.7-16.1)	14	8.0 (3.7-12.4)
35-44	16	12.1 (5.2-19.1)	15	7.0 (3.2-10.9)	29	12.3 (7.3-17.2)	22	11.2 (6.2-16.2)	22	12.8 (7.6-18.0)	21	15.0 (8.7-21.3)	26	8.9 (5.3-12.6)
45-54	13	10.7 (4.7-16.7)	27	16.4 (10.0-22.9)	26	14.6 (8.5-20.6)	27	14.0 (8.4-19.5)	23	12.8 (7.2-18.4)	26	14.0 (8.5-19.6)	39	17.4 (11.4-23.5)
55-64	15	16.7 (8.2-25.3)	24	18.8 (11.0-26.6)	26	15.0 (9.0-20.9)	16	11.6 (5.8-17.4)	23	12.4 (7.2-17.5)	20	13.3 (7.2-19.4)	31	14.8 (9.5-20.2)
65+	11	13.3 (4.9-21.8)	17	9.3 (4.7-13.9)	17	7.6 (3.5-11.8)	12	6.3 (2.7-9.9)	24	12.3 (7.3-17.3)	16	7.5 (3.1-11.9)	37	13.2 (8.8-17.6)
Education	99	13.5 (10.5-16.5)	118	13.6 (11.0-16.1)	135	13.1 (10.7-15.5)	111	11.7 (9.4-13.9)	124	13.2 (10.8-15.7)	104	12.6 (9.9-15.3)	156	12.8 (10.5-15.1)
Less than H.S. diploma	17	24.7 (12.4-37.0)	9	11.8 (3.6-20.1)	3	4.3 (0.0-9.6)	11	12.2 (4.9-19.4)	9	8.9 (2.9-14.9)	7	13.0 (2.6-23.4)	11	8.5 (3.2-13.7)
H.S. diploma or G.E.D.	33	12.8 (8.2-17.4)	31	14.0 (9.0-19.0)	45	13.8 (9.5-18.2)	25	8.8 (5.0-12.7)	33	13.0 (8.2-17.7)	33	13.1 (8.4-17.8)	35	11.7 (7.1-16.4)
Some post-H.S.	27	12.1 (6.5-17.6)	37	11.4 (7.6-15.3)	50	16.4 (11.6-21.1)	42	13.3 (9.1-17.4)	40	12.1 (8.1-16.1)	36	12.8 (8.0-17.5)	58	16.8 (12.0-21.7)
College graduate	22	11.6 (6.4-16.8)	40	16.6 (11.2-22.0)	37	12.3 (7.9-16.6)	33	13.1 (8.6-17.5)	42	16.9 (11.8-22.0)	28	11.8 (7.3-16.4)	52	11.2 (7.8-14.6)
Income	99	13.5 (10.5-16.5)	118	13.6 (11.0-16.1)	135	13.1 (10.7-15.5)	111	11.7 (9.4-13.9)	124	13.2 (10.8-15.7)	104	12.6 (9.9-15.3)	156	12.8 (10.5-15.1)
Less than \$15,000	9	18.3 (5.4-31.3)	9	17.0 (5.0-29.0)	8	10.2 (2.3-18.2)	8	15.4 (4.0-26.8)	8	8.7 (2.2-15.2)	14	20.0 (9.6-30.5)	13	9.1 (3.7-14.5)
\$15,000 to 24,999	12	9.1 (3.4-14.8)	11	9.8 (3.4-16.1)	24	14.1 (8.0-20.2)	13	10.7 (4.4-17.1)	15	12.7 (5.3-20.1)	13	9.7 (3.2-16.3)	13	11.6 (3.7-19.6)
\$25,000 to 34,999	17	15.5 (6.9-24.1)	18	21.4 (12.2-30.6)	17	14.6 (7.3-21.9)	16	11.2 (5.5-16.8)	15	15.9 (7.5-24.3)	5	3.2 (0.2-6.2)	14	11.7 (5.1-18.3)
\$35,000 to 49,999	17	13.0 (6.7-19.3)	26	14.4 (8.7-20.0)	20	12.6 (6.6-18.6)	18	12.7 (6.7-18.8)	18	10.9 (5.7-16.2)	18	19.0 (10.2-27.8)	24	17.7 (10.0-25.5)
\$50,000 or more	33	12.9 (7.7-18.1)	41	13.5 (9.3-17.7)	49	13.6 (9.5-17.7)	44	11.8 (8.3-15.3)	52	14.1 (10.2-18.0)	45	13.9 (9.7-18.2)	71	13.2 (9.7-16.7)
Employment	99	13.5 (10.5-16.5)	118	13.6 (11.0-16.1)	135	13.1 (10.7-15.5)	111	11.7 (9.4-13.9)	124	13.2 (10.8-15.7)	104	12.6 (9.9-15.3)	156	12.8 (10.5-15.1)
Employed/Self-empl.	60	12.2 (8.6-15.7)	78	14.6 (11.3-17.8)	82	12.6 (9.6-15.6)	71	11.8 (9.0-14.7)	72	12.7 (9.7-15.7)	57	12.3 (8.8-15.8)	88	12.1 (9.1-15.0)
Out of work	2	3.7 (0.0-8.9)	7	18.5 (5.1-32.0)	8	20.0 (6.5-33.4)	6	13.8 (1.8-25.8)	5	6.8 (0.3-13.3)	6	14.9 (2.6-27.2)	10	15.0 (3.7-26.2)
Homemaker/Student	14	21.5 (10.7-32.4)	8	8.7 (1.8-15.7)	12	12.8 (5.2-20.4)	16	14.2 (7.2-21.3)	15	16.3 (8.1-24.4)	11	13.4 (5.0-21.8)	10	10.8 (3.1-18.5)
Retired/Unable to work	23	16.0 (8.8-23.3)	24	11.2 (6.6-15.8)	33	13.2 (8.2-18.2)	17	8.3 (4.2-12.4)	32	15.0 (9.5-20.5)	30	13.1 (8.0-18.1)	48	16.0 (11.4-20.6)
Marital status	99	13.5 (10.5-16.5)	118	13.6 (11.0-16.1)	135	13.1 (10.7-15.5)	111	11.7 (9.4-13.9)	124	13.2 (10.8-15.7)	104	12.6 (9.9-15.3)	156	12.8 (10.5-15.1)
Married	46	12.4 (8.3-16.5)	61	14.9 (11.2-18.7)	56	11.8 (8.6-15.0)	50	9.9 (7.1-12.7)	61	12.3 (9.2-15.4)	41	9.3 (6.3-12.3)	77	12.2 (9.4-15.0)
Divorced	17	15.3 (7.7-22.9)	22	11.7 (6.6-16.8)	33	17.7 (11.4-24.1)	19	11.5 (5.6-17.3)	16	8.7 (4.3-13.1)	24	17.5 (10.3-24.7)	37	16.1 (10.6-21.6)
Widowed	6	10.8 (1.8-19.8)	8	9.4 (2.7-16.1)	12	8.9 (3.6-14.1)	6	7.3 (1.2-13.4)	12	16.4 (7.3-25.5)	9	14.7 (4.5-24.9)	12	7.4 (2.8-11.9)
Separated	5	22.2 (1.3-43.1)	1	3.2 (0.0-9.5)	3	17.8 (0.0-38.0)	2	15.4 (0.0-35.3)	5	25.6 (3.4-47.9)	5	20.6 (1.8-39.4)	3	8.1 (0.0-18.2)
Never married	21	16.9 (9.3-24.5)	22	13.9 (7.9-19.9)	26	16.1 (9.3-22.9)	24	15.8 (9.2-22.3)	27	19.9 (12.2-27.6)	16	14.8 (6.7-22.9)	22	15.6 (7.6-23.5)
Mem. of unmarr. couple	3	8.3 (0.0-18.9)	4	12.0 (0.2-23.8)	5	11.4 (0.6-22.1)	8	16.4 (5.2-27.6)	3	6.0 (0.0-13.1)	9	22.7 (7.5-37.9)	5	11.1 (0.0-23.3)


Indicator 2: Respondents who currently have asthma.

- The estimated proportion of county adults who currently had asthma was 7.7% based on aggregated county data from 2000-06 (Figure 54).

Table 92. Percent Current Asthma by Race/Ethnicity (2000-06 aggregated)

	White, Non-Hisp.			Black, Non-Hisp.			Other/Multi, Non-Hisp.			Hispanic		
	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.
State	1171	8.2 (7.5-8.9)	8.2 (7.5-8.9)	44	8.5 (5.8-11.2)	8.8 (6.1-11.6)	216	8.2 (6.6-9.8)	8.1 (6.6-9.6)	118	4.5 (3.3-5.6)	5.0 (3.7-6.3)
Clark	362	8.5 (7.5-9.4)	8.4 (7.4-9.4)	42	9.0 (6.1-11.9)	9.5 (6.5-12.5)	64	7.7 (5.6-9.9)	7.6 (5.6-9.7)	46	4.9 (3.3-6.5)	5.5 (3.6-7.4)
Washoe	414	8.2 (7.4-9.1)	8.3 (7.4-9.2)	1	2.1 (0.0-6.1)	1.4 (0.0-4.1)	65	8.1 (5.9-10.2)	8.1 (6.0-10.3)	28	4.5 (2.7-6.2)	4.1 (2.5-5.7)
Other Counties	395	7.1 (6.3-7.9)	7.1 (6.3-8.0)	1	4.5 (0.0-13.1)	5.3 (0.0-13.8)	87	10.4 (7.6-13.1)	10.6 (7.7-13.5)	44	3.4 (1.9-4.9)	4.4 (2.5-6.3)

Figure 54. Percent Current Asthma by Demographic Subgroups (2000-06 aggregated)




Source: BRFSS.

Table 93. Currently Have Asthma? (%) (2000-06 aggregated)

County	Yes		No	
	N	% and C.I.	N	% and C.I.
Carson City	85	6.6 (5.0-8.2)	1115	93.4 (91.8-95.0)
Churchill	37	6.5 (4.1-9.0)	546	93.5 (91.0-95.9)
Clark	517	7.7 (7.0-8.5)	5937	92.3 (91.5-93.0)
Douglas	67	6.3 (4.5-8.1)	978	93.7 (91.9-95.5)
Elko	68	7.4 (5.5-9.3)	821	92.6 (90.7-94.5)
Humboldt	9	12.1 (4.1-20.1)	91	87.9 (79.9-95.9)
Lyon	89	9.3 (7.2-11.4)	864	90.7 (88.6-92.8)
Nye	71	10.0 (7.4-12.5)	674	90.0 (87.5-92.6)
Washoe	514	7.7 (7.0-8.5)	6177	92.3 (91.5-93.0)

Figure 55. Currently Have Asthma (%)




Source: BRFS.

Table 94. Current Asthma by Year, Clark County, NV and U.S. (%)

	2000	2001	2002	2003	2004	2005	2006
Clark	8.4 (6.1-10.7)	8.3 (6.2-10.3)	8.0 (6.1-9.8)	6.8 (5.0-8.6)	7.7 (5.8-9.6)	7.1 (5.1-9.2)	7.9 (6.0-9.9)
NV	8.3 (6.6-9.9)	8.3 (6.8-9.7)	7.6 (6.3-8.9)	6.6 (5.3-7.8)	7.1 (5.8-8.5)	7.1 (5.7-8.5)	7.7 (6.4-9.0)
U.S.†	7.3	7.3	7.6	7.6	8.3	8.0	8.4

†Median % among participating states, DC and territories.

Figure 56. Year 2006: Currently Have Asthma (%) (U.S. outlying territories not displayed on map)



*Prevalence in Clark County: 7.9%.

Source: BRFS.

Table 95. Currently Have Asthma

Source: BRFSS.	2000-06 aggregated							
	State		Clark		Washoe		Other Counties	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	1560	7.5 (7.0-8.0)	517	7.7 (7.0-8.5)	514	7.7 (7.0-8.5)	529	6.4 (5.7-7.1)
Male	551	5.4 (4.8-6.0)	179	5.4 (4.6-6.3)	200	6.3 (5.4-7.3)	172	4.3 (3.5-5.1)
Female	1009	9.7 (8.8-10.5)	338	10.0 (8.9-11.2)	314	9.1 (8.0-10.3)	357	8.6 (7.4-9.8)
Race/Ethnicity	1560	7.5 (7.0-8.0)	517	7.7 (7.0-8.5)	514	7.7 (7.0-8.5)	529	6.4 (5.7-7.1)
White,Non-Hisp.	1171	8.2 (7.5-8.9)	362	8.5 (7.5-9.4)	414	8.2 (7.4-9.1)	395	7.1 (6.3-7.9)
Black,Non-Hisp.	44	8.5 (5.8-11.2)	42	9.0 (6.1-11.9)	1	2.1 (0.0-6.1)	1	4.5 (0.0-13.1)
Other/Multi,Non-Hisp.	216	8.2 (6.6-9.8)	64	7.7 (5.6-9.9)	65	8.1 (5.9-10.2)	87	10.4 (7.6-13.1)
Hispanic	118	4.5 (3.3-5.6)	46	4.9 (3.3-6.5)	28	4.5 (2.7-6.2)	44	3.4 (1.9-4.9)
Age group	1560	7.5 (7.0-8.0)	517	7.7 (7.0-8.5)	514	7.7 (7.0-8.5)	529	6.4 (5.7-7.1)
18-24	122	7.1 (5.3-8.8)	36	7.3 (4.6-9.9)	44	7.8 (5.3-10.2)	42	5.9 (3.9-7.9)
25-34	225	7.5 (6.2-8.8)	90	7.9 (6.2-9.7)	77	8.1 (6.1-10.0)	58	5.5 (3.5-7.5)
35-44	290	6.5 (5.5-7.5)	89	6.3 (4.9-7.7)	103	7.6 (6.0-9.1)	98	6.2 (4.8-7.6)
45-54	328	8.1 (6.9-9.4)	107	8.6 (6.8-10.4)	105	7.2 (5.7-8.7)	116	7.0 (5.3-8.7)
55-64	301	9.3 (7.9-10.8)	102	10.0 (7.9-12.0)	93	8.3 (6.4-10.2)	106	7.9 (6.1-9.6)
65+	294	6.8 (5.7-7.9)	93	6.7 (5.1-8.3)	92	7.8 (6.0-9.6)	109	6.3 (5.0-7.6)
Education	1560	7.5 (7.0-8.0)	517	7.7 (7.0-8.5)	514	7.7 (7.0-8.5)	529	6.4 (5.7-7.1)
Less than H.S. diploma	145	6.9 (5.2-8.5)	49	8.2 (5.6-10.9)	35	6.2 (3.9-8.5)	61	4.6 (2.8-6.3)
H.S. diploma or G.E.D.	438	7.0 (6.1-8.0)	128	7.0 (5.6-8.3)	129	7.4 (5.9-8.9)	181	7.0 (5.7-8.2)
Some post-H.S.	533	8.1 (7.1-9.0)	187	8.2 (6.9-9.5)	170	8.1 (6.8-9.4)	176	7.4 (6.2-8.6)
College graduate	439	7.8 (6.8-8.7)	152	7.9 (6.5-9.2)	179	8.1 (6.8-9.3)	108	6.6 (5.1-8.0)
Income	1560	7.5 (7.0-8.0)	517	7.7 (7.0-8.5)	514	7.7 (7.0-8.5)	529	6.4 (5.7-7.1)
Less than \$15,000	170	8.0 (6.2-9.9)	47	9.0 (6.1-11.9)	53	8.9 (6.3-11.6)	70	5.6 (3.9-7.3)
\$15,000 to 24,999	227	7.1 (5.7-8.5)	67	7.0 (5.0-9.0)	72	8.6 (6.3-10.9)	88	6.4 (4.3-8.6)
\$25,000 to 34,999	200	8.0 (6.4-9.6)	59	8.1 (5.8-10.4)	65	8.2 (6.0-10.3)	76	7.6 (5.6-9.6)
\$35,000 to 49,999	278	8.9 (7.5-10.4)	96	9.4 (7.4-11.4)	97	9.0 (6.9-11.0)	85	7.2 (5.4-9.0)
\$50,000 or more	509	7.1 (6.3-7.9)	189	7.4 (6.2-8.5)	174	6.7 (5.6-7.7)	146	6.2 (5.1-7.3)
Employment	1560	7.5 (7.0-8.0)	517	7.7 (7.0-8.5)	514	7.7 (7.0-8.5)	529	6.4 (5.7-7.1)
Employed/Self-empl.	873	6.9 (6.3-7.5)	289	7.1 (6.2-8.0)	316	7.4 (6.5-8.3)	268	5.6 (4.8-6.5)
Out of work	79	7.6 (5.1-10.1)	25	7.6 (4.2-11.0)	18	7.2 (3.4-11.0)	36	8.3 (5.0-11.6)
Homemaker/Student	142	7.9 (6.1-9.6)	53	8.4 (6.0-10.9)	39	6.3 (4.2-8.4)	50	7.0 (4.3-9.7)
Retired/Unable to work	458	9.2 (8.0-10.4)	148	9.4 (7.7-11.1)	141	9.9 (8.1-11.7)	169	8.1 (6.7-9.6)
Marital status	1560	7.5 (7.0-8.0)	517	7.7 (7.0-8.5)	514	7.7 (7.0-8.5)	529	6.4 (5.7-7.1)
Married	724	6.9 (6.2-7.6)	233	7.0 (6.0-7.9)	227	7.1 (6.1-8.0)	264	6.4 (5.5-7.3)
Divorced	337	9.0 (7.7-10.4)	105	9.0 (7.1-10.9)	119	8.8 (7.0-10.6)	113	9.3 (7.3-11.4)
Widowed	150	7.5 (5.8-9.2)	48	7.7 (5.2-10.2)	41	7.5 (5.1-10.0)	61	6.9 (4.9-8.8)
Separated	52	9.1 (5.1-13.2)	14	9.9 (3.9-15.9)	19	10.8 (5.4-16.1)	19	5.7 (2.2-9.2)
Never married	237	8.7 (7.1-10.2)	94	9.1 (7.0-11.2)	87	9.3 (7.1-11.5)	56	6.0 (3.8-8.2)
Mem. of unmarr. couple	55	6.5 (4.0-9.0)	22	7.7 (4.0-11.5)	20	6.2 (3.4-8.9)	13	3.0 (1.0-5.0)
Overall health status	1560	7.5 (7.0-8.0)	517	7.7 (7.0-8.5)	514	7.7 (7.0-8.5)	529	6.4 (5.7-7.1)
Good or better	1089	6.4 (5.8-6.9)	357	6.4 (5.7-7.2)	379	6.9 (6.1-7.7)	353	5.5 (4.8-6.2)
Fair or poor	469	13.1 (11.5-14.8)	160	14.4 (11.9-16.8)	133	13.2 (10.8-15.6)	176	9.6 (7.6-11.6)
Leisure time exercise?	1560	7.5 (7.0-8.0)	517	7.7 (7.0-8.5)	514	7.7 (7.0-8.5)	529	6.4 (5.7-7.1)
Yes	1111	7.1 (6.6-7.7)	369	7.4 (6.6-8.2)	381	7.1 (6.3-7.9)	361	6.2 (5.4-7.0)
No	446	8.5 (7.4-9.7)	148	8.7 (7.1-10.3)	131	10.3 (8.3-12.3)	167	6.9 (5.5-8.3)
Smoking status	1560	7.5 (7.0-8.0)	517	7.7 (7.0-8.5)	514	7.7 (7.0-8.5)	529	6.4 (5.7-7.1)
Current smokers	354	7.8 (6.6-8.9)	122	8.3 (6.7-10.0)	104	7.0 (5.4-8.6)	128	6.1 (4.9-7.4)
Do not smoke currently	1200	7.4 (6.8-8.0)	392	7.5 (6.7-8.3)	408	7.9 (7.1-8.7)	400	6.5 (5.7-7.3)
Weight status	1560	7.5 (7.0-8.0)	517	7.7 (7.0-8.5)	514	7.7 (7.0-8.5)	529	6.4 (5.7-7.1)
BMI<25	517	6.3 (5.5-7.0)	161	6.3 (5.2-7.4)	179	6.4 (5.4-7.4)	177	6.1 (4.9-7.2)
BMI>=25	972	8.5 (7.7-9.2)	332	8.7 (7.7-9.7)	315	8.9 (7.8-10.0)	325	7.3 (6.3-8.3)

Table 96. Currently Have Asthma, Clark County - NV (applicable years from 2000-06)

Source: BRFSS.

	2000		2001		2002		2003		2004		2005		2006	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	63	8.4 (6.1-10.7)	74	8.3 (6.2-10.3)	87	8.0 (6.1-9.8)	63	6.8 (5.0-8.6)	73	7.7 (5.8-9.6)	62	7.1 (5.1-9.2)	95	7.9 (6.0-9.9)
Male	24	6.7 (3.6-9.8)	35	6.8 (4.4-9.3)	29	5.8 (3.5-8.1)	17	4.0 (2.0-5.9)	26	5.7 (3.3-8.0)	18	4.0 (1.9-6.2)	30	5.4 (3.3-7.5)
Female	39	10.2 (6.7-13.6)	39	9.7 (6.5-13.0)	58	10.2 (7.3-13.2)	46	9.6 (6.6-12.5)	47	9.8 (6.8-12.8)	44	10.5 (7.0-13.9)	65	10.4 (7.3-13.5)
Race/Ethnicity	63	8.4 (6.1-10.7)	74	8.3 (6.2-10.3)	87	8.0 (6.1-9.8)	63	6.8 (5.0-8.6)	73	7.7 (5.8-9.6)	62	7.1 (5.1-9.2)	95	7.9 (6.0-9.9)
White, Non-Hisp.	35	7.3 (4.6-10.1)	53	8.8 (6.3-11.4)	65	9.0 (6.6-11.4)	45	8.4 (5.9-11.0)	53	8.9 (6.3-11.5)	43	7.4 (5.0-9.8)	68	9.3 (6.8-11.9)
Black, Non-Hisp.	15	17.9 (8.7-27.2)	2	1.4 (0.0-3.4)	8	16.9 (5.5-28.2)	2	1.8 (0.0-4.3)	5	8.0 (0.8-15.1)	6	9.6 (1.6-17.5)	4	3.7 (0.0-7.4)
Other/Multi, Non-Hisp.	8	11.4 (2.4-20.5)	14	12.1 (5.6-18.6)	7	5.2 (0.9-9.6)	7	6.2 (1.2-11.3)	7	6.2 (1.5-10.9)	7	5.5 (1.2-9.7)	14	9.1 (2.6-15.5)
Hispanic	5	5.2 (0.4-9.9)	4	4.3 (0.0-9.0)	7	5.1 (1.1-9.0)	9	4.0 (1.2-6.7)	6	4.3 (0.8-7.8)	6	6.9 (0.7-13.1)	9	4.4 (1.4-7.5)
Age group	63	8.4 (6.1-10.7)	74	8.3 (6.2-10.3)	87	8.0 (6.1-9.8)	63	6.8 (5.0-8.6)	73	7.7 (5.8-9.6)	62	7.1 (5.1-9.2)	95	7.9 (6.0-9.9)
18-24	8	11.1 (2.7-19.5)	4	5.5 (0.1-10.9)	2	2.1 (0.0-5.3)	4	5.1 (0.0-10.2)	8	10.5 (3.0-18.0)	6	8.2 (1.1-15.3)	4	8.6 (0.0-17.9)
25-34	18	8.5 (4.4-12.6)	15	11.5 (5.5-17.5)	17	10.4 (5.3-15.4)	14	7.6 (3.3-11.9)	10	6.6 (2.4-10.8)	9	8.1 (2.3-14.0)	7	4.0 (0.9-7.0)
35-44	10	5.7 (1.9-9.6)	11	4.7 (1.6-7.9)	17	7.6 (3.6-11.7)	13	7.1 (3.0-11.3)	9	5.6 (1.9-9.4)	11	7.1 (2.8-11.4)	18	6.3 (3.2-9.3)
45-54	8	6.1 (1.8-10.5)	18	10.5 (5.4-15.6)	16	8.6 (3.8-13.3)	16	8.4 (3.9-12.9)	17	10.1 (4.9-15.4)	12	6.0 (2.3-9.6)	20	10.5 (5.2-15.9)
55-64	10	11.1 (3.9-18.2)	15	12.5 (5.8-19.1)	22	12.3 (6.9-17.7)	9	7.4 (2.4-12.3)	15	8.4 (4.0-12.7)	11	8.7 (3.3-14.2)	20	10.2 (5.5-15.0)
65+	9	11.3 (3.2-19.4)	11	5.1 (2.0-8.1)	13	5.2 (2.0-8.3)	7	4.1 (1.1-7.1)	14	6.7 (3.1-10.3)	13	5.1 (2.1-8.2)	26	9.9 (5.9-13.9)
Education	63	8.4 (6.1-10.7)	74	8.3 (6.2-10.3)	87	8.0 (6.1-9.8)	63	6.8 (5.0-8.6)	73	7.7 (5.8-9.6)	62	7.1 (5.1-9.2)	95	7.9 (6.0-9.9)
Less than H.S. diploma	16	24.1 (11.8-36.4)	7	8.6 (1.9-15.4)	3	4.3 (0.0-9.6)	8	8.6 (2.3-14.8)	5	4.5 (0.1-8.8)	4	8.0 (0.0-17.0)	6	3.8 (0.5-7.2)
H.S. diploma or G.E.D.	20	8.0 (4.3-11.6)	19	9.1 (4.8-13.4)	23	6.4 (3.5-9.2)	11	3.9 (1.3-6.4)	20	7.9 (4.1-11.8)	18	7.5 (3.7-11.3)	17	6.3 (2.6-10.1)
Some post-H.S.	14	5.4 (2.3-8.4)	22	5.9 (3.3-8.6)	34	9.9 (6.2-13.5)	21	6.7 (3.7-9.8)	28	8.5 (5.1-12.0)	26	8.4 (5.0-11.9)	42	11.9 (7.8-16.1)
College graduate	13	6.5 (2.4-10.5)	25	10.3 (5.9-14.7)	27	9.4 (5.4-13.3)	23	9.5 (5.5-13.5)	20	7.9 (4.4-11.4)	14	5.0 (2.1-7.9)	30	6.8 (4.0-9.6)
Income	63	8.4 (6.1-10.7)	74	8.3 (6.2-10.3)	87	8.0 (6.1-9.8)	63	6.8 (5.0-8.6)	73	7.7 (5.8-9.6)	62	7.1 (5.1-9.2)	95	7.9 (6.0-9.9)
Less than \$15,000	5	12.5 (1.1-23.8)	5	7.7 (0.1-15.3)	7	7.8 (1.2-14.4)	7	12.1 (2.1-22.1)	4	3.5 (0.0-7.4)	11	15.4 (6.2-24.5)	8	4.9 (1.2-8.7)
\$15,000 to 24,999	10	6.2 (2.2-10.2)	7	6.3 (1.0-11.6)	16	8.4 (3.9-12.9)	8	5.9 (1.4-10.4)	8	7.3 (1.5-13.1)	11	6.9 (2.4-11.4)	7	7.8 (0.3-15.3)
\$25,000 to 34,999	11	11.2 (3.1-19.3)	11	13.5 (5.6-21.3)	8	7.1 (1.7-12.4)	8	5.7 (1.5-9.8)	12	12.2 (5.0-19.4)	1	0.5 (0.0-1.5)	8	6.2 (1.6-10.8)
\$35,000 to 49,999	13	8.9 (4.0-13.9)	16	9.0 (4.3-13.7)	14	8.8 (3.8-13.7)	12	9.3 (3.8-14.8)	10	5.7 (1.9-9.6)	15	15.0 (7.2-22.8)	16	11.1 (5.1-17.1)
\$50,000 or more	17	6.4 (3.0-9.8)	26	7.8 (4.6-11.0)	31	8.4 (5.1-11.7)	21	6.1 (3.4-8.8)	30	8.1 (5.1-11.1)	19	6.1 (3.2-8.9)	45	8.6 (5.7-11.5)
Employment	63	8.4 (6.1-10.7)	74	8.3 (6.2-10.3)	87	8.0 (6.1-9.8)	63	6.8 (5.0-8.6)	73	7.7 (5.8-9.6)	62	7.1 (5.1-9.2)	95	7.9 (6.0-9.9)
Employed/Self-empl.	35	6.6 (4.2-9.0)	46	8.7 (6.0-11.3)	46	6.9 (4.7-9.2)	34	5.7 (3.7-7.8)	42	7.4 (5.0-9.8)	31	6.6 (4.0-9.3)	55	7.7 (5.3-10.1)
Out of work	2	3.7 (0.0-8.9)	5	12.6 (1.3-23.8)	7	16.8 (4.2-29.5)	4	9.2 (0.0-19.3)	3	2.7 (0.0-5.8)	2	4.4 (0.0-10.8)	2	1.6 (0.0-4.0)
Homemaker/Student	11	17.0 (7.2-26.9)	6	6.1 (0.6-11.6)	6	5.6 (0.6-10.5)	10	9.8 (3.7-16.0)	9	8.8 (2.9-14.6)	6	7.2 (1.2-13.2)	5	6.9 (0.0-13.8)
Retired/Unable to work	15	11.4 (4.8-18.0)	16	6.5 (3.2-9.7)	28	10.4 (6.2-14.6)	14	7.0 (3.1-10.8)	19	9.5 (4.8-14.3)	23	9.7 (5.4-14.1)	33	11.1 (7.1-15.2)
Marital status	63	8.4 (6.1-10.7)	74	8.3 (6.2-10.3)	87	8.0 (6.1-9.8)	63	6.8 (5.0-8.6)	73	7.7 (5.8-9.6)	62	7.1 (5.1-9.2)	95	7.9 (6.0-9.9)
Married	27	7.5 (4.4-10.6)	40	9.5 (6.4-12.6)	36	7.2 (4.7-9.7)	27	5.8 (3.6-8.1)	37	7.4 (5.0-9.9)	18	3.8 (2.0-5.7)	48	7.7 (5.4-10.1)
Divorced	11	10.4 (4.0-16.8)	13	6.6 (2.8-10.4)	22	12.4 (6.7-18.0)	11	6.5 (2.1-11.0)	9	4.8 (1.4-8.3)	16	12.4 (5.9-18.8)	23	10.5 (5.9-15.1)
Widowed	5	9.1 (0.7-17.5)	5	6.0 (0.5-11.5)	11	8.1 (3.1-13.2)	4	4.9 (0.0-10.0)	6	7.4 (1.5-13.3)	8	13.6 (3.5-23.7)	9	5.0 (1.6-8.4)
Separated	2	6.4 (0.0-15.6)	1	3.2 (0.0-9.5)	1	4.8 (0.0-14.0)	1	9.4 (0.0-26.9)	4	23.9 (1.7-46.1)	3	10.5 (0.0-23.2)	2	5.8 (0.0-14.6)
Never married	15	11.5 (4.9-18.1)	12	7.2 (2.8-11.5)	13	8.0 (3.3-12.7)	14	8.4 (3.8-12.9)	15	9.6 (4.2-15.1)	15	8.9 (3.1-14.6)	13	10.5 (3.4-17.6)
Mem. of unmarr. couple	2	3.0 (0.0-7.4)	3	7.7 (0.0-16.6)	4	7.5 (0.0-15.7)	6	13.1 (2.6-23.6)	2	4.1 (0.0-10.2)	5	15.5 (1.1-30.0)	0	N/A

Disability


Indicator 1: Limited in any activities because of physical, mental or emotional problems.

- 18.7% of county adults reported having some type of limitations based on aggregated data from 2000-06 (Figure 57).

Table 97. Percent Limitations by Race/Ethnicity ('01, '03, '04, '05 & '06 aggregated)

	White, Non-Hisp.			Black, Non-Hisp.			Other/Multi, Non-Hisp.			Hispanic		
	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.
State	2484	21.0 (19.9-22.1)	19.7 (18.6-20.8)	61	13.2 (9.5-16.9)	13.7 (10.0-17.5)	456	23.6 (20.7-26.6)	24.0 (21.1-26.9)	203	8.6 (7.0-10.3)	10.9 (8.9-12.9)
Clark	718	21.4 (19.8-23.0)	20.0 (18.4-21.7)	49	13.3 (9.4-17.3)	14.0 (10.0-18.0)	141	23.4 (19.4-27.4)	23.8 (19.9-27.7)	66	8.4 (6.2-10.6)	10.2 (7.5-12.9)
Washoe	821	19.0 (17.7-20.4)	18.2 (16.9-19.5)	8	6.1 (1.6-10.6)	6.5 (1.7-11.2)	144	21.8 (18.2-25.5)	23.2 (19.5-26.9)	55	9.9 (7.1-12.8)	12.5 (8.9-16.1)
Other Counties	945	21.9 (20.4-23.4)	20.4 (18.9-21.9)	4	21.4 (0.0-43.6)	19.8 (3.8-35.8)	171	26.7 (21.5-31.9)	26.3 (21.3-31.4)	82	8.8 (5.9-11.7)	11.6 (8.2-15.1)

Figure 57. Percent Limitations by Demographic Subgroups ('01, '03, '04, '05 & '06 aggregated)



Source: BRFSS.

Table 98. Limited in Any Way Because of Physical, Mental or Emotional Problems

Source: BRFSS.

	'01, '03, '04, '05 & '06 aggregated							
	State		Clark		Washoe		Other Counties	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	3243	18.6 (17.7-19.5)	983	18.7 (17.5-20.0)	1043	18.1 (16.9-19.2)	1217	18.5 (17.1-20.0)
Male	1452	16.7 (15.5-17.9)	436	16.7 (15.0-18.3)	465	17.0 (15.3-18.6)	551	16.7 (14.8-18.7)
Female	1791	20.5 (19.2-21.8)	547	20.8 (18.9-22.6)	578	19.2 (17.5-20.8)	666	20.6 (18.5-22.6)
Race/Ethnicity	3243	18.6 (17.7-19.5)	983	18.7 (17.5-20.0)	1043	18.1 (16.9-19.2)	1217	18.5 (17.1-20.0)
White,Non-Hisp.	2484	21.0 (19.9-22.1)	718	21.4 (19.8-23.0)	821	19.0 (17.7-20.4)	945	21.9 (20.4-23.4)
Black,Non-Hisp.	61	13.2 (9.5-16.9)	49	13.3 (9.4-17.3)	8	6.1 (1.6-10.6)	4	21.4 (0.0-43.6)
Other/Multi,Non-Hisp.	456	23.6 (20.7-26.6)	141	23.4 (19.4-27.4)	144	21.8 (18.2-25.5)	171	26.7 (21.5-31.9)
Hispanic	203	8.6 (7.0-10.3)	66	8.4 (6.2-10.6)	55	9.9 (7.1-12.8)	82	8.8 (5.9-11.7)
Age group	3243	18.6 (17.7-19.5)	983	18.7 (17.5-20.0)	1043	18.1 (16.9-19.2)	1217	18.5 (17.1-20.0)
18-24	126	10.7 (8.0-13.3)	31	10.0 (6.2-13.8)	45	10.6 (7.4-13.8)	50	12.7 (7.4-18.0)
25-34	233	9.7 (8.0-11.4)	80	10.0 (7.6-12.3)	75	9.6 (7.3-12.0)	78	8.5 (6.2-10.8)
35-44	460	14.8 (12.9-16.6)	146	15.1 (12.6-17.7)	141	13.2 (10.9-15.4)	173	14.7 (12.0-17.4)
45-54	710	21.4 (19.2-23.5)	196	21.4 (18.3-24.5)	254	22.3 (19.6-25.0)	260	20.4 (17.6-23.3)
55-64	763	28.7 (26.1-31.2)	234	29.3 (25.8-32.9)	226	24.3 (21.1-27.5)	303	30.2 (26.3-34.2)
65+	950	28.7 (26.4-30.9)	296	28.5 (25.4-31.7)	301	29.6 (26.4-32.8)	353	28.3 (25.0-31.5)
Education	3243	18.6 (17.7-19.5)	983	18.7 (17.5-20.0)	1043	18.1 (16.9-19.2)	1217	18.5 (17.1-20.0)
Less than H.S. diploma	285	14.0 (11.6-16.4)	77	15.1 (11.3-18.8)	82	16.2 (12.4-20.0)	126	11.1 (8.3-14.0)
H.S. diploma or G.E.D.	966	18.4 (16.7-20.0)	260	17.7 (15.4-20.0)	286	19.6 (17.2-21.9)	420	19.9 (17.5-22.4)
Some post-H.S.	1130	20.7 (19.0-22.3)	352	20.4 (18.2-22.6)	348	18.9 (16.9-21.0)	430	24.1 (21.3-26.9)
College graduate	855	18.7 (17.0-20.4)	292	19.4 (17.1-21.8)	324	16.5 (14.6-18.4)	239	18.3 (15.5-21.1)
Income	3243	18.6 (17.7-19.5)	983	18.7 (17.5-20.0)	1043	18.1 (16.9-19.2)	1217	18.5 (17.1-20.0)
Less than \$15,000	523	33.1 (29.2-37.1)	149	38.0 (31.9-44.2)	160	34.8 (29.1-40.4)	214	22.7 (18.0-27.3)
\$15,000 to 24,999	507	20.8 (18.2-23.4)	145	22.1 (18.2-25.9)	164	21.3 (17.9-24.7)	198	17.0 (13.4-20.6)
\$25,000 to 34,999	356	15.6 (13.4-17.8)	102	14.6 (11.5-17.7)	104	16.0 (12.7-19.4)	150	18.8 (15.0-22.6)
\$35,000 to 49,999	482	17.6 (15.4-19.7)	134	16.5 (13.5-19.5)	165	19.8 (16.6-22.9)	183	19.7 (16.4-23.0)
\$50,000 or more	948	15.9 (14.6-17.3)	320	16.4 (14.6-18.3)	323	14.3 (12.7-15.9)	305	15.6 (13.8-17.5)
Employment	3243	18.6 (17.7-19.5)	983	18.7 (17.5-20.0)	1043	18.1 (16.9-19.2)	1217	18.5 (17.1-20.0)
Employed/Self-empl.	1318	12.7 (11.7-13.6)	388	12.7 (11.4-14.1)	444	12.6 (11.3-13.8)	486	12.4 (11.0-13.9)
Out of work	183	23.0 (18.4-27.6)	62	23.5 (17.3-29.7)	51	23.0 (16.3-29.6)	70	20.8 (14.8-26.8)
Homemaker/Student	235	14.4 (11.8-17.0)	76	14.4 (10.8-18.0)	73	13.8 (10.5-17.1)	86	14.7 (10.3-19.1)
Retired/Unable to work	1491	38.9 (36.6-41.1)	450	38.8 (35.6-42.0)	470	38.0 (35.0-41.1)	571	39.7 (36.2-43.2)
Marital status	3243	18.6 (17.7-19.5)	983	18.7 (17.5-20.0)	1043	18.1 (16.9-19.2)	1217	18.5 (17.1-20.0)
Married	1482	17.3 (16.2-18.5)	444	17.6 (15.9-19.2)	438	16.4 (14.8-17.9)	600	17.4 (15.8-19.0)
Divorced	756	25.2 (22.7-27.6)	215	24.4 (21.0-27.8)	269	25.1 (22.0-28.1)	272	29.0 (25.1-33.0)
Widowed	432	30.4 (26.8-34.1)	129	30.1 (25.0-35.1)	138	31.2 (26.1-36.3)	165	31.2 (25.0-37.4)
Separated	86	20.6 (14.4-26.7)	30	24.3 (15.3-33.2)	32	21.1 (13.3-28.9)	24	8.7 (4.1-13.4)
Never married	369	15.6 (13.3-18.0)	130	16.4 (13.2-19.7)	120	13.5 (10.8-16.3)	119	14.4 (10.4-18.5)
Mem. of unmarr. couple	108	13.1 (9.8-16.4)	31	11.1 (6.9-15.3)	43	18.1 (12.8-23.4)	34	15.7 (7.6-23.9)
Overall health status	3243	18.6 (17.7-19.5)	983	18.7 (17.5-20.0)	1043	18.1 (16.9-19.2)	1217	18.5 (17.1-20.0)
Good or better	1906	13.3 (12.4-14.1)	574	13.3 (12.1-14.5)	650	13.1 (12.0-14.2)	682	13.5 (12.1-14.8)
Fair or poor	1326	44.6 (41.7-47.5)	404	46.4 (42.3-50.4)	389	49.6 (45.4-53.8)	533	36.7 (32.1-41.2)
Leisure time exercise?	3243	18.6 (17.7-19.5)	983	18.7 (17.5-20.0)	1043	18.1 (16.9-19.2)	1217	18.5 (17.1-20.0)
Yes	2036	14.7 (13.8-15.6)	558	14.3 (13.0-15.6)	709	15.3 (14.1-16.5)	769	15.7 (14.3-17.0)
No	1194	30.1 (27.9-32.3)	422	31.3 (28.4-34.3)	328	29.8 (26.6-33.1)	444	25.8 (22.1-29.6)
Smoking status	3243	18.6 (17.7-19.5)	983	18.7 (17.5-20.0)	1043	18.1 (16.9-19.2)	1217	18.5 (17.1-20.0)
Current smokers	939	23.3 (21.3-25.3)	287	23.0 (20.3-25.8)	282	23.7 (20.8-26.5)	370	24.0 (20.8-27.2)
Do not smoke currently	2292	17.1 (16.1-18.1)	692	17.3 (15.9-18.7)	757	16.5 (15.3-17.8)	843	16.8 (15.2-18.4)
Weight status	3243	18.6 (17.7-19.5)	983	18.7 (17.5-20.0)	1043	18.1 (16.9-19.2)	1217	18.5 (17.1-20.0)
BMI<25	1055	15.7 (14.4-17.1)	310	15.8 (13.8-17.7)	358	14.9 (13.2-16.5)	387	16.6 (14.3-18.9)
BMI>=25	2071	20.7 (19.5-22.0)	634	20.7 (19.0-22.3)	659	21.0 (19.3-22.7)	778	20.9 (19.1-22.6)

Table 99. Limited in Any Way Because of Physical, Mental or Emotional Problems, Clark County - NV (applicable years from 2000-06)
Source: BRFSS.

	2001		2003		2004		2005		2006	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	166	18.4 (15.4-21.3)	182	17.5 (14.9-20.1)	177	17.0 (14.4-19.7)	182	19.4 (16.4-22.3)	276	21.1 (18.4-23.9)
Male	79	15.9 (12.1-19.6)	86	16.6 (13.0-20.2)	89	17.3 (13.5-21.1)	65	13.5 (10.0-16.9)	117	20.0 (16.0-24.0)
Female	87	20.9 (16.5-25.4)	96	18.4 (14.5-22.2)	88	16.7 (13.0-20.4)	117	25.7 (21.0-30.4)	159	22.2 (18.4-26.1)
Race/Ethnicity	166	18.4 (15.4-21.3)	182	17.5 (14.9-20.1)	177	17.0 (14.4-19.7)	182	19.4 (16.4-22.3)	276	21.1 (18.4-23.9)
White, Non-Hisp.	121	19.9 (16.3-23.5)	137	21.2 (17.7-24.7)	131	19.5 (16.0-23.0)	126	20.9 (17.2-24.7)	203	25.3 (21.6-28.9)
Black, Non-Hisp.	11	19.4 (8.4-30.3)	7	10.1 (2.2-18.0)	8	12.0 (3.1-20.8)	8	10.4 (3.0-17.9)	15	15.4 (6.4-24.5)
Other/Multi, Non-Hisp.	28	24.9 (15.9-33.9)	21	16.8 (9.1-24.5)	24	21.4 (12.9-29.8)	28	25.7 (16.3-35.1)	40	27.5 (18.2-36.8)
Hispanic	5	4.1 (0.1-8.0)	17	9.9 (4.8-15.0)	12	8.0 (3.4-12.7)	17	12.0 (5.7-18.3)	15	6.4 (3.0-9.9)
Age group	166	18.4 (15.4-21.3)	182	17.5 (14.9-20.1)	177	17.0 (14.4-19.7)	182	19.4 (16.4-22.3)	276	21.1 (18.4-23.9)
18-24	4	5.6 (0.0-11.4)	9	10.9 (3.7-18.1)	4	5.4 (0.0-11.1)	9	14.3 (5.1-23.6)	5	12.9 (1.9-23.9)
25-34	12	7.1 (2.9-11.4)	20	9.5 (4.8-14.2)	11	6.9 (2.7-11.0)	18	14.0 (7.3-20.7)	19	11.9 (6.4-17.3)
35-44	32	17.8 (11.4-24.1)	32	15.2 (9.9-20.6)	29	16.0 (10.1-21.9)	18	11.1 (5.7-16.5)	35	15.8 (10.3-21.2)
45-54	34	22.0 (14.2-29.7)	31	18.5 (11.9-25.0)	41	22.7 (15.4-29.9)	34	20.3 (13.4-27.1)	56	23.4 (17.0-29.8)
55-64	37	27.3 (18.7-35.8)	43	27.0 (19.2-34.8)	41	23.1 (16.2-30.0)	45	34.2 (25.6-42.8)	68	34.7 (27.2-42.3)
65+	47	28.7 (20.8-36.6)	47	26.3 (19.0-33.5)	51	28.3 (21.0-35.6)	58	27.7 (20.7-34.8)	93	31.5 (25.5-37.5)
Education	166	18.4 (15.4-21.3)	182	17.5 (14.9-20.1)	177	17.0 (14.4-19.7)	182	19.4 (16.4-22.3)	276	21.1 (18.4-23.9)
Less than H.S. diploma	18	21.0 (10.7-31.4)	15	12.7 (6.1-19.3)	12	10.3 (4.0-16.7)	13	16.2 (7.1-25.3)	19	16.9 (7.6-26.2)
H.S. diploma or G.E.D.	46	17.4 (12.2-22.5)	49	16.4 (11.5-21.3)	47	17.2 (12.2-22.2)	48	17.5 (12.1-22.8)	70	20.0 (14.7-25.2)
Some post-H.S.	58	19.4 (14.3-24.4)	60	19.0 (14.2-23.8)	66	18.4 (13.6-23.2)	67	21.3 (16.0-26.6)	101	23.7 (18.7-28.8)
College graduate	42	17.1 (11.5-22.7)	58	19.6 (14.6-24.6)	52	18.1 (12.9-23.2)	54	20.5 (15.0-26.1)	86	21.3 (16.6-26.0)
Income	166	18.4 (15.4-21.3)	182	17.5 (14.9-20.1)	177	17.0 (14.4-19.7)	182	19.4 (16.4-22.3)	276	21.1 (18.4-23.9)
Less than \$15,000	30	61.2 (44.2-78.2)	27	33.9 (21.0-46.8)	25	32.2 (19.3-45.2)	26	38.5 (24.6-52.4)	41	34.1 (22.8-45.5)
\$15,000 to 24,999	25	19.3 (11.6-27.1)	29	22.6 (14.4-30.8)	24	17.1 (9.6-24.6)	31	28.5 (18.3-38.7)	36	23.2 (14.0-32.4)
\$25,000 to 34,999	18	15.7 (8.3-23.0)	27	16.3 (9.8-22.7)	19	12.7 (6.6-18.9)	15	12.0 (5.5-18.5)	23	16.3 (8.4-24.3)
\$35,000 to 49,999	25	14.6 (8.6-20.6)	23	14.7 (8.7-20.8)	33	19.1 (12.3-25.9)	18	15.9 (8.6-23.2)	35	18.1 (11.0-25.2)
\$50,000 or more	50	17.9 (12.9-22.8)	56	14.6 (10.7-18.5)	50	13.1 (9.3-17.0)	63	15.9 (11.8-20.0)	101	20.0 (16.0-23.9)
Employment	166	18.4 (15.4-21.3)	182	17.5 (14.9-20.1)	177	17.0 (14.4-19.7)	182	19.4 (16.4-22.3)	276	21.1 (18.4-23.9)
Employed/Self-empl.	62	11.1 (8.2-14.1)	72	11.4 (8.6-14.1)	72	11.9 (8.9-14.8)	76	14.0 (10.6-17.3)	106	15.0 (11.8-18.3)
Out of work	11	21.8 (9.0-34.7)	11	20.2 (7.7-32.7)	17	31.3 (16.1-46.4)	10	22.3 (7.2-37.5)	13	22.4 (8.9-35.9)
Homemaker/Student	10	10.4 (3.0-17.7)	20	15.9 (8.8-23.0)	15	11.8 (5.5-18.2)	11	15.6 (6.3-24.9)	20	17.5 (8.8-26.3)
Retired/Unable to work	81	42.9 (35.1-50.7)	78	37.8 (30.2-45.3)	73	34.6 (27.4-41.7)	82	35.9 (28.9-42.9)	136	42.7 (36.4-49.0)
Marital status	166	18.4 (15.4-21.3)	182	17.5 (14.9-20.1)	177	17.0 (14.4-19.7)	182	19.4 (16.4-22.3)	276	21.1 (18.4-23.9)
Married	69	16.5 (12.6-20.4)	82	16.4 (12.9-19.9)	84	16.1 (12.7-19.6)	81	18.1 (14.2-22.0)	128	20.5 (17.0-24.0)
Divorced	34	23.5 (15.4-31.6)	39	19.6 (13.0-26.1)	42	26.0 (17.9-34.0)	37	24.1 (16.4-31.8)	63	29.1 (21.3-36.9)
Widowed	27	38.2 (24.5-52.0)	17	21.5 (11.0-32.1)	17	19.3 (10.4-28.3)	29	38.3 (25.7-50.9)	39	32.2 (22.7-41.8)
Separated	5	19.4 (1.6-37.3)	5	16.0 (1.3-30.7)	7	36.8 (13.3-60.3)	6	26.0 (6.8-45.1)	7	21.5 (3.8-39.2)
Never married	22	13.8 (7.7-19.9)	31	18.1 (11.3-25.0)	22	12.5 (6.7-18.3)	24	18.5 (10.5-26.5)	31	18.6 (10.1-27.1)
Mem. of unmar. couple	8	18.4 (5.1-31.6)	8	19.1 (6.8-31.5)	5	7.8 (0.5-15.1)	4	6.8 (0.0-13.9)	6	5.6 (0.8-10.5)


Indicator 2: Have any health problems now that require the use of special equipment such as a cane, a wheelchair, a special bed or a special phone.

- 5.9% of county adults reported using some type of aid equipment based on aggregated data from 2000-06 (Figure 58).

Table 100. Percent Using Aid Equipment by Race/Ethnicity ('01, '03, '04, '05 & '06 aggregated)

	White, Non-Hisp.			Black, Non-Hisp.			Other/Multi, Non-Hisp.			Hispanic		
	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.
State	839	6.9 (6.3-7.6)	6.1 (5.5-6.6)	32	7.1 (4.0-10.2)	7.6 (4.3-10.8)	147	6.1 (4.6-7.6)	6.4 (4.8-7.9)	51	1.8 (1.2-2.4)	3.5 (2.2-4.8)
Clark	260	7.3 (6.3-8.3)	6.3 (5.5-7.2)	22	6.7 (3.4-10.0)	7.4 (3.9-10.9)	35	5.3 (3.3-7.2)	5.6 (3.6-7.6)	17	1.7 (0.8-2.5)	3.0 (1.2-4.8)
Washoe	270	5.8 (5.0-6.6)	5.4 (4.7-6.1)	7	5.9 (1.2-10.6)	6.7 (1.5-11.8)	52	7.1 (5.0-9.3)	7.7 (5.4-10.1)	13	2.0 (0.6-3.4)	3.0 (1.2-4.8)
Other Counties	309	6.9 (6.0-7.8)	5.6 (4.9-6.4)	3	20.5 (0.0-42.8)	23.4 (7.2-39.6)	60	9.1 (5.7-12.4)	8.3 (5.5-11.1)	21	2.1 (0.8-3.3)	5.1 (2.4-7.8)

Figure 58. Percent Using Aid Equipment by Demographic Subgroups ('01, '03, '04, '05 & '06 aggregated)



Source: BRFSS.

Table 101. Use Special Equipment Due to Health Problems

Source: BRFSS.

'01, '03, '04, '05 & '06 aggregated

	State		Clark		Washoe		Other Counties	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	1084	5.8 (5.3-6.3)	338	5.9 (5.2-6.7)	347	5.5 (4.8-6.2)	399	5.8 (5.0-6.6)
Male	476	5.0 (4.4-5.6)	139	4.9 (4.0-5.8)	154	5.2 (4.2-6.1)	183	5.3 (4.4-6.3)
Female	608	6.7 (5.9-7.5)	199	7.0 (5.9-8.1)	193	5.8 (4.9-6.8)	216	6.3 (5.1-7.5)
Race/Ethnicity	1084	5.8 (5.3-6.3)	338	5.9 (5.2-6.7)	347	5.5 (4.8-6.2)	399	5.8 (5.0-6.6)
White,Non-Hisp.	839	6.9 (6.3-7.6)	260	7.3 (6.3-8.3)	270	5.8 (5.0-6.6)	309	6.9 (6.0-7.8)
Black,Non-Hisp.	32	7.1 (4.0-10.2)	22	6.7 (3.4-10.0)	7	5.9 (1.2-10.6)	3	20.5 (0.0-42.8)
Other/Multi,Non-Hisp.	147	6.1 (4.6-7.6)	35	5.3 (3.3-7.2)	52	7.1 (5.0-9.3)	60	9.1 (5.7-12.4)
Hispanic	51	1.8 (1.2-2.4)	17	1.7 (0.8-2.5)	13	2.0 (0.6-3.4)	21	2.1 (0.8-3.3)
Age group	1084	5.8 (5.3-6.3)	338	5.9 (5.2-6.7)	347	5.5 (4.8-6.2)	399	5.8 (5.0-6.6)
18-24	13	0.9 (0.3-1.5)	4	0.9 (0.0-1.8)	7	1.5 (0.3-2.8)	2	0.4 (0.0-0.9)
25-34	33	1.5 (0.9-2.2)	14	1.7 (0.7-2.6)	11	1.8 (0.6-3.1)	8	0.8 (0.2-1.4)
35-44	91	2.7 (1.9-3.4)	27	2.4 (1.4-3.4)	32	2.9 (1.8-4.0)	32	3.5 (1.8-5.2)
45-54	183	6.0 (4.7-7.3)	52	6.3 (4.4-8.2)	64	5.0 (3.7-6.3)	67	5.7 (4.0-7.3)
55-64	227	9.4 (7.8-11.1)	84	10.5 (8.1-12.8)	72	7.4 (5.5-9.3)	71	7.3 (5.0-9.7)
65+	536	15.9 (14.1-17.7)	157	15.4 (12.9-17.9)	160	15.5 (12.9-18.1)	219	18.2 (15.3-21.1)
Education	1084	5.8 (5.3-6.3)	338	5.9 (5.2-6.7)	347	5.5 (4.8-6.2)	399	5.8 (5.0-6.6)
Less than H.S. diploma	114	5.6 (4.1-7.1)	35	6.3 (3.9-8.7)	33	6.4 (3.8-9.0)	46	3.8 (2.2-5.5)
H.S. diploma or G.E.D.	349	6.3 (5.3-7.2)	103	6.4 (5.0-7.8)	111	6.8 (5.3-8.2)	135	5.4 (4.4-6.5)
Some post-H.S.	370	6.3 (5.4-7.2)	116	6.2 (5.0-7.4)	114	5.5 (4.4-6.6)	140	7.7 (6.0-9.4)
College graduate	249	5.1 (4.2-6.0)	84	5.1 (3.9-6.3)	89	4.3 (3.2-5.3)	76	6.4 (4.5-8.3)
Income	1084	5.8 (5.3-6.3)	338	5.9 (5.2-6.7)	347	5.5 (4.8-6.2)	399	5.8 (5.0-6.6)
Less than \$15,000	250	16.2 (13.3-19.1)	83	20.0 (15.3-24.6)	76	15.9 (12.0-19.8)	91	8.8 (5.8-11.9)
\$15,000 to 24,999	219	8.2 (6.6-9.8)	60	8.7 (6.2-11.1)	77	9.9 (7.3-12.5)	82	5.8 (4.3-7.2)
\$25,000 to 34,999	121	5.5 (4.2-6.9)	35	5.4 (3.5-7.3)	42	5.9 (3.8-8.0)	44	5.7 (3.7-7.6)
\$35,000 to 49,999	150	5.9 (4.5-7.3)	45	5.8 (3.9-7.7)	52	5.7 (4.0-7.4)	53	6.4 (4.1-8.7)
\$50,000 or more	186	3.0 (2.4-3.6)	66	3.0 (2.2-3.8)	59	2.4 (1.7-3.1)	61	3.6 (2.6-4.5)
Employment	1084	5.8 (5.3-6.3)	338	5.9 (5.2-6.7)	347	5.5 (4.8-6.2)	399	5.8 (5.0-6.6)
Employed/Self-empl.	204	1.9 (1.5-2.2)	56	1.8 (1.2-2.3)	69	2.0 (1.4-2.5)	79	2.2 (1.6-2.9)
Out of work	48	6.7 (3.9-9.6)	20	7.6 (3.6-11.5)	15	5.5 (2.5-8.5)	13	3.9 (1.3-6.5)
Homemaker/Student	50	2.6 (1.7-3.6)	20	2.8 (1.5-4.2)	14	2.4 (1.0-3.8)	16	2.1 (0.9-3.3)
Retired/Unable to work	773	20.3 (18.4-22.2)	239	20.9 (18.2-23.6)	246	18.9 (16.5-21.4)	288	19.5 (16.7-22.2)
Marital status	1084	5.8 (5.3-6.3)	338	5.9 (5.2-6.7)	347	5.5 (4.8-6.2)	399	5.8 (5.0-6.6)
Married	425	5.0 (4.4-5.7)	131	5.2 (4.2-6.1)	119	4.2 (3.4-5.0)	175	5.3 (4.4-6.2)
Divorced	237	8.2 (6.7-9.7)	75	8.0 (5.9-10.1)	85	8.1 (6.2-10.1)	77	9.0 (6.5-11.4)
Widowed	269	18.6 (15.6-21.5)	74	17.8 (13.7-21.8)	90	21.3 (16.5-26.2)	105	19.2 (13.9-24.4)
Separated	33	9.9 (5.1-14.8)	11	10.3 (3.6-17.1)	16	12.4 (4.7-20.1)	6	7.0 (0.0-15.7)
Never married	94	3.1 (2.2-4.0)	36	3.5 (2.2-4.8)	29	2.5 (1.5-3.5)	29	2.0 (1.1-2.9)
Mem. of unmarr. couple	22	2.6 (1.2-4.1)	9	2.8 (0.7-4.9)	8	3.5 (1.0-6.0)	5	1.4 (0.0-2.7)
Overall health status	1084	5.8 (5.3-6.3)	338	5.9 (5.2-6.7)	347	5.5 (4.8-6.2)	399	5.8 (5.0-6.6)
Good or better	484	3.1 (2.7-3.5)	149	3.1 (2.5-3.6)	159	2.8 (2.3-3.4)	176	3.3 (2.7-4.0)
Fair or poor	595	19.4 (17.2-21.6)	187	20.6 (17.5-23.7)	187	22.5 (19.1-25.8)	221	14.2 (11.6-16.9)
Leisure time exercise?	1084	5.8 (5.3-6.3)	338	5.9 (5.2-6.7)	347	5.5 (4.8-6.2)	399	5.8 (5.0-6.6)
Yes	552	3.9 (3.4-4.4)	167	3.9 (3.2-4.5)	172	3.3 (2.7-3.9)	213	4.7 (3.8-5.5)
No	525	11.6 (10.2-13.0)	170	11.9 (9.9-13.8)	171	14.9 (12.5-17.3)	184	8.7 (7.1-10.3)
Smoking status	1084	5.8 (5.3-6.3)	338	5.9 (5.2-6.7)	347	5.5 (4.8-6.2)	399	5.8 (5.0-6.6)
Current smokers	258	5.9 (4.9-7.0)	81	5.9 (4.5-7.4)	84	6.4 (4.8-8.0)	93	5.5 (4.2-6.8)
Do not smoke currently	821	5.8 (5.2-6.4)	255	5.9 (5.1-6.8)	262	5.2 (4.5-6.0)	304	5.9 (5.0-6.8)
Weight status	1084	5.8 (5.3-6.3)	338	5.9 (5.2-6.7)	347	5.5 (4.8-6.2)	399	5.8 (5.0-6.6)
BMI<25	337	4.4 (3.7-5.1)	98	4.3 (3.4-5.3)	112	4.4 (3.4-5.4)	127	4.7 (3.7-5.7)
BMI>=25	703	6.9 (6.2-7.6)	228	7.0 (6.0-8.0)	219	6.2 (5.3-7.1)	256	7.0 (5.8-8.2)

Table 102. Use Special Equipment Due to Health Problems, Clark County - NV (applicable years from 2000-06)
Source: BRFSS.

	2001		2003		2004		2005		2006	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	50	5.3 (3.7-6.9)	55	5.3 (3.8-6.9)	61	5.5 (4.0-7.1)	69	6.5 (4.8-8.2)	103	6.9 (5.4-8.5)
Male	22	4.4 (2.4-6.4)	22	4.5 (2.5-6.5)	30	5.2 (3.0-7.3)	25	4.0 (2.3-5.8)	40	6.2 (4.0-8.3)
Female	28	6.3 (3.7-8.8)	33	6.1 (3.8-8.5)	31	5.9 (3.6-8.3)	44	9.1 (6.2-12.0)	63	7.7 (5.5-9.8)
Race/Ethnicity	50	5.3 (3.7-6.9)	55	5.3 (3.8-6.9)	61	5.5 (4.0-7.1)	69	6.5 (4.8-8.2)	103	6.9 (5.4-8.5)
White, Non-Hisp.	39	6.2 (4.1-8.4)	43	6.8 (4.6-9.0)	46	7.0 (4.7-9.2)	54	7.8 (5.5-10.1)	78	8.5 (6.3-10.6)
Black, Non-Hisp.	2	4.9 (0.0-11.6)	3	7.5 (0.0-17.2)	3	2.8 (0.0-6.0)	6	8.3 (1.5-15.0)	8	9.6 (1.7-17.4)
Other/Multi, Non-Hisp.	7	5.2 (1.3-9.1)	5	3.1 (0.1-6.1)	8	5.9 (1.0-10.8)	7	7.7 (1.7-13.7)	8	4.6 (1.1-8.1)
Hispanic	2	1.2 (0.0-2.8)	4	1.9 (0.0-3.8)	2	1.0 (0.0-2.3)	1	0.2 (0.0-0.7)	8	3.6 (1.1-6.2)
Age group	50	5.3 (3.7-6.9)	55	5.3 (3.8-6.9)	61	5.5 (4.0-7.1)	69	6.5 (4.8-8.2)	103	6.9 (5.4-8.5)
18-24	0	N/A	2	2.0 (0.0-4.9)	0	N/A	1	0.9 (0.0-2.6)	1	1.4 (0.0-4.3)
25-34	1	0.4 (0.0-1.2)	3	1.3 (0.0-2.8)	1	1.0 (0.0-2.9)	5	2.3 (0.2-4.3)	4	3.1 (0.0-6.4)
35-44	5	2.6 (0.2-5.0)	3	1.2 (0.0-2.9)	7	2.8 (0.5-5.2)	4	2.3 (0.0-4.8)	8	3.0 (0.8-5.2)
45-54	5	4.2 (0.4-8.0)	11	7.5 (2.7-12.3)	13	7.4 (2.4-12.3)	10	5.7 (1.8-9.7)	13	6.9 (2.9-10.9)
55-64	16	12.1 (5.7-18.5)	14	9.1 (4.2-14.0)	15	8.9 (4.1-13.6)	12	10.7 (4.5-16.8)	27	11.7 (7.1-16.2)
65+	23	14.0 (8.3-19.8)	22	12.7 (7.1-18.4)	25	14.1 (8.5-19.7)	37	18.9 (12.6-25.2)	50	17.1 (12.3-21.8)
Education	50	5.3 (3.7-6.9)	55	5.3 (3.8-6.9)	61	5.5 (4.0-7.1)	69	6.5 (4.8-8.2)	103	6.9 (5.4-8.5)
Less than H.S. diploma	7	9.1 (1.8-16.5)	5	5.8 (0.3-11.3)	7	6.3 (1.2-11.4)	2	1.7 (0.0-4.0)	14	9.2 (3.3-15.2)
H.S. diploma or G.E.D.	15	5.6 (2.4-8.7)	16	5.2 (2.6-7.9)	20	6.4 (3.2-9.6)	27	9.1 (5.3-12.8)	25	5.6 (3.1-8.0)
Some post-H.S.	16	4.3 (2.1-6.5)	18	6.2 (3.1-9.3)	21	5.9 (3.0-8.8)	27	7.3 (4.3-10.2)	34	7.4 (4.7-10.1)
College graduate	12	5.3 (2.1-8.5)	16	4.3 (2.0-6.7)	13	3.8 (1.5-6.2)	13	4.9 (1.9-7.9)	30	6.7 (4.0-9.5)
Income	50	5.3 (3.7-6.9)	55	5.3 (3.8-6.9)	61	5.5 (4.0-7.1)	69	6.5 (4.8-8.2)	103	6.9 (5.4-8.5)
Less than \$15,000	12	19.3 (8.6-30.1)	12	16.6 (6.9-26.3)	14	19.5 (8.4-30.5)	16	21.6 (10.7-32.4)	29	22.4 (13.4-31.4)
\$15,000 to 24,999	12	9.9 (4.0-15.8)	12	9.0 (3.5-14.6)	10	6.7 (1.4-11.9)	13	10.5 (4.4-16.6)	13	7.2 (2.7-11.7)
\$25,000 to 34,999	7	6.4 (1.5-11.3)	5	4.7 (0.6-8.8)	6	5.2 (0.9-9.4)	6	4.8 (0.7-9.0)	11	6.1 (2.2-10.1)
\$35,000 to 49,999	8	4.9 (1.1-8.7)	6	5.3 (0.5-10.0)	11	5.5 (1.9-9.0)	6	4.7 (0.7-8.7)	14	9.1 (3.5-14.6)
\$50,000 or more	9	3.1 (0.9-5.3)	13	2.6 (1.0-4.1)	12	2.8 (1.0-4.5)	9	2.1 (0.6-3.7)	23	4.4 (2.5-6.3)
Employment	50	5.3 (3.7-6.9)	55	5.3 (3.8-6.9)	61	5.5 (4.0-7.1)	69	6.5 (4.8-8.2)	103	6.9 (5.4-8.5)
Employed/Self-empl.	8	1.2 (0.2-2.3)	11	1.8 (0.5-3.1)	11	1.6 (0.6-2.7)	11	1.9 (0.7-3.1)	15	2.2 (1.0-3.4)
Out of work	2	6.3 (0.0-15.0)	2	3.6 (0.0-8.6)	8	14.3 (2.5-26.1)	5	6.1 (0.2-12.0)	3	8.3 (0.0-18.7)
Homemaker/Student	2	2.6 (0.0-6.3)	4	2.5 (0.0-5.0)	2	1.6 (0.0-3.9)	2	1.0 (0.0-2.5)	10	5.9 (1.8-9.9)
Retired/Unable to work	37	18.5 (12.7-24.4)	38	20.0 (13.7-26.3)	39	18.6 (12.6-24.6)	50	24.2 (17.7-30.7)	75	22.7 (17.6-27.9)
Marital status	50	5.3 (3.7-6.9)	55	5.3 (3.8-6.9)	61	5.5 (4.0-7.1)	69	6.5 (4.8-8.2)	103	6.9 (5.4-8.5)
Married	22	5.3 (3.0-7.7)	17	3.9 (1.9-5.9)	25	4.8 (2.8-6.8)	21	4.8 (2.6-7.0)	46	6.8 (4.8-8.9)
Divorced	12	6.3 (2.6-9.9)	15	7.3 (3.2-11.4)	14	6.8 (2.8-10.8)	16	10.7 (5.1-16.4)	18	9.0 (3.7-14.4)
Widowed	10	16.5 (6.4-26.6)	10	13.1 (5.0-21.2)	9	11.1 (3.8-18.5)	20	27.2 (15.9-38.6)	25	19.9 (12.2-27.7)
Separated	1	3.0 (0.0-8.8)	3	10.9 (0.0-23.6)	3	16.3 (0.0-36.4)	4	18.5 (1.3-35.7)	0	N/A
Never married	5	2.8 (0.1-5.5)	7	4.4 (1.1-7.8)	7	4.3 (0.8-7.8)	6	2.5 (0.4-4.5)	11	3.5 (1.0-6.1)
Mem. of unmarr. couple	0	N/A	2	4.1 (0.0-10.5)	3	4.6 (0.0-10.2)	2	3.0 (0.0-7.9)	2	2.0 (0.0-4.8)

Cardiovascular Disease

Indicator: Cardiovascular disease or CVD, defined as present if an affirmative response was provided to any of the three BRFSS questions regarding the occurrences of heart attack or myocardial infarction, the occurrences of angina or coronary heart disease, and the occurrences of stroke.


- The estimated proportion of county adults with CVD was 9.0% based on available data aggregated from 2000-06 (Figure 59).

Table 103. Percent Having CVD by Race/Ethnicity ('05 & '06 aggregated)

	White, Non-Hisp.			Black, Non-Hisp.			Other/Multi, Non-Hisp.			Hispanic		
	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.	N	% and C.I.	Age-adj. % and C.I.
State	541	10.3 (9.0-11.5)	8.7 (7.6-9.7)	19	8.7 (4.1-13.3)	9.4 (5.2-13.6)	98	9.3 (6.7-11.9)	9.3 (6.9-11.7)	48	3.6 (1.9-5.4)	5.9 (3.6-8.3)
Clark	167	10.8 (9.1-12.6)	9.3 (7.8-10.8)	14	8.8 (3.8-13.8)	9.8 (5.2-14.5)	32	9.3 (5.8-12.8)	9.7 (6.4-13.1)	9	3.0 (0.4-5.6)	4.9 (1.5-8.4)
Washoe	162	7.8 (6.6-9.1)	--	3	7.0 (0.0-15.3)	--	30	8.1 (4.9-11.3)	--	17	5.6 (2.7-8.6)	--
Other Counties	212	10.7 (8.7-12.7)	--	2	7.7 (0.0-19.0)	--	36	10.5 (6.6-14.4)	--	22	4.3 (1.7-6.8)	--

--Age-adjustment not feasible due to small number of observations for certain combinations of race/ethnicity and age.

Figure 59. Percent Having CVD by Demographic Subgroups ('05 & '06 aggregated)




Source: BRFSS.

Table 104. Been Told Have CVD? (%) ('05 & '06 aggregated)

County	Yes		No	
	N	% and C.I.	N	% and C.I.
Carson City	46	8.2 (5.6-10.8)	322	91.8 (89.2-94.4)
Churchill	22	10.9 (6.1-15.7)	166	89.1 (84.3-93.9)
Clark	224	9.0 (7.6-10.3)	1780	91.0 (89.7-92.4)
Douglas	45	11.3 (8.0-14.7)	314	88.7 (85.3-92.0)
Elko	30	10.9 (6.9-14.9)	222	89.1 (85.1-93.1)
Humboldt	6	10.1 (2.1-18.2)	45	89.9 (81.8-97.9)
Lyon	42	8.8 (5.8-11.7)	322	91.2 (88.3-94.2)
Nye	38	14.4 (9.5-19.3)	214	85.6 (80.7-90.5)
Washoe	220	7.7 (6.6-8.8)	2052	92.3 (91.2-93.4)

Figure 60. Been Told Have Cardiovascular Disease (%)




Source: BRFS.

Table 105. CVD by Year, Clark County, NV and U.S. (%)

	2000	2001	2002	2003	2004	2005	2006
Clark	N/A	N/A	N/A	N/A	N/A	8.6 (6.6-10.7)	9.3 (7.6-11.0)
NV	N/A	N/A	N/A	N/A	N/A	8.3 (6.9-9.8)	8.9 (7.7-10.1)
U.S. [†]	N/A	N/A	N/A	N/A	N/A	8.1	8.0

[†]Median % among participating states, DC and territories.

Figure 61. Year 2006: Been Told Have Cardiovascular Disease (%)
(U.S. outlying territories not displayed on map)



*Prevalence in Clark County: 9.3%.
Source: BRFS.

Table 106. Been Told Have Cardiovascular Disease

Source: BRFSS.

	State		Clark		Washoe		'05 & '06 aggregated Other Counties	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	721	8.6 (7.7-9.6)	224	9.0 (7.6-10.3)	220	7.7 (6.6-8.8)	277	8.3 (6.8-9.8)
Male	399	9.5 (8.2-10.8)	115	9.4 (7.5-11.2)	128	9.3 (7.6-11.0)	156	10.3 (7.7-12.8)
Female	322	7.7 (6.4-9.0)	109	8.6 (6.7-10.4)	92	6.1 (4.7-7.5)	121	6.2 (4.9-7.5)
Race/Ethnicity	721	8.6 (7.7-9.6)	224	9.0 (7.6-10.3)	220	7.7 (6.6-8.8)	277	8.3 (6.8-9.8)
White,Non-Hisp.	541	10.3 (9.0-11.5)	167	10.8 (9.1-12.6)	162	7.8 (6.6-9.1)	212	10.7 (8.7-12.7)
Black,Non-Hisp.	19	8.7 (4.1-13.3)	14	8.8 (3.8-13.8)	3	7.0 (0.0-15.3)	2	7.7 (0.0-19.0)
Other/Multi,Non-Hisp.	98	9.3 (6.7-11.9)	32	9.3 (5.8-12.8)	30	8.1 (4.9-11.3)	36	10.5 (6.6-14.4)
Hispanic	48	3.6 (1.9-5.4)	9	3.0 (0.4-5.6)	17	5.6 (2.7-8.6)	22	4.3 (1.7-6.8)
Age group	721	8.6 (7.7-9.6)	224	9.0 (7.6-10.3)	220	7.7 (6.6-8.8)	277	8.3 (6.8-9.8)
18-24	4	1.0 (0.0-2.1)	3	1.4 (0.0-3.2)	0	N/A	1	0.5 (0.0-1.5)
25-34	19	2.3 (0.6-4.1)	6	2.4 (0.0-4.8)	5	1.5 (0.1-2.9)	8	2.7 (0.0-5.8)
35-44	31	2.5 (1.3-3.7)	10	2.3 (0.7-3.9)	9	2.4 (0.8-4.1)	12	3.1 (0.7-5.5)
45-54	88	6.4 (4.5-8.3)	26	6.3 (3.6-9.1)	31	7.6 (4.9-10.4)	31	5.3 (2.8-7.8)
55-64	208	17.4 (14.2-20.5)	61	19.2 (14.5-23.8)	71	14.1 (10.7-17.4)	76	14.2 (10.3-18.1)
65+	371	25.6 (22.3-28.8)	118	26.3 (21.7-30.8)	104	21.5 (17.5-25.4)	149	26.5 (20.9-32.0)
Education	721	8.6 (7.7-9.6)	224	9.0 (7.6-10.3)	220	7.7 (6.6-8.8)	277	8.3 (6.8-9.8)
Less than H.S. diploma	89	8.8 (5.8-11.9)	25	10.0 (5.0-14.9)	21	5.5 (2.9-8.2)	43	8.1 (4.0-12.3)
H.S. diploma or G.E.D.	217	8.1 (6.5-9.6)	57	7.9 (5.7-10.1)	65	9.0 (6.6-11.4)	95	8.0 (6.1-9.8)
Some post-H.S.	244	9.6 (7.9-11.4)	74	9.9 (7.5-12.4)	80	8.5 (6.5-10.5)	90	9.6 (7.4-11.9)
College graduate	168	8.0 (6.4-9.6)	68	8.6 (6.3-10.8)	54	6.6 (4.7-8.4)	46	7.2 (4.9-9.4)
Income	721	8.6 (7.7-9.6)	224	9.0 (7.6-10.3)	220	7.7 (6.6-8.8)	277	8.3 (6.8-9.8)
Less than \$15,000	105	12.7 (9.2-16.2)	31	15.2 (9.4-21.1)	35	14.7 (9.2-20.3)	39	7.4 (3.6-11.1)
\$15,000 to 24,999	113	8.7 (6.2-11.1)	22	6.6 (3.5-9.7)	35	10.3 (6.6-14.0)	56	12.6 (6.7-18.5)
\$25,000 to 34,999	95	9.9 (7.0-12.8)	29	10.9 (6.6-15.1)	24	7.3 (4.2-10.5)	42	8.8 (5.3-12.3)
\$35,000 to 49,999	96	9.4 (6.9-12.0)	37	10.8 (7.0-14.6)	29	7.4 (4.5-10.2)	30	6.5 (4.1-9.0)
\$50,000 or more	205	7.0 (5.7-8.3)	70	7.1 (5.4-8.9)	70	6.0 (4.5-7.6)	65	7.8 (5.5-10.2)
Employment	721	8.6 (7.7-9.6)	224	9.0 (7.6-10.3)	220	7.7 (6.6-8.8)	277	8.3 (6.8-9.8)
Employed/Self-empl.	203	4.5 (3.6-5.5)	65	4.8 (3.4-6.2)	60	3.6 (2.6-4.7)	78	4.2 (2.8-5.7)
Out of work	19	4.4 (1.7-7.1)	6	4.1 (0.5-7.6)	7	5.9 (0.8-11.0)	6	4.6 (0.4-8.7)
Homemaker/Student	31	3.5 (1.8-5.1)	12	3.9 (1.5-6.2)	9	3.1 (1.0-5.3)	10	2.2 (0.7-3.8)
Retired/Unable to work	462	26.2 (23.2-29.2)	141	27.1 (22.8-31.4)	141	23.5 (19.8-27.3)	180	25.2 (20.4-30.0)
Marital status	721	8.6 (7.7-9.6)	224	9.0 (7.6-10.3)	220	7.7 (6.6-8.8)	277	8.3 (6.8-9.8)
Married	362	9.1 (7.9-10.4)	111	9.3 (7.5-11.1)	102	8.1 (6.5-9.7)	149	9.4 (7.2-11.6)
Divorced	133	9.8 (7.4-12.2)	38	9.7 (6.3-13.0)	46	9.7 (6.6-12.7)	49	10.7 (7.1-14.3)
Widowed	162	22.4 (17.8-27.0)	48	24.0 (17.2-30.8)	52	21.8 (16.1-27.5)	62	18.1 (12.0-24.1)
Separated	14	7.0 (2.1-11.9)	6	10.6 (1.7-19.5)	4	4.6 (0.0-9.3)	4	2.0 (0.0-4.4)
Never married	27	1.8 (0.9-2.8)	11	2.0 (0.7-3.2)	10	1.4 (0.5-2.4)	6	1.7 (0.0-3.4)
Mem. of unmarr. couple	19	7.3 (2.1-12.5)	8	9.2 (1.2-17.2)	6	5.4 (1.0-9.8)	5	3.4 (0.0-7.6)
Overall health status	721	8.6 (7.7-9.6)	224	9.0 (7.6-10.3)	220	7.7 (6.6-8.8)	277	8.3 (6.8-9.8)
Good or better	387	6.1 (5.2-7.0)	125	6.5 (5.2-7.8)	122	5.0 (4.0-5.9)	140	5.7 (4.2-7.3)
Fair or poor	332	20.5 (17.5-23.6)	98	21.7 (17.1-26.3)	97	24.0 (19.1-28.9)	137	16.2 (12.2-20.2)
Leisure time exercise?	721	8.6 (7.7-9.6)	224	9.0 (7.6-10.3)	220	7.7 (6.6-8.8)	277	8.3 (6.8-9.8)
Yes	443	7.2 (6.2-8.1)	136	7.3 (6.0-8.7)	134	6.0 (4.9-7.1)	173	7.8 (5.9-9.6)
No	277	12.6 (10.4-14.9)	88	13.5 (10.2-16.7)	85	14.6 (11.2-17.9)	104	9.4 (6.8-11.9)
Smoking status	721	8.6 (7.7-9.6)	224	9.0 (7.6-10.3)	220	7.7 (6.6-8.8)	277	8.3 (6.8-9.8)
Current smokers	164	9.7 (7.4-12.0)	53	10.7 (7.4-14.0)	48	8.3 (5.7-10.8)	63	7.4 (4.9-10.0)
Do not smoke currently	553	8.3 (7.3-9.3)	169	8.4 (7.0-9.8)	172	7.6 (6.3-8.8)	212	8.5 (6.8-10.3)
Weight status	721	8.6 (7.7-9.6)	224	9.0 (7.6-10.3)	220	7.7 (6.6-8.8)	277	8.3 (6.8-9.8)
BMI<25	195	6.0 (4.8-7.2)	65	6.1 (4.5-7.7)	56	5.2 (3.8-6.7)	74	6.4 (3.8-9.1)
BMI>=25	504	10.6 (9.2-11.9)	155	10.9 (9.0-12.9)	157	9.4 (7.8-11.1)	192	10.1 (8.3-11.8)

Table 107. Been Told Have Cardiovascular Disease (by [Indicator]), Clark County - NV (applicable years from 2000-06)
Source: BRFSS.

	CVD						[Heart Attack/Myocardial Infarction]						[Angina/Coronary Heart Disease]						[Stroke]					
	2005		2006		2005		2006		2005		2006		2005		2006		2005		2006		2005		2006	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	87	8.6 (6.6-10.7)	137	9.3 (7.6-11.0)	47	4.7 (3.2-6.1)	72	5.3 (3.9-6.6)	43	3.8 (2.6-5.0)	84	5.4 (4.1-6.6)	32	3.2 (1.8-4.5)	51	3.2 (2.2-4.2)								
Male	44	8.2 (5.6-10.7)	71	10.5 (7.9-13.2)	27	5.4 (3.3-7.6)	36	5.7 (3.7-7.8)	22	3.5 (2.0-5.1)	51	7.0 (4.9-9.0)	14	2.6 (1.1-4.1)	21	2.9 (1.5-4.3)								
Female	43	9.1 (6.0-12.3)	66	8.0 (5.9-10.2)	20	3.9 (2.0-5.7)	36	4.8 (3.1-6.6)	21	4.1 (2.2-6.0)	33	3.8 (2.3-5.2)	18	3.8 (1.4-6.1)	30	3.5 (2.1-4.9)								
Race/Ethnicity	87	8.6 (6.6-10.7)	137	9.3 (7.6-11.0)	47	4.7 (3.2-6.1)	72	5.3 (3.9-6.6)	43	3.8 (2.6-5.0)	84	5.4 (4.1-6.6)	32	3.2 (1.8-4.5)	51	3.2 (2.2-4.2)								
White,Non-Hisp.	60	9.5 (7.0-12.0)	107	12.2 (9.7-14.7)	35	5.8 (3.8-7.8)	53	6.6 (4.7-8.5)	31	4.6 (2.9-6.3)	67	7.2 (5.3-9.1)	19	2.7 (1.3-4.0)	41	4.2 (2.7-5.6)								
Black,Non-Hisp.	8	11.0 (3.0-19.1)	6	6.3 (1.1-11.5)	4	7.5 (0.1-14.9)	2	2.6 (0.0-6.2)	3	3.6 (0.0-8.0)	6	6.3 (1.1-11.5)	4	5.6 (0.0-11.8)	0	N/A								
Other/Multi,Non-Hisp.	13	9.3 (4.0-14.6)	19	9.3 (4.7-14.0)	8	4.9 (1.3-8.5)	14	7.2 (3.0-11.4)	8	4.7 (1.3-8.0)	9	4.4 (1.3-7.5)	4	3.3 (0.0-6.9)	7	3.5 (0.7-6.3)								
Hispanic	5	4.6 (0.0-9.8)	4	1.6 (0.0-3.4)	0	N/A	2	0.8 (0.0-2.0)	1	0.9 (0.0-2.6)	1	0.5 (0.0-1.5)	4	3.6 (0.0-8.4)	3	1.1 (0.0-2.5)								
Age group	87	8.6 (6.6-10.7)	137	9.3 (7.6-11.0)	47	4.7 (3.2-6.1)	72	5.3 (3.9-6.6)	43	3.8 (2.6-5.0)	84	5.4 (4.1-6.6)	32	3.2 (1.8-4.5)	51	3.2 (2.2-4.2)								
18-24	3	2.9 (0.0-6.4)	0	N/A	2	1.6 (0.0-3.9)	0	N/A	0	N/A	0	N/A	1	1.3 (0.0-3.9)	0	N/A								
25-34	3	3.3 (0.0-7.9)	3	1.6 (0.0-3.4)	2	0.9 (0.0-2.2)	1	0.5 (0.0-1.6)	1	0.6 (0.0-1.7)	1	0.5 (0.0-1.6)	1	2.3 (0.0-6.7)	1	0.5 (0.0-1.6)								
35-44	4	2.4 (0.0-4.9)	6	2.3 (0.2-4.3)	4	2.4 (0.0-4.8)	3	1.6 (0.0-3.6)	0	N/A	4	1.3 (0.0-2.7)	0	N/A	3	0.9 (0.0-2.1)								
45-54	10	5.5 (1.9-9.0)	16	7.2 (3.2-11.2)	3	1.6 (0.0-3.5)	12	5.7 (1.9-9.5)	6	2.9 (0.5-5.3)	8	2.4 (0.7-4.2)	4	2.6 (0.0-5.3)	4	2.4 (0.0-5.0)								
55-64	22	17.2 (10.2-24.2)	39	20.8 (14.5-27.1)	10	8.9 (3.4-14.4)	21	11.9 (6.9-16.9)	9	7.8 (2.6-13.0)	25	13.4 (8.1-18.7)	9	5.9 (1.6-10.1)	7	3.3 (0.8-5.7)								
65+	45	24.8 (17.9-31.7)	73	27.7 (21.8-33.7)	26	14.8 (9.0-20.7)	35	13.7 (9.1-18.3)	27	13.9 (8.6-19.1)	46	17.4 (12.4-22.4)	17	8.2 (4.0-12.5)	36	13.2 (8.7-17.7)								
Education	87	8.6 (6.6-10.7)	137	9.3 (7.6-11.0)	47	4.7 (3.2-6.1)	72	5.3 (3.9-6.6)	43	3.8 (2.6-5.0)	84	5.4 (4.1-6.6)	32	3.2 (1.8-4.5)	51	3.2 (2.2-4.2)								
Less than H.S. diploma	8	9.6 (1.0-18.2)	17	10.3 (4.9-15.7)	4	3.9 (0.0-7.9)	8	5.1 (1.4-8.9)	1	0.4 (0.0-1.2)	7	5.2 (1.1-9.3)	6	7.6 (0.0-15.8)	11	5.5 (1.9-9.2)								
H.S. diploma or G.E.D.	26	8.4 (5.0-11.8)	31	7.4 (4.6-10.1)	15	5.4 (2.6-8.3)	16	4.3 (2.1-6.5)	16	5.1 (2.5-7.8)	20	4.6 (2.4-6.7)	7	2.0 (0.3-3.8)	10	2.4 (0.8-4.1)								
Some post-H.S.	32	10.1 (6.4-13.8)	42	9.8 (6.5-13.1)	17	5.3 (2.6-7.9)	25	6.3 (3.6-9.1)	17	5.1 (2.5-7.7)	22	4.3 (2.3-6.3)	9	2.4 (0.6-4.1)	17	3.7 (1.6-5.8)								
College graduate	21	6.9 (3.7-10.2)	47	10.0 (6.9-13.1)	11	3.6 (1.2-6.1)	23	5.1 (2.8-7.4)	9	2.4 (0.7-4.0)	35	7.3 (4.7-9.9)	10	3.4 (1.2-5.7)	13	2.5 (1.0-3.9)								
Income	87	8.6 (6.6-10.7)	137	9.3 (7.6-11.0)	47	4.7 (3.2-6.1)	72	5.3 (3.9-6.6)	43	3.8 (2.6-5.0)	84	5.4 (4.1-6.6)	32	3.2 (1.8-4.5)	51	3.2 (2.2-4.2)								
Less than \$15,000	9	11.2 (3.5-18.9)	22	19.4 (10.6-28.1)	7	8.0 (1.7-14.4)	16	14.5 (6.8-22.3)	8	9.1 (2.4-15.7)	12	9.4 (3.6-15.1)	2	2.6 (0.0-6.9)	13	9.6 (3.9-15.3)								
\$15,000 to 24,999	10	6.5 (2.0-11.1)	12	6.6 (2.3-10.9)	5	3.2 (0.3-6.1)	7	4.6 (0.8-8.4)	6	4.0 (0.3-7.7)	7	3.5 (0.5-6.6)	3	1.2 (0.0-2.6)	6	3.4 (0.3-6.5)								
\$25,000 to 34,999	14	11.4 (5.1-17.8)	15	10.3 (4.6-15.9)	5	4.4 (0.4-8.5)	4	3.8 (0.0-7.9)	7	6.4 (1.4-11.4)	11	6.9 (2.6-11.3)	6	3.7 (0.4-7.0)	4	2.5 (0.0-5.2)								
\$35,000 to 49,999	16	13.1 (6.5-19.7)	21	8.8 (4.7-12.9)	12	9.8 (3.9-15.6)	14	6.6 (2.8-10.3)	10	7.3 (2.5-12.0)	12	5.1 (1.9-8.4)	3	3.4 (0.0-7.4)	6	2.4 (0.4-4.5)								
\$50,000 or more	26	6.1 (3.7-8.5)	44	8.1 (5.5-10.6)	12	2.9 (1.2-4.6)	20	3.9 (2.1-5.8)	11	2.3 (0.9-3.6)	32	5.2 (3.3-7.1)	11	2.5 (0.9-4.0)	12	2.4 (0.9-3.9)								
Employment	87	8.6 (6.6-10.7)	137	9.3 (7.6-11.0)	47	4.7 (3.2-6.1)	72	5.3 (3.9-6.6)	43	3.8 (2.6-5.0)	84	5.4 (4.1-6.6)	32	3.2 (1.8-4.5)	51	3.2 (2.2-4.2)								
Employed/Self-empl.	27	5.0 (2.8-7.3)	38	4.6 (3.0-6.2)	15	2.5 (1.2-3.8)	18	2.1 (1.0-3.2)	11	1.7 (0.6-2.8)	22	2.8 (1.5-4.1)	7	1.7 (0.0-3.4)	10	1.2 (0.4-2.0)								
Out of work	4	2.1 (0.0-5.1)	4	5.9 (0.0-12.2)	1	0.9 (0.0-2.6)	3	5.1 (0.0-11.0)	1	0.9 (0.0-2.6)	2	2.1 (0.0-5.0)	2	2.1 (0.0-5.0)	0	N/A								
Homemaker/Student	4	3.7 (0.0-7.4)	8	4.0 (1.1-7.0)	2	1.8 (0.0-4.3)	6	3.3 (0.5-6.0)	1	1.2 (0.0-3.5)	4	2.1 (0.0-4.3)	2	1.9 (0.0-4.5)	2	0.6 (0.0-1.5)								
Retired/Unable to work	54	25.1 (18.7-31.4)	87	29.2 (23.3-35.0)	29	14.4 (9.1-19.7)	45	17.1 (12.0-22.1)	30	13.2 (8.4-18.0)	56	17.0 (12.6-21.5)	21	8.8 (4.7-12.8)	39	12.4 (8.2-16.6)								
Marital status	87	8.6 (6.6-10.7)	137	9.3 (7.6-11.0)	47	4.7 (3.2-6.1)	72	5.3 (3.9-6.6)	43	3.8 (2.6-5.0)	84	5.4 (4.1-6.6)	32	3.2 (1.8-4.5)	51	3.2 (2.2-4.2)								
Married	44	8.7 (6.0-11.3)	67	9.9 (7.4-12.3)	25	5.3 (3.1-7.4)	37	5.7 (3.8-7.6)	23	4.2 (2.4-6.0)	44	6.3 (4.4-8.2)	14	2.6 (1.2-4.1)	18	2.6 (1.3-3.9)								
Divorced	13	7.7 (3.3-12.0)	25	11.5 (6.5-16.5)	6	4.2 (0.7-7.7)	15	8.3 (3.7-12.9)	7	4.0 (0.9-7.1)	10	3.5 (1.3-5.8)	4	2.0 (0.0-4.0)	11	5.0 (1.6-8.3)								
Widowed	17	22.7 (12.0-33.4)	31	25.2 (16.6-33.8)	9	11.2 (3.6-18.8)	14	10.8 (4.8-16.8)	10	13.6 (4.6-22.6)	21	15.6 (8.8-22.4)	7	7.9 (1.5-14.2)	19	15.9 (8.7-23.0)								
Separated	2	8.7 (0.0-20.9)	4	12.6 (0.0-25.8)	1	5.1 (0.0-14.8)	3	10.5 (0.0-22.8)	1	5.2 (0.0-15.2)	1	8.3 (0.0-18.5)	3	3.0 (0.0-9.0)	0	N/A								
Never married	4	1.7 (0.0-3.6)	7	2.2 (0.4-3.9)	3	1.5 (0.0-3.2)	2	0.6 (0.0-1.6)	0	N/A	5	1.5 (0.1-2.9)	1	0.2 (0.0-0.7)	2	0.8 (0.0-2.0)								
Mem. of unmarr. couple	6	15.5 (1.3-29.7)	2	2.2 (0.0-5.2)	2	2.5 (0.0-6.6)	1	1.0 (0.0-3.0)	1	0.6 (0.0-1.6)	0	N/A	5	13.5 (0.0-27.5)	1	1.2 (0.0-3.5)								

Cancer Awareness


Indicator 1: Received mammogram within the past two years (among females aged 40+ years).

- Based on aggregated county data from 2000-06, 72.7% of women aged 40 years and older received a mammogram within the past two years (Figure 62).

Table 108. Percent Receiving Mammogram within Past 2 Years by Race/Ethnicity ('00, '02, '04, '05 & '06 aggregated)

	White, Non-Hisp.		Black, Non-Hisp.		Other/Multi, Non-Hisp.		Hispanic	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
State	2982	71.9 (69.9-73.9)	105	78.3 (69.8-86.8)	353	67.3 (61.4-73.2)	270	71.7 (65.3-78.1)
Clark	865	73.2 (70.3-76.1)	81	78.6 (69.6-87.6)	120	69.1 (61.2-77.1)	92	72.1 (63.3-80.9)
Washoe	1084	72.9 (70.3-75.6)	18	86.9 (71.9-100.0)	111	61.3 (53.1-69.4)	67	69.4 (58.2-80.7)
Other Counties	1033	65.7 (62.8-68.7)	6	58.8 (17.8-99.8)	122	65.1 (52.8-77.5)	111	71.7 (61.2-82.2)

Figure 62. Percent Receiving Mammogram within Past 2 Years by Demographic Subgroups ('00, '02, '04, '05 & '06 aggregated)



Source: BRFSS.

Table 109. Had MAMMOGRAM in Past 2 Years (female aged 40+ years)

Source: BRFSS. '00, '02, '04, '05 & '06 aggregated

	State		Clark		Washoe		Other Counties	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	3732	71.5 (69.7-73.3)	1164	72.7 (70.1-75.2)	1285	71.5 (69.0-74.0)	1283	66.7 (63.6-69.7)
Female	3732	71.5 (69.7-73.3)	1164	72.7 (70.1-75.2)	1285	71.5 (69.0-74.0)	1283	66.7 (63.6-69.7)
Race/Ethnicity	3732	71.5 (69.7-73.3)	1164	72.7 (70.1-75.2)	1285	71.5 (69.0-74.0)	1283	66.7 (63.6-69.7)
White,Non-Hisp.	2982	71.9 (69.9-73.9)	865	73.2 (70.3-76.1)	1084	72.9 (70.3-75.6)	1033	65.7 (62.8-68.7)
Black,Non-Hisp.	105	78.3 (69.8-86.8)	81	78.6 (69.6-87.6)	18	86.9 (71.9-100.0)	6	58.8 (17.8-99.8)
Other/Multi,Non-Hisp.	353	67.3 (61.4-73.2)	120	69.1 (61.2-77.1)	111	61.3 (53.1-69.4)	122	65.1 (52.8-77.5)
Hispanic	270	71.7 (65.3-78.1)	92	72.1 (63.3-80.9)	67	69.4 (58.2-80.7)	111	71.7 (61.2-82.2)
Age group	3732	71.5 (69.7-73.3)	1164	72.7 (70.1-75.2)	1285	71.5 (69.0-74.0)	1283	66.7 (63.6-69.7)
40-44	437	54.8 (49.8-59.9)	135	56.4 (49.2-63.5)	133	52.8 (45.9-59.6)	169	51.3 (43.2-59.5)
45-54	1071	72.8 (69.5-76.0)	334	73.2 (68.6-77.7)	389	73.9 (69.6-78.3)	348	69.9 (65.3-74.4)
55-64	978	78.6 (75.5-81.8)	311	80.2 (75.9-84.6)	330	78.1 (73.6-82.6)	337	73.1 (67.6-78.7)
65+	1246	74.9 (71.8-78.0)	384	76.3 (72.0-80.7)	433	76.0 (72.0-80.0)	429	68.4 (62.9-73.8)
Education	3732	71.5 (69.7-73.3)	1164	72.7 (70.1-75.2)	1285	71.5 (69.0-74.0)	1283	66.7 (63.6-69.7)
Less than H.S. diploma	249	63.3 (56.2-70.3)	71	62.0 (51.5-72.6)	58	51.8 (40.0-63.6)	120	69.6 (59.6-79.6)
H.S. diploma or G.E.D.	1075	68.0 (64.6-71.5)	358	69.9 (65.1-74.6)	306	65.2 (60.2-70.2)	411	63.1 (58.5-67.7)
Some post-H.S.	1337	72.2 (69.3-75.2)	410	72.9 (68.8-77.0)	468	75.4 (71.6-79.3)	459	65.9 (61.1-70.6)
College graduate	1068	77.8 (74.7-80.9)	324	79.5 (75.2-83.9)	452	76.1 (72.0-80.2)	292	71.7 (65.4-78.1)
Income	3732	71.5 (69.7-73.3)	1164	72.7 (70.1-75.2)	1285	71.5 (69.0-74.0)	1283	66.7 (63.6-69.7)
Less than \$15,000	325	63.0 (56.7-69.2)	102	67.5 (58.9-76.1)	99	55.4 (46.8-64.0)	124	56.0 (43.5-68.5)
\$15,000 to 24,999	493	64.3 (59.0-69.6)	155	66.0 (58.3-73.7)	137	56.6 (48.9-64.4)	201	64.3 (57.2-71.5)
\$25,000 to 34,999	449	73.3 (68.3-78.4)	138	75.7 (68.5-82.8)	151	66.2 (58.3-74.1)	160	71.5 (64.4-78.6)
\$35,000 to 49,999	591	71.1 (66.5-75.8)	163	71.0 (64.1-77.9)	219	75.2 (69.4-81.1)	209	67.3 (61.2-73.3)
\$50,000 or more	1274	75.1 (72.2-78.1)	413	75.5 (71.4-79.6)	490	77.2 (73.5-80.9)	371	70.5 (65.5-75.4)
Employment	3732	71.5 (69.7-73.3)	1164	72.7 (70.1-75.2)	1285	71.5 (69.0-74.0)	1283	66.7 (63.6-69.7)
Employed/Self-empl.	1845	70.8 (68.3-73.4)	562	71.9 (68.2-75.5)	666	70.1 (66.7-73.5)	617	67.3 (63.0-71.6)
Out of work	122	62.4 (52.9-71.8)	39	63.5 (50.4-76.6)	46	61.4 (47.5-75.3)	37	58.3 (44.8-71.8)
Homemaker/Student	376	70.1 (64.8-75.4)	129	71.0 (63.7-78.2)	117	72.0 (64.6-79.5)	130	64.7 (57.2-72.2)
Retired/Unable to work	1375	74.3 (71.3-77.3)	429	76.1 (71.9-80.3)	452	75.2 (71.2-79.3)	494	67.2 (61.8-72.6)
Marital status	3732	71.5 (69.7-73.3)	1164	72.7 (70.1-75.2)	1285	71.5 (69.0-74.0)	1283	66.7 (63.6-69.7)
Married	1810	74.1 (71.7-76.6)	537	74.9 (71.4-78.4)	601	75.8 (72.4-79.1)	672	70.0 (66.4-73.7)
Divorced	866	66.1 (62.2-69.9)	284	67.7 (62.3-73.2)	340	63.3 (58.3-68.4)	242	61.7 (55.2-68.3)
Widowed	736	73.3 (69.1-77.4)	226	75.7 (70.1-81.3)	234	70.9 (65.0-76.8)	276	66.5 (58.3-74.8)
Separated	76	57.0 (43.6-70.4)	19	53.0 (34.2-71.9)	30	63.2 (47.3-79.1)	27	67.2 (49.7-84.6)
Never married	146	63.0 (54.1-71.9)	60	67.8 (56.5-79.1)	47	68.6 (56.4-80.9)	39	40.4 (22.1-58.8)
Mem. of unmarr. couple	76	66.0 (53.7-78.3)	31	67.1 (50.8-83.4)	24	66.5 (49.2-83.8)	21	58.7 (40.2-77.1)
Overall health status	3732	71.5 (69.7-73.3)	1164	72.7 (70.1-75.2)	1285	71.5 (69.0-74.0)	1283	66.7 (63.6-69.7)
Good or better	3016	72.3 (70.3-74.3)	916	73.3 (70.5-76.1)	1092	73.1 (70.4-75.7)	1008	67.6 (64.3-70.8)
Fair or poor	712	68.4 (64.3-72.5)	246	70.5 (64.8-76.1)	192	64.0 (57.6-70.4)	274	64.2 (57.1-71.2)
Leisure time exercise?	3732	71.5 (69.7-73.3)	1164	72.7 (70.1-75.2)	1285	71.5 (69.0-74.0)	1283	66.7 (63.6-69.7)
Yes	2850	73.8 (71.8-75.8)	829	74.8 (71.9-77.7)	1046	73.8 (71.1-76.5)	975	69.8 (66.6-73.1)
No	877	65.5 (61.8-69.3)	334	67.6 (62.7-72.6)	236	62.6 (56.8-68.4)	307	59.4 (52.9-66.0)
Smoking status	3732	71.5 (69.7-73.3)	1164	72.7 (70.1-75.2)	1285	71.5 (69.0-74.0)	1283	66.7 (63.6-69.7)
Current smokers	661	61.5 (57.5-65.4)	238	64.7 (59.3-70.1)	205	55.4 (49.4-61.5)	218	53.1 (46.4-59.9)
Do not smoke currently	3055	74.4 (72.4-76.5)	922	75.2 (72.4-78.0)	1076	75.6 (73.0-78.2)	1057	70.5 (67.0-73.9)
Weight status	3732	71.5 (69.7-73.3)	1164	72.7 (70.1-75.2)	1285	71.5 (69.0-74.0)	1283	66.7 (63.6-69.7)
BMI<25	1695	70.5 (67.8-73.2)	518	71.3 (67.5-75.2)	639	73.3 (69.9-76.7)	538	64.2 (59.5-68.8)
BMI>=25	1846	72.5 (70.0-75.1)	587	74.0 (70.5-77.6)	585	69.5 (65.8-73.3)	674	69.5 (65.3-73.7)

Table 110. Had MAMMOGRAM in Past 2 Years (female aged 40+ years), Clark County - NV (applicable years from 2000-06)
Source: BRFSS.

	2000		2002		2004		2005		2006	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	131	76.9 (70.4-83.4)	255	74.3 (68.8-79.8)	227	70.1 (64.4-75.9)	212	70.5 (64.5-76.6)	339	72.3 (67.6-77.0)
Female	131	76.9 (70.4-83.4)	255	74.3 (68.8-79.8)	227	70.1 (64.4-75.9)	212	70.5 (64.5-76.6)	339	72.3 (67.6-77.0)
Race/Ethnicity	131	76.9 (70.4-83.4)	255	74.3 (68.8-79.8)	227	70.1 (64.4-75.9)	212	70.5 (64.5-76.6)	339	72.3 (67.6-77.0)
White, Non-Hisp.	107	80.4 (73.5-87.3)	187	73.0 (66.5-79.5)	169	69.6 (62.6-76.5)	157	71.0 (64.3-77.7)	245	72.5 (67.1-78.0)
Black, Non-Hisp.	11	95.0 (85.2-100.0)	20	72.4 (51.5-93.4)	12	67.0 (41.6-92.4)	15	73.8 (53.5-94.0)	23	82.9 (65.1-100.0)
Other/Multi, Non-Hisp.	9	52.6 (26.5-78.8)	23	81.6 (67.8-95.5)	25	69.1 (52.8-85.3)	24	64.3 (44.7-84.0)	39	71.1 (57.3-84.9)
Hispanic	4	48.6 (11.4-85.8)	23	77.5 (60.3-94.8)	20	77.0 (61.5-92.5)	16	72.6 (46.2-99.1)	29	67.9 (52.6-83.3)
Age group	131	76.9 (70.4-83.4)	255	74.3 (68.8-79.8)	227	70.1 (64.4-75.9)	212	70.5 (64.5-76.6)	339	72.3 (67.6-77.0)
40-44	23	54.1 (36.7-71.4)	30	56.5 (40.7-72.2)	21	59.2 (42.2-76.2)	19	44.4 (27.6-61.2)	42	65.9 (53.2-78.7)
45-54	44	78.1 (67.5-88.7)	67	79.2 (70.1-88.3)	68	66.3 (55.0-77.5)	56	67.0 (55.7-78.4)	99	75.3 (66.7-83.8)
55-64	28	86.7 (74.8-98.6)	69	80.4 (71.1-89.7)	72	77.1 (68.0-86.3)	58	82.3 (72.8-91.8)	84	77.2 (68.0-86.3)
65+	36	82.3 (70.7-93.9)	89	75.8 (66.0-85.6)	66	74.8 (65.2-84.4)	79	81.0 (71.4-90.6)	114	69.0 (61.2-76.8)
Education	131	76.9 (70.4-83.4)	255	74.3 (68.8-79.8)	227	70.1 (64.4-75.9)	212	70.5 (64.5-76.6)	339	72.3 (67.6-77.0)
Less than H.S. diploma	9	60.8 (33.6-87.9)	18	78.8 (58.9-98.7)	15	65.8 (44.7-87.0)	9	45.3 (18.0-72.6)	20	57.3 (38.2-76.4)
H.S. diploma or G.E.D.	40	68.4 (55.6-81.2)	91	69.8 (60.2-79.4)	73	73.6 (62.7-84.5)	69	72.6 (61.7-83.5)	85	64.8 (55.7-73.9)
Some post-H.S.	50	83.1 (73.3-92.8)	73	68.6 (58.8-78.3)	85	67.6 (58.5-76.7)	77	71.3 (61.9-80.7)	125	75.8 (68.0-83.6)
College graduate	32	85.2 (74.4-96.0)	72	86.7 (79.1-94.3)	54	72.0 (61.1-82.9)	57	74.5 (63.1-85.8)	109	79.2 (71.6-86.8)
Income	131	76.9 (70.4-83.4)	255	74.3 (68.8-79.8)	227	70.1 (64.4-75.9)	212	70.5 (64.5-76.6)	339	72.3 (67.6-77.0)
Less than \$15,000	10	87.0 (65.9-100.0)	23	80.4 (64.7-96.2)	18	51.6 (31.9-71.3)	22	72.4 (54.8-90.0)	29	58.9 (43.3-74.5)
\$15,000 to 24,999	20	72.2 (54.5-90.0)	46	70.7 (56.3-85.1)	26	62.2 (43.8-80.7)	26	63.8 (44.3-83.2)	37	57.9 (43.0-72.8)
\$25,000 to 34,999	26	81.5 (66.2-96.8)	32	76.6 (61.3-91.9)	21	79.7 (64.4-94.9)	25	69.3 (51.8-86.9)	34	71.8 (56.9-86.7)
\$35,000 to 49,999	14	57.4 (36.0-78.9)	36	67.2 (52.6-81.8)	44	76.8 (64.4-89.2)	26	74.8 (57.9-91.7)	43	74.0 (61.0-87.1)
\$50,000 or more	42	79.7 (69.4-89.9)	78	78.9 (69.4-88.4)	77	69.2 (59.1-79.2)	77	72.5 (63.0-82.1)	139	77.6 (70.5-84.7)
Employment	131	76.9 (70.4-83.4)	255	74.3 (68.8-79.8)	227	70.1 (64.4-75.9)	212	70.5 (64.5-76.6)	339	72.3 (67.6-77.0)
Employed/Self-empl.	68	76.1 (66.8-85.3)	116	71.7 (63.6-79.9)	115	71.2 (63.2-79.2)	99	66.1 (57.3-74.8)	164	74.8 (68.1-81.5)
Out of work	7	67.5 (37.1-97.9)	11	60.7 (36.7-84.6)	8	56.9 (29.2-84.6)	3	40.1 (0.0-80.7)	10	84.9 (65.9-100.0)
Homemaker/Student	18	80.8 (64.7-96.8)	25	75.9 (61.9-90.0)	29	72.3 (56.2-88.3)	18	63.0 (42.9-83.1)	39	65.3 (52.3-78.3)
Retired/Unable to work	37	77.8 (65.8-89.8)	103	80.1 (71.3-88.8)	73	70.1 (59.8-80.4)	92	82.3 (73.9-90.7)	124	70.4 (62.6-78.2)
Marital status	131	76.9 (70.4-83.4)	255	74.3 (68.8-79.8)	227	70.1 (64.4-75.9)	212	70.5 (64.5-76.6)	339	72.3 (67.6-77.0)
Married	56	74.5 (65.1-83.8)	124	76.6 (69.0-84.1)	107	74.5 (66.7-82.2)	88	71.9 (63.2-80.6)	162	76.5 (70.2-82.9)
Divorced	34	77.1 (63.2-91.0)	59	78.3 (67.6-89.0)	58	61.4 (49.8-73.0)	48	58.3 (45.0-71.7)	85	67.8 (57.7-77.8)
Widowed	28	85.2 (73.1-97.3)	47	68.0 (52.6-83.3)	41	75.3 (63.2-87.4)	49	85.1 (75.6-94.6)	61	65.5 (54.9-76.0)
Separated	3	100.0 (100.0-100.0)	8	58.4 (30.3-86.5)	3	31.3 (0.0-65.8)	3	55.1 (15.2-95.1)	2	33.7 (0.0-77.1)
Never married	5	69.6 (37.2-100.0)	9	51.0 (26.0-75.9)	10	75.1 (52.5-97.6)	16	66.5 (43.5-89.6)	20	78.8 (59.5-98.1)
Mem. of unmarr. couple	5	67.4 (30.1-100.0)	6	90.9 (73.1-100.0)	5	59.7 (18.1-100.0)	6	65.7 (31.8-99.7)	9	59.9 (30.8-89.1)


Indicator 2: Received Pap test within the past three years (among females aged 18+ years).

- Based on aggregated county data from 2000-06, 83.8% of women aged 18 years and older received a Pap test within the past three years (Figure 63).

Table 111. Percent Receiving Pap Test within Past 3 Years by Race/Ethnicity ('00, '02, '04, '05 & '06 aggregated)

	White, Non-Hisp.		Black, Non-Hisp.		Other/Multi, Non-Hisp.		Hispanic	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
State	3217	83.8 (82.1-85.5)	115	85.3 (78.9-91.7)	465	80.4 (75.7-85.1)	635	81.7 (77.9-85.6)
Clark	919	84.9 (82.4-87.3)	95	85.8 (79.1-92.5)	178	81.7 (75.7-87.6)	231	82.4 (77.2-87.5)
Washoe	1225	85.5 (83.3-87.7)	16	85.4 (67.5-100.0)	146	78.4 (71.2-85.5)	165	85.6 (79.8-91.4)
Other Counties	1073	77.5 (74.6-80.5)	4	70.5 (28.4-100.0)	141	75.5 (64.1-86.9)	239	78.6 (71.3-86.0)

Figure 63. Percent Receiving Pap Test within Past 3 Years by Demographic Subgroups ('00, '02, '04, '05 & '06 aggregated)



Source: BRFSS.

Table 112. Had Pap Test in Past 3 Years (female aged 18+ years)

Source: BRFSS. '00, '02, '04, '05 & '06 aggregated

	State		Clark		Washoe		Other Counties	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	4458	82.9 (81.4-84.4)	1435	83.8 (81.8-85.9)	1558	84.6 (82.7-86.6)	1465	77.4 (74.2-80.5)
Female	4458	82.9 (81.4-84.4)	1435	83.8 (81.8-85.9)	1558	84.6 (82.7-86.6)	1465	77.4 (74.2-80.5)
Race/Ethnicity	4458	82.9 (81.4-84.4)	1435	83.8 (81.8-85.9)	1558	84.6 (82.7-86.6)	1465	77.4 (74.2-80.5)
White,Non-Hisp.	3217	83.8 (82.1-85.5)	919	84.9 (82.4-87.3)	1225	85.5 (83.3-87.7)	1073	77.5 (74.6-80.5)
Black,Non-Hisp.	115	85.3 (78.9-91.7)	95	85.8 (79.1-92.5)	16	85.4 (67.5-100.0)	4	70.5 (28.4-100.0)
Other/Multi,Non-Hisp.	465	80.4 (75.7-85.1)	178	81.7 (75.7-87.6)	146	78.4 (71.2-85.5)	141	75.5 (64.1-86.9)
Hispanic	635	81.7 (77.9-85.6)	231	82.4 (77.2-87.5)	165	85.6 (79.8-91.4)	239	78.6 (71.3-86.0)
Age group	4458	82.9 (81.4-84.4)	1435	83.8 (81.8-85.9)	1558	84.6 (82.7-86.6)	1465	77.4 (74.2-80.5)
18-24	431	75.1 (70.0-80.1)	157	78.6 (71.9-85.4)	145	73.2 (65.5-80.9)	129	64.0 (52.9-75.0)
25-34	954	89.6 (86.9-92.4)	320	89.0 (85.0-92.9)	330	91.2 (88.5-93.9)	304	91.0 (87.7-94.2)
35-44	1089	84.6 (81.6-87.5)	351	86.0 (82.2-89.8)	363	86.5 (82.6-90.5)	375	76.6 (69.3-83.8)
45-54	907	87.8 (85.0-90.7)	282	88.4 (84.4-92.4)	337	88.4 (84.5-92.3)	288	84.5 (80.4-88.6)
55-64	560	82.6 (78.7-86.6)	169	83.2 (77.7-88.7)	196	86.7 (82.0-91.5)	195	77.2 (69.3-85.2)
65+	517	66.6 (61.6-71.5)	156	67.3 (60.3-74.2)	187	73.3 (67.3-79.2)	174	57.9 (49.8-66.0)
Education	4458	82.9 (81.4-84.4)	1435	83.8 (81.8-85.9)	1558	84.6 (82.7-86.6)	1465	77.4 (74.2-80.5)
Less than H.S. diploma	405	78.4 (73.4-83.3)	120	79.3 (72.0-86.6)	98	73.1 (63.9-82.2)	187	78.4 (71.0-85.8)
H.S. diploma or G.E.D.	1205	77.5 (74.4-80.6)	400	78.7 (74.5-82.9)	358	79.6 (74.8-84.3)	447	71.3 (65.1-77.5)
Some post-H.S.	1467	83.9 (81.5-86.3)	471	85.0 (81.8-88.3)	509	83.8 (80.0-87.5)	487	78.8 (74.2-83.5)
College graduate	1375	90.3 (88.0-92.5)	442	90.7 (87.6-93.7)	592	92.2 (89.9-94.4)	341	84.3 (78.1-90.6)
Income	4458	82.9 (81.4-84.4)	1435	83.8 (81.8-85.9)	1558	84.6 (82.7-86.6)	1465	77.4 (74.2-80.5)
Less than \$15,000	340	70.9 (64.9-76.9)	90	75.3 (67.0-83.5)	112	72.2 (63.9-80.5)	138	62.2 (51.4-73.1)
\$15,000 to 24,999	632	79.2 (75.1-83.4)	195	79.5 (73.7-85.4)	202	78.1 (71.2-85.0)	235	79.2 (73.3-85.1)
\$25,000 to 34,999	536	81.7 (77.2-86.2)	182	83.1 (77.3-89.0)	184	84.1 (77.6-90.6)	170	72.5 (62.0-83.0)
\$35,000 to 49,999	751	86.0 (82.9-89.1)	224	87.1 (82.7-91.5)	278	83.1 (78.3-87.8)	249	85.0 (80.6-89.5)
\$50,000 or more	1666	88.4 (86.2-90.7)	569	88.1 (85.1-91.1)	628	92.0 (89.4-94.5)	469	85.2 (81.0-89.5)
Employment	4458	82.9 (81.4-84.4)	1435	83.8 (81.8-85.9)	1558	84.6 (82.7-86.6)	1465	77.4 (74.2-80.5)
Employed/Self-empl.	2793	86.0 (84.2-87.9)	900	87.4 (84.9-89.9)	1020	87.4 (85.0-89.9)	873	78.6 (74.3-82.9)
Out of work	198	80.8 (73.9-87.8)	68	78.1 (68.3-87.9)	65	91.3 (85.0-97.5)	65	83.0 (73.9-92.2)
Homemaker/Student	767	82.9 (79.6-86.2)	265	83.8 (79.4-88.1)	235	78.9 (72.7-85.1)	267	82.6 (76.3-88.8)
Retired/Unable to work	687	70.1 (65.7-74.5)	198	70.3 (64.1-76.5)	234	76.5 (71.2-81.8)	255	64.9 (56.7-73.2)
Marital status	4458	82.9 (81.4-84.4)	1435	83.8 (81.8-85.9)	1558	84.6 (82.7-86.6)	1465	77.4 (74.2-80.5)
Married	2276	88.2 (86.5-89.9)	720	88.8 (86.5-91.1)	748	89.8 (87.3-92.2)	808	84.3 (81.0-87.6)
Divorced	856	81.3 (77.6-84.9)	253	81.2 (76.1-86.4)	342	84.0 (79.8-88.1)	261	77.5 (70.6-84.4)
Widowed	342	67.0 (60.6-73.5)	100	68.5 (59.7-77.3)	117	74.3 (67.4-81.2)	125	56.2 (44.4-68.0)
Separated	140	89.0 (81.9-96.0)	34	85.1 (73.1-97.0)	58	89.7 (81.7-97.7)	48	96.9 (93.4-100.0)
Never married	599	71.2 (66.5-75.9)	242	75.1 (69.0-81.3)	210	69.1 (62.0-76.2)	147	55.6 (44.8-66.5)
Mem. of unmarr. couple	233	86.3 (79.4-93.3)	80	85.6 (76.0-95.2)	80	96.8 (93.0-100.0)	73	81.9 (68.5-95.4)
Overall health status	4458	82.9 (81.4-84.4)	1435	83.8 (81.8-85.9)	1558	84.6 (82.7-86.6)	1465	77.4 (74.2-80.5)
Good or better	3830	83.7 (82.1-85.3)	1234	84.3 (82.1-86.5)	1375	85.7 (83.6-87.8)	1221	78.9 (75.4-82.4)
Fair or poor	619	78.5 (74.6-82.5)	196	81.1 (75.9-86.4)	182	78.0 (71.8-84.1)	241	71.8 (64.3-79.4)
Leisure time exercise?	4458	82.9 (81.4-84.4)	1435	83.8 (81.8-85.9)	1558	84.6 (82.7-86.6)	1465	77.4 (74.2-80.5)
Yes	3514	84.6 (83.0-86.3)	1094	85.0 (82.7-87.3)	1287	86.2 (84.1-88.4)	1133	81.1 (78.1-84.0)
No	940	78.0 (74.6-81.4)	340	80.7 (76.3-85.0)	269	77.9 (73.0-82.7)	331	69.8 (62.3-77.3)
Smoking status	4458	82.9 (81.4-84.4)	1435	83.8 (81.8-85.9)	1558	84.6 (82.7-86.6)	1465	77.4 (74.2-80.5)
Current smokers	953	79.1 (75.6-82.6)	325	80.1 (75.5-84.8)	300	79.5 (74.2-84.8)	328	73.6 (68.5-78.8)
Do not smoke currently	3495	84.0 (82.3-85.6)	1106	85.0 (82.7-87.2)	1256	86.0 (83.7-88.2)	1133	78.4 (74.6-82.1)
Weight status	4458	82.9 (81.4-84.4)	1435	83.8 (81.8-85.9)	1558	84.6 (82.7-86.6)	1465	77.4 (74.2-80.5)
BMI<25	2251	83.1 (81.0-85.2)	709	84.4 (81.5-87.3)	866	84.0 (81.2-86.9)	676	76.6 (72.0-81.1)
BMI>=25	1940	82.9 (80.6-85.2)	648	83.9 (80.8-86.9)	618	85.7 (82.9-88.5)	674	76.1 (71.1-81.2)

Table 113. Had Pap Test in Past 3 Years (female aged 18+ years), Clark County - NV (applicable years from 2000-06)
Source: BRFSS.

	2000		2002		2004		2005		2006	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	230	85.0 (80.0-89.9)	316	84.4 (80.0-88.8)	276	86.1 (81.8-90.3)	245	80.7 (75.4-86.0)	368	83.3 (79.4-87.2)
Female	230	85.0 (80.0-89.9)	316	84.4 (80.0-88.8)	276	86.1 (81.8-90.3)	245	80.7 (75.4-86.0)	368	83.3 (79.4-87.2)
Race/Ethnicity	230	85.0 (80.0-89.9)	316	84.4 (80.0-88.8)	276	86.1 (81.8-90.3)	245	80.7 (75.4-86.0)	368	83.3 (79.4-87.2)
White,Non-Hisp.	167	89.0 (84.1-93.9)	198	85.6 (80.2-91.0)	165	82.6 (76.3-88.9)	158	84.2 (78.3-90.0)	231	83.1 (78.2-88.0)
Black,Non-Hisp.	26	94.1 (85.1-100.0)	22	82.7 (65.8-99.5)	14	74.9 (55.6-94.2)	16	80.4 (63.9-96.9)	17	93.8 (82.0-100.0)
Other/Multi,Non-Hisp.	15	55.0 (31.1-78.9)	42	88.6 (79.2-98.0)	44	94.2 (87.7-100.0)	31	80.1 (65.2-95.0)	46	76.7 (63.9-89.5)
Hispanic	21	76.3 (59.6-93.1)	49	80.2 (68.5-91.8)	50	91.9 (84.0-99.8)	39	71.3 (56.5-86.2)	72	86.0 (78.0-94.0)
Age group	230	85.0 (80.0-89.9)	316	84.4 (80.0-88.8)	276	86.1 (81.8-90.3)	245	80.7 (75.4-86.0)	368	83.3 (79.4-87.2)
18-24	37	81.9 (67.1-96.6)	38	75.0 (61.3-88.8)	27	78.9 (62.2-95.5)	25	61.4 (43.7-79.1)	30	95.2 (88.4-100.0)
25-34	71	89.5 (81.5-97.5)	78	89.9 (82.5-97.4)	59	95.2 (89.8-100.0)	46	90.1 (78.8-100.0)	66	81.0 (71.2-90.8)
35-44	58	80.7 (70.6-90.8)	71	84.6 (74.7-94.6)	69	89.6 (82.0-97.2)	62	85.9 (77.9-93.8)	91	88.0 (80.4-95.6)
45-54	36	90.0 (80.5-99.5)	49	92.5 (86.1-98.8)	63	87.7 (78.7-96.8)	51	84.1 (73.5-94.7)	83	88.2 (80.8-95.6)
55-64	12	86.4 (67.7-100.0)	43	90.1 (80.0-100.0)	33	76.4 (63.4-89.4)	34	89.2 (80.1-98.4)	47	75.6 (63.5-87.8)
65+	16	79.4 (61.6-97.2)	37	65.5 (50.3-80.7)	25	67.5 (52.0-83.0)	27	63.4 (45.7-81.0)	51	63.6 (52.4-74.8)
Education	230	85.0 (80.0-89.9)	316	84.4 (80.0-88.8)	276	86.1 (81.8-90.3)	245	80.7 (75.4-86.0)	368	83.3 (79.4-87.2)
Less than H.S. diploma	21	92.1 (80.4-100.0)	28	83.7 (70.3-97.1)	22	76.0 (58.4-93.6)	20	67.7 (48.0-87.4)	29	83.7 (73.3-94.1)
H.S. diploma or G.E.D.	71	81.5 (72.4-90.5)	95	77.3 (68.5-86.1)	76	90.6 (84.1-97.1)	68	70.1 (59.0-81.3)	90	76.3 (67.3-85.3)
Some post-H.S.	79	84.0 (75.5-92.5)	96	85.1 (78.0-92.2)	98	83.6 (76.1-91.2)	82	88.3 (82.1-94.5)	116	84.5 (78.0-90.9)
College graduate	58	87.8 (78.0-97.6)	96	93.9 (88.5-99.3)	80	89.8 (83.8-95.7)	75	92.4 (85.8-99.1)	133	89.8 (83.6-96.0)
Income	230	85.0 (80.0-89.9)	316	84.4 (80.0-88.8)	276	86.1 (81.8-90.3)	245	80.7 (75.4-86.0)	368	83.3 (79.4-87.2)
Less than \$15,000	12	88.8 (68.0-100.0)	22	81.0 (64.5-97.5)	14	70.7 (51.1-90.4)	19	78.5 (62.6-94.5)	23	66.9 (48.9-84.9)
\$15,000 to 24,999	34	91.6 (82.1-100.0)	54	75.5 (63.2-87.8)	29	74.2 (57.9-90.5)	28	76.2 (60.7-91.6)	50	83.0 (73.6-92.5)
\$25,000 to 34,999	37	82.1 (68.4-95.8)	47	88.2 (78.2-98.3)	32	87.5 (76.7-98.3)	34	80.5 (67.3-93.8)	32	75.1 (57.5-92.7)
\$35,000 to 49,999	38	76.7 (63.1-90.3)	59	92.7 (85.6-99.9)	56	93.5 (88.1-99.0)	26	81.4 (66.6-96.1)	45	85.1 (74.9-95.3)
\$50,000 or more	90	89.4 (82.4-96.3)	99	87.6 (80.1-95.0)	108	88.7 (81.7-95.6)	106	88.5 (81.9-95.2)	166	86.7 (81.0-92.5)
Employment	230	85.0 (80.0-89.9)	316	84.4 (80.0-88.8)	276	86.1 (81.8-90.3)	245	80.7 (75.4-86.0)	368	83.3 (79.4-87.2)
Employed/Self-empl.	162	86.8 (81.1-92.6)	194	88.7 (83.6-93.8)	171	88.1 (82.6-93.6)	151	84.3 (77.4-91.1)	222	89.1 (84.5-93.6)
Out of work	10	75.5 (46.2-100.0)	19	79.7 (61.8-97.5)	9	87.6 (69.0-100.0)	13	82.3 (64.3-100.0)	17	69.0 (46.2-91.7)
Homemaker/Student	38	85.0 (73.4-96.6)	51	79.6 (69.0-90.1)	67	90.1 (82.7-97.6)	41	75.9 (64.0-87.8)	68	85.7 (77.6-93.9)
Retired/Unable to work	20	77.5 (61.0-93.9)	52	77.6 (65.2-90.1)	29	67.0 (52.3-81.6)	39	71.8 (57.2-86.4)	58	60.0 (48.7-71.2)
Marital status	230	85.0 (80.0-89.9)	316	84.4 (80.0-88.8)	276	86.1 (81.8-90.3)	245	80.7 (75.4-86.0)	368	83.3 (79.4-87.2)
Married	105	85.7 (78.7-92.6)	154	89.2 (84.0-94.5)	147	91.2 (86.8-95.5)	120	91.0 (86.1-95.9)	194	86.4 (81.5-91.3)
Divorced	41	87.4 (76.5-98.3)	51	92.3 (85.4-99.1)	46	72.6 (60.0-85.2)	38	75.3 (60.5-90.0)	77	79.6 (69.9-89.4)
Widowed	12	73.3 (49.6-97.0)	27	67.2 (47.5-86.8)	19	69.4 (50.3-88.6)	20	75.6 (58.5-92.7)	22	58.2 (41.4-74.9)
Separated	6	82.2 (50.0-100.0)	8	94.0 (82.3-100.0)	8	100.0 (100.0-100.0)	6	55.7 (20.3-91.0)	6	92.1 (76.5-100.0)
Never married	54	84.7 (73.2-96.2)	51	66.4 (52.9-79.9)	43	76.1 (60.6-91.6)	43	65.5 (50.7-80.3)	51	82.5 (71.3-93.6)
Mem. of unmarr. couple	11	86.3 (67.4-100.0)	23	97.9 (93.8-100.0)	12	100.0 (100.0-100.0)	16	72.0 (48.0-96.1)	18	83.5 (64.6-100.0)


Indicator 3: Received a Prostate-Specific Antigen or PSA test within the past two years (among males aged 40+ years).

- Based on aggregated county data from 2000-06, 51.7% of men aged 40 years and older received a PSA test within the past two years (Figure 64).

Table 114. Percent Receiving PSA Test within Past 2 Years by Race/Ethnicity ('01, '02, '04 & '06 aggregated)

	White, Non-Hisp.		Black, Non-Hisp.		Other/Multi, Non-Hisp.		Hispanic	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
State	1702	56.5 (54.0-59.1)	52	56.4 (43.8-69.0)	215	43.6 (36.8-50.3)	104	28.8 (21.1-36.4)
Clark	522	57.0 (53.3-60.7)	39	57.0 (43.2-70.8)	63	41.2 (32.0-50.4)	37	29.4 (18.3-40.5)
Washoe	565	54.9 (51.4-58.4)	10	50.2 (24.7-75.7)	58	45.9 (36.2-55.6)	29	23.2 (14.2-32.2)
Other Counties	615	56.7 (53.1-60.3)	3	56.1 (18.2-93.9)	94	51.2 (42.2-60.2)	38	30.2 (18.7-41.7)

Figure 64. Percent Receiving PSA Test within Past 2 Years by Demographic Subgroups ('01, '02, '04 & '06 aggregated)



Source: BRFSS.

Table 115. Had Prostate-Specific Antigen or PSA Test in Past 2 Years (male aged 40+ years)
Source: BRFSS. '01, '02, '04 & '06 aggregated

	State		Clark		Washoe		Other Counties	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	2098	51.6 (49.3-54.0)	669	51.7 (48.3-55.1)	672	51.1 (48.0-54.2)	757	51.9 (48.3-55.4)
Male	2098	51.6 (49.3-54.0)	669	51.7 (48.3-55.1)	672	51.1 (48.0-54.2)	757	51.9 (48.3-55.4)
Race/Ethnicity	2098	51.6 (49.3-54.0)	669	51.7 (48.3-55.1)	672	51.1 (48.0-54.2)	757	51.9 (48.3-55.4)
White,Non-Hisp.	1702	56.5 (54.0-59.1)	522	57.0 (53.3-60.7)	565	54.9 (51.4-58.4)	615	56.7 (53.1-60.3)
Black,Non-Hisp.	52	56.4 (43.8-69.0)	39	57.0 (43.2-70.8)	10	50.2 (24.7-75.7)	3	56.1 (18.2-93.9)
Other/Multi,Non-Hisp.	215	43.6 (36.8-50.3)	63	41.2 (32.0-50.4)	58	45.9 (36.2-55.6)	94	51.2 (42.2-60.2)
Hispanic	104	28.8 (21.1-36.4)	37	29.4 (18.3-40.5)	29	23.2 (14.2-32.2)	38	30.2 (18.7-41.7)
Age group	2098	51.6 (49.3-54.0)	669	51.7 (48.3-55.1)	672	51.1 (48.0-54.2)	757	51.9 (48.3-55.4)
40-44	144	22.3 (17.9-26.7)	43	20.4 (14.3-26.5)	50	23.5 (17.4-29.6)	51	27.8 (17.6-38.0)
45-54	472	39.1 (34.8-43.4)	151	38.6 (32.4-44.8)	154	42.4 (36.8-48.0)	167	38.0 (32.2-43.7)
55-64	685	65.4 (61.0-69.8)	208	66.3 (60.1-72.5)	232	64.7 (58.8-70.5)	245	62.7 (55.9-69.5)
65+	797	76.9 (73.4-80.4)	267	77.1 (72.2-82.1)	236	75.2 (69.9-80.5)	294	77.5 (72.8-82.2)
Education	2098	51.6 (49.3-54.0)	669	51.7 (48.3-55.1)	672	51.1 (48.0-54.2)	757	51.9 (48.3-55.4)
Less than H.S. diploma	119	35.3 (27.9-42.7)	34	38.8 (26.7-50.9)	28	29.8 (19.0-40.6)	57	31.8 (21.7-41.9)
H.S. diploma or G.E.D.	473	44.7 (40.2-49.2)	119	42.2 (35.5-48.8)	144	46.9 (40.3-53.6)	210	50.0 (43.8-56.2)
Some post-H.S.	622	51.2 (47.1-55.3)	213	51.1 (45.5-56.7)	169	47.3 (41.4-53.2)	240	55.9 (50.5-61.3)
College graduate	880	60.8 (56.3-65.3)	301	60.5 (54.2-66.8)	329	60.0 (55.4-64.6)	250	64.2 (58.5-69.9)
Income	2098	51.6 (49.3-54.0)	669	51.7 (48.3-55.1)	672	51.1 (48.0-54.2)	757	51.9 (48.3-55.4)
Less than \$15,000	82	34.6 (24.5-44.7)	20	30.4 (16.2-44.6)	21	34.0 (20.4-47.7)	41	41.5 (24.3-58.8)
\$15,000 to 24,999	182	43.6 (36.8-50.5)	49	42.7 (32.4-53.0)	58	41.4 (31.7-51.0)	75	47.9 (37.5-58.4)
\$25,000 to 34,999	217	47.0 (40.2-53.8)	72	47.2 (37.5-57.0)	61	44.3 (34.7-53.9)	84	48.7 (39.4-58.0)
\$35,000 to 49,999	352	49.5 (44.0-55.0)	118	48.3 (40.8-55.8)	102	49.3 (41.2-57.3)	132	54.6 (44.7-64.6)
\$50,000 or more	1036	54.9 (51.6-58.2)	329	55.0 (50.3-59.7)	363	55.4 (51.0-59.8)	344	53.9 (49.4-58.4)
Employment	2098	51.6 (49.3-54.0)	669	51.7 (48.3-55.1)	672	51.1 (48.0-54.2)	757	51.9 (48.3-55.4)
Employed/Self-empl.	1065	42.9 (40.1-45.7)	330	43.2 (39.1-47.2)	365	43.2 (39.4-47.1)	370	41.6 (37.2-46.0)
Out of work	59	36.2 (25.2-47.2)	22	35.3 (21.1-49.5)	18	39.9 (22.5-57.3)	19	37.4 (21.3-53.6)
Homemaker/Student	9	15.7 (0.0-37.8)	2	9.8 (0.0-28.5)	1	10.9 (0.0-32.2)	6	77.5 (49.1-100.0)
Retired/Unable to work	961	73.3 (69.9-76.7)	314	73.7 (68.9-78.6)	288	72.4 (67.5-77.3)	359	72.6 (67.7-77.5)
Marital status	2098	51.6 (49.3-54.0)	669	51.7 (48.3-55.1)	672	51.1 (48.0-54.2)	757	51.9 (48.3-55.4)
Married	1437	54.4 (51.5-57.4)	425	54.1 (49.8-58.4)	473	55.0 (51.2-58.8)	539	55.1 (50.9-59.3)
Divorced	345	45.5 (40.2-50.7)	123	47.5 (40.1-54.8)	106	42.2 (35.0-49.4)	116	39.9 (33.1-46.7)
Widowed	154	64.8 (56.0-73.6)	55	69.2 (57.0-81.5)	45	59.3 (46.9-71.6)	54	52.4 (39.7-65.2)
Separated	40	45.0 (28.4-61.5)	17	42.1 (21.9-62.2)	9	25.3 (7.4-43.2)	14	66.5 (36.3-96.8)
Never married	90	35.0 (27.2-42.8)	39	35.7 (25.4-45.9)	28	32.8 (22.5-43.1)	23	33.9 (20.8-46.9)
Mem. of unmarr. couple	27	25.1 (13.1-37.0)	7	23.9 (6.7-41.1)	10	29.5 (11.9-47.0)	10	25.1 (8.7-41.4)
Overall health status	2098	51.6 (49.3-54.0)	669	51.7 (48.3-55.1)	672	51.1 (48.0-54.2)	757	51.9 (48.3-55.4)
Good or better	1735	51.3 (48.6-53.9)	543	51.2 (47.4-54.9)	567	51.4 (48.0-54.8)	625	51.7 (47.8-55.5)
Fair or poor	361	53.8 (48.3-59.3)	125	55.1 (47.3-62.8)	104	49.4 (41.5-57.3)	132	52.8 (44.3-61.2)
Leisure time exercise?	2098	51.6 (49.3-54.0)	669	51.7 (48.3-55.1)	672	51.1 (48.0-54.2)	757	51.9 (48.3-55.4)
Yes	1702	53.8 (51.1-56.6)	528	53.7 (49.8-57.7)	579	52.8 (49.4-56.2)	595	55.2 (51.2-59.2)
No	389	44.2 (39.4-48.9)	138	45.0 (38.4-51.5)	91	42.3 (34.8-49.9)	160	42.4 (35.7-49.2)
Smoking status	2098	51.6 (49.3-54.0)	669	51.7 (48.3-55.1)	672	51.1 (48.0-54.2)	757	51.9 (48.3-55.4)
Current smokers	364	37.7 (33.3-42.0)	119	38.6 (32.3-44.8)	96	35.1 (28.5-41.7)	149	36.5 (30.5-42.5)
Do not smoke currently	1728	56.2 (53.4-58.9)	547	56.0 (52.0-60.0)	574	55.4 (51.9-58.9)	607	57.6 (53.4-61.8)
Weight status	2098	51.6 (49.3-54.0)	669	51.7 (48.3-55.1)	672	51.1 (48.0-54.2)	757	51.9 (48.3-55.4)
BMI<25	539	48.0 (43.9-52.2)	158	45.8 (39.8-51.8)	174	49.7 (43.8-55.6)	207	54.2 (47.8-60.5)
BMI>=25	1538	53.3 (50.4-56.2)	505	54.1 (50.0-58.2)	492	52.0 (48.3-55.7)	541	51.4 (47.1-55.7)

Table 116. Had Prostate-Specific Antigen or PSA Test in Past 2 Years (male aged 40+ years), Clark County - NV (applicable years from 2000-06)
Source: BRFSS.

	2001		2002		2004		2006	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	137	48.4 (40.7-56.2)	173	57.4 (50.7-64.1)	150	47.1 (40.9-53.4)	209	54.5 (48.2-60.8)
Male	137	48.4 (40.7-56.2)	173	57.4 (50.7-64.1)	150	47.1 (40.9-53.4)	209	54.5 (48.2-60.8)
Race/Ethnicity	137	48.4 (40.7-56.2)	173	57.4 (50.7-64.1)	150	47.1 (40.9-53.4)	209	54.5 (48.2-60.8)
White, Non-Hisp.	112	54.4 (46.7-62.1)	134	64.4 (56.7-72.0)	118	51.2 (44.0-58.4)	158	59.0 (51.7-66.2)
Black, Non-Hisp.	6	46.3 (17.2-75.4)	11	42.3 (18.3-66.4)	7	59.2 (30.7-87.7)	15	84.5 (67.4-100.0)
Other/Multi, Non-Hisp.	13	43.6 (24.1-63.1)	15	46.6 (26.6-66.6)	13	35.7 (17.8-53.6)	22	40.3 (24.0-56.6)
Hispanic	4	9.0 (0.0-21.7)	11	38.6 (17.3-59.9)	10	32.5 (13.6-51.3)	12	33.9 (15.2-52.7)
Age group	137	48.4 (40.7-56.2)	173	57.4 (50.7-64.1)	150	47.1 (40.9-53.4)	209	54.5 (48.2-60.8)
40-44	6	7.8 (1.4-14.2)	15	30.4 (16.1-44.7)	7	14.0 (3.8-24.2)	15	29.2 (15.0-43.4)
45-54	24	28.5 (16.0-40.9)	63	53.2 (41.8-64.7)	29	37.8 (26.0-49.6)	35	35.8 (24.5-47.2)
55-64	50	79.5 (68.6-90.4)	43	64.8 (50.0-79.6)	48	57.2 (45.3-69.1)	67	66.3 (55.4-77.2)
65+	57	74.6 (63.4-85.7)	52	73.2 (62.0-84.4)	66	74.1 (64.7-83.5)	92	86.6 (79.2-94.0)
Education	137	48.4 (40.7-56.2)	173	57.4 (50.7-64.1)	150	47.1 (40.9-53.4)	209	54.5 (48.2-60.8)
Less than H.S. diploma	4	49.3 (12.6-85.9)	13	46.5 (23.1-69.9)	9	32.6 (12.3-52.9)	8	33.5 (11.2-55.8)
H.S. diploma or G.E.D.	21	31.0 (18.9-43.1)	26	40.1 (26.1-54.1)	36	46.3 (33.7-59.0)	36	50.6 (36.5-64.7)
Some post-H.S.	50	52.5 (41.5-63.4)	64	63.4 (52.6-74.3)	37	39.1 (27.9-50.2)	62	48.6 (37.4-59.8)
College graduate	62	55.4 (37.7-73.1)	70	64.6 (54.0-75.3)	66	56.8 (46.8-66.7)	103	65.6 (56.2-74.9)
Income	137	48.4 (40.7-56.2)	173	57.4 (50.7-64.1)	150	47.1 (40.9-53.4)	209	54.5 (48.2-60.8)
Less than \$15,000	4	24.3 (0.0-51.0)	6	31.6 (5.4-57.8)	3	21.8 (0.0-49.6)	7	45.5 (17.7-73.2)
\$15,000 to 24,999	13	46.6 (26.3-66.8)	15	53.7 (32.2-75.2)	9	25.3 (9.1-41.6)	12	49.3 (25.8-72.9)
\$25,000 to 34,999	17	52.8 (33.6-72.0)	20	51.0 (31.6-70.3)	17	45.4 (25.7-65.1)	18	39.0 (21.2-56.9)
\$35,000 to 49,999	17	32.2 (18.2-46.2)	30	56.7 (41.2-72.3)	30	43.8 (30.2-57.3)	41	60.2 (44.3-76.1)
\$50,000 or more	62	54.6 (44.4-64.7)	81	60.2 (50.2-70.1)	73	51.4 (42.3-60.6)	113	54.8 (46.3-63.2)
Employment	137	48.4 (40.7-56.2)	173	57.4 (50.7-64.1)	150	47.1 (40.9-53.4)	209	54.5 (48.2-60.8)
Employed/Self-empl.	58	37.9 (29.5-46.3)	103	51.5 (43.4-59.6)	74	41.7 (33.6-49.7)	95	41.3 (33.6-49.0)
Out of work	2	27.7 (0.0-59.4)	6	47.8 (9.8-85.8)	5	23.0 (2.2-43.7)	9	49.3 (23.0-75.6)
Homemaker/Student	0	N/A	0	N/A	1	34.7 (0.0-97.7)	1	100.0 (100.0-100.0)
Retired/Unable to work	77	77.3 (67.4-87.2)	64	73.3 (62.4-84.2)	70	64.3 (54.4-74.2)	103	79.9 (71.6-88.3)
Marital status	137	48.4 (40.7-56.2)	173	57.4 (50.7-64.1)	150	47.1 (40.9-53.4)	209	54.5 (48.2-60.8)
Married	86	50.2 (39.8-60.7)	102	57.3 (49.0-65.6)	102	51.8 (44.0-59.6)	135	57.3 (49.6-65.0)
Divorced	24	47.2 (31.6-62.8)	44	57.8 (43.8-71.8)	22	35.1 (21.5-48.7)	33	49.9 (34.4-65.3)
Widowed	10	64.7 (34.2-95.3)	15	74.0 (54.9-93.2)	14	74.9 (55.1-94.7)	16	64.6 (39.9-89.4)
Separated	5	65.3 (31.4-99.1)	2	83.9 (51.0-100.0)	3	16.6 (0.0-38.9)	7	45.7 (11.2-80.3)
Never married	10	30.9 (11.8-50.0)	8	38.9 (14.6-63.1)	5	17.7 (2.8-32.6)	16	54.3 (33.8-74.7)
Mem. of unmarr. couple	2	19.5 (0.0-45.5)	1	100.0 (100.0-100.0)	3	33.0 (0.0-66.1)	1	8.4 (0.0-25.4)


Indicator 4: Received blood stool test within the past two years (among adults aged 50+ years).

- Based on aggregated county data from 2000-06, 26.6% of adults aged 50 years and older received a blood stool test within the past two years (Figure 65).

Table 117. Percent Receiving Blood Stool Test within Past 2 Years by Race/Ethnicity ('01, '02, '04 & '06 aggregated)

	White, Non-Hisp.		Black, Non-Hisp.		Other/Multi, Non-Hisp.		Hispanic	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
State	1179	26.3 (24.5-28.1)	35	28.0 (18.3-37.7)	127	23.7 (18.5-29.0)	63	20.3 (7.9-32.6)
Clark	398	27.3 (24.7-29.8)	28	29.0 (18.5-39.5)	45	25.0 (17.4-32.5)	17	22.4 (5.2-39.7)
Washoe	342	22.3 (19.9-24.7)	5	16.0 (1.0-31.0)	29	16.0 (10.0-21.9)	19	19.3 (10.0-28.6)
Other Counties	439	26.7 (24.2-29.1)	2	21.9 (0.0-50.8)	53	26.1 (18.8-33.5)	27	13.5 (7.7-19.3)

Figure 65. Percent Receiving Blood Stool Test within Past 2 Years by Demographic Subgroups ('01, '02, '04 & '06 aggregated)



Source: BRFSS.

Table 118. Colorectal Cancer Screening: Had Blood Stool Test in Past 2 Years (aged 50+ years)

Source: BRFSS.

'01, '02, '04 & '06 aggregated

	State		Clark		Washoe		Other Counties	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	1419	25.5 (23.7-27.3)	492	26.6 (24.0-29.2)	401	21.4 (19.3-23.5)	526	25.1 (22.9-27.3)
Male	696	25.8 (23.0-28.7)	232	27.2 (23.0-31.4)	211	22.6 (19.5-25.6)	253	23.6 (20.5-26.7)
Female	723	25.2 (23.0-27.5)	260	26.1 (22.9-29.2)	190	20.2 (17.3-23.1)	273	26.7 (23.6-29.8)
Race/Ethnicity	1419	25.5 (23.7-27.3)	492	26.6 (24.0-29.2)	401	21.4 (19.3-23.5)	526	25.1 (22.9-27.3)
White,Non-Hisp.	1179	26.3 (24.5-28.1)	398	27.3 (24.7-29.8)	342	22.3 (19.9-24.7)	439	26.7 (24.2-29.1)
Black,Non-Hisp.	35	28.0 (18.3-37.7)	28	29.0 (18.5-39.5)	5	16.0 (1.0-31.0)	2	21.9 (0.0-50.8)
Other/Multi,Non-Hisp.	127	23.7 (18.5-29.0)	45	25.0 (17.4-32.5)	29	16.0 (10.0-21.9)	53	26.1 (18.8-33.5)
Hispanic	63	20.3 (7.9-32.6)	17	22.4 (5.2-39.7)	19	19.3 (10.0-28.6)	27	13.5 (7.7-19.3)
Age group	1419	25.5 (23.7-27.3)	492	26.6 (24.0-29.2)	401	21.4 (19.3-23.5)	526	25.1 (22.9-27.3)
50-54	194	16.5 (11.7-21.4)	56	16.9 (9.7-24.1)	70	16.7 (12.7-20.7)	68	14.8 (11.1-18.4)
55-64	503	26.1 (23.3-28.9)	178	27.9 (24.0-31.8)	150	21.5 (18.0-25.0)	175	22.9 (19.2-26.7)
65+	722	30.3 (27.7-32.8)	258	31.0 (27.3-34.6)	181	24.5 (21.0-28.0)	283	32.8 (29.3-36.4)
Education	1419	25.5 (23.7-27.3)	492	26.6 (24.0-29.2)	401	21.4 (19.3-23.5)	526	25.1 (22.9-27.3)
Less than H.S. diploma	99	18.9 (14.0-23.7)	31	19.5 (12.5-26.4)	17	16.3 (8.1-24.5)	51	18.4 (12.7-24.1)
H.S. diploma or G.E.D.	370	24.7 (21.7-27.8)	136	27.5 (23.0-32.0)	82	15.7 (12.2-19.2)	152	22.6 (18.8-26.3)
Some post-H.S.	472	26.3 (23.5-29.1)	171	26.8 (22.9-30.7)	119	22.0 (18.1-25.8)	182	28.3 (24.6-32.0)
College graduate	477	27.6 (23.6-31.5)	154	28.0 (22.3-33.6)	182	25.7 (22.0-29.4)	141	28.6 (23.6-33.5)
Income	1419	25.5 (23.7-27.3)	492	26.6 (24.0-29.2)	401	21.4 (19.3-23.5)	526	25.1 (22.9-27.3)
Less than \$15,000	109	18.8 (14.5-23.2)	34	19.6 (13.0-26.1)	33	22.8 (15.2-30.3)	42	14.6 (9.6-19.6)
\$15,000 to 24,999	196	23.8 (19.7-27.9)	70	25.9 (19.7-32.0)	42	16.3 (11.1-21.4)	84	22.9 (17.8-28.0)
\$25,000 to 34,999	171	24.6 (19.9-29.2)	52	25.7 (18.8-32.5)	49	18.0 (12.8-23.3)	70	27.3 (21.1-33.6)
\$35,000 to 49,999	248	28.6 (24.4-32.7)	88	29.2 (23.5-35.0)	60	21.0 (15.5-26.4)	100	33.5 (27.2-39.8)
\$50,000 or more	476	24.0 (21.3-26.7)	162	24.2 (20.5-27.9)	164	23.4 (19.9-26.9)	150	23.8 (20.2-27.4)
Employment	1419	25.5 (23.7-27.3)	492	26.6 (24.0-29.2)	401	21.4 (19.3-23.5)	526	25.1 (22.9-27.3)
Employed/Self-empl.	484	20.0 (17.7-22.2)	166	21.5 (18.2-24.7)	161	18.3 (15.3-21.2)	157	15.6 (13.0-18.2)
Out of work	45	24.4 (14.9-33.9)	17	26.0 (13.5-38.5)	14	18.6 (8.8-28.3)	14	22.2 (10.9-33.4)
Homemaker/Student	77	30.5 (17.7-43.3)	31	33.7 (16.8-50.5)	13	14.3 (6.1-22.5)	33	28.2 (19.5-36.9)
Retired/Unable to work	807	30.2 (27.8-32.6)	277	30.4 (26.9-33.8)	212	26.1 (22.7-29.5)	318	33.1 (29.6-36.6)
Marital status	1419	25.5 (23.7-27.3)	492	26.6 (24.0-29.2)	401	21.4 (19.3-23.5)	526	25.1 (22.9-27.3)
Married	782	26.8 (24.3-29.4)	263	28.3 (24.6-31.9)	220	22.1 (19.2-24.9)	299	25.6 (22.8-28.5)
Divorced	254	19.8 (16.7-22.9)	91	20.2 (16.0-24.5)	78	17.8 (13.8-21.8)	85	20.3 (15.8-24.8)
Widowed	271	25.8 (22.0-29.5)	94	26.1 (20.8-31.3)	70	20.8 (15.8-25.9)	107	29.0 (23.0-34.9)
Separated	28	29.0 (16.3-41.6)	12	34.2 (16.2-52.2)	6	18.0 (2.5-33.6)	10	18.2 (5.5-31.0)
Never married	59	28.9 (20.9-36.8)	24	29.1 (18.6-39.7)	20	30.3 (18.3-42.2)	15	25.2 (11.7-38.7)
Mem. of unmarr. couple	19	23.5 (11.4-35.6)	6	25.1 (6.8-43.5)	6	25.8 (7.4-44.1)	7	16.8 (4.1-29.5)
Overall health status	1419	25.5 (23.7-27.3)	492	26.6 (24.0-29.2)	401	21.4 (19.3-23.5)	526	25.1 (22.9-27.3)
Good or better	1116	25.5 (23.4-27.6)	386	26.9 (23.8-29.9)	326	21.2 (18.9-23.5)	404	24.2 (22.0-26.5)
Fair or poor	300	25.5 (22.0-29.0)	104	25.6 (20.7-30.5)	74	22.0 (17.0-26.9)	122	27.9 (22.4-33.4)
Leisure time exercise?	1419	25.5 (23.7-27.3)	492	26.6 (24.0-29.2)	401	21.4 (19.3-23.5)	526	25.1 (22.9-27.3)
Yes	1117	27.7 (25.5-30.0)	383	29.7 (26.4-33.0)	327	21.6 (19.3-24.0)	407	26.4 (23.8-29.0)
No	299	19.7 (16.9-22.5)	109	19.1 (15.4-22.8)	73	20.5 (15.7-25.4)	117	21.4 (17.3-25.6)
Smoking status	1419	25.5 (23.7-27.3)	492	26.6 (24.0-29.2)	401	21.4 (19.3-23.5)	526	25.1 (22.9-27.3)
Current smokers	219	19.2 (15.9-22.4)	80	19.9 (15.4-24.3)	54	15.4 (11.1-19.6)	85	19.3 (15.3-23.3)
Do not smoke currently	1194	27.3 (25.1-29.4)	412	28.6 (25.5-31.7)	345	22.7 (20.3-25.1)	437	26.6 (24.0-29.1)
Weight status	1419	25.5 (23.7-27.3)	492	26.6 (24.0-29.2)	401	21.4 (19.3-23.5)	526	25.1 (22.9-27.3)
BMI<25	497	24.1 (21.5-26.8)	165	25.4 (21.5-29.2)	139	18.4 (15.3-21.5)	193	25.4 (21.8-29.0)
BMI>=25	888	26.7 (24.2-29.2)	315	27.7 (24.2-31.2)	255	23.6 (20.7-26.5)	318	25.3 (22.4-28.2)

Table 119. Colorectal Cancer Screening: Had Blood Stool Test in Past 2 Years (aged 50+ years), Clark County - NV (applicable years from 2000-06)
Source: BRFSS.

	2001		2002		2004		2006	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	91	28.6 (21.4-35.8)	121	28.1 (23.3-32.9)	112	24.1 (19.7-28.5)	168	25.8 (21.9-29.7)
Male	46	30.7 (18.1-43.3)	50	27.1 (19.8-34.4)	51	22.6 (16.5-28.6)	85	28.5 (22.6-34.3)
Female	45	26.8 (19.5-34.1)	71	29.1 (22.7-35.4)	61	25.5 (19.2-31.8)	83	23.3 (18.1-28.4)
Race/Ethnicity	91	28.6 (21.4-35.8)	121	28.1 (23.3-32.9)	112	24.1 (19.7-28.5)	168	25.8 (21.9-29.7)
White, Non-Hisp.	72	27.1 (21.2-33.0)	101	30.1 (24.6-35.6)	92	25.5 (20.5-30.5)	133	26.5 (22.1-30.9)
Black, Non-Hisp.	3	24.9 (0.0-51.2)	10	45.8 (22.7-68.8)	4	12.9 (0.1-25.6)	11	33.0 (16.0-50.0)
Other/Multi, Non-Hisp.	11	19.8 (8.1-31.4)	7	21.7 (5.0-38.5)	11	33.4 (13.6-53.2)	16	26.8 (13.3-40.4)
Hispanic	4	62.2 (21.7-100.0)	2	5.4 (0.0-13.6)	4	12.5 (0.6-24.5)	7	15.8 (4.2-27.4)
Age group	91	28.6 (21.4-35.8)	121	28.1 (23.3-32.9)	112	24.1 (19.7-28.5)	168	25.8 (21.9-29.7)
50-54	13	28.7 (8.0-49.4)	14	15.4 (7.0-23.8)	11	10.7 (4.1-17.3)	18	10.8 (5.6-16.1)
55-64	32	28.7 (19.7-37.7)	44	30.6 (22.2-39.1)	48	26.2 (19.2-33.1)	54	26.6 (19.7-33.5)
65+	46	28.5 (20.6-36.4)	63	32.5 (25.1-40.0)	53	28.3 (20.9-35.6)	96	34.6 (28.3-40.8)
Education	91	28.6 (21.4-35.8)	121	28.1 (23.3-32.9)	112	24.1 (19.7-28.5)	168	25.8 (21.9-29.7)
Less than H.S. diploma	6	21.0 (4.8-37.2)	11	30.2 (13.6-46.8)	6	11.7 (1.8-21.7)	8	14.2 (4.4-24.1)
H.S. diploma or G.E.D.	24	28.7 (18.2-39.3)	37	27.8 (19.2-36.4)	31	28.0 (18.7-37.3)	44	25.6 (18.1-33.2)
Some post-H.S.	34	25.1 (17.1-33.0)	33	28.1 (19.1-37.1)	43	24.4 (17.2-31.6)	61	29.7 (22.3-37.2)
College graduate	27	35.4 (18.0-52.8)	40	27.7 (19.3-36.1)	32	24.3 (16.3-32.3)	55	24.8 (18.5-31.1)
Income	91	28.6 (21.4-35.8)	121	28.1 (23.3-32.9)	112	24.1 (19.7-28.5)	168	25.8 (21.9-29.7)
Less than \$15,000	6	17.9 (3.8-31.9)	6	19.3 (4.7-33.9)	6	12.2 (2.3-22.2)	16	27.5 (15.0-39.9)
\$15,000 to 24,999	11	22.7 (10.0-35.4)	23	31.6 (19.1-44.1)	14	18.9 (8.9-28.9)	22	29.8 (17.6-41.9)
\$25,000 to 34,999	11	33.3 (15.9-50.8)	14	29.7 (15.8-43.6)	9	18.0 (6.3-29.6)	18	22.8 (11.3-34.3)
\$35,000 to 49,999	11	22.9 (10.7-35.1)	19	30.2 (17.7-42.6)	27	31.0 (20.3-41.6)	31	32.4 (21.6-43.2)
\$50,000 or more	35	27.1 (18.5-35.6)	35	23.5 (15.5-31.4)	37	24.5 (16.7-32.3)	55	22.2 (16.6-27.8)
Employment	91	28.6 (21.4-35.8)	121	28.1 (23.3-32.9)	112	24.1 (19.7-28.5)	168	25.8 (21.9-29.7)
Employed/Self-empl.	35	26.5 (18.4-34.5)	39	21.0 (14.4-27.6)	40	19.9 (13.8-25.9)	52	19.2 (14.0-24.4)
Out of work	3	30.2 (0.0-60.5)	3	13.7 (0.0-30.5)	3	16.1 (0.0-33.7)	8	46.9 (20.1-73.7)
Homemaker/Student	4	44.2 (4.7-83.8)	10	41.6 (20.7-62.5)	9	31.7 (12.4-51.0)	8	16.5 (4.7-28.3)
Retired/Unable to work	49	26.8 (19.7-34.0)	69	35.0 (27.5-42.5)	60	28.1 (21.2-35.0)	99	31.6 (25.7-37.5)
Marital status	91	28.6 (21.4-35.8)	121	28.1 (23.3-32.9)	112	24.1 (19.7-28.5)	168	25.8 (21.9-29.7)
Married	57	34.2 (24.2-44.1)	65	29.5 (22.8-36.2)	59	25.2 (19.1-31.2)	82	24.9 (19.7-30.0)
Divorced	5	8.4 (0.8-16.0)	27	27.3 (17.6-37.0)	23	19.7 (12.0-27.4)	36	25.6 (17.1-34.1)
Widowed	18	26.1 (14.1-38.1)	23	24.6 (14.4-34.7)	20	25.7 (15.3-36.2)	33	27.6 (18.2-37.1)
Separated	4	69.4 (32.1-100.0)	3	39.2 (1.1-77.3)	2	14.9 (0.0-36.8)	3	27.1 (0.0-54.3)
Never married	4	24.5 (1.0-47.9)	3	28.8 (1.9-55.8)	4	15.9 (1.3-30.4)	13	46.9 (27.4-66.4)
Mem. of unmarr. couple	2	27.7 (0.0-63.6)	0	N/A	4	65.1 (30.0-100.0)	0	N/A


Indicator 5: Ever received sigmoidoscopy or colonoscopy (among adults aged 50+ years).

- Based on aggregated county data from 2000-06, 48.5% of adults aged 50 years and older have ever received a sigmoidoscopy or colonoscopy (Figure 66).

Table 120. Percent Receiving Sigmoidoscopy/Colonoscopy by Race/Ethnicity ('01, '02, '04 & '06 aggregated)

	White, Non-Hisp.		Black, Non-Hisp.		Other/Multi, Non-Hisp.		Hispanic	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
State	2388	50.2 (48.2-52.3)	68	53.1 (42.5-63.7)	273	48.1 (41.8-54.3)	123	29.6 (22.1-37.1)
Clark	727	50.0 (47.1-52.9)	53	55.0 (43.5-66.4)	87	49.8 (40.8-58.7)	43	29.7 (19.5-39.9)
Washoe	854	53.4 (50.5-56.2)	12	32.6 (14.6-50.5)	95	47.6 (39.6-55.6)	35	35.9 (24.5-47.3)
Other Counties	807	47.8 (45.1-50.5)	3	37.9 (1.3-74.5)	91	42.0 (34.0-49.9)	45	26.2 (17.5-34.9)

Figure 66. Percent Receiving Sigmoidoscopy/Colonoscopy by Demographic Subgroups ('01, '02, '04 & '06 aggregated)



Source: BRFSS.

Table 121. Colorectal Cancer Screening: Had Sigmoidoscopy or Colonoscopy (aged 50+ years)

Source: BRFSS.

'01, '02, '04 & '06 aggregated

	State		Clark		Washoe		Other Counties	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	2884	48.4 (46.5-50.3)	920	48.5 (45.8-51.2)	1006	51.5 (48.9-54.1)	958	45.1 (42.5-47.7)
Male	1361	48.5 (45.6-51.3)	429	49.4 (45.2-53.5)	475	49.5 (45.8-53.2)	457	44.1 (40.3-47.8)
Female	1523	48.4 (45.8-50.9)	491	47.7 (44.1-51.3)	531	53.5 (49.8-57.1)	501	46.2 (42.7-49.7)
Race/Ethnicity	2884	48.4 (46.5-50.3)	920	48.5 (45.8-51.2)	1006	51.5 (48.9-54.1)	958	45.1 (42.5-47.7)
White,Non-Hisp.	2388	50.2 (48.2-52.3)	727	50.0 (47.1-52.9)	854	53.4 (50.5-56.2)	807	47.8 (45.1-50.5)
Black,Non-Hisp.	68	53.1 (42.5-63.7)	53	55.0 (43.5-66.4)	12	32.6 (14.6-50.5)	3	37.9 (1.3-74.5)
Other/Multi,Non-Hisp.	273	48.1 (41.8-54.3)	87	49.8 (40.8-58.7)	95	47.6 (39.6-55.6)	91	42.0 (34.0-49.9)
Hispanic	123	29.6 (22.1-37.1)	43	29.7 (19.5-39.9)	35	35.9 (24.5-47.3)	45	26.2 (17.5-34.9)
Age group	2884	48.4 (46.5-50.3)	920	48.5 (45.8-51.2)	1006	51.5 (48.9-54.1)	958	45.1 (42.5-47.7)
50-54	385	29.7 (25.9-33.6)	123	30.1 (24.5-35.7)	142	31.9 (27.0-36.9)	120	25.9 (20.9-30.9)
55-64	1036	49.1 (46.1-52.2)	322	49.1 (44.9-53.4)	387	53.8 (49.5-58.1)	327	44.4 (40.0-48.9)
65+	1463	58.7 (55.9-61.5)	475	58.3 (54.4-62.3)	477	62.6 (58.6-66.5)	511	56.5 (52.6-60.3)
Education	2884	48.4 (46.5-50.3)	920	48.5 (45.8-51.2)	1006	51.5 (48.9-54.1)	958	45.1 (42.5-47.7)
Less than H.S. diploma	169	32.9 (26.8-39.1)	55	33.3 (24.5-42.1)	40	38.6 (27.7-49.5)	74	29.3 (21.9-36.8)
H.S. diploma or G.E.D.	742	44.8 (41.4-48.3)	226	45.8 (40.7-50.8)	241	47.8 (42.7-53.0)	275	39.4 (35.1-43.7)
Some post-H.S.	937	48.0 (44.8-51.3)	292	46.8 (42.3-51.2)	315	51.8 (47.2-56.5)	330	49.9 (45.8-54.1)
College graduate	1029	56.8 (53.0-60.5)	345	57.3 (51.9-62.7)	408	56.1 (51.9-60.3)	276	54.9 (49.7-60.1)
Income	2884	48.4 (46.5-50.3)	920	48.5 (45.8-51.2)	1006	51.5 (48.9-54.1)	958	45.1 (42.5-47.7)
Less than \$15,000	217	38.1 (32.2-43.9)	64	38.5 (29.9-47.2)	68	44.0 (35.0-53.0)	85	33.4 (24.7-42.2)
\$15,000 to 24,999	355	40.8 (36.0-45.6)	110	40.4 (33.5-47.4)	108	46.0 (38.6-53.4)	137	38.1 (31.8-44.5)
\$25,000 to 34,999	327	44.1 (38.9-49.4)	90	42.0 (34.4-49.7)	122	50.8 (43.1-58.4)	115	44.6 (37.6-51.7)
\$35,000 to 49,999	470	52.0 (47.4-56.6)	160	52.8 (46.3-59.3)	159	52.6 (46.1-59.1)	151	48.3 (42.0-54.6)
\$50,000 or more	1040	51.4 (48.2-54.6)	347	51.5 (47.1-55.9)	391	52.8 (48.7-57.0)	302	49.0 (44.7-53.4)
Employment	2884	48.4 (46.5-50.3)	920	48.5 (45.8-51.2)	1006	51.5 (48.9-54.1)	958	45.1 (42.5-47.7)
Employed/Self-empl.	1060	41.8 (39.0-44.6)	342	43.6 (39.6-47.6)	409	42.5 (38.9-46.2)	309	33.9 (30.1-37.8)
Out of work	78	36.6 (26.4-46.7)	24	35.2 (21.9-48.5)	33	40.5 (27.7-53.4)	21	40.6 (25.3-56.0)
Homemaker/Student	147	38.4 (29.2-47.6)	44	33.4 (21.8-45.1)	45	54.9 (42.2-67.6)	58	47.9 (38.4-57.3)
Retired/Unable to work	1586	57.3 (54.6-60.0)	507	56.8 (53.1-60.6)	513	61.8 (58.1-65.6)	566	55.0 (51.4-58.6)
Marital status	2884	48.4 (46.5-50.3)	920	48.5 (45.8-51.2)	1006	51.5 (48.9-54.1)	958	45.1 (42.5-47.7)
Married	1599	49.8 (47.2-52.4)	491	49.6 (45.9-53.3)	542	52.8 (49.3-56.2)	566	47.7 (44.4-51.1)
Divorced	554	42.9 (38.9-46.8)	186	43.2 (37.8-48.7)	218	47.1 (41.8-52.4)	150	35.8 (30.3-41.2)
Widowed	547	51.5 (46.9-56.2)	170	51.0 (44.5-57.5)	184	58.9 (52.4-65.4)	193	47.1 (40.7-53.5)
Separated	38	28.7 (16.9-40.6)	11	28.1 (11.5-44.7)	10	21.3 (6.3-36.3)	17	36.3 (17.4-55.2)
Never married	97	43.0 (34.4-51.6)	41	45.4 (33.9-56.8)	37	39.6 (27.7-51.5)	19	33.9 (18.5-49.3)
Mem. of unmarr. couple	38	51.3 (37.2-65.5)	16	62.1 (41.7-82.5)	12	43.2 (22.9-63.5)	10	26.6 (10.1-43.1)
Overall health status	2884	48.4 (46.5-50.3)	920	48.5 (45.8-51.2)	1006	51.5 (48.9-54.1)	958	45.1 (42.5-47.7)
Good or better	2262	48.0 (45.8-50.1)	719	48.1 (45.1-51.2)	808	50.5 (47.6-53.3)	735	44.6 (41.8-47.4)
Fair or poor	617	50.0 (46.0-54.1)	198	49.7 (43.9-55.5)	196	55.7 (49.7-61.7)	223	46.9 (40.8-52.9)
Leisure time exercise?	2884	48.4 (46.5-50.3)	920	48.5 (45.8-51.2)	1006	51.5 (48.9-54.1)	958	45.1 (42.5-47.7)
Yes	2200	49.5 (47.3-51.8)	661	49.6 (46.4-52.9)	812	52.4 (49.5-55.3)	727	46.1 (43.1-49.1)
No	677	45.4 (41.8-49.0)	256	45.5 (40.7-50.3)	193	48.4 (42.5-54.3)	228	42.5 (37.5-47.4)
Smoking status	2884	48.4 (46.5-50.3)	920	48.5 (45.8-51.2)	1006	51.5 (48.9-54.1)	958	45.1 (42.5-47.7)
Current smokers	440	35.3 (31.4-39.2)	135	34.2 (28.9-39.5)	146	39.6 (33.6-45.6)	159	36.2 (31.2-41.3)
Do not smoke currently	2429	51.9 (49.7-54.1)	784	52.5 (49.4-55.7)	856	54.1 (51.2-56.9)	789	47.1 (44.2-50.1)
Weight status	2884	48.4 (46.5-50.3)	920	48.5 (45.8-51.2)	1006	51.5 (48.9-54.1)	958	45.1 (42.5-47.7)
BMI<25	1041	48.2 (45.2-51.3)	317	48.6 (44.2-53.0)	372	49.7 (45.5-53.9)	352	45.3 (41.0-49.7)
BMI>=25	1759	48.5 (46.0-51.0)	570	48.3 (44.8-51.8)	608	52.7 (49.3-56.1)	581	45.4 (42.1-48.7)

Table 122. Colorectal Cancer Screening: Had Sigmoidoscopy or Colonoscopy (aged 50+ years), Clark County - NV (applicable years from 2000-06)
Source: BRFSS.

	2001		2002		2004		2006	
	N	% and C.I.	N	% and C.I.	N	% and C.I.	N	% and C.I.
Gender	161	44.5 (38.3-50.6)	202	46.1 (40.8-51.5)	206	46.0 (40.8-51.2)	351	56.5 (51.9-61.1)
Male	80	42.3 (32.5-52.1)	82	46.7 (38.4-54.9)	108	51.1 (43.6-58.6)	159	56.2 (49.2-63.2)
Female	81	46.3 (38.2-54.4)	120	45.7 (38.6-52.7)	98	41.4 (34.2-48.5)	192	56.7 (50.7-62.8)
Race/Ethnicity	161	44.5 (38.3-50.6)	202	46.1 (40.8-51.5)	206	46.0 (40.8-51.2)	351	56.5 (51.9-61.1)
White, Non-Hisp.	124	45.6 (39.0-52.1)	169	49.5 (43.5-55.5)	169	48.5 (42.8-54.3)	265	55.8 (50.6-60.9)
Black, Non-Hisp.	9	57.4 (30.9-83.9)	7	28.1 (8.8-47.4)	13	59.3 (37.5-81.1)	24	76.8 (61.7-91.9)
Other/Multi, Non-Hisp.	17	40.1 (23.6-56.5)	14	39.5 (19.5-59.5)	15	51.0 (30.1-72.0)	41	64.4 (49.6-79.2)
Hispanic	8	29.7 (0.0-63.6)	11	34.1 (15.1-53.1)	6	15.6 (3.5-27.8)	18	41.3 (24.5-58.1)
Age group	161	44.5 (38.3-50.6)	202	46.1 (40.8-51.5)	206	46.0 (40.8-51.2)	351	56.5 (51.9-61.1)
50-54	22	25.9 (13.9-37.9)	30	29.6 (19.4-39.9)	26	28.9 (17.6-40.3)	45	35.4 (25.6-45.2)
55-64	58	45.4 (36.0-54.9)	62	41.6 (32.6-50.7)	76	44.5 (36.4-52.6)	126	63.4 (56.1-70.7)
65+	81	55.8 (46.9-64.8)	110	59.1 (51.1-67.1)	104	55.2 (47.2-63.3)	180	63.1 (56.7-69.6)
Education	161	44.5 (38.3-50.6)	202	46.1 (40.8-51.5)	206	46.0 (40.8-51.2)	351	56.5 (51.9-61.1)
Less than H.S. diploma	7	30.2 (8.3-52.2)	16	34.3 (17.4-51.1)	13	32.3 (15.3-49.4)	19	36.1 (21.1-51.1)
H.S. diploma or G.E.D.	32	39.1 (27.6-50.5)	53	39.9 (30.4-49.4)	60	49.9 (39.9-59.8)	81	53.8 (44.5-63.2)
Some post-H.S.	63	48.8 (39.4-58.2)	63	48.3 (38.7-57.9)	54	36.1 (27.6-44.7)	112	53.0 (44.8-61.3)
College graduate	58	46.6 (33.0-60.2)	70	55.2 (45.1-65.3)	78	58.5 (49.3-67.6)	139	67.1 (59.8-74.5)
Income	161	44.5 (38.3-50.6)	202	46.1 (40.8-51.5)	206	46.0 (40.8-51.2)	351	56.5 (51.9-61.1)
Less than \$15,000	10	38.1 (17.0-59.3)	15	40.3 (21.5-59.1)	12	27.1 (11.8-42.4)	27	47.3 (33.1-61.6)
\$15,000 to 24,999	22	42.9 (28.2-57.6)	29	36.2 (23.9-48.5)	24	39.2 (24.7-53.7)	35	44.3 (31.0-57.6)
\$25,000 to 34,999	13	40.0 (22.1-57.9)	21	32.7 (19.5-45.9)	22	43.1 (27.6-58.5)	34	53.6 (39.3-68.0)
\$35,000 to 49,999	25	44.4 (30.1-58.8)	30	47.7 (34.2-61.2)	39	47.6 (35.8-59.5)	66	73.4 (62.6-84.2)
\$50,000 or more	64	47.7 (38.4-57.1)	67	49.8 (39.8-59.8)	75	50.0 (41.1-59.0)	141	56.6 (49.3-63.8)
Employment	161	44.5 (38.3-50.6)	202	46.1 (40.8-51.5)	206	46.0 (40.8-51.2)	351	56.5 (51.9-61.1)
Employed/Self-empl.	59	39.3 (30.7-48.0)	77	41.7 (33.5-50.0)	75	41.0 (33.0-49.0)	131	50.9 (43.8-58.1)
Out of work	4	45.0 (14.1-75.9)	6	24.3 (3.1-45.5)	5	26.3 (4.1-48.6)	9	48.7 (22.2-75.2)
Homemaker/Student	7	27.4 (2.3-52.6)	12	47.9 (27.4-68.4)	5	15.2 (2.0-28.4)	20	48.2 (31.6-64.8)
Retired/Unable to work	91	53.1 (44.7-61.5)	107	52.6 (44.8-60.5)	118	56.4 (48.9-64.0)	191	64.3 (57.8-70.8)
Marital status	161	44.5 (38.3-50.6)	202	46.1 (40.8-51.5)	206	46.0 (40.8-51.2)	351	56.5 (51.9-61.1)
Married	86	44.0 (35.3-52.7)	107	47.5 (40.0-54.9)	111	47.2 (40.2-54.2)	187	58.5 (52.3-64.7)
Divorced	29	36.8 (25.0-48.5)	47	43.3 (32.7-53.8)	41	42.6 (31.7-53.4)	69	50.3 (40.2-60.5)
Widowed	31	54.4 (38.7-70.0)	36	40.5 (28.5-52.5)	38	52.7 (39.9-65.6)	65	56.5 (45.8-67.3)
Separated	1	14.5 (0.0-42.2)	1	21.9 (0.0-58.3)	2	12.4 (0.0-30.6)	7	60.4 (31.2-89.7)
Never married	8	45.4 (18.2-72.6)	7	56.2 (29.2-83.2)	8	29.7 (11.4-48.0)	18	55.1 (35.5-74.7)
Mem. of unmarr. couple	5	74.2 (39.5-100.0)	3	100.0 (100.0-100.0)	3	42.9 (4.7-81.2)	5	46.6 (11.6-81.7)

Appendices

Appendix A.
Clark County Population Estimates

Appendix B.
Technical Notes

Appendix C.
List of Figures & Tables

Post-censal Population Estimates by Year and Demographic Subgroup, Clark County, 2000-06:

	July 1 2000	% change 00-01	July 1 2001	% change 01-02	July 1 2002	% change 02-03	July 1 2003	% change 03-04	July 1 2004	% change 04-05	July 1 2005	% change 05-06	July 1 2006
Total	1,393,381	4.5%	1,456,766	4.1%	1,516,592	3.8%	1,574,830	4.7%	1,648,291	3.7%	1,709,364	4.0%	1,777,539
Age(yrs)													
< 1	21,302	7.2%	22,841	3.6%	23,662	3.7%	24,537	6.0%	26,014	4.4%	27,151	4.7%	28,427
1-4	83,189	3.2%	85,879	4.2%	89,451	4.6%	93,528	5.5%	98,711	4.9%	103,551	4.6%	108,328
5-9	105,104	3.5%	108,830	2.7%	111,743	2.3%	114,345	3.2%	117,970	2.6%	121,050	3.9%	125,738
10-14	94,631	6.7%	101,013	6.1%	107,194	4.7%	112,246	5.5%	118,439	3.2%	122,244	3.2%	126,149
15-19	85,480	0.4%	85,792	3.5%	88,802	4.2%	92,548	5.6%	97,768	5.8%	103,433	5.9%	109,487
20-24	94,471	8.4%	102,403	3.4%	105,919	1.5%	107,470	1.5%	109,135	-0.3%	108,834	1.7%	110,635
25-29	109,959	1.3%	111,367	2.2%	113,779	4.9%	119,368	7.1%	127,901	7.5%	137,483	7.2%	147,362
30-34	115,417	5.5%	121,713	4.4%	127,123	2.2%	129,922	3.3%	134,152	1.2%	135,711	1.6%	137,883
35-39	116,491	3.1%	120,069	2.0%	122,423	2.2%	125,098	3.3%	129,281	3.6%	133,904	5.4%	141,160
40-44	106,023	5.0%	111,305	4.3%	116,055	3.6%	120,247	5.0%	126,215	3.9%	131,179	3.0%	135,086
45-49	93,874	4.8%	98,342	5.3%	103,546	5.1%	108,824	4.8%	114,046	4.2%	118,874	4.6%	124,337
50-54	87,602	6.5%	93,298	1.1%	94,362	2.3%	96,579	4.8%	101,167	4.4%	105,586	4.1%	109,912
55-59	72,094	5.2%	75,855	10.1%	83,536	5.9%	88,500	6.9%	94,647	5.3%	99,676	5.5%	105,136
60-64	58,952	5.9%	62,428	6.7%	66,639	8.0%	71,967	7.1%	77,097	4.3%	80,430	3.1%	82,935
65-69	49,601	3.0%	51,068	3.3%	52,761	4.3%	55,029	4.4%	57,436	3.3%	59,322	3.7%	61,499
70-74	41,513	2.8%	42,681	2.5%	43,769	2.0%	44,651	1.1%	45,144	-0.1%	45,118	0.6%	45,411
75-79	30,110	5.4%	31,733	3.9%	32,971	4.5%	34,448	2.4%	35,268	1.3%	35,736	1.0%	36,080
80-84	16,804	8.8%	18,283	9.0%	19,925	6.9%	21,296	6.7%	22,729	3.7%	23,569	2.6%	24,192
85+	10,764	10.2%	11,866	9.0%	12,932	10.0%	14,227	6.6%	15,171	8.8%	16,513	7.7%	17,782
Gender													
Male	708,812	4.5%	740,484	4.0%	769,975	3.8%	798,875	4.7%	836,248	3.7%	867,577	4.1%	902,969
Female	684,569	4.6%	716,282	4.2%	746,617	3.9%	775,955	4.7%	812,043	3.7%	841,787	3.9%	874,570
Race													
Native American	14,147	5.5%	14,921	4.6%	15,614	3.5%	16,166	5.4%	17,042	4.6%	17,828	5.6%	18,834
Asian/ Pacific Islander	91,108	8.5%	98,837	8.7%	107,433	7.5%	115,535	8.3%	125,138	7.9%	135,035	8.1%	146,031
Black	138,455	5.9%	146,622	5.7%	154,984	4.8%	162,438	6.5%	173,031	5.9%	183,303	6.3%	194,776
White	1,149,671	4.1%	1,196,386	3.5%	1,238,561	3.4%	1,280,691	4.1%	1,333,080	3.0%	1,373,198	3.3%	1,417,898
Ethnicity													
Hispanic	307,909	8.9%	335,346	7.8%	361,404	6.7%	385,681	7.8%	415,730	7.7%	447,572	7.9%	482,899
Non- Hispanic	1,085,472	3.3%	1,121,420	3.0%	1,155,188	2.9%	1,189,149	3.7%	1,232,561	2.4%	1,261,792	2.6%	1,294,640

Source: National Center for Health Statistics, Estimates of the July 1, 2000-July 1, 2006, United States resident population from the Vintage 2006 post-censal series with adjustments for under-coverage of the census. Available from <http://wonder.cdc.gov/Bridged-Race-v2006.html>. (accessed in September 2007).

Race and Ethnicity

Race and ethnicity are two different concepts and are often recorded separately in data collection. Commonly recognized racial groups in the U.S. include “white”, “African American or black”, “Asian, Native Hawaiian and other Pacific Islander”, “American Indian, Alaska Native or Native American”, etc. Most public health data also collect a minimum of two ethnicities: “Hispanic or Latino” and “not Hispanic or Latino”. Unless otherwise indicated, this report adopted a racial/ethnic classification based on the combined status of race and ethnicity.

Life Expectancy and Years of Potential Life Lost

Life expectancy estimates were calculated using population and mortality data of selected years for the county and the state. The abridged life tables were constructed according to the Chiang methodology (Chiang CL. *The Life Table and its Applications*. Malabar, Florida: Robert E. Krieger Publ. Co.; 1984.). Data were aggregated for 1993 to 1994, 1998 to 1999, and 2003 to 2004 to improve the accuracy of estimates. Life expectancy data were also used to calculate years of potential life lost (YPLL), another mortality measure that takes into account the remaining life expectancy at each age of death, or the number of years of life “lost” when a person dies from any cause. Since the number of potential years left to live is higher for premature or untimely deaths, YPLL gives more importance to deaths occurring at younger ages and is thus often used as an indicator of premature mortality. In addition, cause-specific YPLL provides a summary measure of the impact of certain causes of death on a population.

Weighting and Data Aggregation

Statistical analyses were conducted on weighted BRFSS data using SAS software to account for the complex sampling designs. Prevalence estimates computed from the BRFSS data are therefore, weighted estimates. Weighting of survey records is necessary to correct for the differences between the sample and the population from which the sample is taken. The weight applied to each BRFSS record is based on the probability of selection of a telephone number, the number of adults in a household, the number of phones in a household, and the respondent’s age, gender and race/ethnicity to adjust for nonresponse and the distribution of adults by age, gender and race/ethnicity in each state. Therefore, prevalence estimates based on weighted BRFSS data are representative of the overall adult population in each state. At the national level however, prevalence estimates for BRFSS indicators were not computed from weighted national data. Instead, the median or mid-point estimate among participating states was adopted as the prevalence estimate for the nation. In addition to presenting annual prevalence estimates from 2000 to 2006, available BRFSS data from 2000 to 2006 were aggregated to produce more reliable estimates of prevalence for both the county and state.

Prevalence and Incidence

All BRFSS indicators were reported in terms of prevalence, a measure of the extent of a condition in a population at a given point in time. In this report, prevalence estimates from weighted data were expressed in the form of percentages. The number of survey respondents with the condition of interest, denoted by “N” in the tabulated data, was also provided. Age adjustment or standardization of prevalence estimates was adopted in this report to control for differences in the age distribution of various populations. Age adjustment eliminates the impact of different age structures when comparing the health status of multiple populations at one point in time, or when comparing the health status of one population across time. All age-adjusted prevalence estimates presented in this report were standardized to the state’s age distribution of the aggregated BRFSS data from 2000 to 2006.

In comparison, incidence is simply the number of new occurrences of a condition or an event (e.g. number of deaths or births) in a population over a period of time. As incidence counts are impacted by population size, incidence rates are often reported to adjust for changes or differences in population size. A crude or unadjusted incidence rate is the number of new occurrences of a condition or an event divided by the population at risk over a specific time period. Incidence rates thus calculated are generally multiplied by a constant such as 100,000 (or 1,000 for birth and infant mortality rates) for ease in comparison and reported as “per 100,000 population”, or “per 100,000 population per year” as all incidence rates were reported per year in this report. Age standardization of incidence rates was also adopted in this report. All age-adjusted incidence rates presented in this report were adjusted to the 2000 U.S. standard population.

Confidence Interval

Confidence intervals provide a means of assessing and reporting the precision of a point estimate (e.g. a prevalence estimate) by accounting for uncertainties that arise from the natural variations inherent in sampling. This report has used the standard 95% confidence level. This means that in 95 out of 100 cases, the estimated range between the lower and upper confidence limits contains the unknown population parameter (e.g. the true prevalence) which is never obtainable and can only be estimated. Computation of confidence intervals for prevalence estimates took into account the weighting of complex survey designs. While not equivalent to a formal test of statistical significance, differences in prevalence are considered to be significant if the confidence intervals do not overlap.

Reliability of Estimates

The issue of reliability arises when rates and percentages have small numerators, as rates and percentages based on small numbers may fluctuate dramatically from year to year, or differ considerably across areas and demographic groups, even when there is no meaningful difference. Although data aggregation helps provide relatively stable estimates, and the provision of confidence intervals helps ensure that small differences will not be exaggerated, it is recommended that prevalence statistics be used with caution when the number of survey respondents per cell is smaller than 20 (currently the numerator threshold for statistical reliability used by the Mortality Module on CDC WONDER on-line database).

Commentary

Health Indicators Contained within This Report

An Overview of Socio-Economic Context & Population Health

- Figure 1 Population (in thousands) by Age, Clark County and U.S., 2000/06
- Figure 2 Percent Population by Race Alone (any ethnicity), Clark County and U.S., 2000/06
- Figure 3 Birth Rates (per 1,000 population), Clark County and U.S., 1995-2004
- Figure 4 Selected Socio-Economic Characteristics, Clark County and U.S., 2002-06
- Figure 5 Infant Mortality Rates (per 1,000 live births) by Race/Ethnicity, Clark County and U.S., 1999-2004
- Figure 6.1 Life Expectancy at Birth, Clark County, 1993/94, 1998/99, and 2003/04
- Figure 6.2 Life Expectancy at Age 30, Clark County, 1993/94, 1998/99, and 2003/04
- Figure 6.3 Life Expectancy at Age 65, Clark County, 1993/94, 1998/99, and 2003/04
- Figure 7 Top Fifteen Leading Causes of Death as Percent of All Deaths, Clark County and U.S., 2004
- Figure 8 Selected Causes of Death as Percent of All Deaths by Age, Clark County and U.S., 2004
- Figure 9 Age-Adjusted Death Rates (per 100,000 population) by Selected Cause of Death and Gender, Clark County and U.S., 2004
- Table 1 Years of Potential Life Lost (per 100,000 population) by Selected Cause of Death and Race/Ethnicity, Clark County, Average 1999-2004
- Table 2 The County Health Report Card (among adults 18 years and older), 2006
- Figure 10 Prevalence of Selected Health Behaviors and Conditions by Gender and by Race/Ethnicity, Clark County and U.S., 2006

Indicators of Health Behaviors & Conditions

- Table 1 Poor or Fair Health Status by Race/Ethnicity and County (%), Nevada (aggregated data)
- Figure 1 Poor or Fair Health Status by Demographic Subgroup (%), Clark County and Nevada (aggregated data)
- Table 2 Overall Health Status by County (%), Nevada (aggregated data)
- Figure 2 Poor or Fair Health Status by County (%), Nevada (aggregated data)
- Table 3 Poor or Fair Health Status by Year (%), Clark County, Nevada and U.S., 2000-06
- Figure 3 Poor or Fair Health Status by State (%), U.S., 2006
- Table 4 Poor or Fair Health Status by County and Selected Indicator (%), Nevada (aggregated data)
- Table 5 Poor or Fair Health Status by Year and Selected Indicator (%), Clark County, 2000-06
- Table 6 Mean Number of Physically Unhealthy Days by Race/Ethnicity and County, Nevada (aggregated data)
- Figure 4 Mean Number of Physically Unhealthy Days by Demographic Subgroup, Clark County and Nevada (aggregated data)
- Table 7 Mean Number of Physically Unhealthy Days by County, Nevada (aggregated data)
- Figure 5 Mean Number of Physically Unhealthy Days by County, Nevada (aggregated data)
- Table 8 Mean Number of Physically Unhealthy Days by Year, Clark County, Nevada and U.S., 2000-06
- Figure 6 Mean Number of Physically Unhealthy Days by State, U.S., 2006
- Table 9 Mean Number of Physically Unhealthy Days by County and Selected Indicator, Nevada (aggregated data)
- Table 10 Mean Number of Physically Unhealthy Days by Year and Selected Indicator, Clark County, 2000-06
- Table 11 Frequent Mental Distress (FMD) by Race/Ethnicity and County (%), Nevada (aggregated data)
- Figure 7 FMD by Demographic Subgroup (%), Clark County and Nevada (aggregated data)
- Table 12 FMD Status by County (%), Nevada (aggregated data)
- Figure 8 FMD by County (%), Nevada (aggregated data)

Table 13	FMD by Year (%), Clark County, Nevada and U.S., 2000-06
Figure 9	FMD by State (%), U.S., 2006
Table 14	FMD by County and Selected Indicator (%), Nevada (aggregated data)
Table 15	FMD by Year and Selected Indicator (%), Clark County, 2000-06
Table 16	No Insurance Coverage by Race/Ethnicity and County (%), Nevada (aggregated data)
Figure 10	No Insurance Coverage by Demographic Subgroup (%), Clark County and Nevada (aggregated data)
Table 17	Health Care Access/Coverage Status by County (%), Nevada (aggregated data)
Figure 11	No Insurance Coverage by County (%), Nevada (aggregated data)
Table 18	No Insurance Coverage by Year (%), Clark County, Nevada and U.S., 2000-06
Figure 12	No Insurance Coverage by State (%), U.S., 2006
Table 19	No Insurance Coverage by County and Selected Indicator (%), Nevada (aggregated data)
Table 20	No Insurance Coverage by Year and Selected Indicator (%), Clark County, 2000-06
Table 21	No Leisure Time Activity/Exercise by Race/Ethnicity and County (%), Nevada (aggregated data)
Figure 13	No Leisure Time Activity/Exercise by Demographic Subgroup (%), Clark County and Nevada (aggregated data)
Table 22	Leisure Time Activity/Exercise Status by County (%), Nevada (aggregated data)
Figure 14	No Leisure Time Activity/Exercise by County (%), Nevada (aggregated data)
Table 23	No Leisure Time Activity/Exercise by Year (%), Clark County, Nevada and U.S., 2000-06
Figure 15	No Leisure Time Activity/Exercise by State (%), U.S., 2006
Table 24	No Leisure Time Activity/Exercise by County and Selected Indicator (%), Nevada (aggregated data)
Table 25	No Leisure Time Activity/Exercise by Year and Selected Indicator (%), Clark County, 2000-06
Table 26	Insufficient Moderate Physical Activity by Race/Ethnicity and County (%), Nevada (aggregated data)
Figure 16	Insufficient Moderate Physical Activity by Demographic Subgroup (%), Clark County and Nevada (aggregated data)
Table 27	Moderate Physical Activity Status by County (%), Nevada (aggregated data)
Figure 17	Insufficient Moderate Physical Activity by County (%), Nevada (aggregated data)
Table 28	Insufficient Moderate Physical Activity by Year (%), Clark County, Nevada and U.S., 2000-06
Figure 18	Insufficient Moderate Physical Activity by State (%), U.S., 2005
Table 29	Insufficient Moderate Physical Activity by County and Selected Indicator (%), Nevada (aggregated data)
Table 30	Insufficient Moderate Physical Activity by Year and Selected Indicator (%), Clark County, 2000-06
Table 31	Insufficient Vigorous Physical Activity by Race/Ethnicity and County (%), Nevada (aggregated data)
Figure 19	Insufficient Vigorous Physical Activity by Demographic Subgroup (%), Clark County and Nevada (aggregated data)
Table 32	Vigorous Physical Activity Status by County (%), Nevada (aggregated data)
Figure 20	Insufficient Vigorous Physical Activity by County (%), Nevada (aggregated data)
Table 33	Insufficient Vigorous Physical Activity by Year (%), Clark County, Nevada and U.S., 2000-06
Figure 21	Insufficient Vigorous Physical Activity by State (%), U.S., 2005
Table 34	Insufficient Vigorous Physical Activity by County and Selected Indicator (%), Nevada (aggregated data)
Table 35	Insufficient Vigorous Physical Activity by Year and Selected Indicator (%), Clark County, 2000-06
Table 36	Eating <5 Fruits and Vegetables Daily by Race/Ethnicity and County (%), Nevada (aggregated data)
Figure 22	Eating <5 Fruits and Vegetables Daily by Demographic Subgroup (%), Clark County and Nevada (aggregated data)
Table 37	Fruits and Vegetables Intake Status by County (%), Nevada (aggregated data)
Figure 23	Eating <5 Fruits and Vegetables Daily by County (%), Nevada (aggregated data)

Table 38	Eating <5 Fruits and Vegetables Daily by Year (%), Clark County, Nevada and U.S., 2000-06
Figure 24	Eating <5 Fruits and Vegetables Daily by State (%), U.S., 2005
Table 39	Eating <5 Fruits and Vegetables Daily by County and Selected Indicator (%), Nevada (aggregated data)
Table 40	Eating <5 Fruits and Vegetables Daily by Year and Selected Indicator (%), Clark County, 2000-06
Table 41	Binge Drinkers by Race/Ethnicity and County (%), Nevada (aggregated data)
Figure 25	Binge Drinkers by Demographic Subgroup (%), Clark County and Nevada (aggregated data)
Table 42	Binge Drinking Status by County (%), Nevada (aggregated data)
Figure 26	Binge Drinkers by County (%), Nevada (aggregated data)
Table 43	Binge Drinkers by Year (%), Clark County, Nevada and U.S., 2000-06
Figure 27	Binge Drinkers by State (%), U.S., 2006
Table 44	Binge Drinkers by County and Selected Indicator (%), Nevada (aggregated data)
Table 45	Binge Drinkers by Year and Selected Indicator (%), Clark County, 2000-06
Table 46	Heavy Drinkers by Race/Ethnicity and County (%), Nevada (aggregated data)
Figure 28	Heavy Drinkers by Demographic Subgroup (%), Clark County and Nevada (aggregated data)
Table 47	Heavy Drinking Status by County (%), Nevada (aggregated data)
Figure 29	Heavy Drinkers by County (%), Nevada (aggregated data)
Table 48	Heavy Drinkers by Year (%), Clark County, Nevada and U.S., 2000-06
Figure 30	Heavy Drinkers by State (%), U.S., 2006
Table 49	Heavy Drinkers by County and Selected Indicator (%), Nevada (aggregated data)
Table 50	Heavy Drinkers by Year and Selected Indicator (%), Clark County, 2000-06
Table 51	Current Smokers by Race/Ethnicity and County (%), Nevada (aggregated data)
Figure 31	Current Smokers by Demographic Subgroup (%), Clark County and Nevada (aggregated data)
Table 52	Current Smoking Status by County (%), Nevada (aggregated data)
Figure 32	Current Smokers by County (%), Nevada (aggregated data)
Table 53	Current Smokers by Year (%), Clark County, Nevada and U.S., 2000-06
Figure 33	Current Smokers by State (%), U.S., 2006
Table 54	Current Smokers by County and Selected Indicator (%), Nevada (aggregated data)
Table 55	Current Smokers by Year and Selected Indicator (%), Clark County, 2000-06
Table 56	Smoking Cessation Attempted by Race/Ethnicity and County (%), Nevada (aggregated data)
Figure 34	Smoking Cessation Attempted by Demographic Subgroup (%), Clark County and Nevada (aggregated data)
Table 57	Smoking Cessation Attempted by County and Selected Indicator (%), Nevada (aggregated data)
Table 58	Smoking Cessation Attempted by Year and Selected Indicator (%), Clark County, 2000-06
Table 59	Overweight or Obese by Race/Ethnicity and County (%), Nevada (aggregated data)
Figure 35	Overweight or Obese by Demographic Subgroup (%), Clark County and Nevada (aggregated data)
Table 60	Weight Status (overweight or obese) by County (%), Nevada (aggregated data)
Figure 36	Overweight or Obese by County (%), Nevada (aggregated data)
Table 61	Overweight or Obese by Year (%), Clark County, Nevada and U.S., 2000-06
Figure 37	Overweight or Obese by State (%), U.S., 2006
Table 62	Overweight or Obese by County and Selected Indicator (%), Nevada (aggregated data)
Table 63	Overweight or Obese by Year and Selected Indicator (%), Clark County, 2000-06

Table 64	Obesity by Race/Ethnicity and County (%), Nevada (aggregated data)
Figure 38	Obesity by Demographic Subgroup (%), Clark County and Nevada (aggregated data)
Table 65	Weight Status (obese only) by County (%), Nevada (aggregated data)
Figure 39	Obesity by County (%), Nevada (aggregated data)
Table 66	Obesity by Year (%), Clark County, Nevada and U.S., 2000-06
Figure 40	Obesity by State (%), U.S., 2006
Table 67	Obesity by County and Selected Indicator (%), Nevada (aggregated data)
Table 68	Obesity by Year and Selected Indicator (%), Clark County, 2000-06
Table 69	Diabetes by Race/Ethnicity and County (%), Nevada (aggregated data)
Figure 41	Diabetes by Demographic Subgroup (%), Clark County and Nevada (aggregated data)
Table 70	Diabetes Status by County (%), Nevada (aggregated data)
Figure 42	Diabetes by County (%), Nevada (aggregated data)
Table 71	Diabetes by Year (%), Clark County, Nevada and U.S., 2000-06
Figure 43	Diabetes by State (%), U.S., 2006
Table 72	Diabetes by County and Selected Indicator (%), Nevada (aggregated data)
Table 73	Diabetes by Year and Selected Indicator (%), Clark County, 2000-06
Table 74	Hypertension by Race/Ethnicity and County (%), Nevada (aggregated data)
Figure 44	Hypertension by Demographic Subgroup (%), Clark County and Nevada (aggregated data)
Table 75	Hypertension Status by County (%), Nevada (aggregated data)
Figure 45	Hypertension by County (%), Nevada (aggregated data)
Table 76	Hypertension by Year (%), Clark County, Nevada and U.S., 2000-06
Figure 46	Hypertension by State (%), U.S., 2005
Table 77	Hypertension by County and Selected Indicator (%), Nevada (aggregated data)
Table 78	Hypertension by Year and Selected Indicator (%), Clark County, 2000-06
Table 79	High Cholesterol by Race/Ethnicity and County (%), Nevada (aggregated data)
Figure 47	High Cholesterol by Demographic Subgroup (%), Clark County and Nevada (aggregated data)
Table 80	Cholesterol Status by County (%), Nevada (aggregated data)
Figure 48	High Cholesterol by County (%), Nevada (aggregated data)
Table 81	High Cholesterol by Year (%), Clark County, Nevada and U.S., 2000-06
Figure 49	High Cholesterol by State (%), U.S., 2005
Table 82	High Cholesterol by County and Selected Indicator (%), Nevada (aggregated data)
Table 83	High Cholesterol by Year and Selected Indicator (%), Clark County, 2000-06
Table 84	Cholesterol Screening by Race/Ethnicity and County (%), Nevada (aggregated data)
Figure 50	Cholesterol Screening by Demographic Subgroup (%), Clark County and Nevada (aggregated data)
Table 85	Cholesterol Screening by County and Selected Indicator (%), Nevada (aggregated data)
Table 86	Cholesterol Screening by Year and Selected Indicator (%), Clark County, 2000-06
Table 87	Asthma History by Race/Ethnicity and County (%), Nevada (aggregated data)
Figure 51	Asthma History by Demographic Subgroup (%), Clark County and Nevada (aggregated data)
Table 88	Asthma History Status by County (%), Nevada (aggregated data)
Figure 52	Asthma History by County (%), Nevada (aggregated data)

Table 89	Asthma History by Year (%), Clark County, Nevada and U.S., 2000-06
Figure 53	Asthma History by State (%), U.S., 2006
Table 90	Asthma History by County and Selected Indicator (%), Nevada (aggregated data)
Table 91	Asthma History by Year and Selected Indicator (%), Clark County, 2000-06
Table 92	Current Asthma by Race/Ethnicity and County (%), Nevada (aggregated data)
Figure 54	Current Asthma by Demographic Subgroup (%), Clark County and Nevada (aggregated data)
Table 93	Current Asthma Status by County (%), Nevada (aggregated data)
Figure 55	Current Asthma by County (%), Nevada (aggregated data)
Table 94	Current Asthma by Year (%), Clark County, Nevada and U.S., 2000-06
Figure 56	Current Asthma by State (%), U.S., 2006
Table 95	Current Asthma by County and Selected Indicator (%), Nevada (aggregated data)
Table 96	Current Asthma by Year and Selected Indicator (%), Clark County, 2000-06
Table 97	Activity Limitations by Race/Ethnicity and County (%), Nevada (aggregated data)
Figure 57	Activity Limitations by Demographic Subgroup (%), Clark County and Nevada (aggregated data)
Table 98	Activity Limitations by County and Selected Indicator (%), Nevada (aggregated data)
Table 99	Activity Limitations by Year and Selected Indicator (%), Clark County, 2000-06
Table 100	Aid Equipment Use by Race/Ethnicity and County (%), Nevada (aggregated data)
Figure 58	Aid Equipment Use by Demographic Subgroup (%), Clark County and Nevada (aggregated data)
Table 101	Aid Equipment Use by County and Selected Indicator (%), Nevada (aggregated data)
Table 102	Aid Equipment Use by Year and Selected Indicator (%), Clark County, 2000-06
Table 103	Cardiovascular Disease (CVD) by Race/Ethnicity and County (%), Nevada (aggregated data)
Figure 59	CVD by Demographic Subgroup (%), Clark County and Nevada (aggregated data)
Table 104	CVD Status by County (%), Nevada (aggregated data)
Figure 60	CVD by County (%), Nevada (aggregated data)
Table 105	CVD by Year (%), Clark County, Nevada and U.S., 2000-06
Figure 61	CVD by State (%), U.S., 2006
Table 106	CVD by County and Selected Indicator (%), Nevada (aggregated data)
Table 107	CVD by Year and Selected Indicator (%), Clark County, 2000-06
Table 108	Had Mammogram within Past 2 Years by Race/Ethnicity and County (%), Nevada (aggregated data)
Figure 62	Had Mammogram within Past 2 Years by Demographic Subgroup (%), Clark County and Nevada (aggregated data)
Table 109	Had Mammogram within Past 2 Years by County and Selected Indicator (%), Nevada (aggregated data)
Table 110	Had Mammogram within Past 2 Years by Year and Selected Indicator (%), Clark County, 2000-06
Table 111	Had Pap Test within Past 3 Years by Race/Ethnicity and County (%), Nevada (aggregated data)
Figure 63	Had Pap Test within Past 3 Years by Demographic Subgroup (%), Clark County and Nevada (aggregated data)
Table 112	Had Pap Test within Past 3 Years by County and Selected Indicator (%), Nevada (aggregated data)
Table 113	Had Pap Test within Past 3 Years by Year and Selected Indicator (%), Clark County, 2000-06
Table 114	Had PSA Test within Past 2 Years by Race/Ethnicity and County (%), Nevada (aggregated data)
Figure 64	Had PSA Test within Past 2 Years by Demographic Subgroup (%), Clark County and Nevada (aggregated data)
Table 115	Had PSA Test within Past 2 Years by County and Selected Indicator (%), Nevada (aggregated data)
Table 116	Had PSA Test within Past 2 Years by Year and Selected Indicator (%), Clark County, 2000-06

Table 117	Had Blood Stool Test within Past 2 Years by Race/Ethnicity and County (%), Nevada (aggregated data)
Figure 65	Had Blood Stool Test within Past 2 Years by Demographic Subgroup (%), Clark County and Nevada (aggregated data)
Table 118	Had Blood Stool Test within Past 2 Years by County and Selected Indicator (%), Nevada (aggregated data)
Table 119	Had Blood Stool Test within Past 2 Years by Year and Selected Indicator (%), Clark County, 2000-06
Table 120	Had Sigmoidoscopy/Colonoscopy by Race/Ethnicity and County (%), Nevada (aggregated data)
Figure 66	Had Sigmoidoscopy/Colonoscopy by Demographic Subgroup (%), Clark County and Nevada (aggregated data)
Table 121	Had Sigmoidoscopy/Colonoscopy by County and Selected Indicator (%), Nevada (aggregated data)
Table 122	Had Sigmoidoscopy/Colonoscopy by Year and Selected Indicator (%), Clark County, 2000-06

Appendices

Post-censal Population Estimates by Year and Demographic Subgroup, Clark County, 2000-06