



## PUBLIC NOTICE

The Southern Nevada District Board of Health will conduct a PUBLIC HEARING on Thursday, February 23, 2023 at 9:00 AM during its regular monthly meeting in the Red Rock Conference Room at the Southern Nevada Health District at 280 S. Decatur Blvd., Las Vegas, Nevada, to approve or deny a variance request filed by Thomas Sangretoro, trustee of The Thomas Sangretoro Trust, ("Petitioner"), to allow installation of a well on the property located at 7737 Edna Ave., Las Vegas, NV 89117, APN 163-10-301-004.

The variance is requested to allow the Petitioners to install a domestic irrigation well at 7737 Edna Ave., Las Vegas, NV that is not in compliance with SNHD ISDS Regulations. The proposed well is located on an undersized lot and the Petitioners are requesting a reduced setback of 90', where a 100' or 150' is typically required, from a well to a septic system.

All interested persons may appear at the hearing and state their positions. All written and oral submissions will be considered by the Southern Nevada District Board of Health. Written comments must be forwarded by February 22, 2023, to:

Robert Fyda, P.E., REHS  
Environmental Health Engineer/Supervisor  
Southern Nevada Health District  
P.O. Box 3902  
Las Vegas, Nevada 89127  
fyda@snhd.org

The variance application is available for review at the Southern Nevada Health District, 280 S. Decatur Blvd., Las Vegas, Nevada 89107. Please contact Mallory Jett-Edwards at (702) 759-0660 to schedule an appointment to review the application during normal business hours of 8:00 AM to 4:30 PM.

- S -

Chris Saxton, MPH-EH, REHS  
Environmental Health Director

February 8, 2023  
Date