## Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|---|---|---|---|---|---|---|
| COVID19 Case | 572,020 | 100 | 2,318,174 | 24675.46 | 571,942 | 78 |
| Hospitalized | 28,128 | 4.92 | 2,318,174 | 1,213.37 | 28,125 | 3 |
| Deceased | 8,870 | 1.55 | 2,318,174 | 382.63 | 8,870 | 0 |
| Recovered | 552,064 | 96.5 | 2,318,174 | 23814.61 | 551,867 | 197 |
| MIS-C Case | 112 | -- | -- | -- | 112 | 0 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

**Investigations are ongoing; data are subject to change.**
**Reporting through 14AUG2022**

## Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|---|---|---|---|---|---|
| Age Categories | Aged 4 or less | 14971 | 2.62 | 149,165 | 10037 |
| | Aged 5 to 17 | 68072 | 11.9 | 406,595 | 16742 |
| | Aged 18 to 24 | 63892 | 11.2 | 216,762 | 29476 |
| | Aged 25 to 49 | 253235 | 44.3 | 803,732 | 31507 |
| | Aged 50 to 64 | 107976 | 18.9 | 423,461 | 25498 |
| | Aged 64+ | 63706 | 11.1 | 318,459 | 20004 |
| | Unknown | 168 | 0.03 | . | . |
| Birth Sex | Female | 298146 | 52.1 | 1,160,285 | 25696 |
| | Male | 269254 | 47.1 | 1,157,889 | 23254 |
| | Unknown | 4620 | 0.81 | . | . |
| Race/Ethnicity | Hispanic | 157730 | 27.6 | 763,053 | 20671 |
| | White | 150381 | 26.3 | 1,006,929 | 14935 |
| | Black | 54748 | 9.57 | 262,671 | 20843 |
| | Asian or Pacific Islander | 49721 | 8.69 | 270,209 | 18401 |
| | American Indian, Eskimo, or Aleut | 2214 | 0.39 | 15,311 | 14460 |
| | Other | 41150 | 7.19 | . | . |
| | Unknown | 116076 | 20.3 | . | . |
| Underlying Medical Condition | Yes | 87401 | 15.3 | . | . |
| | No/Unknown | 484619 | 84.7 | . | . |

Note1: Breakdown of Race is exlusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

**Investigations are ongoing; data are subject to change.**
**Reporting through 14AUG2022**

## Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|---|---|---|---|---|---|
| Age Categories | Aged 4 or less | 288 | 1.0 | 149,165 | 193.07 |
| | Aged 5 to 17 | 365 | 1.3 | 406,595 | 89.77 |
| | Aged 18 to 24 | 609 | 2.2 | 216,762 | 280.95 |
| | Aged 25 to 49 | 6466 | 23.0 | 803,732 | 804.50 |
| | Aged 50 to 64 | 7549 | 26.8 | 423,461 | 1782.7 |
| | Aged 64+ | 12848 | 45.7 | 318,459 | 4034.4 |
| | Unknown | 3 | 0.0 | . | -- |
| Birth Sex | Female | 12640 | 44.9 | 1,160,285 | 1089.4 |
| | Male | 15456 | 54.9 | 1,157,889 | 1334.8 |
| | Unknown | 32 | 0.1 | . | . |
| Race/Ethnicity | Hispanic | 7199 | 25.6 | 763,053 | 943.45 |
| | White | 11219 | 39.9 | 1,006,929 | 1114.2 |
| | Black | 4025 | 14.3 | 262,671 | 1532.3 |
| | Asian or Pacific Islander | 2881 | 10.2 | 270,209 | 1066.2 |
| | American Indian, Eskimo, or Aleut | 131 | 0.5 | 15,311 | 855.57 |
| | Other | 1070 | 3.8 | . | . |
| | Unknown | 1603 | 5.7 | . | . |

Note1: Breakdown of Race is exlusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

**Investigations are ongoing; data are subject to change.**
**Reporting through 14AUG2022**

# Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|---|---|---:|---:|
| Deceased | Yes | 7135 | 25.4 |
|  | No | 20993 | 74.6 |
| ICU | Yes | 6645 | 23.6 |
|  | No | 21483 | 76.4 |
| Intubated | Yes | 3141 | 11.2 |
|  | No | 24987 | 88.8 |
| Underlying Medical Condition | Yes | 17594 | 62.5 |
|  | No | 10534 | 37.5 |
| Hypertension | Yes | 10380 | N/A |
| Immunocompromised | Yes | 650 | N/A |
| Chronic Heart Disease | Yes | 3791 | N/A |
| Chronic Liver Disease | Yes | 397 | N/A |
| Chronic Kidney Disease | Yes | 2588 | N/A |
| Diabetes | Yes | 7325 | N/A |
| Neurologic/Neurodevelopmental | Yes | 1323 | N/A |
| Chronic Lung Disease | Yes | 4342 | N/A |
| Historically Healthy | Yes | 4889 | N/A |
| Other | Yes | 7476 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exlusive (i.e., a person can have more than one risk factor).

**Investigations are ongoing; data are subject to change.**
**Reporting through 14AUG2022**

## Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|---|---|---|---|---|---|
| Age Categories | Aged 4 or less | 3 | 0.0 | 149,165 | -- |
| | Aged 5 to 17 | 7 | 0.1 | 406,595 | -- |
| | Aged 18 to 24 | 20 | 0.2 | 216,762 | 9.23 |
| | Aged 25 to 49 | 748 | 8.4 | 803,732 | 93.07 |
| | Aged 50 to 64 | 1878 | 21.2 | 423,461 | 443.49 |
| | Aged 64+ | 6214 | 70.1 | 318,459 | 1951.3 |
| | | | | | |
| Birth Sex | Female | 3522 | 39.7 | 1,160,285 | 303.55 |
| | Male | 5347 | 60.3 | 1,157,889 | 461.79 |
| | Unknown | 1 | 0.0 | . | -- |
| | | | | | |
| Race/Ethnicity | Hispanic | 2027 | 22.9 | 763,053 | 265.64 |
| | White | 4479 | 50.5 | 1,006,929 | 444.82 |
| | Black | 1135 | 12.8 | 262,671 | 432.10 |
| | Asian or Pacific Islander | 1083 | 12.2 | 270,209 | 400.80 |
| | American Indian, Eskimo, or Aleut | 48 | 0.5 | 15,311 | 313.49 |
| | Other | 86 | 1.0 | . | . |
| | Unknown | 12 | 0.1 | . | . |

Note1: Breakdown of Race is exlusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

**Investigations are ongoing; data are subject to change.**
**Reporting through 14AUG2022**

## Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|---|---|---|---|
| Hospitalized | Yes | 7135 | 80.4 |
| | No | 1735 | 19.6 |
| ICU | Yes | 3540 | 39.9 |
| | No | 5330 | 60.1 |
| Intubated | Yes | 2252 | 25.4 |
| | No | 6618 | 74.6 |
| Underlying Medical Condition | Yes | 5628 | 63.4 |
| | No | 3242 | 36.6 |
| Hypertension | Yes | 3663 | N/A |
| Immunocompromised | Yes | 270 | N/A |
| Chronic Heart Disease | Yes | 1710 | N/A |
| Chronic Liver Disease | Yes | 213 | N/A |
| Chronic Kidney Disease | Yes | 1227 | N/A |
| Diabetes | Yes | 2531 | N/A |
| Neurologic/Neurodevelopmental | Yes | 594 | N/A |
| Chronic Lung Disease | Yes | 1411 | N/A |
| Historically Healthy | Yes | 475 | N/A |
| Other | Yes | 2348 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exlusive (i.e., a person can have more than one risk factor).

**Investigations are ongoing; data are subject to change.
Reporting through 14AUG2022**