



Memorandum

Date: January 24, 2013

To: Southern Nevada District Board of Health

From: Glenn D. Savage, R.E.H.S., Director, Environmental Health Division 
John Middaugh, M.D., Interim Chief Health Officer 

Subject: Environmental Health Division Monthly Report–November/December 2012

I. FOOD OPERATIONS AND AND SPECIAL PROGRAMS

ACTION	Oct 2011	YTD 2011	Oct 2012*	YTD 2012*
Initial Inspections	214	2,250	299	3,113
Reinspections–Routine	2,427	2,4642	2,185	23,394
EPI Related Inspections	2	116	6	210
Special Request Inspections–Citizen	230	2,362	261	2,303
Animal Disease Inspections	40	855	60	678
Downgrades	186	1,728	273	2,636
Closures	27	340	68	625
Cease and Desist Orders	8	37	6	75
NCIAA Complaints	6	114	0	20
Special Events	n/a	n/a	n/a	n/a
Temporary Food Establishments and Tasting Event Booths	n/a	n/a	n/a	n/a

ACTION	Nov 2011	YTD 2011	Nov 2012*	YTD 2012*
Initial Inspections	237	2,487	308	3,460
Reinspections–Routine	1,956	26,598	2,106	25,566
EPI Related Inspections	7	123	12	222
Special Request Inspections–Citizen	190	2,552	188	2,495
Animal Disease Inspections	2	857	3	681
Downgrades	215	1,943	212	2,850
Closures	25	365	47	631
Cease and Desist Orders	9	46	6	77
NCIAA Complaints	6	120	3	23
Special Events	106	510	91	548
Temporary Food Establishments and Tasting Event Booths	536	5,790	847	6,672

* Note: Implementation of Decade Software Company's EnvisionConnect occurred on June 27, 2011. Productivity Reports have been created to very closely emulate historic VAX reports; however, it is not possible to replicate the aged VAX reports through EnvisionConnect.

A. Enforcement Actions and Investigations

- **Ele's Fresh Mediterranean, 3480 S Maryland Pkwy:** Closure due to an imminent health hazard of sewage seeping into kitchen beneath base coving tiles.
- **Kabob Korner, 507 Fremont St:** Closure due to an imminent health hazard of flooding.
- **La Cabana, 526 S Martin Luther King Blvd:** Closure due to an imminent health hazard of sewage overflow from floor drain.
- **Best Billiards Restaurant, 3740 E Flamingo Rd:** Closure due to an imminent health hazard of backing up sewage.
- **The D Warehouse, 301 Fremont St:** Closure due to repeat violations of operating outside of permitted area and foods not protected from contamination.
- **Golden Nugget Annual Itinerant Low Risk, 129 E Fremont St:** Closure due to an imminent health hazard of no hot water.
- **Golden Nugget Cellar Employee Dining Room, 129 E Fremont St:** Closure due to pest infestation. This establishment failed a reinspection during business hours, but was reopened on the same day after passing an after-hours full inspection.
- **Carson Street Station at the Golden Nugget, 129 E Fremont St:** Closure due to pest infestation. This establishment failed a reinspection during business hours, but was reopened on the same day after passing an after-hours full inspection.
- **Carson Street Service Bar at the Golden Nugget, 129 E. Fremont St:** Closure due to pest infestation. This establishment failed a reinspection during business hours, but was reopened on the same day after passing an after-hours full inspection.
- **Carson Street Pantry at the Golden Nugget, 129 E. Fremont St:** Closure due to pest infestation. This establishment failed a reinspection during business hours, but was reopened on the same day after passing an after-hours full inspection.
- **Lillie's Asian Cuisine at the Golden Nugget, 129 E Fremont St:** Closure due to pest infestation. This establishment failed a reinspection during business hours, but was reopened on the same day after passing an after-hours full inspection.
- **Las Vegas Superstore, 4801 Spring Mountain Rd:** During a routine inspection the establishment was without hot water in the restrooms or the meat department and the facility was closed until repairs were made.
- **Mariana's Market Kiosk, 3631 W Sahara Ave:** During a routine inspection the facility was operating without hot water and the establishment was closed.
- **Fracos and Froccs, 6593 S Las Vegas Blvd:** During a routine inspection the sole hand sink was not draining and no hand towels were available, so the establishment was closed until repairs were made and hand towels provided.
- **Lemongrass Café, 8820 S Eastern Ave:** A routine inspection resulted in a closure for a cockroach infestation, which is an imminent health hazard. Corrective action was taken and the facility reopened.
- **East Ocean, 9570 S Eastern Ave:** A Cease and Desist Order was issued due to active construction taking place during open food preparation. All food that was exposed to contamination was discarded. After the facility was properly cleaned, inspections to reopen took place with the new owner.
- **Don Tortaco Mexican Grill, 7455 S Eastern Ave:** A routine inspection resulted in the facility being closed due to inadequate hot water. Corrective action was taken with the facility reopening later that day.

- **Vending Machine/Micro-Market Investigations, multiple locations:** During investigation of a complaint, unpermitted vending machines were found at Bally's Gaming, Cashman Equipment, and Timet. An unpermitted Micro-Market with cashier sales was found at Sitel on Pilot Road. The Environmental Health Division (EHD) is in the process of serving notice to the supplying vendors of the need for permitting at said locations.
- **America's Mart Kitchen, 8816 S Eastern Ave:** A routine inspection resulted in closure of the facility for excessive violations. Due to a history of inconsistent management and lack of active managerial control, a supervisory conference will be required.
- **Fairview Chinese Cuisine, 1930 N Decatur Blvd:** Staff closed the facility for inability to sanitize kitchenware.
- **Taqueria El Buen Pastor Seasonal, 1394 N Nellis Blvd:** Staff issued a Cease and Desist Order for operating at an unapproved location.
- **Sunshine Mart, 4708 W Charleston Blvd:** Staff issued a Cease and Desist Order for operating without a permit and directed the operator to apply for a permit. Facility opened with plan review approval.
- **Kapampangan Sisig, 1436 E Charleston Blvd:** Staff closed the facility for the imminent health hazard of inadequate refrigeration.
- **Tacos El Chante, 2219 E Fremont St:** Staff closed the facility for lack of hot water.
- **Sunshine Mart #2, 4708 W Charleston Blvd:** Staff closed the facility for sewage back-up at all floor sinks.
- **Carnitas Michoacan, 865 N Lamb Blvd:** Staff issued a Cease and Desist Order for operating without a permit. Currently pending supervisory meeting.
- **Monte Pizza, 1306 W Craig Rd:** Staff closed the facility for sewage back-up at floor sink, and the facility remains closed.
- **Trump Tower 1 DJT Restaurant, 2000 N Fashion Show Dr:** The facility was closed with 51 demerits.
- **Flamingo Hotel and Casino Main Kitchen Hot Production, 3555 S Las Vegas Blvd:** The facility was closed for an imminent health hazard, seepage of overhead condensate waste lines onto dishwashing operations due to deteriorated corroded plumbing.
- **The Sands-Supply Side West Expo, 201 E Sands Ave:** Forty-two booths were found sampling without a permit.
- **Tamba Indian Cuisine, 3743 S Las Vegas Blvd:** The facility was closed with 56 demerits, and remained closed due to a failed reinspection for repeat critical and major violations.
- **Artisan Patio Portable Bar at the Artisan Hotel, 1501 W Sahara Ave:** The facility was closed for imminent health hazard of no hot water.
- **The Venetian-Renaissance Bar, 3355 S Las Vegas Blvd:** The facility was operating a temporary pantry on the main casino floor without a permit.
- **LVH Hotel and Casino, 3000 S Paradise Road:** Conducted change of ownership inspections at all permitted facilities in conjunction with SNHD Plan Review.
- **Omar Haikal Islamic Academy, 485 E Eldorado Ln.:** Closed playground equipment for entanglement and head entrapment issues.
- **Taqueria Canonita Bar at the Venetian Hotel & Casino, 3355 S Las Vegas Blvd:** Closed for operating a temporary bar without a permit.

B. Supervisory Conferences

Supervisory Conferences were held with the following facilities: La Princesa Water Express, 557 E Twain Ave; Mamitas Mexican and Cuban Food, 611 Fremont St; Rincon Catracho, 4110 S Maryland Pkwy; The D Hotel, 301 E Fremont St.; Handmade in Vegas temporary event, 201 E Charleston Blvd; Best Billiards Restaurant, 3740 E Flamingo Rd; Los

Toritios, 2560 S Maryland Pkwy; Fremont Street Experience Annual Event Coordinator, 200 E Fremont St; The Smith Center, 575 Symphony Park Ave; Vegas Pita, 7180 S Dean Martin Rd; Pumi Oriental Restaurant, 239 S Pecos Road; Tipicos Centro America, 1945 N Nellis Blvd; La Palma Market and Snack Bar, 6700 W Charleston Blvd; Kapampangan Sisig, 1436 E Charleston Blvd; Antojitos El Cejas, 1625 N Lamb Blvd; Sunshine Café, 1581 N Decatur Blvd; Mariscos Arreola, 1560 N Eastern Ave; Aces & Eats, 2200 N Rainbow Blvd; Peking Express, 3278 N Las Vegas Blvd; China a Go Go, 6885 Aliante Pkwy; All Star Donuts and Chinese, 1615 S Las Vegas Blvd; Caesar's Palace, 3570 S Las Vegas Blvd; and Jammin Jerk Hut, 3333 S Maryland Pkwy.

C. Outbreak Investigation Support

- **Paris Las Vegas, Le Provencal Restaurant**, 3655 S Las Vegas Blvd: Foodborne illness investigation.
- **Panda Express**, 1263 E Silverado Ranch Blvd: Foodborne illness investigation.
- **Mandalay Place, RM Seafood**, 3930 S Las Vegas Blvd: Foodborne illness investigation.
- **Bellagio, Michael Mina Restaurant**, 3600 S Las Vegas Blvd: Foodborne illness investigation.
- **Imperial Palace**, 3535 S Las Vegas Blvd: *Legionella* investigation.
- **Silverton Hotel and Casino**, 3333 Blue Diamond Rd: Norovirus investigation.
- **Luxor Hotel and Casino**, 3900 S Las Vegas Blvd: *Legionella* investigation.

D. Child Care

- **Discovery Charter School**, 8941 Hillpointe Rd: Staff investigated a complaint of trash, urine, and feces in the boy's bathroom. The complaint was valid and the school was required to clean and disinfect the bathroom.
- **Tinkertown** 5270 S Pecos Rd: Staff investigated a complaint referral from the State of Nevada Childcare Licensing that the facility was operating with no access to hot water. A survey revealed that the hot water tank at the facility was not working, but the facility was in the process of replacing it. A verified complaint fee was assessed since Southern Nevada Health District (SNHD) was not notified of the water outage.
- **St. Viator Preschool and Kindergarten**, 4320 Channel 10 Dr: Staff closed the outdoor play area due to entanglement and protrusion hazards on the climbable equipment.
- **Kids Turf Child Care**, 1380 E Silverado Ranch Blvd: Staff investigated a complaint referred from State of Nevada Childcare Licensing of numerous unsanitary and unsafe conditions at the facility. The investigation revealed numerous conditions including hazards present on the playground, inadequate refrigeration, disinfectant, and diapering procedures, and inadequately stocked hand sinks. A follow-up survey found some of the conditions including inadequate refrigeration and inadequately stocked hand sinks were not corrected. Staff will ensure that the facility comes into compliance with SNHD regulations.

E. Body Art

Redemption Tattoo Family, 4080 Paradise Rd: During a routine inspection staff observed the only operator did not have a valid body art health card. The employee was asked to leave, effectively closing the facility until a body artist with a valid health card was on site. The individual was ordered to cease and desist from doing any body art procedures until his body art card was renewed.

F. Schools

Lee Antonello Elementary School, 1101 W Tropical Pkwy: During a routine inspection the girl’s restroom was found to have no water provided to hand washing sinks. Staff notified the Facility Service Representative (FSR) to initiate repairs within 24 hours and complete the repairs within seven days. The FSR was also asked to provide hand sanitizer in affected restrooms until repairs were completed. A follow-up survey of the restroom found water provided to all lavatories, but it was not heated. Staff advised the FSR to provide heated water and to repair the leak by the first day children return to school from winter break, January 7, 2013.

G. Safe Drinking Water

Staff conducted sanitary surveys of the following public water systems: Kyle Canyon Water District and Blue Diamond Travel Center located at 12325 State Hwy 160.

H. Outreach

- Staff developed and provided a presentation on *Legionella* and Legionnaire’s Disease in Southern Nevada to approximately 50 individuals from the Nevada Resort Association on November 14, 2012.
- Staff provided the *Legionella* and Legionnaire’s Disease in Southern Nevada presentation to approximately 35 individuals from the Nevada Hotel and Lodging Association on December 7, 2012.

II. FOOD PLAN REVIEW:

FOOD PLAN REVIEW ACTIVITIES OCTOBER 2012	OCT 2011	OCT 2012	YTD 2011	YTD 2012
TOTAL FOOD PLAN REVIEW ACTIVITIES:	960	1,124	7,862	9,277
TOTAL SERVICE REQUEST INTAKE (FPR):	207	327	1,364	2,779
TOTAL SERVICE REQUEST RELEASED (FPR):	197	332	936	2,580
TOTAL SERVICE REQUESTS ACTIVE IN OCTOBER	708	1,143		

FOOD PLAN REVIEW ACTIVITIES NOVEMBER 2012	NOV 2011	NOV 2012	YTD 2011	YTD 2012
TOTAL FOOD PLAN REVIEW ACTIVITIES:	854	1,004	8,716	10,281
TOTAL SERVICE REQUEST INTAKE (FPR):	308	372	1,672	3,151
TOTAL SERVICE REQUEST RELEASED (FPR):	184	338	1,120	2,918
TOTAL SERVICE REQUESTS ACTIVE IN NOVEMBER	833	1,177		

- **Jersey Mike’s Subs located at the C-Gates in Terminal 1, McCarran International Airport:** Plan review staff conducted a field survey at the establishment. The food shield installed at the preparation counter did not comply with the SNHD regulations and would not adequately protect the food items from contamination by public.
- **Del Taco, 5975 Eastern Ave:** Plan Review Staff evaluated a condiment cold preparation unit at the facility. The unit had been ordered out of service. The manager reported he had the unit serviced but the service report indicated different equipment was serviced, and the unit in question had not been serviced. The prep unit remained red tagged.
- **Ruth’s Chris (formerly The Range) Steakhouse at Harrah’s Las Vegas, 3475 S Las Vegas Blvd:** Plan Review staff completed a preliminary inspection for the new facility. Only minor corrections were needed to bring the facilities in line with current regulations.

- **Red Square in Mandalay Bay Hotel & Casino, 3950 S Las Vegas Blvd:** The change of ownership inspection at the facility revealed that condensate drain from the ice bar was dripping into the bar equipment below. The owners contacted a certified fabricator for repairs.
- **Fiesta Nightclub, 3402 E Lake Mead Blvd:** A change of ownership inspection resulted in closure of the bar due to inadequate hot water and numerous construction violations. The operator was additionally instructed to remove or repair any inoperable equipment prior to reinspection.
- **Wet 'N' Wild, 7055 S Fort Apache Road:** Plans were submitted for two snack bars at the new water park. They were aware of SNHD's food establishment requirements and there were very few changes needed. Representatives indicated they would be back for several Portable Unit permits before their projected opening in May 2013.
- **The "D" Casino Hotel, 301 Fremont St:** Representatives applied for 14 permits consisting of new construction and splitting existing permits. The new facilities are the "D" Grill 3 Meal (8 permits) and the Joe Vicari Andiamo Italian Steakhouse (6 permits). On the day of the final inspection, all 8 permits were approved, with one permit (Restaurant) given conditional approval as all the equipment had not been installed. During the course of the final inspection, the staff member came across the Showroom Service Bar, which was not included at the time on the initial plan review. The Showroom Service Bar was able to open and operate before Christmas day.
- **The Greenland Market food court, 6850 Spring Mountain Rd:** The food court recently underwent a change of owner and is now called **KTP (Korean Town Plaza) food court**. The six kiosks and support facilities at the food court were inspected with five of the kiosks and two support facilities issued new permits. One kiosk was not in operation but was being used as support for the remaining five facilities; however, the kiosk was not permitted for that use and a Cease and Desist Order was issued. Remodel plans will be submitted by KTP management when an operator is found to operate the kiosk.
- **Unpermitted food stand, operating under the business name *Tacos La Familia*, was found operating at 4161 South Eastern Avenue:** Staff investigated an after-hours complaint of an unpermitted and unsanitary food stand operating outdoors in conjunction with *La Parrilla* restaurant. The outdoor food stand was observed having no running water or operable hand wash station, and was issued a Cease and Desist Order. The operators were referred to the SNHD Plan Review Department for a valid permit.

III. SOLID WASTE AND COMPLIANCE PROGRAMS

- Solid Waste Management Authority (SWMA) Hearing Officer Process:** The monthly SWMA Hearing Officer Meetings were conducted November 8, 2012 and December 13, 2012 with 30 cases adjudicated, \$41,150.00 in penalties imposed and corrective actions ordered. There were 41 Notices of Violation mailed in November and December for the Hearing Officer Meetings.
- Complaints of Illegal Dumping:** The Solid Waste and Compliance Section (SWAC) received 192 complaints of illegal dumping in November and December.
- Waste Management Audits and Target Sector Inspections:** The SWAC completed 386 Waste Management Audits and Target Sector inspections during the months of November and December.

- D. **Underground Storage Tanks (UST) Full Compliance Inspections:** A total of 127 full UST Compliance Inspections were conducted during November and December. In addition a total of 19 UST Final Installation Inspections, Permanent Closures, UST Spill Report investigations, and UST Abatement Oversight activities were carried out.
- E. **Permitted Disposal Facilities (PDF) Inspections:** The SWAC completed a total of 36 Permitted Disposal Facilities (PDF) Inspections and Reinspections. In addition 74 PDF Business License Applications and Waste Asbestos Transport Permits were reviewed and approved.
- F. **Solid Waste Issues:**
- **Unpermitted Solid Waste Management Facilities:** PDF staff continues to investigate and monitor unpermitted composting and recycling centers.
 - **Wells Cargo Landfill:** SWAC staff participated in a meeting with representatives of Wells Cargo regarding submittal requirements for modifying their existing permit.
 - **Apex Landfill:** SWAC staff has completed a completeness review of the submittal for the major modification for Apex Landfill and have provided comments back to Republic Services of Southern Nevada (RSSN) and their consultant.
 - **Safe Drinking Water Program:** Staff participated in a meeting with representatives from NDEP to discuss the transition of the responsibilities for the Safe Drinking Water program from Special Programs to SWAC.
 - **Las Vegas 215 LLC:** SWAC staff continues to provide support to the efforts in District Court to obtain an injunction to stop Las Vegas 215 LLC from operating a solid waste management facility without a permit.
- G. **Solid Waste Plan Review Program (SWPR):**
- **Temporary Permits--**Boulder Sand & Gravel (North 5th); Burly Mini Dumps; Desert Recycling; H2O Environmental; Las Vegas Recycling; Pabco Gypsum; Renu Oil of America; SA Recycling, LLC - Cherry Pie; Western Recycling; USM Recycling; and USA Mobile Concrete.
 - **Permits issued in November-December--**Certainteed Gypsum Manufacturing, Inc. (modification); Lunas Construction Clean Up (R/C); Lunas Construction Clean Up (Waste Tire Management Facility-modification); Recycling Technologies, LLC (modification); A Recycling Solution, LLC (modification); Clean The World Foundation, Inc.; High Desert Recycling Inc.
 - **Landfills--**Apex Regional Landfill; Henderson Landfill; Laughlin Landfill; Nellis Air Force Base; Southern California Edison/Mohave Generating Station; Timet; and Wells Cargo.
 - **Facility Applications Being Processed--**MRFs (1); Recycling Centers (18); Transfer Stations (2); and Temporary Permits (1).
 - **Facilities planned for approval at Board of Health (BOH) meetings/SNHD Workshops:** January- Western Recycling; A Recycling Solution; Las Vegas Recycling.
- H. **Subdivision Program:** November – December combined monthly Totals
Tentative Maps: Received (20), Lot Count (1334); Final Maps: Received (28), Lot Count (773);
Final Maps: Signed (17), Lot Count (275); Improvement Plans: Received (24), Lot Count (762);
Fees Paid \$ 20,277.68.
- I. **Individual Sewage Disposal System (ISDS) Program:** The revenue for the combined months of November and December 2012 was \$ 40,294. The total number of ISDS permits

was nine (9) residential and five (5) commercial. The total number of tenant improvements was nineteen (19). The number of loan certifications processed was six (6). There were two (2) pool locations processed.

- J. **ISDS Program Compliance:** Fifteen (15) compliance vouchers (warnings) were resolved in November and December, 2012. No compliance cases were resolved in November and December, 2012.

IV. VECTOR CONTROL OFFICE

West Nile virus (WNV) Surveillance and Mosquito Control:

Three mosquito submission pools, consisting of 9 mosquitoes, tested positive for WNV. Additionally, a human case of the disease was reported to the Office of Epidemiology.

West Nile Virus Surveillance					
Nov/Dec Traps Set	YTD Traps Set	Nov/Dec Mosquitoes Trapped	YTD Mosquitoes Trapped	YTD <i>Culex spp.</i> submitted	YTD Positive Results
0/0	504	0/0	7,991	6,019	10
EBLL Home Investigations					
November/December 2012			2012 Total		
0/0			6		
Healthy Homes / Landlord Tenant Response					
Nov/Dec Complainants		Nov/Dec Issues Submitted		YTD Complainants	
152/112		204/135		1812	
YTD Complainants		YTD Issues Submitted		YTD Landlord/Tenant Responses	
1812		2435		YTD Landlord/Tenant Responses	
Nov/Dec Landlord/Tenant Responses		YTD Landlord/Tenant Responses		YTD Landlord/Tenant Responses	
21/9		190		190	
CMART Activities					
Nov/Dec CMART Actions			YTD CMART Actions		
0/0			10		
Public Accommodations (PA) Inspections					
Nov/Dec PA Inspections		Nov/Dec PA Complaints		YTD PA Inspections	
81/15		12/16		361	
YTD PA Inspections		YTD PA Complaints		YTD PA Complaints	
165		274		274	
Mobile Home/Recreational Vehicle Parks					
Nov/Dec Inspections		YTD Inspections		Nov/Dec Complaints	
16/5		165		4/0	
YTD Inspections		YTD Complaints		YTD Complaints	
165		39		39	
Mattress Refurbishing Program					
Nov/Dec Mattress Refurbishment Complaints			YTD Mattress Refurbishment Complaints		
1/2			10		
Health Clubs/Spas					
Nov/Dec Inspections		YTD Inspections		Nov/Dec Complaints	
49/3		90		1/1	
YTD Inspections		YTD Complaints		YTD Complaints	
90		10		10	

V. AQUATIC HEALTH PROGRAM

A. Aquatic Health Plan Review: Total projects under Pool Plan Review: 779 +

ACTIVITIES	Nov/Dec 2011	Nov/Dec 2012	YTD 2011	YTD 2012
+ New Initial Plan Rev. Activities/Other Actions	78/23	58/22	446/469	604/626
+ Office/Field Prelim./Truck Inspections	0/4	4/2	14/18	49/51
+ Major/Minor remodels	15/13	47/18	231/244	424/442
+ Change-of-Owner	62/5	0/0	179/184	169/169
+ New Construction	1/1	7/2	26/27	34/36
Released from Plan Review (complete) New and Remodel	58 +/61 +	92/54	236+/297+	614/668

+ Data taken from the VAX replacement computer system (Envision)

1. Plan reviews received

- 58 new Plan Reviews submitted for November
- 22 new Plan Reviews submitted for December

2. Changes of Ownership

Completed Change of Ownerships--Released to Operations [Service Requests (SR's)]

- Monterra Apts, 5250 E Stewart Ave, Las Vegas, NV 89110, 3 bodies of water
- Palms Hotel, 4321 W Flamingo Ave, Las Vegas, NV 89103, 9 bodies of water
- The Villas, 6628 S Dapple Grey Rd, Las Vegas, NV 89148, 2 bodies of water
- Wingate Inn & Suites, 3041 St Rose Pkwy, Henderson, NV 89052, 2 bodies of water
- Red Rock Casino, 11011 W Charleston Blvd, Las Vegas, NV 89135, 7 bodies of water
- Players Club Apts, 1895 N Green Valley Blvd, Henderson, NV 89074, 3 bodies of water
- Ravella @ Lake Las Vegas, 1610 Lake Las Vegas Pkwy, Henderson, NV 89011, 1 body of water
- Destinations at Valley View, 1600 S Valley View Blvd, Las Vegas, NV 89102, 1 body of water
- Fiesta Henderson, 777 W Lake Mead Pkwy, Henderson, NV 89015, 1 body of water
- Red Rock Casino, 11011 W Charleston Blvd, Las Vegas, NV 89135, 4 bodies of water
- Lantana Apt Homes Pool, 6501 W Charleston Blvd, Las Vegas, NV 89146, 4 bodies of water

3. Minor Remodels

Completed Minor Remodels--Released to Operations (SR's)

- City of Henderson Parks and Recreation, 105 W Basic Rd, Henderson, NV 89015, 2 bodies of water
- Treasure Island Hotel & Casino, 3300 S Las Vegas Blvd, Las Vegas, NV 89109, 1 body of water
- Arlington Ranch, 9498 Arlington Ranch Blvd, Las Vegas, NV 89178, 1 body of water
- Cosmopolitan, 3708 S Las Vegas Blvd, Las Vegas, NV 89109, 2 bodies of water
- Island Park, 2975 Bluegrass Lane, Henderson, NV 89074, 3 remodels, 2 bodies of water
- Portofino Senior Apts, 1001 Las Plamas Entrada Ave, Henderson, NV 89012, 1 body of water
- Spanish Wells Apts, 5355 S Rainbow Blvd, Las Vegas, NV 89118, 3 bodies of water
- Stone Canyon West, 4121 Ariel Pl, Las Vegas, NV 89147, 1 body of water
- Tahiti Village, 7200 S Las Vegas Blvd, Las Vegas, NV 89119, 2 bodies of water

- Terra Bella HOA, 2555 Hampton Rd, Henderson, NV 89052, 2 bodies of water
- Wyndham Grand Desert Resort, 265 E Harmon Ave, Las Vegas, 89169, 3 remodels, 2 bodies of water
- Echo Bay Condos, 2725 S Nellis Blvd, Las Vegas, NV 89121, 1 body of water
- Stallion Mountain, 3736 Budenny Dr, Las Vegas, NV 89122, 2 bodies of water
- Stonegate Apts, 5075 Spyglass Hill Dr, Las Vegas, NV 89142, 1 body of water
- Sundown Townhouses, 601 Evening Breeze, Las Vegas, NV 89107, 2 bodies of water, 3 remodels
- Tropical Villas East Apts, 6201 E Lake Mead Blvd, Las Vegas, NV 89115, 2 bodies of water, 4 remodels
- Adagio Condos, 7709 W Vegas Dr, Las Vegas, NV 89128, 1 body of water
- Camden Vintage Apts, 6500 W Vegas Dr, Las Vegas, NV 89108, 2 bodies of water, 3 remodels
- Hampton Inn & Suites, 4820 S Grand Canyon Dr, Las Vegas, NV 89147, 1 body of water
- Players Club Apts, 1895 N Green Valley Pkwy, Henderson, NV 89074, 3 bodies of water
- Rancho Las Palmas, 555 Paulson Dr, Las Vegas, NV 89123, 1 body of water
- Resort @ Coronado Ranch, 7777 S Jones Blvd, Las Vegas, NV 89139, 2 bodies of water
- Savannah Apts, 875 E Silverado ranch Blvd, Las Vegas, NV 89183, 2 bodies of water
- Siena Health & Fitness, 10475 Siena Monte Ave, Las Vegas, NV 89135, 2 bodies of water
- Tropicana Las Vegas, 3801 Las Vegas Blvd S, Las Vegas, NV 89119, 1 body of water
- Tuscano Condos, 7255 W Sunset Rd, Las Vegas, NV 89113, 2 bodies of water
- Motel 8, 3961 S Las Vegas Blvd, Las Vegas, NV 89119, 2 remodels, 1 body of water
- Ardiente, 5840 Summit Greens St , North Las Vegas, NV 89081, 2 bodies of water
- The Canyons, 536 Plateau Rd, Mesquite, NV 89027, 2 bodies of water
- Indian Hills Apts, 4550 W Sahara Ave, Las Vegas, NV 89102, 3 bodies of water
- Pacific Palms, 5054 Kell Lane, Las Vegas, NV 89115, 1 body of water
- L'Ocatine, 801 Las Vegas Blvd, Las Vegas, NV 89101, 1 body of water
- Oasis Emerald Apts, 361 N Nellis Blvd, Las Vegas, NV 89110, 1 body of water
- Oasis Springs Apts, 451 N Nellis Blvd, Las Vegas, NV 89110, 3 bodies of water
- Springhurst Townhouse, 3090 El Camino Ave, Las Vegas, NV 89102, 1 body of water
- YMCA, 441 Meadows Lane, Las Vegas, NV 89107, 3 bodies of water
- Rocksprings Vista Condos, 1013 Falconhead Lane, Las Vegas, NV 89128, 1 body of water
- Howard Hughes Center, 250 E Flamingo Rd, Las Vegas, NV 89169, 2 bodies of water
- Lantana Apts, 6501 W Charleston Blvd, Las Vegas, NV 89146, 3 bodies of water
- Smoke Ranch Rec Center, 2750 Chandler Mews Dr, Las Vegas, NV 89108, 1 body of water

4. Major Remodels

Completed Major Remodels - Released to Operations (SR's)

- The Vinings, 7413 W Shelbourne Ave, Las Vegas, NV 89113, 1 body of water
- Panorama Towers, 4525 Dean Martin Dr, Las Vegas, NV 89103, 2 bodies of water
- Villa Borega MHP, 1111 N Lamb Blvd, Las Vegas, NV 89110, 2 bodies of water
- Meridian at Hughes Center, 250 E Flamingo Rd, Las Vegas, NV 89169, 1 body of water

5. New Construction

Completed New Construction- Released to Operations (SR's)

- Elysian at American Pacific, 1651 American Pacific Dr, Henderson, NV 89074, 2 bodies of water
- South Blvd Apts, 10200 Giles St, Las Vegas, NV 89183, 1 body of water

- Southern Highlands Bella Villetta, 12054 Southern Highland Pkwy, Las Vegas, NV 89141, 1 deleted
- Twilight at Montgomery Ranch, 10808 S Buffalo Dr, Las Vegas, NV 89179, 1 deleted
- Vista Village 20, 11311 Alta Dr, Las Vegas, NV 89138, 2 deleted
- Fontainebleau, 2755 S Las Vegas Blvd, Las Vegas, NV 89109, 15 bodies of water cancelled
- Hilton Grand Vacations @ Las Vegas Strip, 2650 S Las Vegas Blvd, Las Vegas, NV 89109, 2 bodies of water cancelled

B. Aquatic Health Operational Inspections:

ACTIVITIES	November and December 2012	YTD 2012
+ Service Request Releases	295	961
+ Operational Inspections	340	3767
+ Plan Review Failures with closure	12	126
+ Complaint Investigations	11	212
+ Invoice Deliveries	0	*58

*Data available beginning in April 2012

VI. TRAINING

Training Office Monthly Report for November and December 2012

- A. Christine Sylvis, EH Training Officer welcomed six new hires November 5 and three new hires November 19. Michelle Goodsell, Marissa Tesiorna and Valerie Cohen remain in the food inspection training program.
- B. Mrs. Sylvis provided the following food handler training:
 - On November 8 to approximately 40 food handlers at Emeril's restaurants,
 - On November 15 to 55 English speaking food handlers at Ellis Island,
 - On November 14 to 25 Spanish speaking food handler at Ellis Island (with Brisa Soto, EH Specialist II, translating to Spanish),
 - On December 4 to 17 food handlers at Scarpetta,
 - On December 6 to 25 food handlers at Pinot Brasserie, and
 - December 10, two separate classes at Trump Towers totaling approximately 90 food handlers.
- C. She approved labels for The Cookie Bar on December 5 and Dainty Cakes on December 12 and met with several other establishments regarding label requirements.
- D. She completed an application as a mentee in the NACCHO Voluntary Nation Retail Food Regulatory Program Standards Mentorship Program.
- E. She attended several meetings regarding the 2013 Food Operations Audit Program and developed training for both field and administrative staff. Training on the Audit Program was provided to all food operations staff on December 20 and 27.
- F. She worked with SNHD Information Technology (IT) to develop a new 2013 food inspection form, audit service code, and audit checklist.
- G. 24 EHS's attended 8-hour HAZWOPER refresher training on November 7.

GS/ry/NAH