






TO: SOUTHERN NEVADA DISTRICT BOARD OF HEALTH **DATE: February 28, 2013**

RE: *Revocation of Southern Nevada District Board of Health Permits to Operate a Solid Waste Management Facility, Permit RC011-XXX-01 in the case of Secured Fibres, located at 4751 Vandenberg Drive, North Las Vegas, NV 89081*

PETITION # 01-13

That the Southern Nevada District Board of Health *approve the revocation of the Southern Nevada District Board of Health's permit to operate a solid waste management facility, Permit RC011-XXX-01, in the case of Secured Fibres, located at 4751 Vandenberg Drive (APN 140-06-101-002), North Las Vegas, Nevada, 89081*

PETITIONERS:

Eddie Ridenour, REHS., CEM, *Environmental Health Supervisor, Solid Waste and Compliance* 
Dennis Campbell, REHS, *Environmental Health Manager, Solid Waste and Compliance* 
Glenn Savage, REHS, *Director of Environmental Health* 
Rory Chetelat, *Interim Director of Administration* 
John Middaugh, MD, *Interim Chief Health Officer*  *TRC on behalf of JM*

DISCUSSION:

Per Nevada Administrative Code 444.643 (5): **Permit to operate disposal site: Issuance; revocation or suspension; requirements for transfer to subsequent owner or operator.** A permit to operate a disposal site issued by a solid waste management authority:

5. May be revoked or suspended if written notice is given by the solid waste management authority and the disposal site does not remain in compliance with the applicable statutes and regulations.

Secured Fibres initially received approval for a permit to operate a Recycling Center at 4751 Vandenberg Drive (APN 140-06-101-002), North Las Vegas, Nevada, 89081 on April 24, 2008 from the Southern Nevada District Board of Health (Attachment 1). At the time of the approval, Secured Fibres agreed to the following conditions:

1. Operations must be consistent with the operations plan and the report of design submitted in the Application for Approval to Operate a Recycling Center, which was received on April 16, 2007, as amended.

February 28, 2013

2. Operations must be at all times in compliance with the latest revision of the Solid Waste Management Authority Regulations Governing Recycling Centers and all other applicable laws, statutes and regulations.
3. Secured Fibres must maintain approvals from the City of North as Vegas for applicable land use(s) and maintain applicable business license(s).

As part of the application for approval to operate a recycling center, Section 11, a financial assurance mechanism, i.e., surety bond, must be obtained and posted with the Solid Waste Management Authority as a condition of the issuance of a recycling center permit.

Secured Fibres originally submitted a Certificate of Deposit (CD) in the amount of \$25,330.00 as its financial assurance mechanism, which was accepted during the permitting process. The CD was issued by Silver State Bank on October 3, 2007 (Attachment 2). Silver State Bank was closed by the FDIC in September, 2008 and its deposits were taken over by Nevada State Bank. At that time, the original CD ceased being valid without acknowledgement from the new bank of its validity.

Secured Fibres has an extensive non-compliance history. On February 10, 2011, the SNHD cited Secured Fibres with a Notice of Violation of Solid Waste Management Authority Regulations (SWMAR) governing recycling centers, Section 13.3. It was found in violation of operating a recycling center in violation of approved plan of design, operating plan and conditions of their permit by using unapproved sorting equipment consisting of a two-story sorting line, by using an unapproved process and location to store and sort solid waste and by sorting solid waste outside the facility walls; and SWMAR governing recycling centers, Section 8.6(a) for failing to collect and properly dispose of all scattered paper and light weight debris found in the area of the facility. Secured Fibres was found in violation of eight (8) counts of SWMAR Section 13.3 and assessed a penalty of \$8,000.00 and found in violation of four (4) counts of SWMAR Section 8.6(a) and assessed a penalty of \$12,000.00. Secured Fibres was also directed to cease and desist operation of unapproved equipment at this location and to cease and desist storing and processing solid waste outside of the 2.4 acre area approved for operations (Attachment 3).

On August 17, 2011, Secured Fibres was also cited for failure to comply with the Order issued by the Solid Waste Management Authority Hearing Officer on February 10, 2012, directing Secured Fibres, Inc. to cease and desist operation of unapproved equipment and cease and desist storing and processing solid waste outside of the 2.4 acre area approved for operations (SWMAR governing Hearing Officer Process Section 8) and imposed a penalty of \$500.00. In addition, Secured Fibres was found in violation of failure to comply with SWMAR Section 8.6(a) and imposed a penalty of 1,500.00 and in violation of three (3) counts of SWMAR Section 13.3(a, b, c) and imposed a penalty of \$4,500.00. Secured Fibres was further directed to cease and desist operation of unapproved equipment at this location, to cease and desist storing and processing solid waste outside of the 2.4 acre area approved for operations, and to submit an application to modify the permit to operate a recycling center with newly installed equipment and processes (Attachment 4).

In October, 2011, December, 2011, and again in April, 2012, SNHD Solid Waste Plan Review staff requested that Secured Fibres provide the delinquent application updates, including that financial

assurance. As Secured Fibres was not cooperating nor providing the required regulatory submittals, an Administrative Order was sent to Secured Fibres on July 30, 2012, directing that the recycling center cease and desist operating until proof of financial assurance could be obtained and submitted (Attachment 5). On October 22, 2012, SNHD requested again that Secured Fibres provide documentation from Nevada State Bank of the CD's validity, and as a result of not receiving any documentation; Secured Fibres was inspected was found to be operating their recycling center facility in non-compliance with the Order and without proof of financial assurance (Attachment 6). This resulted in SNHD sending a Permit Suspension for Cause Pending Permanent Revocation Notice to Secured Fibres on November 7, 2012 (Attachment 7).

As a result of the Notice to Suspend on November 13, 2012, James Kaup of Secured Fibres submitted a written request for a hearing pursuant to Solid Waste Management Authority Regulations governing Recycling Centers, Section 13.6-7 (Attachment 8). Mr. Kaup argued that the new account was in the SNHD's name alone.

The matter was calendared for the next available administrative hearing date to wit: December 13, 2012. At the Administrative Hearing, the SNHD presented its case while Secured Fibres presented their defense for lack of financial assurance. Eddie Ridenour, SNHD Environmental Health Supervisor, provided testimony detailing regulatory requirement for financial assurance and history of non-compliance. Arta Faraday, SNHD Senior Environmental Health Specialist, testified that he had gone into a branch of Nevada State Bank with the Silver State Bank account number and financial assurance letter. The Nevada State Bank staff informed Mr. Faraday that no CD existed in SNHD's name or in connection with Secured Fibres. James Kaup of Secured Fibres testified that he was still working with Nevada State Bank and the FDIC to find the CD (Attachment 9). The Hearing Officer issued a ruling and a Hearing Officer Order, in which the Notice to Suspend was upheld and Secured Fibres was to cease and desist operating until such time that it could provide the financial assurance required by the regulations (Attachment 10). The Order also stated that Secured Fibres was to provide, within 5 days, proof that there was an investigation into the whereabouts of the CD.

On December 20, 2012, SNHD received a copy of a letter Nevada State Bank sent to Secured Fibres stating that the CD in question does not exist (Attachment 11).

SNHD staff continued to monitor Secured Fibres after the Notice to Suspend was upheld by the Hearing Officer. On December 14, 2012, SNHD staff returned to Secured Fibres and found the recycling center still operating without providing the required financial assurance documentation despite the Hearing Officer Order from the previous day's hearing (Attachment 12). A subsequent survey conducted by SNHD on January 3, 2013, establishes that Secured Fibres continues to operate (Attachment 13).

On January 3, 2013, the City of North Las Vegas revoked Secure Fibres' business license (Attachment 14).

Financial assurance is not only a requirement in the recycling center regulations; it is an important aspect of operations. Due to numerous fires at Secured Fibres caused by its poor business practices, the taxpayers and the surrounding private businesses could be financially impacted if another such fire gets out of control. On April 14, 2008, March 2, 2012 and November 28, 2012, there were fire incidents at

February 28, 2013

Secured Fibres' facility. SNHD responded to the April 15, 2008, March 2, 2012 and November 28, 2012 incidences (Attachments 15, 16 & 17). The City of North Las Vegas Fire Department responded to all three incidents (Attachments 18, 19 & 20). During these fire incidences, solid waste and combustible materials (i.e., recyclable paper, cardboard, pallets, conex filled with computer equipment) caught on fire and burned for hours. The fire in 2008 resulted from an unspecified short circuit arc. Secured Fibres claimed a power pole short circuit. The 2008 incident also resulted in a second alarm the next day for a building fire. The fire in March 2012 lasted several days. Secured Fibres alleged to SNHD that the March fire resulted when a hot load (incoming recyclables already on fire) that came into the Secure Fibres facility; however, the North Las Vegas Fire Department investigator thought that was unlikely given the evidence and the incident reports documented an unspecified short-circuit and heat source too close to combustibles. Secured Fibres personnel attempted to utilize fire extinguishers, but the wind fanned the fire. There was not only damage to recyclables, but also to the facility. The fire fighters responded the around 10AM, which lasted until 3AM the next day. During the next twenty four hours, the fire department teams were rotated into the incident to address burnt material. The November 2012 fire was responded to around 3PM, which was extinguished around midnight. In addition, the fire caused water to run off the site into the storm drains. Water used to put out the fire ran off the site causing blockage the storm drain resulting in partial flooding of Vandenberg Drive and East Craig Road. No cause for the November 2012 fire was provided by the City of North Las Fire Department at the time of this reporting.

These fires did not seem to directly affect surrounding businesses. However, fire response to these incidences was to not only extinguish the fire at the Secured Fibres recycling center facility but to protect the other exposed buildings immediately to the south and east. Since these fire incidences, the SNHD has been notified by other recycling centers in North Las Vegas that their fire suppressant systems are being scrutinized with greater detail than in the past.

In view of the circumstances, the approval for permits RC011-XXX-01, in the case of Secured Fibres located at 4751 Vandenberg Drive, North Las Vegas, NV 89081, approved on April 24, 2008, must be revoked as the facility is not in compliance with applicable recycling center regulations, Administrative Order and Hearing Officer Order to submit and maintain financial assurance, and no longer has a business licenses from the local jurisdiction. Recycling operations will not be allowed to resume at this location without prior approval of the Southern Nevada Health District.

FUNDING:

There are no funding requirements to be met by this action.

ATTACHMENTS:

1. Memorandum 26-07, Application for Approval to operate a Recycling Center Facility for Secured Fibres, dated September 27, 2007.
2. Notification Letter to Southern Nevada Health District from Silver State Bank regarding Certificate of Deposit, dated October 3, 2007.
3. Solid Waste Management Authority Hearing, Hearing Officer Order, dated February 10, 2012.
4. Solid Waste Management Authority Hearing, Hearing Officer Order, dated August 17, 2012.

February 28, 2013

5. Southern Nevada Health District Administrative Order to Secured Fibres, dated July 30, 2012.
6. Photos of the facility, dated October 22, 2012.
7. Notification to Secured Fibres from the Southern Nevada Health District regarding Permit Suspension for Cause Pending Permanent Revocation Notice, dated November 7, 2012.
8. Notification from Secured Fibres from the Southern Nevada Health District regarding Permit Suspension Hearing, dated November 13, 2012.
9. Transcript, Excerpt from Solid Waste Management Authority Hearing, dated December 13, 2012.
10. Solid Waste Management Authority Hearing Officer Order, dated December 13, 2012.
11. Notification Letter to Secured Fibres from Nevada State Bank regarding Certificate of Deposit, dated December 20, 2012.
12. Photos of the facility, dated December 14, 2012.
13. Photos of the facility, dated January 3, 2013.
14. Letter from City of North Las Vegas Business License Division to Secured Fibres regarding Revocation of Business Licenses, dated January 3, 2013.
15. Photos of the facility, dated April 15, 2008.
16. Photos of the facility, dated March 2, 2012.
17. Photos of the facility, dated November 28, 2012.
18. City of North Las Vegas Fire Department Fire Incident Report, dated April 14, 2008.
19. City of North Las Vegas Fire Department Fire Incident Report, dated March 2, 2012.
20. City of North Las Vegas Fire Department Fire Incident Report, dated November 28, 2012.

February 28, 2013

**ATTACHMENT 1: APPLICATION FOR APPROVAL TO OPERATE A
RECYCLING CENTER FACILITY (Page 1 of 3)**

APPROVED - BOARD OF HEALTH

Date 9/27/07



Memorandum #26-07

Date: September 27, 2007

To: SOUTHERN NEVADA DISTRICT BOARD OF HEALTH

From: Arta Taraday, R.E.H.S., Senior Environmental Health Specialist AF
Walter B. Ross, P.E., R.E.H.S., Acting Environmental Health Engineer-Supervisor
Dennis P. Campbell, R.S., Acting Environmental Health Engineer-Manager
Glenn D. Savage, R.E.H.S., Director of Environmental Health
Lawrence K. Sands, D.O., M.P.H., Chief Health Officer

Subject: Application for Approval for Secured Fibres to Operate a Solid Waste Management Facility – Recycling Center located at 4751 Vandenberg Dr, North Las Vegas, NV 89081 (RC011-XXX-01)

I. BACKGROUND:

Pursuant to the Solid Waste Management Authority (SWMA) Regulations Governing Recycling Centers, Section 3, Approval needed for operation, Subsection 1: "A person shall not operate a recycling center unless the location, design and operating plans of the center have been approved by the solid waste management authority."

The District Board of Health, as the SWMA, shall approve permits to operate disposal sites, pursuant to NRS 444.553 Permits to operate disposal sites. Issuance; requirements. An owner or operator of a disposal site must obtain a permit issued by the SWMA before the owner operates or authorizes the operation of a disposal site.

Secured Fibres submitted its application seeking approval to operate a recycling center located at 4751 Vandenberg Dr, North Las Vegas, NV 89081 (Attachments A & F), to the Southern Nevada Health District (SNHD) on April 16, 2007, as required under Section 3, Subsection 2 and Section 4, Subsection 1 of the SWMA Regulations Governing Recycling Centers which outlines requirements for permit application. SNHD staff completed review of the items listed under "Section 4" of the "Application for Approval to Operate a Recycling Center" (Attachment A) after working with the applicant to ensure compliance with regulatory requirements. The Notice of Public Hearing and Workshop signed August 8, 2007 and Fact Sheet dated August 8, 2007 (Attachments B and C) were posted in public locations and mailed to interested or potentially affected parties. The public workshop was held August 22, 2007 (Attachment D). The SNHD received no comments during the workshop and thirty (30) day public review period concerning the application.

ATTACHMENT 1: APPLICATION FOR APPROVAL TO OPERATE A RECYCLING CENTER FACILITY (Page 2 of 3)

Application for a Permit to Operate a Recycling Center, Secured Fibres
Page 2
September 27, 2007

A "recycling center" is defined as a facility designed and operated to receive, store, or process recyclable material which has been separated at the source from all but residual solid waste (ref. NRS 444A.014). The center must receive store and process only source-separated recyclables for which there is an available market, to be permitted as a recycling center. The recyclable materials must be separated from the solid waste stream at the source of waste generation. A recycling center may not receive any solid waste, other than residual solid waste, commingled with recyclables at the recycling facility. The term "recycling center" as defined in the SWMA Regulations Governing Recycling Centers adopted by the Southern Nevada Board of Health December 13, 2001 and amended January 24, 2002 does not include a:

- (a) Materials Recovery Facility (Dist. BOH MRF Reg's. - Section 2, #1);
- (b) Transfer Station (Dist. BOH SWMR 444.628);
- (c) Compost Plant (Dist. BOH SWMR 444.670);
- (d) Hazardous Waste Recycling Facility permitted by the NDEP or the U.S. EPA;
- (e) Convenience Center (Dist. BOH Public Storage Bin Facility Reg's. - Section 2, #1);
- (f) Drop Off Bins; and
- (g) Agricultural Facility

Secured Fibres is listed by the Nevada Secretary of State as being an active Nevada Corporation, with Valerie J. Kaup listed as President (Attachment I).

II. DISCUSSION:

The Southern Nevada Health District staff has completed a review of this application and has determined that it is complete and in compliance with all applicable regulations. This determination is based on the following:

1. The application contains all specified documents and supporting information required by the recycling center regulations and application guide.
2. Per attachments G and J, the application is in compliance with the requirements for land use approval and business license. A zoning map is presented in attachment E.
3. The application is in compliance with the requirements for dust control, emergency (e.g., fire) control, employees, equipment, facility access, facility capacities, litter control, odor control, public areas, traffic control, vector control, waste measurement, waste processing, and water protection.
4. The application is in compliance with the requirements for closure and financial responsibility.

III. RECOMMENDATION:

SNHD staff recommends that Secured Fibres upon final inspection be issued a permit to operate a recycling center at this location subject to the following conditions:

1. The operations of this facility must be consistent with the operations plan and report

**ATTACHMENT 1: APPLICATION FOR APPROVAL TO OPERATE A RECYCLING CENTER
FACILITY (Page 3 of 3)**

Application for a Permit to Operate a Recycling Center, Secured Fibres

Page 3

September 27, 2007

of design submitted in this application, as amended, to SNHD staff.

2. The operations of this facility must be at all times in compliance with SWMA Regulations Governing Recycling Centers and all other applicable statutes and regulations.
3. Secured Fibres must maintain approvals from the City of North Las Vegas for applicable land uses(s) and maintain approvals from the City of North Las Vegas for applicable business license(s).

DC:pmc

ATTACHMENTS:

Attachment A: Application for Approval to Operate a Recycling Facility

Attachment B: SNHD Public Notice

Attachment C: Fact Sheet

Attachment D: Public Workshop Minutes

Attachment E: Zoning Map - 1-Mile Radius

Attachment F: Aerial View

Attachment G: Land Use Planning

Attachment H: Process Diagrams

Attachment I: Corporate Details - Nevada Secretary of State

Attachment J: Business License(s)

Attachment K: Nevada State Business License

February 28, 2013

**ATTACHMENT 2: NOTIFICATION LETTER TO SOUTHERN NEVADA HEALTH DISTRICT
FROM SILVER STATE BANK REGARDING CERTIFICATE OF
DEPOSIT.**



October 3, 2007

Chief Health Officer
Southern Nevada Health District
P.O. Box 3902
Las Vegas, NV 89127

Dear Chief Health Officer:

We hereby establish our CD no. 68000212 in your favor at the request of Secured Fibres, for the account of Secured Fibres 4751 Vandenberg Dr. N. Las Vegas, NV 89087, and for the sum or sums not exceeding a total of twenty two thousand three hundred thirty dollars and no cents \$22,330.00 available to a person designated by you upon presentation by you of your signed statement on Southern Nevada Health District letterhead.

This CD is effective as of October 3, 2007 and shall expire on October 3, 2008, but such expiration date shall be automatically extended for a period of 1 year on October 3, 2006 and on each successive expiration date, unless, at least 120 days before the current expiration date, we notify both you and Secured Fibres by certified mail that we have decided not to extend this CD beyond the current expiration date.

This CD is not redeemable unless directed to do so in writing by Southern Nevada Health District.


Kur. Bray
Customer Service Manager
Silver State Bank
(702) 949-6800

**ATTACHMENT 3: SOLID WASTE MANAGEMENT AUTHORITY HEARING, HEARING OFFICER
ORDER, DATED FEBRUARY 10, 2012 (PAGE 1 OF 2).**

**BEFORE THE SOLID WASTE MANAGEMENT AUTHORITY HEARING OFFICER
CLARK COUNTY, NEVADA**

In the Matter of)	<u>ORDER</u>
)	
Secured Fibres, Inc. Beckey Ellen Collet, Vincent D. Collet, James E. Kaup and Valerie J. Kaup)	Notice of Violation SW10-1898/D8
)	

The above-entitled matter came on for a duly noticed public hearing on February 10, 2011. Secured Fibres, Inc. Beckey Ellen Collet, Vincent D. Collet, James E. Kaup and Valerie J. Kaup are charged with SWMAR Governing Recycling Centers Section 13.3 for operating a recycling center in Clark County, Nevada, in violation of the approved plan of design, operations plan and conditions of the permit issued by the solid waste management authority by: a) using unapproved sorting equipment, consisting of a two-story solid waste sorting line, on or about December 3, 2008, March 23, 2009, July 22, 2009, January 25, 2010, and September 27, 2010; b) using an unapproved process and location to store and sort solid waste at 3917 East Lone Mountain Road, Suite A, North Las Vegas, Nevada, on December 3, 2008, March 23, 2009, and September 27, 2010; and c) storing solid waste outside the facility wall on or about December 3, 2008, March 23, 2009, and September 27, 2010; and SWMAR Governing Recycling Centers Section 8.6(a) for failing to collect and properly dispose of all scattered paper and lightweight debris found in the area of the facility on December 3, 2008, July 22, 2009, January 25, 2010, and September 27, 2010. The Hearing Officer having heard testimony and received exhibits finds the facts alleged in the above-entitled Notice of Violation have been established as true by credible and substantial evidence, and concludes the facts established constitute violations of regulations and/or statutes as alleged. Based thereon and good cause appearing:

IT IS HEREBY ORDERED that Secured Fibres, Inc. Beckey Ellen Collet, Vincent D. Collet, James E. Kaup and Valerie J. Kaup be assessed a penalty of Eight Thousand Dollars (\$8,000.00) for eight (8) violations of Solid Waste Management Authority Regulations Governing Recycling Centers Section 13.3, and a penalty of Four Thousand Dollars (\$4,000.00) for four (4) violations of Solid Waste Management Authority Regulations Governing Recycling Centers Section 8.6(a), for total penalties of Twelve Thousand Dollars (\$12,000.00); as charged in Notice of Violation SW10-1898/D8, to be paid in full by March 10, 2011.

IT IS FURTHER ORDERED that Secured Fibres, Inc. Beckey Ellen Collet, Vincent D. Collet, James E. Kaup and Valerie J. Kaup cease and desist operation of unapproved equipment at business location.

February 28, 2013

**ATTACHMENT 3: SOLID WASTE MANAGEMENT AUTHORITY HEARING, HEARING OFFICER
ORDER, DATED FEBRUARY 10, 2012 (PAGE 2 OF 2).**

Hearing Officer Order

Secured Fibres, Inc. Beckey Ellen Collet, Vincent D. Collet, James E. Kaup and Valerie J. Kaup

SW10-1898/D8

Page Two of Two

IT IS FURTHER ORDERED that Secured Fibres, Inc. Beckey Ellen Collet, Vincent D. Collet, James E. Kaup and Valerie J. Kaup cease and desist storing and processing solid waste outside of the 2.4 acre area approved for operations.

Failure to comply with all terms of this Order issued by the Solid Waste Management Authority Hearing Officer may result in additional Notices of Violations seeking additional administrative penalties.

A check (no personal checks) or money order is to be made payable to the Southern Nevada Health District. Mail payment to: Southern Nevada Health District, Solid Waste & Compliance Penalty Violations, Post Office Box 3802, Las Vegas, Nevada, 89127.

Dated this 10th day of February, 2011.



Henry Melton, Hearing Officer

Submitted by:



Annette A. Bradley, Esq.
Attorney for Southern Nevada Health District

**ATTACHMENT 4: SOLID WASTE MANAGEMENT AUTHORITY HEARING, HEARING OFFICER
ORDER, DATED AUGUST 17, 2012 (PAGE 1 OF 2).**

**BEFORE THE SOLID WASTE MANAGEMENT AUTHORITY HEARING OFFICER
CLARK COUNTY, NEVADA**

In the Matter of

) **ORDER**

Secured Fibres, Inc., Becky Ellen Collet, Vincent D.

) Notice of Violation SW10-1896/D8/D6

Collet, James E. Kaup, and Valerie J. Kaup

)

The above-entitled matter came on for a duly noticed public hearing on August 17, 2011, and based

upon an agreed plea of no contest, the Hearing Officer finds Secured Fibres, Inc., Becky Ellen Collet, Vincent D. Collet, James E. Kaup, and Valerie J. Kaup in violation of failure to comply with the Order issued by the Solid Waste Management Authority Hearing Officer on February 10, 2011, directing Secured Fibres, Inc., Becky Ellen Collet, Vincent D. Collet, James E. Kaup, and Valerie J. Kaup to a) cease and desist operation of unapproved equipment at the site; and to b) cease and desist storing and processing solid waste outside of the 2.4 acre area approved for operations (Solid Waste Management Authority Regulations Governing Hearing Officer Process, Section 8), and imposes a penalty in the sum of Five Hundred Dollars (\$500.00); and also finds Secured Fibres, Inc., Becky Ellen Collet, Vincent D. Collet, James E. Kaup, and Valerie J. Kaup in violation of failure to comply with Solid Waste Management Authority Regulations Governing Recycling Centers Section 8.6(a) on April 28, 2011 and imposes a penalty in the sum of One Thousand Five Hundred Dollars (\$1,500.00); and also finds Secured Fibres, Inc., Becky Ellen Collet, Vincent D. Collet, James E. Kaup, and Valerie J. Kaup in violation three (3) items of Solid Waste Management Authority Regulations Governing Recycling Centers Section 13.3 (a, b, c) on April 28, 2011; and imposes a penalty in the sum of Four Thousand Five Hundred Dollars (\$4,500.00); for total penalties of Six Thousand Five Hundred Dollars (\$6,500.00), to be paid in full no later than September 15, 2012.

IT IS FURTHER ORDERED that Secured Fibres, Inc., Becky Ellen Collet, Vincent D. Collet, James E. Kaup, and Valerie J. Kaup cease and desist operation of unapproved equipment at the permitted site located at 3917 East Lone Mountain Road, Suite A, and identified as Clark County Assessor's Parcel #140-06-101-002, Clark County, Nevada.

IT IS FURTHER ORDERED that Secured Fibres, Inc., Becky Ellen Collet, Vincent D. Collet, James E. Kaup, and Valerie J. Kaup cease and desist storing, and processing solid waste outside of the 2.4 acre area approved for operations located at 3917 East Lone Mountain Road, Suite A, and identified as Clark County Assessor's Parcel #140-06-101-002, Clark County, Nevada.

February 28, 2013

ATTACHMENT 4: SOLID WASTE MANAGEMENT AUTHORITY HEARING, HEARING OFFICER ORDER, DATED AUGUST 17, 2012 (PAGE 2 OF 2).

Hearing Officer Order
Secured Fibres, Inc., Becky Eilan Collet, Vincent D. Collet, James E. Kaup, and Valerie J. Kaup
SW10-1896/D8/D8
Page 2 of 2

IT IS FURTHER ORDERED that Secured Fibres, Inc., Becky Eilan Collet, Vincent D. Collet, James E. Kaup, and Valerie J. Kaup submit an application to modify the Secured Fibres, Inc. permit to include newly installed equipment and processes. Said application must be submitted to Solid Waste Plan Review within thirty (30) days of the date of this Order.

IT IS FURTHER ORDERED that in the event that all of the above-noted administrative penalties are received by the Southern Nevada Health District by the date(s) specified the penalty imposed shall be Eighteen Thousand Five Hundred Dollars (\$18,500.00), as initially charged in Notice of Violation SW10-1896/D8/D8 without further notice or hearing.

IT IS FURTHER ORDERED that failure to complete the above-noted corrective actions by the date(s) specified herein will automatically result in the reversion of any administrative penalties imposed to Eighteen Thousand Five Hundred Dollars (\$18,500.00), the amount initially sought by the Southern Nevada Health District without further notice or hearing.

IT IS FURTHER ORDERED that failure to comply with any of the terms of this Order issued by the Solid Waste Management Authority Hearing Officer nullifies the above noted agreed plea of no contest may result in additional Notices of Violations seeking additional administrative penalties.

A check (no personal checks) or money order is to be made payable to the Southern Nevada Health District. Mail payment to: Southern Nevada Health District, Solid Waste & Compliance Penalty Violations, Post Office Box 3902, Las Vegas, Nevada, 89127.

Dated this 17th day of August, 2011.


Henry Melton, Hearing Officer

Submitted by:


Annette L. Bradley, Esq.
Attorney for Southern Nevada Health District

February 28, 2013

**ATTACHMENT 5: SOUTHERN NEVADA HEALTH DISTRICT ADMINISTRATIVE ORDER
TO SECURED FIBRES.**



July 30, 2012

Certified Mail #7009 1410 0001 4253 2704

James E. Kaup, Manager
Secured Fibres
4751 Vandenberg Drive
North Las Vegas, Nevada 89031

SW12-905/H3

ORDER

The Solid Waste Management Authority has received information that you have operated or authorized the operation of a recycling center without financial assurance and have not provided cost estimates which is a violation of Solid Waste Management Authority Regulations Governing Recycling Centers section 11.1 adopted by the Southern Nevada Health District Board of Health (formerly the Clark County Board of Health) on December 13, 2001, amended January 24, 2002 upon the property located at 4751 Vandenberg Drive, North Las Vegas, Nevada and more specifically known as Assessor's Parcel No. 140-06-101-002.

Based upon Nevada Revised Statutes (NRS) 444.692-444.694, YOU ARE HEREBY ORDERED to take the following corrective action:

1. Immediately cease and desist operating or authorizing the operation of a recycling center without financial assurance or cost estimates upon the property located at 4751 Vandenberg Drive, North Las Vegas, Nevada, and more specifically known as Assessor's Parcel No. 140-06-101-002 and anywhere else in Clark County.
2. Remove and cause to be lawfully deposited at a permitted disposal site all solid waste dumped or deposited on said property, including all recyclable material by August 17, 2012.
3. Submit proof of proper disposal for all solid waste described herein in person to the Southern Nevada Health District, Environmental Health Division, Solid Waste and Compliance Section, located at 400 Shadow Lane, Suite 104, Las Vegas, Nevada 89106, or by mail to Southern Nevada Health District, Environmental Health Division, Solid Waste and Compliance Section, Post Office Box 3902, Las Vegas, Nevada 89127 by August 31, 2012.

PLEASE BE ADVISED that this Order is issued separate and apart from any Notice of Violation that may be issued to you seeking imposition of an administrative penalty for violation of the law specified above.

PLEASE BE ADVISED that failure to satisfactorily perform the corrective action measures described herein, and by the date specified, may result in a Notice of Violation seeking administrative penalties ranging from \$500 to \$6,000 per violation per day for failure to comply with this Order.

PLEASE BE ADVISED that failure to satisfactorily perform the corrective action measures described herein may result in further action being taken against you, including the filing of a civil action against you seeking injunctive relief, civil penalties, damages, and attorney's fees and costs.

Thank you for your prompt attention. Should you have any questions, please contact Environmental Health Specialist Jason Garcia in the Environmental Health Division of the Southern Nevada Health District at (702) 759-0556 or via e-mail to: jgarcia@snhdmail.org.

Sincerely,

Jason Garcia
Environmental Health Specialist

Eddie L. Ridenour, REHS, CEM
Environmental Health Supervisor

Si usted no entiende esta carta, por favor llame al (702) 759-0574 y deje un recado. En su mensaje incluya por favor su número del caso. Su número del caso es SW12-905/H3. Gracias.

SNHD Administrative Order SW12-905/H3 dated July 30, 2012.

P.O. Box 3902 | Las Vegas, NV 89127
(702) 759-1000 | www.southernnevadahhealthdistrict.org

ATTACHMENT 6: PHOTOS DATED OCTOBER 22, 2012 (Page 1 of 4)



1 of 8



2 of 8

ATTACHMENT 6: PHOTOS DATED OCTOBER 22, 2012 (Page 2 of 4)



3 of 8



4 of 8

RC011-XXX-01 EHS: Faraday APN: 140-06-101-002 DATE: October 22, 2012 Page 2 of 4

LOCATION OR SITE ADDRESS: Secures Fibres - 4751 Vandenberg Drive, North Las Vegas, Clark County, Nevada, 89081.

ATTACHMENT 6: PHOTOS DATED OCTOBER 22, 2012 (Page 3 of 4)



5 of 8



6 of 8

RC011-XXX-01 EHS: Faraday APN: 140-06-101-002 DATE: October 22, 2012 Page 3 of 4

LOCATION OR SITE ADDRESS: Secures Fibres – 4751 Vandenberg Drive, North Las Vegas, Clark County, Nevada, 89081.

ATTACHMENT 6: PHOTOS DATED OCTOBER 22, 2012 (Page 4 of 4)



7 of 8



8 of 8

February 28, 2013

ATTACHMENT 7: NOTIFICATION TO SECURED FIBRES FROM THE SOUTHERN NEVADA HEALTH DISTRICT REGARDING PERMIT SUSPENSION FOR CAUSE PENDING PERMANENT REVOCATION NOTICE (PAGE 1 OF 2).



November 7, 2012

James E. Kaup, President
Secured Fibres
8904 Glen Roy Drive
Las Vegas, NV 89134

Certified Mail #91 7199 9991 7031 6541 9129

RE: Secured Fibres Recycling Center
Permit Number RC11-XXX-01
Permit Suspension for Cause Pending Permanent Revocation

Dear Mr. Kaup:

Pursuant to Section 11 of the Solid Waste Management Authority Regulations Governing Recycling Centers, adopted by the Southern Nevada Health District (Formerly the Clark County Health District) on December 13, 2001 as Amended January 24, 2002 (Recycling Regulations), you are required to maintain financial assurance with the Southern Nevada Health District for Secured Fibres located at 4751 Vandenberg Drive, North Las Vegas, Nevada. This letter is to inform you that the recycling center permit issued by the Solid Waste Management Authority to Secured Fibres located at 4751 Vandenberg Drive, North Las Vegas, Nevada, is hereby suspended pending revocation for the following reasons.

Your company's financial assurance (Certificate of Deposit) with Silver State Bank had expired in September 2008 because of a take-over by another bank. The certificate of deposit submitted to SNHD ceased being valid at that time. You have been notified by our office on previous occasions over the past four (4) years to provide an updated mechanism from the new bank. Despite our repeated requests, as of the date of this writing, we have not received your company's financial assurance.

On July 30, 2012, you were issued an Order from our office to cease and desist operating a recycling center without financial assurance. In the Order, you were given until August 31, 2012, to produce an updated financial assurance mechanism. On October 22, 2012, our staff conducted a routine inspection of the Secured Fibres facility and documented not only non-compliance with the Order to cease and desist operating but a continued violation for lack of financial assurance.

ENCLOSURE

P.O. Box 3902 | Las Vegas, NV 89127
702.758.1000 | www.southernnevadahd.org

**ATTACHMENT 7: NOTIFICATION TO SECURED FIBRES FROM THE SOUTHERN
NEVADA HEALTH DISTRICT REGARDING PERMIT SUSPENSION FOR CAUSE PENDING
PERMANENT REVOCATION NOTICE (PAGE 2 OF 2).**

Since this violation has been ongoing since September 2008 without any effort on your part to comply, we are now required to suspend your permit pending revocation. Therefore, this letter is to inform you that the permit, i.e., RC011-XXX-01 issued to Secured Fibres, located at 4751 Vandenberg Drive, North Las Vegas, Nevada 89081 is hereby suspended as of November 7, 2012. Please be advised that pursuant to the Recycling Center Regulations, Section 13, the Solid Waste Management Authority may permanently revoke a recycling center permit after 5 days following service of the notice unless a request for a hearing is filed with the Solid Waste Management Authority by the owner or operator within 5 days of receipt of the Notice of Suspension.

This letter is issued separate and apart from any Notice of Violation that may be issued to you seeking imposition of an administrative penalty for violation of the law specified in the Order, dated July 30, 2012. Penalties may range from \$500 up to \$6,000 per violation, per day for failure to comply with this Order. You may also be subject to the filing of a civil action seeking injunctive relief, civil penalties, damages, and attorney's fees and costs for failure to comply.

Should you wish to contest these proceedings, please provide our office with a written petition for a hearing by November 14, 2012, otherwise this permit will be considered permanently revoked. If have any questions concerning this letter or the hearing procedures, please contact Eddie L. Ridenour, Environmental Health Supervisor at (702) 759-0564.

Sincerely,


Eddie L. Ridenour, REHS, CRM
Environmental Health Supervisor


Dennis P. Campbell, RS
Environmental Health Manager

- Cc: (1) James E. Kaup, President, Secured Fibres, 4751 Vandenberg Drive, North Las Vegas, Nevada 89081 [Certified Mail #91 7199 9991 7031 6541 9136]
(2) Valerie J. Kaup, Secured Fibres, 8904 Glen Ray Drive, Las Vegas, NV 89134 [Certified Mail #91 7199 9991 7031 6541 9143]
(3) Becky Blum and Vincent D. Collisi, Secured Fibres, 1005 Meadow Leah Street, Las Vegas, NV 89128 [Certified Mail #91 7199 9991 7031 6541 9150]
(4) Walter Ross, Environmental Health Engineer/Supervisor, Solid Waste Plan Review, SNHD

February 28, 2013

ATTACHMENT 8: NOTIFICATION FROM SECURED FIBRES TO THE SOUTHERN NEVADA HEALTH DISTRICT REGARDING PERMIT SUSPENSION HEARING.



4751 Vandenberg Drive • North Las Vegas, Nevada 89051 • 702-643-5718 • FAX 702-643-5720

November 13, 2012

Southern Nevada Health District
Attn: Eddie L. Ridenour
P.O. Box 3902
Las Vegas, NV 89127




Dear Mr. Ridenour:

Secured Fibres is petitioning the Southern Nevada Health District for a hearing.

Secured Fibres, Permit #RC11-XXX-01, is contesting a permit suspension.

As previously stated to employees of SNHD, the FDIC says that the new account was issued to The Southern Nevada Health District.

Sincerely,


James Kaup
Secured Fibres, Inc.
702-643-5718

**ATTACHMENT 9: TRANSCRIPT EXCERPT FROM SOLID WASTE MANAGEMENT
AUTHORITY HEARING (PAGE 1 OF 14)**

1 Transcript Excerpt from Solid Waste Management Authority Hearing Officer Meeting

2 Southern Nevada Health District/Las Vegas City Hall

3 Ownership Room, 495 South Main Street, Las Vegas, Nevada

4 December 13, 2012, 12:20p.m.

5

6 *From Tape #2 of 3, Side B*

7 *Agenda Item III, C, #3, Secured Fibres —#SW12-905/H3 – Hearing per request of recipient*

8 *regarding 1) violating Solid Waste Management Authority Regulations Governing Recycling*

9 *Centers (SWMAR) Section 11.1 for operating a recycling center without financial assurance;*

10 *and 2) failure to comply with the Order issued by the Solid Waste Management Authority on*

11 *July 30, 2012.*

12

13 Henry Melton, Hearing Officer: Is there a representative here from Secured Fibres? Uh,

14 please come forward sir.

15 *Pause*

16 HM: Um, for the record sir, could you state your name and your affiliation with, um, Secured

17 Fibres?

18 James Kaup: Yes, I'm James Kaup, K-A-U-P, and I'm a majority partner in the company.

19 HM: Ok, um, Mr. Kaup I understand you requested a hearing for this case?

20 JK: um hmm

21 HM: Since you have requested a hearing, I have to swear you in. If you'll raise your right

22 hand for me please? Do you solemnly affirm the testimony you are about to give in

23 these proceedings is the truth, the whole truth and nothing but the truth?

24 JK: It is. You may proceed, Ms. Anderson-Fintak.

**ATTACHMENT 9: TRANSCRIPT EXCERPT FROM SOLID WASTE MANAGEMENT
AUTHORITY HEARING (PAGE 2 OF 14)**

1 Heather Anderson-Fintek, Esq., Southern Nevada Health District (SNHD): Thank you. This
2 is Secured Fibres, SW12-905/H3. This hearing is pursuant to the recipients request
3 of the violating of the Solid Waste Management Authority Regulations Governing
4 Recycling Centers Section 11.1 for operating a recycling center without financial
5 assurance; and 2) failure to comply with the Order issued by the Solid Waste
6 Management Authority on July 30, 2012. In this case, we had uh sent to them uh
7 suspending their license uh for their permit to operate to be um revoked it would
8 actually have to in front of the Board of Health, but at this point their uh permit is
9 suspended, which is how um Mr.

10 JK: Kaup

11 HAF: Kaup uh requested this hearing.

12 HM: Ok.

13 HAF: So we're dealing with the suspension at this point.

14 HM: Ok, well we'll move forward then.

15 HAF: This is, I'm sorry, I apologize, this a different hearing than we normally do since they
16 requested the hearing. Do you want to hear testimony regarding why we determined
17 to suspend their icense, or would you like give um the Secured Fibres an opportunity
18 to plead their case?

19 HM: I'd like to hear both because it's going to require a decision today um and you know why
20 the Health District suspended it? And do you know why or what remedy you're offering
21 for that suspensions to be removed?

22 JK: Right.

23 HM: Ok?

24 HAF: So do you want me to call?

25 HM: Yes, please.

**ATTACHMENT 9: TRANSCRIPT EXCERPT FROM SOLID WASTE MANAGEMENT
AUTHORITY HEARING (PAGE 3 OF 14)**

1 HAF: Ok. Um, Eddie Ri

2 Dennis Campbell, Environmental Health Manager, SNHD: Ridenour.

3 HAF: Sorry?

4 DC: Ridenour.

5 HAF: Ok, Ridenour.

6 DC: Rickenbacker, Ridenour, he answers to all of them.

7 HAF: I know. I'm so horrible with the pronunciation of names.

8 DC: (unintelligible)

9 HAF: Ok. Thank you, Mr. Ridenour. Can you

10 HM: Excuse me. Mr. Ridenour? If you'll raise your right hand for me please? Do you

11 solemnly affirm the testimony you are about to give in these proceedings is the truth,

12 the whole truth and nothing but the truth?

13 Eddie Ridenour, Environmental Health Supervisor, SNHD: Yes, I do.

14 HM: You may proceed Ms. Anderson-Fintak.

15 HAF: Thank you so much. Could you please tell me, state the record, uh, state for the

16 record you position with the Health District?

17 ER: I am currently the Environmental Health Supervisor for the Environmental Health Solid

18 Waste and Compliance Program.

19 HAF: Thank you. And did you cause uh an order to be submitted to Secured Fibres to that

20 they had failed to provide us with financial assurance on July 30th?

21 ER: Yes.

22 HAF: And what previously has occurred with Secured Fibres uh, what previous conversations

23 or inspections to come to bring that to your attention, that they had been operating

24 without financial assurance?

25 ER: Well, uh, initially, one of my inspectors on July 18th of this year, 2012, uh, during a uh

**ATTACHMENT 9: TRANSCRIPT EXCERPT FROM SOLID WASTE MANAGEMENT
AUTHORITY HEARING (PAGE 4 OF 14)**

1 plan review application process to modify the Secured Fibres permit was reviewing the
2 packet of information and identified that the financial assurance document previously
3 provided by financial assurance was in question, uh, primarily because it was issued
4 by a different bank that had gone out of business. And so, during that time period, we
5 were asking for an updated financial assurance document, preferably from the new
6 bank because they took over the previous bank that had the financial assurance
7 document, and during conversations we were told that the financial assurance
8 mechanism could not be located at the new bank and we concluded, at that point, that
9 there was no financial assurance mechanism that was valid and we issued an
10 administrative order requesting that the facility cease and desist operating until such
11 time that they provide an updated financial assurance mechanism.

12 HAF: Uh, let's take a step back. What exactly is a financial assurance document? What are
13 we requiring from the recycling center?

14 ER: Right, uh, as part of the recycling center regulations, uh, all facilities, including recycling
15 centers, are required to provide some kind of a financial assurance mechanism, and
16 that would be a surety bond, a CD, a letter of credit, something that they secure
17 through a bank for a dollar amount that is based on a third party estimate for closure of
18 the facility, and that mechanism, the CD, surety bond, or letter of credit or whatever it
19 might be, is submitted to the Health District uh and made out to the Health District as
20 part of the document so that the business, in this case, Secured Fibres, goes out of
21 business, then the Health District has a document in place which we can fund the
22 cleanup of that business since it was abandoned.

23 HAF: Ok, and how much financial assurance are we requiring from Secured Fibres?

24 ER: Um, I don't have that information in front of me.

25 HAF: Ok, but we needed to have some documentation of that and we did not have that.

**ATTACHMENT 9: TRANSCRIPT EXCERPT FROM SOLID WASTE MANAGEMENT
AUTHORITY HEARING (PAGE 5 OF 14)**

1 ER: That's correct.

2 HAF: And did they comply with the July 30, 2012 Order to provide us with documentation of
3 the financial assurance?

4 ER: No, they did not comply with financial assurance submittal requirement, nor did they
5 comply with the order to cease and desist operating.

6 HAF: On November 7, 2012, you cause a letter to be sent to Secured Fibres uh suspending
7 their permit, is that correct?

8 ER: That's correct.

9 HAF: And why did you take that action?

10 ER: We took that action because there was uh noncompliance with the order and that they
11 failed to cease and desist operating as directed by the order and that we did not have
12 a valid financial assurance mechanism in our office for their operation.

13 HAF: And did they ever provide you anything from Silver State Bank or the subsequent bank
14 that took over it regarding the financial assurance?

15 ER: Uh, the Silver State Bank uh, had gone out of business. They were uh taken over by
16 Nevada State Bank and requests to Secured Fibres to have Nevada State Bank
17 provide us with some kind of documentation that they will validate or hold valid the
18 Silver State Bank financial assurance mechanism uh, we requested that Secured
19 Fibres provide us some kind of documentation from Nevada State Bank and they did
20 not provide us any documentation.

21 HAF: Ok, and did you or did any of the employees of Solid Waste and Compliance uh follow
22 up and contact Nevada State Bank regarding uh a CD?

23 ER: Yes.

24 HAF: And who's that person?

25 ER: That is Arta Faraday of the Solid Waste Plan Review Section who is reviewing the

**ATTACHMENT 9: TRANSCRIPT EXCERPT FROM SOLID WASTE MANAGEMENT
AUTHORITY HEARING (PAGE 6 OF 14)**

1 application for Secured Fibres uh did contact the Nevada State Bank and uh he is here
2 today to provide testimony as to what his investigation concluded.

3 HAF: Ok, at this point in time do you still consider Secured Fibres out of compliance for the
4 purposes of providing us with solid, with uh financial assurance for running a recycling
5 center?

6 ER: I do at this time, yes.

7 HAF: Ok, thank you, that's all I have.

8 HM: Ok, um, do you have any questions about anything that Mr. Ridenour has said?

9 JK: No, he's pretty well spoken. I just have some counters to it basically.

10 HM: Ok, I'll give you a chance to counter. Thank you, Mr. Ridenour.

11 HAF: Thank you. I'd like to call Arta Faraday.

12 HM: Mr. Faraday?

13 Arta Faraday, Senior Environmental Health Specialist, SNHD: Yes.

14 HM: If you'll raise your right hand for me please. Do you solemnly affirm the testimony you
15 are about to give in these proceedings is the truth, the whole truth and nothing but the
16 truth?

17 AF: I do.

18 HM: Ok, you may proceed, Ms. Anderson-Fintak.

19 HAF: Thank you, Mr. Faraday. Could you please state your title with the Health District?

20 AF: My title is Senior Environmental Health Specialist.

21 HAF: Ok. And, uh, what work did you do on the Secured Fibres uh case?

22 AF: Um, I'm responsible for processing um their application for a permit modification.

23 HAF: Ok, and did you contact uh Silver State, I'm sorry, strike that, Nevada State Bank
24 regarding the CD um that was possibly transferred when Silver State Bank went out of
25 business?

**ATTACHMENT 9: TRANSCRIPT EXCERPT FROM SOLID WASTE MANAGEMENT
AUTHORITY HEARING (PAGE 7 OF 14)**

- 1 AF: Yes I did.
- 2 HAF: And what and how did you do that? What did you do?
- 3 AF: I went to a um Nevada State branch and um I asked. I showed them the um the
- 4 document um regarding the CD from Silver State Bank and I asked them um to look it
- 5 up and see if they have any evidence of that um CD still existing.
- 6 HAF: And what uh what, if anything, was did the employee tell you?
- 7 AF: They searched the their computer system and uh and made a call to their CD
- 8 department and they could not find any evidence at all. They could not find any
- 9 information regarding the CD.
- 10 HAF: Ok, and what date did you do this on?
- 11 AF: I did that on um on Wednesday, December 5, 2012.
- 12 HAF: Ok. Do you have any reason to believe that a financial assurance with Silver State
- 13 Bank that Silver State Bank failed to provide us with?
- 14 AF: No, I don't have any reason. Silver State Bank is uh
- 15 HAF: I'm sorry, Nevada State Bank.
- 16 AF: No, there's no evidence um that that CD still exists with uh Silver State Bank.
- 17 HAF: Ok.
- 18 AF: I mean Nevada State Bank.
- 19 HAF: Alright. Um, and I apologize, this may be a better question um for the prior witness, but
- 20 I'm going to ask you. Uh, how are financial service, financial assurance CD's labeled
- 21 when we when we are uh provided them? When we are provided the documentation
- 22 of them. How are they labeled with the bank?
- 23 AF: Um, could you repeat
- 24 HAF: Do they have our name on them?
- 25 AF: Yes, I have um the example from um the document from um Silver State Bank. So

**ATTACHMENT 9: TRANSCRIPT EXCERPT FROM SOLID WASTE MANAGEMENT
AUTHORITY HEARING (PAGE 8 OF 14)**

1 basically for um any mechanism we need um we request a written documentation as
2 proof of the mechanism. In this case, um we there was a letter dated October 3, 2012
3 from Silver State Bank. It addressed to the chief health officer of Southern Nevada
4 Health District indicating that uh CD number 69002212 established in favor of um the
5 Health District at the request of Secured Fibres and that CD number is not cannot be
6 located by Nevada State Bank.

7 HAF: So this document here that you're looking at that I'm looking at too that is dated
8 October 3, would that be 2007?

9 AF: Yes.

10 HAF: From Silver State Bank, that was the previous financial assurance that we had.

11 AF: Uh right.

12 HAF: And that said it was put in our favor, so our name is actually on the CD as well as
13 Secured Fibres, is that right?

14 AF: Right.

15 HAF: Ok. Those are all the questions I have, Mr. Mr. Hearing Officer.

16 HM: Do you have any questions, Mr. Kaup of um Mr. Faraday? In reference to his testimony?

17 JK: Not to his testimony, no.

18 HM: Ok. Um well thank you again Mr. Faraday.

19 AF: Ok, thank you.

20 HM: At this time, um Mr. Kaup, uh tell me what am I looking at here?

21 JK: Ok, well this was a CD that was established for

22 HM: Ok, hold on, time out time out.

23 JK: Ok.

24 HM: You say it's a CD that was established.

25 JK: Yeah.

**ATTACHMENT 9: TRANSCRIPT EXCERPT FROM SOLID WASTE MANAGEMENT
AUTHORITY HEARING (PAGE 9 OF 14)**

1 HM: Where is it? Cause uh

2 JK: Well, that's that's where the big where it all, I honestly still feel it's there somewhere.

3 We're still looking for it, uh it's at the sum of \$25,000. Uh when Silver State went out
4 of business, we got our, we had a checking account with them in which we got our
5 return of our money that was in the checking. The CD we just figured was still in that,
6 because we could not cash it. It's written to the Health District and only the Health
7 District or an officer of the Health District could release that CD upon request or
8 cashing by the the Health District. So at that time we just let it ride as being there.
9 And um uh and then we come up, we cannot find it either. We've been to um um
10 Nevada State Bank. Uh, we've been to Bank of Arizona because that's where a lot of
11 the Silver State whatever it is was transferred to. Um, we've got the FDIC involved
12 with it now because we still have money in there plus interest that should be paid on
13 that amount, which the interest would be ours.

14 HM: So at this point you have not been receiving any interest?

15 JK: We've not received any interest at all.

16 HM: Ok.

17 JK: And so that's where, and and to be honest we uh, up until last year, we've never given it
18 another thought. You know, interest on that, if cashed, was ours anyway.

19 HM: Hm hmm

20 JK: So that just uh basically a savings there. And in these times, that savings is nice to know
21 there's something to back up on. But um, the bond, the CD was still for \$25,300,
22 which is the property of of uh the Health District. And until we get it issued I, I uh, well
23 I'm swearing under oath, we still feel it's there somewhere. And we're trying to find it.

24 HM: Ok. Um, Ms. Anderson, um do you have uh any questions because I'm going to have a
25 series of them here in a minute of uh Mr. Kaup.

**ATTACHMENT 9: TRANSCRIPT EXCERPT FROM SOLID WASTE MANAGEMENT
AUTHORITY HEARING (PAGE 10 OF 14)**

1 HAF: I do have a few, if you don't mind.

2 HM: Please.

3 HAF: Would you, would you agree that the Health District did not cash this CD without your
4 knowledge?

5 JK: I would have to, you know, I would have to say no, because if somebody had of, you
6 know, I I that's the big question. Did they, did they not. You know, we did not cause
7 we're not as the letter states, you know, we have no right to it.

8 HAF: But you also know that the Health District and Secured Fibres are listed as as co-
9 owners of the CD

10 JK: co-owners, yes.

11 HAF: so it requires both of our signatures.

12 JK: That's correct.

13 HAF: Ok. Uh, would you agree that it would be prudent to go ahead and and get the
14 financial assurance so that you don't lose your permit for the purposes of operating
15 your business?

16 JK: Well, it would be, except we haven't got it right now.

17 HAF: So you understand the purpose of the financial assurance that is if you go out of
18 business it's for the Health District to clean up the property afterwards.

19 JK: Oh, I understand completely what it is. Yeah.

20 HAF: So if you were to go out of business, we would have no other recourse and we would,
21 and that the the County and the State and our funds would have to go to clean up your
22 property.

23 JK: Oh I understand that, yeah.

24 HAF: Ok. Ok. And what investigation have you done to discover where this CD is uh

25 JK: Well we uh, yesterday was with Nevada State Bank also again. and they're running a

**ATTACHMENT 9: TRANSCRIPT EXCERPT FROM SOLID WASTE MANAGEMENT
AUTHORITY HEARING (PAGE 11 OF 14)**

1 different search on the other side now to try to find out where, they cannot identify it
2 either. We have a CD number and uh, it it's who knows where it's at. That's what
3 we're trying to find. And it was cash, or uh CD, it was paid for with us in 2003 and it's
4 uh, as far as we're concerned, it's still out there. And um, so that's our contention is
5 basically we don't know where it stands. We know we've never signed for it. And,
6 obviously, you state that you never have and it would take both of us in order to cash
7 it. Therefore, where is it? And that's what we're we're going after right now and and we
8 have gotten the FDIC involved with it now because that is a transaction out there that's
9 we don't know where it's at and and whether it was misused by Silver State at the time.
10 We don't know. I can't answer that. All I know is that we gave it in full um belief that
11 and at that time it was the bank that Silver State never went out of business I think until
12 2008 or 2009 something like that when they were closed down.

13 HAF: Did you bring any documentation with you today regarding the complaint for the with
14 the FDIC?

15 JK: No I didn't.

16 HAF: Or with the Silver State Bank?

17 JK: I haven't, no.

18 HAF: Ok.

19 JK: Most of that's done on the computer.

20 HAF: Ok, that's all I have Mr. Hearing Officer.

21 HM: Ok. I just have a couple questions.

22 JK: Ok.

23 HM: You've um, you've been trying to find this CD for how long?

24 JK: Uh, since we were notified that we needed it.

25 HM: Ok, and what

**ATTACHMENT 9: TRANSCRIPT EXCERPT FROM SOLID WASTE MANAGEMENT
AUTHORITY HEARING (PAGE 12 OF 14)**

- 1 JK: About uh um over not quite a year.
- 2 HM: Almost a year?
- 3 JK: Yeah.
- 4 HM: And what kind of responses, are you getting regular responses back from your bank?
- 5 JK: No. We have to follow up with the responses in order to get a response.
- 6 HM: Ok. And your contention is that you should be allowed to continue to operate in lieu of
- 7 the bank
- 8 JK: I am.
- 9 HM: supplying this?
- 10 JK: Right now to continue with that until we were proven differently. If we're prove, if it's
- 11 proven different, or whatever, I'll have proof of it at that time. Right now, that's money
- 12 out there that's Health District's or mine, however you look at it. And that's what we've
- 13 got to prove first.
- 14 HM: Ok, well we first got to prove that it's out there.
- 15 JK: That's correct. That's exactly what we're trying to do is prove that it's out there.
- 16 HM: How would, since your license has been suspended,
- 17 JK: I'm operating basically on a suspended license right now.
- 18 HM: I I don't want to recommend you continue that because Mr. Ridenour's sitting right there.
- 19 JK: hm hrm
- 20 HM: And I think
- 21 JK: He's aware of it.
- 22 HM: I think his car works. We have a, we have a problem that can't be resolved by us on this
- 23 side of the table.
- 24 JK: hm hrm
- 25 HM: Yet it's here in front of me. This is something that has to be dealt with between you and

**ATTACHMENT 9: TRANSCRIPT EXCERPT FROM SOLID WASTE MANAGEMENT
AUTHORITY HEARING (PAGE 13 OF 14)**

1 your bank or whichever, uh, financial entity you're dealing with. But in order for your
2 suspension to be removed or revoked, uh, I I have to have something in writing
3 JK: hm hmm
4 HM: Um, a lot of banks have been taken over and I sympathize with you, maybe they did
5 lose it. Maybe somebody absconded with it, but if they did I hope there would be a
6 cancelled check somewhere.
7 JK: Well that's what we
8 HM: But looking for a cancelled check for a whole year?
9 JK: Hm hmm
10 HM: I'm a little bit questionable. Um, I'm not going to rule to overturn the suspension
11 because I can't put the taxpayers of this county at risk like that.
12 JK: Hm hmm
13 HM: I need to have something in writing. I believe what I see. If you bring me something
14 from the bank, um that says that they have it, um anything that can affirm what's
15 needed. Without something that can affirm what's needed
16 JK: Hm hmm
17 HM: I'm I'm walking in the dark with sunglasses on. That's not a good thing. Especially my
18 color. Definitely not a good thing. So I'm not going to rule to overturn the suspension.
19 The suspension will be upheld until such time that we get something from you,
20 provided by you through your bank to the Health District. That's of course the
21 contention that uh these uh, this financial award assurance is available. Hold on.
22 *Pause*
23 HAF: Just to add onto that, Mr. Hearing Officer, uh we would like some proof from Secured
24 Fibres uh from their bank regarding again, what I asked earlier, that they're

**ATTACHMENT 9: TRANSCRIPT EXCERPT FROM SOLID WASTE MANAGEMENT
AUTHORITY HEARING (PAGE 14 OF 14)**

1 investigating this uh within 5 days giving that to the Solid Waste Management uh
2 Authority so that we can see that um, although they're still on a suspended license, but
3 that is also something we would request at this point in time as proof that they are
4 looking uh, that the bank is investigating the matter.

5 HM: Mr. Kaup you're ok with that?

6 JK: I'm ok with that, yes.

7 HM: Ok, uh 5 days

8 JK: 5 days

9 HM: provide um the Health District um with some support documentation from your bank that
10 an investigation has been initiated, with some appropriate time lines on it, that until we
11 get something in writing from them the suspension cannot be lifted because you and
12 your bank (unintelligible) and I cannot put county tax payers at risk like that.

13 JK: Ok.

14 HM: Thank you.

15

16

17 Prepared by:

18

19  1/8/13

20 Lynn Cintron

21 Senior Administrative Assistant, SNHD

22

23

24

25

February 28, 2013

**ATTACHMENT 10: SOLID WASTE MANAGEMENT AUTHORITY HEARING OFFICER
ORDER.**

BEFORE THE SOLID WASTE MANAGEMENT AUTHORITY HEARING OFFICER
CLARK COUNTY, NEVADA

In the Matter of) ORDER
Secured Fibres) Notice of Violation SW12-805/H3

The above-entitled matter came on for a duly noticed public hearing on December 13, 2012. On November 7, 2012, the Solid Waste Management Authority suspended Secured Fibres permit pending revocation in accordance with the Recycling Center Regulations due to its failure to provide financial assurance (SWMAR Recycling Centers Regulations Sections 11 and 13). Pursuant to the Regulations, Secured Fibres requested a hearing on the suspension (SWMAR Recycling Centers Regulations Section 13.6-7). On December 13, 2012, properly noticed Secured Fibres appeared before the Solid Waste Management Authority Hearing Officer.

The Hearing Officer having heard testimony and received exhibits finds the facts alleged in the Notice of Suspension have been established as true by credible and substantial evidence, and concludes the Secured Fibres did not rebut the allegation that it is operating a recycling center without financial assurance. Therefore, this violation of the Recycle Center Regulations caused the suspension of its permit. Based thereon and good cause appearing:

IT IS HEREBY ORDERED that the Suspension of Secured Fibres's permit is UPHOLD. The Hearing Officer further admonished Secured Fibres to stop operating its business while its permit is suspended.

Dated this 4th day of January, 2013.


Henry Melton, Hearing Officer

Submitted by:

Heather Anderson-Fintak, Esq.
Attorney for Southern Nevada Health District

February 28, 2013

**ATTACHMENT 11: NOTIFICATION LETTER TO SECURED FIBRES FROM NEVADA
STATE BANK REGARDING CERTIFICATE OF DEPOSIT.**

NEVADA STATE BANK

THE DOOR TO YOUR FUTURE



December 20, 2012

P.O. Box 1990
Las Vegas, Nevada 8925-0990
www.nsbank.com


Re: Secured Fibres CD

Dear Secured Fibres,

We have conducted a thorough search of our bank records and are unable to locate any record for CD account 69000212, which according to a letter dated October 3, 2007, from Silver State Bank to Southern Nevada Health District, was established at Silver State Bank on October 3, 2007.

If there are any further inquiries regarding this account please feel free to contact our branch at 702-734-5736.

Sincerely,


Stephanie Segundo
Branch Service Manager
Pioneer Center Branch

ATTACHMENT 12: PHOTOS DATED DECEMBER 14, 2012 (Page 1 of 2)



Photo 1 of 4.




Photo 2 of 4.

ATTACHMENT 12: PHOTOS DATED DECEMBER 14, 2012, 2011 (Page 2 of 2)



Photo 3 of 4.



Photo 4 of 4.

ATTACHMENT 13: PHOTOS DATED JANUARY 3, 2013 (Page 1 of 2)



Photo 1



Photo 2

ATTACHMENT 13: PHOTOS DATED JANUARY 3, 2013 (Page 1 of 2)



Photo 3



Photo 4

February 28, 2013

ATTACHMENT 14: CITY OF NORTH LAS VEGAS BUSINESS LICENSE DIVISION

Mayor
Shurtliff L. Buck

Council Members
Robert L. Ellison
Anita G. Wood
Pamela A. Goynes-Grown
Wade W. Wagner



City Manager:
Timothy R. Ilicker

Finance Department
Al Zochowski, Director

Business License Division
2250 Las Vegas Boulevard North, Suite 110 • North Las Vegas, Nevada 89030
Telephone: (702) 633-1520 • Fax: (702) 399-8099 • TDD: (702) 326-6868
www.cityofnorthlasvegas.com

January 3, 2013

CERTIFIED MAIL – RETURN RECEIPT REQUESTED

Secured Fibres
4751 Vandenberg Drive
Ste A & B
North Las Vegas NV 89031

51 7144 9591 7030 5162 9144

To Whom It May Concern:

This letter is in regards to license 84303 issued by the City of North Las Vegas to Secured Fibres at 4751 Vandenberg Drive, Suites A and B, North Las Vegas, Nevada 89031. It has come to our attention that the Southern Nevada Health District (SNHD), in a letter dated November 7, 2012, suspended SNHD permit RC11-XXX-01 for cause pending permanent revocation of the permit.

Please be aware that pursuant to North Las Vegas Municipal Code (NLVMC) 5.02.440 A 1, "Business licenses granted pursuant to the provisions of this title are granted and accepted by all licensees with the express understanding that the director may upon notice revoke the license at any time if: Any of the conditions of the license or the provisions of the Code have been violated;". As an applicant and licensee of a Junk Yard, you were required to obtain a SNHD permit to operate your business in compliance with health district regulations and subsequently NLVMC 5.02.330 B states, "When a business license or permit is required by the state or county, any applicant for a city business license or permit shall submit evidence to the department that the state and/or county license or permit has been obtained."

Due to the suspension of SNHD permit RC11-XXX-01 you are in violation of NLVMC 5.02.330 B. Therefore, license 84303 issued to Secured Fibres at 4751 Vandenberg Drive, Suites A and B, North Las Vegas, Nevada 89031 is hereby revoked pursuant to NLVMC 5.02.440 A 1. All business operations must immediately cease. If you have questions regarding this action, please contact me at 702-633-1027.

Sincerely,


Lana Hammond
Business License Manager

Enclosure: November 7, 2012 - SNHD Suspension Letter

cc: Sandra Douglass Morgan, Chief Deputy City Attorney
File ✓

ATTACHMENT 15: PHOTOS DATED April 15, 2008 (Page 1 of 4)



Photo 1 Showing the entrance to the property with evidence of run-off not being contained at the site.




Photo 2 Showing the ceiling on the southeastern side of the building with only minor fire damage.

ATTACHMENT 15: PHOTOS DATED April 15, 2008 (Page 2 of 4)



Photo 3 Showing burnt debris and standing water outside the building, viewing southeast from the southeast side of the building.



Photo 4 Showing burnt debris and standing water south of the building, viewing south from the southeast side of the building.

ATTACHMENT 15: PHOTOS DATED April 15, 2008 (Page 3 of 4)



Photo 5 Showing the power pole located southeast of the building, which is assumed to be the origin of the fire, viewing southeast from the southeast side of the building.



Photo 6 Showing the conveyor line damaged in the fire, which is south of the building, viewing west from the southeast side of the building.

ATTACHMENT 15: PHOTOS DATED April 15, 2008 (Page 4 of 4)



Photo 7 Showing burnt debris south of the building, viewing north from the center of the parcel.



Photo 8 Showing burnt debris south of the building, viewing northwest from the center of the parcel.

ATTACHMENT 16: PHOTOS DATED MARCH 2, 2012 (Page 1 of 4)



1 of 7



2 of 7

ATTACHMENT 16: PHOTOS DATED MARCH 2, 2012 (Page 2 of 4)



3 of 7



4 of 7

ATTACHMENT 16: PHOTOS DATED MARCH 2, 2012 (Page 3 of 4)



5 of 7




6 of 7

RC011-XXX-01 EHS: Wynder APN: 140-06-161-002 DATE: March 2, 2012 Page 3 of 4

LOCATION OR SITE ADDRESS: Secures Fibres – 4751 Vandenberg Drive, North Las Vegas, Clark County,
Nevada, 89081.

February 28, 2013

ATTACHMENT 16: PHOTOS DATED MARCH 2, 2012 (Page 4 of 4)



7 of 7

ATTACHMENT 17: PHOTOS DATED NOVEMBER 28, 2012 (Page 1 of 5)



Photo 1 of 10




Photo 2 of 10

February 28, 2013

ATTACHMENT 17: PHOTOS DATED NOVEMBER 28, 2012 (Page 2 of 5)



Photo 3 of 10



Photo 4 of 10

ATTACHMENT 17: PHOTOS DATED NOVEMBER 28, 2012 (Page 3 of 5)




Photo 5 of 10



Photo 6 of 10

February 28, 2013

ATTACHMENT 17: PHOTOS DATED NOVEMBER 28, 2012 (Page 4 of 5)



Photo 7 of 10



Photo 8 of 10

ATTACHMENT 17: PHOTOS DATED NOVEMBER 28, 2012 (Page 5 of 5)



Photo 9 of 10



Photo 10 of 10

ATTACHMENT 18: City of North Las Vegas Fire Department Fire Incident Report, dated April 14, 2008 (Page 1 of 13)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Lasso Road, North Las Vegas, NV 89030
(702) 633-1102

INCIDENT 8087263

Date 4/14/2008
Time 3:50:53 PM

Incident Type Outside storage fire
Address 4751 Vandenberg Dr
City/State/Zip North Las Vegas NV 89081
Damage Estimate 0.0000
Occupancy Industrial plant yard - area
Actions Taken Extinguish Salvage & overhaul Salvage & overhaul

Fire Information

Structure Type
Area of Origin Construction/renovation area
Heat Source Spark, ember or flame from operating equipment
Item First Ignited Pallet, skid (empty)
Type of Material Sawn wood, including all finished lumber
Cause of Ignition Accidental
Contributions to Ignition Unspecified short-circuit arc
Suppression Factors Wind, including hurricanes or tornadoes
of Residential
of Buildings Involved 1

Vehicle Information

Involved
Type
Make
Model
VIN
License

Year
State

Equipment Information

Type Electrical power (utility) line
Power Electrical line voltage (>= 50 volts)
Brand
Model
Serial #
Portability Stationary
Year

Building Information

Status of Building
Floor of Origin
Fire Spread
Type of Contribution Materials
Building Length / Width x **Stories**
Total Square Feet

8087263

ATTACHMENT 18: City of North Las Vegas Fire Department Fire Incident Report, dated April 14, 2008 (Page 2 of 13)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date

Name CAD Narrative

CAD Master Incident Number: 04142008-8087263

Jurisdiction Incident #: NLV 20088087263

Primary Jurisdiction Inc.#: NLV 20088087263

8087263

ATTACHMENT 18: City of North Las Vegas Fire Department Fire Incident Report, dated April 14, 2008 (Page 3 of 13)

City of North Las Vegas Fire Department

Fire Incident Report

4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date 4/14/2008 20:51:09

Name TS4 SAC

S: TS4 responded on a second alarm response for a reported building fire at 4751 Vandenberg Dr. Further notes stated all 2nd alarm units respond to Andrews and Mitchell for staging. TS4 arrived at staging and met with R251.

A: TS4 met B15 and advised that TS4 to stand by for assignment. B15 assigned TS4 assist E23 on the west side and put an elevated master stream into operations. TS4 crew stayed with the truck until reassigned to rehab. TS4 crew released from rehab and assigned to pickup equipment and was being released.

C: TS4 crew set up truck on the west side just northwest of E23. No further assignments given. TS4 released from scene.

#087203

ATTACHMENT 18: City of North Las Vegas Fire Department Fire Incident Report, dated April 14, 2008 (Page 4 of 13)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date: 4/14/2008 22:14:37

Name: T52 SAC

S: T52 responded on a FIAB at 4751 Vandenberg Dr. T52 arrived and was assigned to assist E23 on the West side of the building.

A: T52 was assigned to assist E23 on the West side and put an elevated master stream into operations. T52 was sent to and was released from rehab and assigned to the West Division. T52 addressed overhaul of the West side of the building.

C: T52 assisted with getting all units back in service and was released.

8087263

February 28, 2013

ATTACHMENT 18: City of North Las Vegas Fire Department Fire Incident Report, dated April 14, 2008 (Page 5 of 13)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date 4/14/2008 22:40:19

Name BS sec

S: On 4-14-08 at approx 1600 hrs BS was dispatched to a full alarm with E23, E51, E57, R51 and T52. Location is a concrete tilt up building at 4751 Vandenberg Dr. Approx 3 acre yard with cardboard piles throughout. Secured Fibers is the busn name. The weather is warm with heavy winds from the SW. On BS arrival found E23 in command of a fire in the lot of a recycling yard with heavy card board piles on fire. E23 had called for a second alarm. BS reported to Command and was asked to assume command. This is Vandenberg Command. Reports from E23 std there was fire inside the building. Command called for 3 PD units to control traffic.

A: Command was set up to the North of the building and then moved because of heavy smoke, to the Northwest area of the parking lot, behind this address. E52 was named West Div, E23 was South Div. E57 was assigned to West Div. T52 assigned to South Div. Water supplies were established at both divs. Second alarm units were assigned to each div, with RIT set up for each Div. Med Groups were set up at both Divs with R51 and R23 along with AR 52 and AR 1. E20 was assigned to sprinkler stand by. Fire sprinklers did activate inside the building. The 3rd alarm was called for manpower. B15 arrived and assumed West Div. S06 arrived and was named Safety Officer. S02 arrived and made contact with S01, City Manger and City Council members. B1 arrived and was named Dep IC. Nev Power arrived and removed ele power to building and temp power to ally way. After approx 45 minutes fire was under control. Units were cycled through med stations. Overhaul was conducted for the next 3 hours. WT 43 was called out for foam application. S19 responded and conducted investigations. BS stood by while S19 gave busn owner the order to comply paperwork. Units were released and one ops div was named, E57 was ops.

C: BS turned Command over to E57, cleared the scene and RTQs. E57, E23, T52 and AR 52 remained on scene. S19 std that he had called NLV Environmental Control to inform them of water run off from this fire.

8082163

ATTACHMENT 18: City of North Las Vegas Fire Department Fire Incident Report, dated April 14, 2008 (Page 6 of 13)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date 4/14/2008 22:56:09
Name ES2 SAC

S: At 1550 hours on Monday April 14, 2008, E23 responded to a reported outside fire as a single resource to 4751 Vandenberg Dr. E23 arrived on scene first and requested a full response for a fire in a building. E52 responded with E51, E57, T52, R51, and B5. The weather was warm and dry with clear skies and moderate wind. No obstructions or suspicious activities were observed while en route to the incident.

A: E52 arrived on scene and notified command of arrival. E52 was assigned to the south side of the building to extinguish fire in an area containing pallets and recyclable materials. E52 personnel in full PPE and SCBA proceeded to the south side of the building accessing the area through the parking lot. E52 established our own 5" water supply with a hydrant on Vandenberg Dr. just south of the incident. E52 was positioned on pavement adjacent to the south side of the building. The 100' pre connected 1 3/4" bumper line was used initially to attack the fire in the fenced in yard area. Temporary power poles with lines down were noted in the area. The lines were isolated and an exclusion area was marked with fire line tape. B5 was notified of the wires down. E52 was made South Division. Units under command of South Division included E57, E1, T1, E201, E10, and E20. Units were assigned at various times to RIT, interior fire attack, ventilation, and overhaul. All assignments were carried out as directed with no untoward results. I advised Command that Nevada Power was on scene to secure the downed lines. All units reported to rehab for fluid replacement and rest during the incident. At approximately 1823 hours South Division was transferred from me to E57 Capt. E52 reported to rehab. Upon return from rehab E52 personnel assisted with overhaul as workers from the affected business operated forklifts and a bobcat to disperse the banded recyclables. The TIC did not indicate any unusual heat sources.

C: During break down of the supply line several handfuls of rocks were discharged from the hose. The deck gun which had been used briefly during the fire would not shut down completely and the handle had broken while attempting to close the valve. All other tools and equipment were accounted for undamaged and returned to ready. None of the crew reported any injury or illness. E52 was released by command and returned to station 52 to change into a reserve apparatus.

8087263

February 28, 2013

ATTACHMENT 18: City of North Las Vegas Fire Department Fire Incident Report, dated April 14, 2008 (Page 7 of 13)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Looe Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date 4/14/2008 23:08:59

Name E51 SAC

S: E51 responded to a first alarm assignment at 1557 to 4751 Vandenberg for a reported structure fire with T52, E52, E23, R51. E23 was on the initial dispatch that was reported as a trash fire and once on scene they identified the need for both a first and second alarm response.

A: U/A, E51 was assigned to bring a water supply to T52. After completion of initial assignment, E51 was assigned to West Division. E51 assisted with suppression and overhaul activities on the outside of the structure where numerous bundles of paper products were on fire and impinging on the structure and its contents.

C: After approximately 4 hours on scene, E51 disconnected its supply line and was released by command. No injuries or illness related to this incident were reported by E51 personnel. E51 returned status to available.

8087263

February 28, 2013

ATTACHMENT 18: City of North Las Vegas Fire Department Fire Incident Report, dated April 14, 2008 (Page 8 of 13)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Lopez Road, North Las Vegas, NV 89030
(702) 693-1102

Narrative Information

Date 4/14/2008 23:18:24

Name RS1 SAC

S: On 04/14/08 at 15:15 hrs RS1 responded to a Full Alarm Fire at 4751 Vandenberg Dr.

A: RS1 arrived and staged. RS1 reported to command and was assigned to Safety Officer. After reporting back to command RS1 was reassigned to west rehab with AR1. All personnel that were assigned to west rehab revealed vitals WNL.

C: RS1 was released by command and RTQ.

8087263

February 28, 2013

ATTACHMENT 18: City of North Las Vegas Fire Department Fire Incident Report, dated April 14, 2008 (Page 9 of 13)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date 4/14/2008 23:28:23

Name R251 SAC

S: On 04/14/08 at 15:15 hrs, R251 responded on the second alarm of a Fire in a Building at 4751 Vandenberg Dr.

A: R251 was directed to stage at Mitchell and Andrews. R251 was assigned Staging Officer of all 2nd alarm units. R251 was assigned zone 5 Tac 7 for all radio operations. T1, R251, E1, HR44, E20, and AR52 were all assigned to staging. B1 terminated staging area after all units were utilized. R251 was then assigned to South Med Group with AR52. R251 forwarded appropriate Incident Rehab Reports to B5. R251 later assisted with loading of equipment. R251 with no other actions taken.

C: R251 RTQ.

8087262

February 28, 2013

ATTACHMENT 18: City of North Las Vegas Fire Department Fire Incident Report, dated April 14, 2008 (Page 10 of 13)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date: 4/15/2008 06:46:51

Name: AR52 SAC

S: AR52 was dispatched to 4751 Vandenberg Dr. on a second alarm building fire. Notes stated second alarms units report and stage on Andrews and Mitchell, R251 crew was staging officer.

A: AR52 was assigned to South Division with R251 and became South Medical on Vandenberg Dr. AR52 refill air bottles and provided fluids for hydration and a rest area. When Air 1 was released AR52 was reassigned and relocated to Command. AR52 provided lights, fluids for hydration and refill air bottles.

C: AR52 air compressor began to shut off, Fire Equipment Spec. Scott Schuster said the compressor needs servicing. There was no other problems and all air bottles was refilled. AR52 assisted with other units equipment replacement and was released from scene, AR52 returned to service.

8087243

ATTACHMENT 18: City of North Las Vegas Fire Department Fire Incident Report, dated April 14, 2008 (Page 11 of 13)

City of North Las Vegas Fire Department

Fire Incident Report

4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date 4/15/2008 07:27:02

Name E57 SAC

S: At approximately 1550 hours on Monday April 14, 2008 E57 responded as part of a first alarm assignment along with E23, E52, E51, T52, R51, B5 to report of a fire in a building at 4751 Vandenberg Dr. While enroute AR52 was added to the dispatch. E23 was Vandenberg Command on scene and reported the fire to be in a recycling yard in a pile of cardboard on the exterior of the structure but was threatening the structure. E23 then reported the fire had extended to the building and requested a second alarm. E57 arrived and were advised to report to South Division E52.

A: E57 personnel reported to South Division in full PPE, and were assigned to a hose line extinguishing exterior pallets. E57 personnel noted the fire inside the building was accessible through large roll up doors. Second hand line was pulled and advanced to the fire inside the structure. The fire inside was in a very large pile of paper rolls and was being held in check by approximately four activated sprinkler heads. E57 personnel worked on keeping the fire confined to the Southwest portion of the building and performed a walkthrough to check for further extension inside the building, none was found. E57 remained interior through two SCBA bottles and were then replaced and sent to rehab.

Upon completion of rehab E57 was re-assigned to perform as South Division. By this time the fire had been knocked down and south division crews E57, E52, E10 and E20 continued to perform overhaul inside and outside of the structure.

As the incident wound down the Command structure was adjusted to B5 in Command, E57 Operations, E57 and E52 personnel overhaul on south side, E23 and T52 overhaul on West side, AR52 and R251 medical group and rehab. Overhaul operations continued for approximately two hours. B5 left the scene and Command was transferred to E57.

C: Overhaul was completed and a fire watch was posted. The fire was out and the scene was secure. E57 released all other units and terminated Command. E57 returned to service. No injuries to E57 personnel or equipment.

8097269

February 28, 2013

ATTACHMENT 18: City of North Las Vegas Fire Department Fire Incident Report, dated April 14, 2008 (Page 12 of 13)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Lasso Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date 4/15/2008 14:16:18

Name S19 Narrative

S19- Responded to this incident. The fire investigation report is on file in the fire investigation office.

8087263

ATTACHMENT 18: City of North Las Vegas Fire Department Fire Incident Report, dated April 14, 2008 (Page 13 of 13)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Lassa Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date 4/18/2008 21:18:18

Name B15

S: responded to a fire at a commercial recycling plant. Arrived on scene to find B5 in command with heavy fire to the charlie side of a commercial building. B15 completed a 360 and reported to command.

A: B15 assigned to west division, met with E23 face to face to transfer west division. Units assigned to west division, E51, E23, E20, T54, T53, HR44, E52 all were assigned to exposure, extinguishment, confinement and overhaul. All units were rotated through rehab and medical. No injuries were reported.

C: B15 was released by command, B15 returned to service.

ATTACHMENT 19: City of North Las Vegas Fire Department Fire Incident Report, dated March 2, 2012 (Page 1 of 17)

City of North Las Vegas Fire Department

Fire Incident Report
10410 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

INCIDENT 2053398

Date 3/2/2012
Time 10:00:30 AM

Incident Type Outside storage fire
Address 4751 VANDENBERG Dr
City/State/Zip North Las Vegas NV 89081
Occupancy Outside material storage area
Actions Taken Incident command
Damage Estimate 0.0000

Fire Information

Structure Type
Area of Origin Shipping/receiving area; loading area, dock or bay
Heat Source Heat from undetermined smoking material
Item First Ignited Multiple items first ignited
Type of Material
Cause of Ignition Accidental
Contributions to Ignition Heat source too close to combustibles. High wind
Suppression Factors Violation of fire, building or life safety code Wind, including hurricanes or tornadoes

Vehicle Information

Involved
Type
Make
Model
Year
License

Equipment Information

Type
Power
Brand
Model
Serial #
Portability
Year

Building Information

Status of Building
Floor of Origin
Fire Spread
Type of Contributed Materials
Building Length / Width x **Stories**
Total Square Feet

2053398

February 28, 2013

ATTACHMENT 19: City of North Las Vegas Fire Department Fire Incident Report, dated March 2, 2012 (Page 2 of 17)

City of North Las Vegas Fire Department

Fire Incident Report

4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date 3/3/2012 08:18:45

Name T52 SAC

S: T52 responded to a reported fire in a building @ 4751 Vandenberg Dr. on 3/02/2012 @ 1005 hrs along with E23, B5, E57, E1, R51, T3, and B3. While enroute, T52 could see a large plume of thick black smoke from approx three miles away. B5 arrived and established Vandenberg Command. On arrival, T52 found a large recycling center with the entire contents of the outside storage area fully involved with fire.

A: T52 arrived and was assigned to North Division. T52 positioned in front of E23 and set up the aerial. T52 established a 5" water supply from E23. T52 assisted with extinguishing the fire. After the initial knockdown, T52 crew was assigned to assist with hand lines and salvage and overhaul. T52 was then assigned to reposition to the opposite side of the recycling yard for better reach of the aerial stream. T52 repositioned and continued assisting with salvage and overhaul using the master stream. T52 established a water supply using a private hydrant. T52 pulled two additional 1 3/4" hand lines and continued to assist with salvage and overhaul from the ground also. T52 was released from the scene at approx 2040 hrs. T52 returned to the scene at 0530 hrs for fire watch along with E55. T52 was now Vandenberg Command. T52 and E55 used two 1 3/4" lines from E52 to assist with the overhaul and removal of the trash.

C: Arrived, set up aerial, extinguished fire, salvage and overhaul, released from scene, returned to scene for fire watch, continued with salvage and overhaul, T52 passed command over to E57, T52 released from the scene @ 0800.

1053884

ATTACHMENT 19: City of North Las Vegas Fire Department Fire Incident Report, dated March 2, 2012 (Page 3 of 17)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date 3/3/2012 09:08:17
Name E50 SAC

S: E50 responded to a reported fire in a building @ 4751 Vandenberg Dr. on 3/02/2012 @ 1006 hrs. B5 arrived and established Vandenberg Command. E50 announced arrival and was assigned to South Division (E1).

A: E50 reports to South Division (E1) via radio. E50 positions on the south side of the recycle center building and establishes a 5" water supply. E50 crew advances two each, 2 1/2" hose lines (each 200') from E50 and initiates fire attack on the south side of the incident. E50 Engineer deploys the deck gun and directs a master stream on the burning combustible material. The plan is to extinguish fire and protect the exposure buildings to the immediate south and east. After the knock down of heavy fire E50, E1, and E201 crews shut master stream operations and all 2 1/2" hose lines are transitioned to 1 1/2" hose lines. E50 crew is sent to rehab (PAR3) while E50 Engineer remains at E50 for pumping operations. After rehab E50 is reassigned to South Division (now B1) for overhaul. E50 overhauls the fire at the southeast corner of the incident. E50 is released from the scene at approximately 1812 Hrs. E50 returned to the scene at 2330 hrs for fire watch along with E54. E50 and E54 relieve E53 and E57. E50 is now Vandenberg Command. E50 and E54 used two 1 3/4" lines from E52 to assist with the overhaul and removal of the trash.

C: E51 and T56 arrive on scene at approximately 0245 hrs and Vandenberg Command is passed to E51. E50 and E54 RTS.

2053388

ATTACHMENT 19: City of North Las Vegas Fire Department Fire Incident Report, dated March 2, 2012 (Page 4 of 17)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date 3/3/2012 09:30:11

Name E57 SAC

S: E57 responded to 4751 Vandenberg Dr. as part of a first alarm assignment for a fire in a building at a storage yard. E23 arrived, established command and std. heavy smoke and flames from recycling materials in an outside storage yard approx. 500' x 500' with exposures on the north side. B5 arrived, struck a 2nd alarm and assumed command. E57 arrived and was designated West division and assigned E51 for assistance.

A: E57 and E51 personnel in full PPE and SCBA established a water supply with 200' of 5" hose and began operating the deck gun. E57 then pulled three 2 1/2" lines and began operating the handlines with E57 and E51 crew. We began knocking down fire from the west. E57 and E51 went through 2 bottles each and was sent to rehab per 6 (engineers stayed to operate engines), replaced by T56 and E55. E57 then assigned to North division (E53) Par 3. E57 assisted North division units with operating of handlines. After emptying our bottles, we went back to rehab per 3. E57 then assigned to overhaul with other units. We operated handlines then were relieved to go back to rehab per 4. E57 then assigned to overhaul per 4 with other units. E57 captain then was relieved by another captain (#635) and was assigned to EMS15, which was then assigned as safety officer.

C: E57 remained on scene with new captain, see below report for replacement captain's assignments.

E57 returned to relieve crews, E57 assumed command, and continue overhaul from 2100-0000 hrs. Command transferred to E50 at 0000 hrs. E57 returned at 1100hrs, assumed command and continued overhaul. E57 transferred command to E54 at 1300hrs.

2053398

ATTACHMENT 19: City of North Las Vegas Fire Department Fire Incident Report, dated March 2, 2012 (Page 5 of 17)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date 3/3/2012 09:40:08

Name EMS15 SAC

S: EMS15 was initially assigned to E57 and was at 4751 Vandenberg on the first alarm assignment. Upon being replaced by #635, I was assigned to safety officer as EMS15.

A: EMS15 patrolled the scene and re-secured some safety concerns passed along by previous safety officer. I put more fire line tape around areas that had become filled with water and were deemed hazardous to crews. EMS15 then met with command and assisted with clearing a path for the front loaders and taking the on site mechanic to the broken down bobcat that was stuck on the east side of the incident. It was determined that the bobcat would need to be pulled out by the front loader. I coordinated that with salvage and overhaul and command. EMS15 was then released by command.

C: EMS15 went OOS and took hazmat vehicle back to station 57, gathered my belongings, went to station 53 and put EMS15 back in service.

2053399

ATTACHMENT 19: City of North Las Vegas Fire Department Fire Incident Report, dated March 2, 2012 (Page 6 of 17)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date 3/3/2012 12:21:00

Name BS SAC

S: On arrival at a recycling business with heavy flames and smoke coming from rear yard, E23 was initiating Fire Attack. B5 announced arrival, gave a size up and assumed Vandenberg Command
A: E51 was instructed to approach from the S side. E57 was assigned to approach from the S side. E23 was assigned N Division, E57 was assigned W Division, E51 was assigned to W division, E1 was assigned S Division. T52 was assigned to N Div and to set up aerial operation supplied by E23. B3 was assigned Safety. E50 was assigned to S Div. Command requested another alarm and another TAC channel, E20 was assigned to N Div. T1 was assigned to S Div. E54 was assigned to S Div. R57 was assigned to assist Command. R251 was assigned Rehab. T3 was assigned to N Div. E53 was assigned to N Div. Command requested an additional alarm and an Investigator respond. 502 met with Command. 502 assumed Command. B5 was assigned Operations. Operations met with N,W,S Div for update and needs. Operations met with Command and briefed them of situation. Operations attended Division Briefing by Command. Operations continued to meet with, monitor and provide resources for Divs. and update Command. E54 was assigned Overhaul and to use on site front-end loaders to facilitate overhaul. Overhaul was directed to coordinate with the Divs. Scene was deescalating. Several units were released. Operation met with Command for Operational reassessment for prolonged overhaul activities. Command was transferred to B5. Overhaul operations were in effect. Command was transferred to B15. B5 available. B5 returned to scene. Command was transferred to B5. Command had a 2 unit on-scene rotation for firewatch and overhaul. On-site personnel were operating front end loaders and removing debris from yard in dumpsters. Command was transferred to E57. B5 available.
C: B1 returned to scene. All piles of debris were overhauled. On-site personnel were informed to post fire watch until all debris was removed. Scene turned over to on-site personnel. Command terminated

2033398

ATTACHMENT 19: City of North Las Vegas Fire Department Fire Incident Report, dated March 2, 2012 (Page 7 of 17)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date 3/3/2012 12:30:27

Name E53 SAC

S: E53 was dispatched with multiple alarms to a fire in a building. E53 arrived to find a large rubbish fire in the back of a recycle facility, with multiple units attempting to extinguish the fire.

A: E53 arrived and was assigned to the North division. E53 reported to the North division, and was assigned to fire attack. E53 crew used a 2 1/2" hoseline to extinguish the fire. E53 switched air bottles on the fire ground. E53 continued to extinguish the fire using the same hoseline. E53 was reassigned to rehab. E53 reported to rehab with PAR4. Post-rehab, E53 was reassigned to North division. E53 used 2 2 1/2" hoselines to extinguish the fire. E53 was reassigned to rehab. Post rehab, E53 was released from the scene.

C: E53 cleaned and returned all equipment back to E53 apparatus.

Supplemental :

Cpt. Craddock

Eng. S. Johnson

FF/P Prieto

FF Gomez

<At approx 08:30 03/03/2012>

E53 was re-dispatched to 4751 Vandenberg to releaved E55 and continue overhaul operations. After briefing by Command E53 replaced E55 on one 1 3/4 line and re-deployed a second 1 3/4 line in anticipation of increased volume of material from second front end loader. E53 was directed by command to coordinate departure of two on site tractor trailer rigs and replace one trash compactor bin. E53 directed recycling center staff to clean fire department egress behind loading area and clean ally outside of property of potential fire hazards. Mechanical issue forced the second front end loader out of service and minimized the increased volume. Command directed E53 to remove E52 from the water supply system and return it to Station 52. E52 was removed leaving behind two of E52 nozzles, one storz to 2 1/2" reducer, and one gated 2 1/2" wye 1 3/4". E53 delivered E52 to station 52. E53 returned to service in district on channel 15.

2083398

ATTACHMENT 19: City of North Las Vegas Fire Department Fire Incident Report, dated March 2, 2012 (Page 8 of 17)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date 3/3/2012 12:54:55

Name AR53 SAC

S: AR53 responded to a reported fire in a building @ 4751 Vandenberg Dr. on 3/02/2012 @ 1034 hrs.

A: AR53 placed apparatus on the north side of fire and helped set up rehab. AR53 filled SCBA bottles and provided refreshments for crews. After the sun went down, AR53 relocated to west side of fire to provide lights and set up rehab.

C: AR53 released by command, AR53 available.

2053398

ATTACHMENT 19: City of North Las Vegas Fire Department Fire Incident Report, dated March 2, 2012 (Page 9 of 17)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 693-1102

Narrative Information

Date 3/3/2012 13:35:50

Name ES1 SAC

S: ES1 responded to a reported fire in a building @ 4751 Vandenberg Dr. on 3/02/2012 @ 1006 hrs. BS arrived and established Vandenberg Command. ES1 announced arrival and was assigned to West Division (ES7).

A: ES1 reported to South Division. ES1 assigned to obtain water supply for ES7. ES1 crew pulled 200' feet of 5" hose off ES7 and stretched it to hydrant. ES1 crew in full PPE and SCBA assigned to pull two 2 1/2" lines and attack main body of fire on the north west side. ES1 was reassigned to attack fire spreading into businesses on west side. ES1 moved apparatus and brought in own water supply off Andrews st. ES1 set up deck gun on West side to keep fire from spreading to businesses on the west. ES1 crew in full SCBA and PPE used circular saw to cut chain link fence to businesses on the west side to advanced 2 1/2" lines to hit hot spots. ES1 reported two west division all fires in the businesses rear lots knocked down. ES1 reported two rehab. ES1 reassigned to west division and started picking up equipment of ES1 to return to service.

C: ES1 loaded all equipment back on rig and released. ES1 returned to station and placed apparatus back into service. ES1 returned to fire at approximately 1700 hours to assist with overhaul. ES1 released at approximately 2000 hours and returned to service. ES1 returned at 0300 hours to continue overhaul.

2053988

ATTACHMENT 19: City of North Las Vegas Fire Department Fire Incident Report, dated March 2, 2012 (Page 10 of 17)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date 3/3/2012 13:49:22

Name R57 SAC

S: On 03-02-12 at approximately 1000 Hrs. R57 was dispatched to 4751 Vandenberg Dr. as part of a first alarm assignment for a fire in a building. E23 was first on scene and reported heavy smoke and flames coming from a recycling business yard.

A: R57 was assigned by B5 to assist with Staging throughout incident. R57 assisted incoming unit stage and coordinated assignments per B5 orders.

C: R57 was relieved from scene by B5.

2053388

ATTACHMENT 19: City of North Las Vegas Fire Department Fire Incident Report, dated March 2, 2012 (Page 11 of 17)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date 3/3/2012 16:29:25

Name ES4 Narrative

S: ES4 responded to a reported fire in a building @ 4751 Vandenberg Dr. on 3/02/2012 @ 1029 as part of the 3rd alarm assignment. ES4 announced arrival and was assigned to South Division (E1).

A: ES4 reports to South Division (E1) via radio. ES4 assigned to assist with fire attack; assigned to 2 lines in south division. South division transferred to B1.

ES4 crew sent to rehab.

ES4 crew re-assigned to equipment operations where 2 Bobcats were placed in service to break apart the piles of recyclables.

ES4 released from scene at approx. 1900.

ES4 was recalled to the scene with ES0 from 1130 to 0300. ES0 command. Both units assisted with overhaul utilizing 2 hand lines to ensure extinguishment while company personnel operated front loaders to break apart the piles of recyclables, overhaul, and load into trash bins for removal.

ES4 was recalled to the scene from 1230 to 1500 (03/03/2012) where we operated as a single unit assisting with overhaul as above.

C: All ES4 equipment returned to service. no injuries or illnesses reported.

2053398

ATTACHMENT 19: City of North Las Vegas Fire Department Fire Incident Report, dated March 2, 2012 (Page 12)

City of North Las Vegas Fire Department

Fire Incident Report

4040 Losee Road, North Las Vegas, NV 89030
(702) 630-1102

Narrative Information

Date: 3/3/2012 17:09:26

Name: ESS SAC

S: ESS responded with the 4th alarm units to Vanderburg Command, staging on the Northeast side of incident @ Mitchell. ESS reported into staging on arrival(R57).

A: ESS was assigned to West Division (T56). ESS with T56 FF tasked to extinguish fire extension on the West side of incident, miscellaneous commex boxes and wood pallets. ESS to rehab, assigned as North Division relieving E53. ESS and E8 were assigned to North Division and worked on extinguishing multiple piled bales of recyclable trash. North Division reported to Command Post. Command (S02) advised all divisions were being terminated, multiple units were going to be sent home, and fire units would begin to be rotated through incident. ESS released from scene @ 1430. ESS returned to scene @ 1630 assigned to overhaul division extinguishing multiple piled bales of recyclable trash. ESS released from scene @ 2200. ESS returned to scene @ 0530 assigned to overhaul division extinguishing multiple piled bales of recyclable trash.

C: ESS released from scene @ 0900 with E53 assuming our position. Vanderburg Command was still active with E53, E5, and E15 remaining on scene.

2059398

ATTACHMENT 19: City of North Las Vegas Fire Department Fire Incident Report, dated March 2, 2012 (Page 13 of 17)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date 3/4/2012 06:29:23

Name B15 SAC

S: B15 dispatched to recycling yard fire as relief for B5.

A: B15 arrived, met with B5 and assumed command. Extensive overhaul operations were previously initiated, B15 continued cycling crews in and out of operational area through out evening. B5 returned, B15 & B5 set up overnight schedule to continue overhaul operations.

C: Command returned to B5, B15 available.

2053398

ATTACHMENT 19: City of North Las Vegas Fire Department Fire Incident Report, dated March 2, 2012 (Page 14 of 17)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date 3/4/2012 07:14:48

Name R251 SAC

S: R251 responded to a reported fire in a building @ 4751 Vandenberg Dr. on 3/02/2012 as part of the second alarm.

A: R251 placed apparatus on the north side of fire and helped set up rehab, R251 assisted AR53 with filling SCBA bottles and providing refreshments for crews. After the sun went down, R251 and AR53 relocated to west side of fire to provide lights and set up rehab.

C: R251 released by command. R251 available.

2053330

ATTACHMENT 19: City of North Las Vegas Fire Department Fire Incident Report, dated March 2, 2012 (Page 15 of 17)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date: 3/4/2012 07:45:34

Name: T56 Narrative

S: T56 responded on a fourth alarm to a fire at 4751 Vandenberg. T56 went to staging on arrival which was located on Vandenberg Street, just east of the incident.

A: T56 was assigned to west division and reported there. Upon arrival at west division; T56 captain was assigned west division supervisor. West division had E201 and E55 assigned at this time with par 9. Engine 51 was connected to a water supply and was doing all the pumping to hose lines at this location. E51 crew had previously left to rehab. T56 firefighter went to E55 crew. Both engine crews extinguished fire in the back lot of a business called Arcadia which was addressed on Andrews Street. A conex box that was filled with computer equipment was on fire and was extinguished. The rest of the time was spent extinguishing wooden racks and crating material that was in the lot. E55 went to rehab and shortly thereafter E201 went to rehab. E23 was then assigned to west division.

C: At approximately 1430, west division was terminated and all hose and tools were picked up and units were reassigned or released from scene. T56 rtgs at this time. During the next twenty four hours, T56 was rotated into the incident on overhaul of burned material.

2053399

ATTACHMENT 19: City of North Las Vegas Fire Department Fire Incident Report, dated March 2, 2012 (Page 16 of 17)

City of North Las Vegas Fire Department

Fire Incident Report
1040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date 3/5/2012 12:57:59

Name 552 Narrative

Fire Investigations report on file in fire investigations office.

2053388

ATTACHMENT 19: City of North Las Vegas Fire Department Fire Incident Report, dated March 2, 2012 (Page 17 of 17)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date 3/6/2012 17:51:13

Name 552 SAC

S: 552 was requested and dispatched on the first alarm of a four alarm fire at the given incident address. 552 responded directly to the scene from quarters and announced my arrival with command.

A: Upon arriving 552 noted heavy smoke and fire from a recycling center and Battalion 5 in command. 552 reported to the command post and requested via cell phone contact that 530 and 533 be added to the incident and responded. 552 along with 530 and 533 conducted an Origin & Cause Fire Investigation in accordance with NFPA 921, 2011 edition that included digital photographs at the time of the incident. 552, 530 and 533 also provide incident support to operation suppression crews and command staff.

C: 552 accounted for all equipment, was released by command and RTS/RTQ.

2053328

ATTACHMENT 20: City of North Las Vegas Fire Department Fire Incident Report, dated November 28, 2012 (Page 1 of 12)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

INCIDENT 2306769

Date 11/28/2012

Time 12:04:29 PM

Incident Type Outside rubbish fire, other

Address 4751 Vandenberg Dr

City/State/Zip North Las Vegas

NV 89081

Damage Estimate 15000

Occupancy Manufacturing, processing

Actions Taken Incident command

Fire Information

Structure Type

Area of Origin

Heat Source

Item First Ignited

Type of Material

Cause of Ignition

Contributions to Ignition

Suppression Factors

of Residential

of Buildings Involved

Vehicle Information

Involved

Type

Make

Model

VIN

License

Year

State

Equipment Information

Type

Power

Brand

Model

Serial #

Portability

Year

Building Information

Status of Building

Floor of Origin

Fire Spread

Type of Contributing Materials

Building Length / Width

x

Stories
Total Square Feet

2306769

February 28, 2013

ATTACHMENT 20: City of North Las Vegas Fire Department Fire Incident Report, dated November 28, 2012 (Page 2 of 12)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date

Name CAD Narrative

CAD Master Incident Number: 11282012-2306769

Jurisdiction Incident #: NLV 20122306769

Primary Jurisdiction Inc. #: NLV 20122306769

2306769

ATTACHMENT 20: City of North Las Vegas Fire Department Fire Incident Report, dated November 28, 2012 (Page 3 of 12)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date 11/28/2012 15:58:28

Name R51 SAC

S: R51 was dispatched as part of a second alarm to 4751 Vandenburg Dr. for an outside fire. R51 announced arrival and staged.

A: R51 was released by Incident Command without assignment.

C: R51 available.

2906768

February 28, 2013

ATTACHMENT 20: City of North Las Vegas Fire Department Fire Incident Report, dated November 28, 2012 (Page 4 of 12)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date 11/28/2012 16:38:18

Name BS SAC

S: BS upgraded response to full alarm. On arrival at a large recycling yard with heavy smoke and flames coming from bales in the rear yard, BS established Vandenberg Command
A: E23 was assigned to set up around the access road to the S of the yard. T52 was assigned to set up on the N of the yard and to initiate aerial operations. E50 was assigned to set up water supply for E23. T52 was named N Div. T1 was assigned to assist N Div. E23 was named S Div. Command requested 2nd alarm. Arriving units were to stage on Vandenberg. E201 was assigned to assist N Div. E20 was assigned E Div. E51 was assigned Exposure Group for structures S of the incident. S0S was assigned Safety. E1 was assigned to assist N Div. N and S Div stated knockdown on bulk of fire. Command had N,S,E Divs stop all water and to report on conditions. All Divs stated fire was knocked down and needed to initiate overhaul. Command had all Divs resume water flow. Command met with N and S Divs. Exposure Group stated no problems. Exposure group was terminated. E51 was assigned to stage. R51 was released from scene. On-site personnel operated bobcats to assist in overhaul. SoHV Water Authority was notified. E Div was terminated. E51 was assigned to assist N Div. E20 was assigned to assist S Div. E1, T1, E201 were released from scene. N and S Divs were terminated. Operational group was renamed Overhaul. Crews cycled through work periods and Rehab. E20 was released from scene. Command met with Overhaul. On-site personnel had front end loader and side dump trailers responding to scene.
C: Command was transferred to T52. BS available.

2406769

ATTACHMENT 20: City of North Las Vegas Fire Department Fire Incident Report, dated November 28, 2012 (Page 5 of 12)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date 11/28/2012 17:41:21

Name E50 SAC

S: E50 responds to a fire as part of a full response. B5 arrives on scene and reports a large recycling yard with heavy smoke and flames coming from bales in the rear yard, B5 established Vandenberg Command. E50 was assigned to set up water supply for E23. Command assigns E50 to assist South Division.

A: E50 lays a water supply for E23. E50 connects water supply to E23 and operates the master stream on E23. E50 FF's extend and operate a 2 1/2 inch hose line on the fire. Fire is knocked down and all crews transition to overhaul. E50 overhauls the fire in conjunction with "Bobcat loaders" on scene.

C: Overhaul complete and E50 is released by Vandenberg Command (now TS2).

1205760

February 28, 2013

ATTACHMENT 20: City of North Las Vegas Fire Department Fire Incident Report, dated November 28, 2012 (Page 6 of 12)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date: 11/28/2012 22:14:40

Name: E51 SAC

S: E51 responded to a reported fire in a recycling yard as part of a second alarm. Second alarm units on channel 5 Tac 7 to stage on Vandenburg. E51 arrived and staged.

A: E51 was assigned to switch to Tac 5 and be exposure group. E51 was to investigate for any extension or possible exposures south of incident. E51 checked all building and lots to see if the fire spread, no extension or exposure issues noted. E51 advised Command of such. E51 was assigned to stage. E51 was assigned to assist North division with extinguishment. North Division had E51 bring a gated wye along with 200' of 1.75 hose line. Wye hooked up to a 2.5" hose line and connected the 1.75" hose lines. Extinguishment continued along with others in North Division. E51 continued with overhaul with the use of bobcats and later a front loader.

C: E51 was released by command after overhaul completed. E51 returned all equipment to apparatus, E51 RTS.

2388769

February 28, 2013

ATTACHMENT 20: City of North Las Vegas Fire Department Fire Incident Report, dated November 28, 2012 (Page 7 of 12)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date 11/28/2012 23:03:09

Name T52 SAC

S: T52 responded to a reported trash fire next to a building @ 4751 Vandenberg Dr. on 11/28/2012 @ 1206 hrs along with E23, E50, T1, R23, B5, E201, E51, and E20. B5 and E23 announced that they were on scene. B5 established Vandenberg Command. On arrival, T52 found a large recycling center with flames and smoke coming from the middle of the yard. E23 was located to the West of the fire. B5 had set up command to the northwest of the fire.

A: T52 arrived and was assigned to North Division. T52 set up the aerial and hit the fire using two master streams from the basket. T1, E201, and E51 were assigned to North Division. A 2 1/2" line was wye'd off of T52 with two 100' sections of 1 3/4" hose. North Division extinguished the fire using foam. After knockdown, North Division became Overhaul. T1, E20, and E201 were released. E50, E51, R23, E23, T52 and AR53 remained on scene. Two recycling employees used bobcats to help overhaul the fire. A front loader and three semi-truck haulers loaded up the overhauled trash and removed it to the landfill. B5 transferred command to T52. B5 returned to quarters. E23 and R23 were released. E51, E50 and AR53 were released. T52 remained on scene overhauling the area and instructed the recycling employees to keep a fire watch over night.

C: Arrived, North Division, extinguished fire, Overhaul, Command, overhauled the fire, turned scene over to recycling employees. T52 terminated command, T52 returned to quarters.

2306769

ATTACHMENT 20: City of North Las Vegas Fire Department Fire Incident Report, dated November 28, 2012 (Page 8 of 12)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date: 11/29/2012 15:38:36

Name: 521 SAC

S: 521 responded to a fire in a outdoor storage yard located at 4751 Vandenberg Drive. 521 reported to 85.

A: 521 began origin and cause investigation.

C: 521 concluded Origin and Cause Investigation. 521 accounted for all PPE>

2306762

ATTACHMENT 20: City of North Las Vegas Fire Department Fire Incident Report, dated November 28, 2012 (Page 9 of 12)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date 12/3/2012 08:33:42

Name 505 SAC

S: 505 self dispatched to a reported fire at 4751 Vandenberg. 505 arrived to find B5 as Vandenberg Command. 505 met face to face with Vandenberg Command, 505 assigned safety officer.

A: 505 conducted a 360 degree view of the incident and reported back to Vandenberg Command. 505 requested both compaction units be deenergized. Units deenergized by business manager. 505 remained on scene until overhaul was well underway. 505 released by Vandenberg Command.

C: 505 released from scene.

2305762

ATTACHMENT 20: City of North Las Vegas Fire Department Fire Incident Report, dated November 28, 2012 (Page 10 of 12)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date 12/6/2012 07:20:19

Name 503 SAC

S: 503 responded to a reported outside trash fire that was upgraded to a full response.

A: U/a, 503 met with command and assisted with accountability of resources.

C: After the fire was in control, demobilization was implemented of unneeded resources to include 503. 503 cleared scene and returned status to available.

2306769

ATTACHMENT 20: City of North Las Vegas Fire Department Fire Incident Report, dated November 28, 2012 (Page 11 of 12)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date: 12/12/2012 09:51:27

Name: SD4 SAC

S - Responded as Duty-Chief to a reported outside fire involving recycled paper goods. Initial alarm was upgraded to a multi-alarm response.

A - Met with onscene incident commander (Battalion 5), initiated administrative notifications and assisted with onscene communications/notifications of the property owner.

C - Concluded without further incident. Returned to service.

2306762

ATTACHMENT 20: City of North Las Vegas Fire Department Fire Incident Report, dated November 28, 2012 (Page 12 of 12)

City of North Las Vegas Fire Department

Fire Incident Report
4040 Losee Road, North Las Vegas, NV 89030
(702) 633-1102

Narrative Information

Date 12/15/2012 11:53:08

Name AR53 SAC

S: AR53 was dispatched as part of a second alarm to 4751 Vandenburg Dr. for an outside fire. AR53 announced arrival and staged.

A: AR53 set up rehab and refilled SCBA bottles until released by command.

C: AR53 returned to service.

2306769
