



Memorandum

Date: June 27, 2019

To: Southern Nevada District Board of Health

From: Christopher D. Saxton, MPH-EH, REHS, *Director of Environmental Health*
 Joseph P. Iser, MD, DrPH, MSc, *Chief Health Officer*

Subject: Environmental Health Division Monthly Report

I. FOOD OPERATIONS PROGRAM

ENVIRONMENTAL HEALTH Food Operations Program – Fiscal Year Data

Food Operation Services	May 2018	May 2019		FY 17-18	FY 18-19	
Routine Inspections	2,130	2,516	↑	20,480	22,907	↑
Reinspections	187	187	→	1,868	2,119	↑
Downgrades	66	186	↑	1,676	2,123	↑
Closures	5	13	↑	150	184	↑
Special Events	99	113	↑	884	915	↑
Temporary Food Establishments & Tasting Event Booths	896	1,143	↑	6,646	6,923	↑
TOTALS	3,383	4,158	↑	31,704	35,171	↑

1. Enforcement Actions and Investigations:

- A. **Hacienda Las Palmas Seafood, 953 E. Sahara Ave.:** On May 1, the facility was closed for an Imminent Health Hazard (IHH), pest infestation. The inspector documented 15 demerits. The facility failed a reinspection due to pest infestation. The facility was reinspected and reopened with three demerits on May 10.
- B. **El Burrito Restaurant, 5359 W. Lake Mead Blvd.:** On May 2, the facility was closed for an IHH, pest infestation. The inspector documented 30 demerits. The facility was reinspected and reopened with zero demerits on May 6.
- C. **Mariscos El Tapatio, 1195 E. Pyle Ave.:** On May 14, the facility was closed for excessive demerits. The inspector documented 55 demerits. The facility passed a reopening inspection the next day with zero demerits.

- D. **Tacos Colima #4, 439 Rock Quarry Way:** On May 15, the facility was closed for two IHHs, lack of adequate refrigeration (60°F) and pest infestation. The inspector documented 33 demerits. The facility was reinspected and reopened with zero demerits the next day.
 - E. **MGM Stage 4 Storage, 3799 S. Las Vegas Blvd.:** On May 20, the area was closed for an IHH, rodent infestation. The area was treated, and all food storage was permanently removed. The permit was deleted per the facility's request.
 - F. **Big Daddy's BBQ:** On May 25, the facility was closed for two IHHs, no potable or hot water and improper disposal of liquid waste. The inspector documented 30 demerits. The facility was reinspected and reopened with zero demerits on May 28.
 - G. **Barbacoa Hidalguense at Broadacres, 2930 N. Las Vegas Blvd.:** On May 26, the facility was closed for two IHHs, no hot water and improper disposal of liquid waste. The inspector documented 29 demerits. The facility was reopened a week later with zero demerits.
 - H. **Distill Rainbow Banquet Bar and Service, 6945 S. Rainbow Blvd.:** On May 28, the facility was closed for an IHH, no hot water. Facility remains closed at this time.
 - I. **Seafood City Noodle Street, 7230 Arroyo Crossing Pkwy.:** On May 29, the facility was closed for an IHH, no hot water. The facility was reopened the same day.
 - J. **Paris Consolidated Dish Room, 3655 S. Las Vegas Blvd.:** On May 29, the permit area was closed for an IHH, pest infestation. The inspector documented three demerits. The area remains closed at this time.
 - K. **Palm Vietnamese Food to Go, 3768 S. Maryland Pkwy.:** On May 30, the facility was closed for an IHH, pest infestation. The inspector documented 17 demerits. The facility was reinspected and reopened with eight demerits on June 1.
 - L. **Lily Limited Kiosk at the Fashion Show Mall, 3200 S. Las Vegas Blvd.:** On May 31, the facility was closed for an IHH, no potable water or hot water. The inspector documented 19 demerits. The facility was reinspected and reopened with zero demerits on June 1.
 - M. **Lily Limited at Fashion Show Mall, 3200 S. Las Vegas Blvd.:** On May 31, the facility was closed for an IHH, no hot water. The inspector documented nine demerits. The facility was reinspected and reopened with zero demerits on June 1.
2. **Foodborne Illness Investigations:**
- A. **Mariscos El Mariachi #1 and #2, 552 N. Eastern Ave. and 1725 N. Nellis Blvd.:** On May 3, staff responded to a lab-confirmed case of foodborne illness associated with shellfish. The ill person consumed shellfish at both of these locations during the incubation period. Staff surveyed shellfish invoices, tags, storage, and preparation at both locations.
 - B. **Benzaa Cantina, 7585 Norman Rockwell Ln.:** On May 10, staff responded to multiple complaints of foodborne illness. Staff observed multiple issues that could lead to illness including foods in the temperature danger zone and improper cooling. The investigation resulted in a B downgrade. On June 3, the restaurant failed their reinspection and was given a C downgrade.
 - C. **McDonald's, 4774 Alta Dr.:** On May 15, staff responded to a lab-confirmed case of foodborne illness. Staff observed multiple issues that could lead to illness including improper handwashing and glove use. The investigation resulted in a B downgrade. On May 16, the restaurant passed their reinspection with an A grade.
 - D. **MGM Emeril's Fish House, 3799 S. Las Vegas Blvd.:** On May 29, staff responded to a lab-confirmed case of foodborne illness associated with shellfish. Staff performed an abbreviated response to collect shellfish source information and review shellfish storage and preparation which was all in accordance with the Regulations.

- E. **Roberto's Taco Shop, 1414 N. Eastern Ave.:** On May 30, staff responded to a lab-confirmed case of foodborne illness. Staff observed multiple issues that could lead to illness including clean dishes with old food debris and improper thawing. The investigation resulted in a C downgrade. On June 3, the restaurant passed their reinspection with an A grade.
- 3. **Onsite Intervention Training:**
 - A. Onsite Intervention Training was held with the following facilities: Thai D to Go, 860 E. Twain Ave.; Giovanni's Hole in the Wall, 8125 W. Sahara Ave.; and Il Mulino New York, 3500 S. Las Vegas Blvd.
- 4. **Supervisory/Managerial Conferences:**
 - A. Conferences were held with the following facilities: Pho Tanh Huong, 1131 E. Tropicana Ave.

II. SOLID WASTE AND COMPLIANCE PROGRAMS

ENVIRONMENTAL HEALTH Solid Waste Management Authority (SWMA) Illegal Dumping Complaints and Hearing Officer Process – Fiscal Year Data

Illegal Dumping and Hearing Officer Process	May 2018	May 2019		FY 17-18	FY 18-19	
Notices of Violations (New & Remails)	12	15	↑	70	104	↑
Adjudicated Hearing Cases	6	0	↓	61	85	↑
Total Cases Received	115	208	↑	1,318	1,562	↑
Hearing Penalties Assessed	\$11,400	\$0	↓	\$64,300	\$92,175	↑

ENVIRONMENTAL HEALTH Restricted Waste Management – Fiscal Year Data

Restricted Waste Management	May 2018	May 2019		FY 17-18	FY 18-19	
Inspections	228	289	↑	2,846	2,589	↓

ENVIRONMENTAL HEALTH Underground Storage Tanks (UST) Full Compliance Inspections – Fiscal Year Data

Underground Storage Tanks	May 2018	May 2019		FY 17-18	FY 18-19	
Compliance Inspections	43	77	↑	721	719	↓
Final Installation/Upgrade/Repair Inspections	3	11	↑	57	86	↑
Closure Inspections	0	1	↑	12	15	↑
Spill Report Investigations	0	1	↑	10	7	↓
Reinspections	17	0	↓	45	23	↓

ENVIRONMENTAL HEALTH Permitted Disposal Facilities (PDF) Inspections – Fiscal Year Data

Permitted Disposal Facilities	May 2018	May 2019		FY 17-18	FY 18-19	
Inspections	25	21	↓	218	231	↑
Reinspections	1	4	↑	29	24	↓

1. Solid Waste Plan Review Program (SWPR):

- A. **Permits Issued** – Assured Document Destruction (RC-Modification); BB Recycling (RC-Modification); Henderson Transfer Station (TS-Modification); Paramount Fibers, LLC (RC-Modification); Ryze Renewables (WE-Change of Ownership); and Western Pacific Pulp and Paper (RC-Modification)
- B. **Landfills** – Apex Regional Landfill; Boulder City Landfill; Laughlin Landfill; Nellis Air Force Base (Post Closure Monitoring); Timet; Sunrise Mountain (Post Closure Monitoring); and Wells Cargo
- C. **Facility Applications Being Processed** – Materials Recovery Facilities (2); Recycling Centers (7); Transfer Station (1); Waste to Energy (1); and Waste Grease (1)
- D. **Facilities planned for approval at DBOH meetings/SNHD Workshops in June:**
Global Refining Group West, Inc

ENVIRONMENTAL HEALTH Asbestos Permitting Services – Fiscal Year Data

Asbestos Permitting Services	May 2018	May 2019		FY 17-18	FY 18-19	
Asbestos Permits Issued	70	83	↑	748	766	↑
Revised Asbestos Permits Issued	2	3	↑	27	34	↑

ENVIRONMENTAL HEALTH Subdivision Program – Fiscal Year Data

Subdivision Plan Review	May 2018	May 2019		FY 17-18	FY 18-19	
Tentative Maps-Received	22	18	↓	203	258	↑
Tentative Maps-Lot Count	1,651	873	↓	13,401	18,772	↑
Final Maps-Received	34	33	↓	270	304	↑
Final Maps-Lot Count	1,300	1,583	↑	10,163	11,606	↑
Final Maps-Signed	39	26	↓	202	233	↑
Final Maps (Signed)-Lot Count	1,406	1,191	↓	7,998	9,064	↑
Improvement Plans-Received	38	28	↓	246	261	↑
Improvement Plans-Lot Count	1,334	1,419	↑	9,938	11,191	↑
Expedited Improvement Plans-Received	7	7	→	51	48	↓
Expedited Improvement Plans-Lot Count	386	272	↓	2,762	3,231	↑
Fees Paid	\$49,430	\$30,095	↓	\$348,566	\$354,579	↑

ENVIRONMENTAL HEALTH Individual Sewage Disposal System (ISDS) Program – Fiscal Year Data

Individual Sewage Disposal Systems	May 2018	May 2019		FY 17-18	FY 18-19	
Residential ISDS Permits	13	14	↑	122	105	↓
Commercial ISDS Permits	2	3	↑	52	49	↓
Residential Pool Plan Reviews	13	9	↓	82	68	↓
Loan Certifications	1	0	↓	19	12	↓
Tenant Improvements	26	19	↓	143	146	↑
Compliance Issues Resolved (pre-permitting)	0	2	↑	32	29	↓
Compliance Cases Resolved (post-permitting)	1	0	↓	27	7	↓

2. ISDS Program Activity:

- A. ISDS staff continues to provide comments for Clark County and City of Henderson land use applications and technical review comments for the Clark County Mapping Team on proposed parcel maps.
- B. ISDS staff continues to work with the Nevada State Division of Water Resources and local building departments (Clark County, City of Henderson, and City of Las Vegas) to address any potential ISDS issues via the Tenant Improvement process.

3. Used Mattress and Bedding Program Activity:

- A. There were no additional Used Mattress Sanitizers registered. The total remains at nine. There is one application submittal that is currently under review.
- B. Staff is working to conduct education and outreach to the gaming industry regarding the proper removal and disposal of used mattresses.

ENVIRONMENTAL HEALTH Safe Drinking Water Program – Fiscal Year

Data

Safe Drinking Water Program	May 2018	May 2019		FY 17-18	FY 18-19	
Public Water System Sanitary Surveys	1	2	↑	36	46	↑
Public Water System Violation Letters	0	0	→	16	4	↓
Public Water System Complaints	0	1	↑	0	6	↑

4. Safe Drinking Water Activity:

- A. Staff continued to monitor water hauling activities for the following water systems:
 - **Speed Vegas** water hauling activities were previously approved to continue until December 31, 2018 (past due). This deadline, set by the Nevada Division of Environmental Protection (NDEP), is justified by the permit's water well construction project CL-0005960-18. Any deadline extensions are per NDEP only. An extension from has not been granted at this time.
 - **Red Rock Visitor Center** water hauling activities are expected to end at an undetermined date (estimated completion of a treatment plant for the new water well).
 - **Red Rock Campground** water hauling activities are expected to end at an undetermined date (estimated completion of interconnecting with the Red Rock Fire Station).

- **Laker Plaza Inc's** water hauling received an approved extension until June 30, 2019. This deadline was recently justified by the permit consultant's progress with the City of Henderson public water system intertie. Our staff will continue to evaluate the consultant's progress.
- B.** Staff continued to track analyte compliance issues with the National Primary Drinking Water Regulations and Secondary Standards. Three *coliform*-present sample events were reported. Those sample events were not for permits associated with SNHD.
- C. Desert Paradise:** The owner has yet to address the permit's arsenic contamination issue from 2010 to 2019. The owner has requested a compliance extension from NDEP. Although an extension has not yet been granted, bottled water continues to be made available.
- D. Red Rock Fire Station and Law Enforcement BLM:** The system's representatives were informed about their missed CY2019 Q1 *coliform* event translating to a Tier 3 violation. That violation requires public notification and was due by May 8. Staff attempts to speak to the representatives have been unsuccessful.
- E. Hillcrest Manor Water Users:** The operator reported a March hydrocarbon contamination to SNHD on April 8. Staff told the operator to initiate Tier 1 public notification while the source of the contamination was determined. The notification was sent to 142 parcel owners. On April 12, the operator arranged for water to be hauled via a mobile water tanker. That tanker was staged at a central location in the system's service area. On April 24, the operator accounted for a second set of volatile organic compounds (VOC) and semi-VOC samples; the first set expired. The April 24 VOC sample contained toluene >6 µg/L and TTHM >1 µg/L; no other VOCs were detected. The April 24 semi-VOC report is being reviewed by SNHD and NDEP. The Tier 1 notice was rescinded on May 6.
- F. Waldorf Astoria Residences:** Staff received one complaint about public notification not reaching a residence; three complaints have been received since April. During Quarter 1, the public water system's TTHM RAA was 85 µg/L. The operator was informed of their public notification (PN) responsibilities. Notices were sent during the allowed deadlines. On February 27, the site's representatives discontinued secondary disinfection; this was the sole trigger for their public water system permit. Additionally, our office was notified by an NDEP representative about the permit's 2018 copper issue and failure to provide the respective residences with proper notification.
- G. Blue Diamond Rainbow SW Plaza Water:** May 7 and 9, the site's water system was sampled for *coliforms*; all samples were *coliform*-positive, *Escherichia coli*-absent. On May 13, our staff conducted a 40 CFR 141.859 Level 2 Treatment Technique Assessment. Findings included inadequate sample methods, poor well head protection, and poor storage tank maintenance. The site's corrective action deadline is June 13.
- H. Staff assessed the following permit activities:**
- **Hitchin Post Motel and RV:** On May 14, the operator discontinued the use of its two ground water wells and hypochlorite dosing. The site reactivated its service agreement with the North Las Vegas Utility Company and no longer meets the definition of a public water system. Despite that technicality, the site still has a duty to purvey safe water, per various clauses in auxiliary health permits (SNHD, Manufactured Housing, etc.).
 - **Clubhouse Tavern:** In early 2014, our staff confirmed the site no longer met the definition of a public water system. April 4, 2014, our staff formally inactivated the site's public water system permit. During a routine follow-up, our staff visited the site and discovered the site now operates as a church that

congregates for one hour each week. Staff will review the site's activities again at the end of August. If they meet the definition of a public water system, then the site owner will need to obtain a public water system permit from the NDEP.

III. VECTOR CONTROL OFFICE

ENVIRONMENTAL HEALTH Vector Control and Other EH Services - Fiscal Year Data

Vector Control and Other EH Services	May 2018	May 2019		FY 17-18	FY 18-19	
West Nile Virus Surveillance Traps Set	295	419	↑	1,640	1,877	↑
West Nile Virus Surveillance Mosquitoes Tested	6,849	6,556	↓	40,876	27,418	↓
West Nile Virus Surveillance Submission Pools Tested	356	295	↓	1,712	1,266	↓
West Nile Virus Surveillance Positive Mosquitoes	0	0	→	1,238	66	↓
West Nile Virus Surveillance Positive Submission Pools	0	0	→	42	2	↓
Saint Louis Encephalitis Positive Mosquitoes	0	0	→	0	0	→
Saint Louis Encephalitis Positive Submission Pools	0	0	→	0	0	→
Western Equine Encephalitis Positive Mosquitoes	0	0	→	30	0	↓
Western Equine Encephalitis Positive Pools	0	0	→	1	0	↓
Elevated Blood Level Home Investigations	0	0	→	7	10	↑
Healthy Homes/Landlord Tenant Response (LLT)	3	7	↑	90	76	↓
Public Accommodations Inspections	10	6	↓	317	351	↑
Public Accommodations Complaints	21	26	↑	231	193	↓
Mobile Home/Recreational Vehicle Park Inspections	0	0	→	147	147	→
Mobile Home/Recreational Vehicle Park Complaints	1	3	↑	34	30	↓

IV. SPECIAL PROGRAMS

ENVIRONMENTAL HEALTH Special Programs - Fiscal Year Data

Special Programs	May 2018	May 2019		FY 17-18	FY 18-19	
School Food Facility Inspections	66	87	↑	794	810	↑
School Food Facility Complaints	1	0	↓	13	5	↓
School Facility Inspections	99	120	↑	980	991	↑
School Facility Complaints	4	2	↓	35	35	→
Child Care Facility Inspections	29	45	↑	349	347	↓
Child Care Facility Complaints	4	6	↑	38	38	→
Body Art Facility Inspections	73	38	↓	587	548	↓
Body Art Facility Complaints	6	2	↓	29	19	↓
Body Art Artist Special Event Inspections	12	2	↓	181	352	↑
Total Program Services Completed	294	302	↑	3,006	3,145	↑

1. Schools:

A. Innovation International Center, 1600 E. Oakey Blvd.: During a routine inspection on May 13, staff observed loss of air conditioning in a portion of the facility. Air temperatures in three classrooms ranged from 88°F to 90°F. The Nevada Administrative Code (NAC) 444.56832 requires that the temperature in classrooms be maintained between 65°F and 85°F. The affected classrooms were closed, and school administration was directed to relocate the children to alternate classrooms until the air conditioning was repaired and adequate air temperatures were maintained. The school year ended with the students in their relocated classrooms. Staff will remain in contact with school administration to ensure that the air conditioning units are repaired.

2. Child Care:

A. Children's Learning Adventure, 8420 Farm Rd.: On May 8, staff investigated a complaint alleging laundry equipment was in disrepair, poor sanitation practices, and sick children were being allowed to attend. The investigation confirmed that the washer and dryer used for cleaning onsite linens had been out of service for approximately one month and the facility had no contingency plan in place to properly launder soiled linens. Staff were taking linens home for laundering then returning them to the facility. The investigation also noted that injury illness logs were not being properly maintained as required. Poor sanitation practices could not be verified. The facility was required to cease laundering of linens at home and properly maintain the required injury illness logs. The facility repaired the washer and dryer and the complaint was closed.

B. Children's Learning Adventure, 11183 S. Eastern Ave.: On May 22, staff responded to a self-reported sewage spill in the facility. The toilet overflowed sometime between closing on May 21 and opening the next day, resulting in sewage penetration through the wall of the classroom and into a hallway, other classrooms, and the culinary room. The operator had relocated the children into unaffected rooms and performed preliminary cleaning activities. The operator had already contacted an environmental services company to evaluate and remediate the water damage.

On May 23, the affected carpets were cleaned and disinfected and the water damage was repaired. The facility resumed normal operations on May 24.

V. FACILITY DESIGN ASSESSMENT & PERMITTING (FDAP)

ENVIRONMENTAL HEALTH Facility Design Assessment & Permitting Program - Fiscal Year Data

Food Pre-Permitting Services	May 2018	May 2019		FY 17-18	FY 18-19	
Food Safety Assessment Meetings	4	9	↑	67	105	↑
Total Food Pre-Permitting Services	1,211	1,327	↑	10,248	13,161	↑
Total Service Request Intake	330	310	↓	2,435	3,278	↑
Total Service Request Released	210	297	↑	1,865	3,018	↑
Total Service Requests Currently in Pre-Permitting	1,183	1,504	↑			

1. Enforcement Actions and Investigations:

- A. Cleaver Banquet Kitchen and Service Bar, 3900 Paradise Rd.:** A pre-permitting inspection was conducted for two new permits. During the walk through, staff discovered an additional service station which was not included on the original plans. Revised plans were submitted for approval and the facility passed its final permitting inspection.
- B. We Scoop U Top, 3180 E. Desert Inn Rd.:** The prospective owner requested a preliminary field evaluation of a former Subway store before applying for a permit. Based on inter-agency communication with the Clark County Water Reclamation District (CCWRD), it was noted that there is no grease capture at this address. The prospective owner is considering his options.
- C. Jade Asian Kitchen and Noodles, 221 N. Rampart Blvd.:** Two of the five permitted areas, the sushi bar and cocktail bar, failed their final permitting inspections due to construction being incomplete. Additionally, no potable water was available in the sushi bar. Upon reinspection, the entire restaurant was approved to operate.
- D. Capriotti's Sandwich Shop, 11350 Southern Highlands Pkwy.:** A scheduled Change of Permit Holder (CPH) inspection resulted in closure due to a roach infestation. This was the second failed inspection due to pest infestation. Live multigeneration roaches were still present in multiple areas of the facility. Old food, grease, and other harborage conditions were still present. The owners attended a Supervisory Conference, contracted with a new pest control operator, and addressed all cleaning issues and harborage areas. The facility successfully passed their scheduled reinspection and were approved to open and operate.
- E. Smith & Wollensky, 3377 S. Las Vegas Blvd.:** A final permitting inspection was approved with stipulations and a follow-up inspection. Violations included one walk-in cooler not at an approved temperature, ice machine not plumbed, cold rail out of temperature, insufficient lighting in several areas, and glass washers in both bars not setup and ready. All violations were corrected by the follow-up inspection and in time for the grand opening.
- F. La Neveria LV, 3115 N. Las Vegas Blvd.:** The facility failed a second CPH inspection due to insufficient hot water at the three-compartment sink. SNHD Regulations require that facilities have 120°F hot water at the three-compartment

sink and that the water source be of sufficient capacity to meet the peak water demands of the facility. The owner must correct the violation and attend a Supervisory Conference prior to reinspection.

G. Nomad Pool Snack Bar at Park MGM, 3770 S. Las Vegas Blvd.: While staff was conducting an inspection onsite, property management asked about the potential use of fountains within the cabanas near the pool. The fountains would be filled with liquor so that customers within the cabanas could fill their containers from the fountains. The fountains appeared to be the type used as garden features and made of concrete. SNHD Regulations require that food contact surfaces be food grade and National Sanitation Foundation certified or equivalent. Staff explained that the fountains could not be approved for food service.

H. Las Vegas Stadium, 6623 S. Las Vegas Blvd.: Staff conducted a pre-permitting inspection and noticed several issues including waste lines over foodservice areas. SNHD Regulations require that waste lines be troughed to a floor drain when passing over foodservice areas to prevent accidental discharge of sewage into the foodservice areas. The next pre-permitting inspection is scheduled next month.

VI. AQUATIC HEALTH PROGRAM

ENVIRONMENTAL HEALTH Aquatic Health Program - Fiscal Year Data

Aquatic Health Program Services	May 2018	May 2019		FY 17-18	FY 18-19	
New Projects Submitted to Plan Review	85	55	↓	783	699	↓
All Projects Released from Pool Plan Review	106	82	↓	489	781	↑
Total Operation Inspections	419	453	↑	4,370	3,818	↓
Complaint Investigations	21	29	↑	190	194	↑
Inactive Body of Water Surveys	3	4	↑	73	77	↑
Total Program Services Completed	634	623	↓	5,905	5,569	↓

Drowning/Near Drowning/Diving Incident Investigations at Permitted Facilities: 7

1. Enforcement Actions:

A. Las Vegas Grand Apartments, 818 E. Flamingo Rd.: On May 6, the aquatic venue was closed when staff found one of the two pool lights contained water and both main suction outlet covers were broken. A reinspection is pending verification that corrective actions have been made.

B. Silver Stream Apartments, 5701 W. Rochelle Ave.: On May 6, the pool and spa were closed when staff found one of the two gates propped open with a rock. A reinspection found the gates to be self-latching and self-closing from any open position as required.

C. Crystal Creek Apartments, 3001 W. Warm Springs Rd.: On May 6, CPH inspections were conducted and approved for five aquatic venues at the facility. Staff was unable to complete initial operating inspections for two of the venues because the pools had been drained for re-plastering. One gate was propped open with a waste bin and the spa was partially drained, so the aquatic area was closed by SNHD. The violations were communicated to management, and it was stressed that

the aquatic venue must remain closed and inaccessible during the re-plastering process.

- D. **The Meadows Mobile Home Park, 2900 S. Valley View Blvd.:** On May 14, staff conducted complaint investigations on the pool and therapy pool. The complainant stated that the filters did not work properly, and chemical levels were noncompliant. Both aquatic venues were clean, clear, and had functioning recirculation systems. Testing records indicated testing frequency was compliant and chemical levels were adjusted as necessary. Water chemistry was tested and found to be within acceptable ranges. Recirculation system flows were calculated and acceptable also. Barrier and egress points were compliant. The complaints were unsubstantiated.
- E. **Wynn VIP Villas, 3131 S. Las Vegas Blvd.:** On May 15, plumbing inspections for three remodeled VIP Villa aquatic venues were completed and approved. The preexisting stainless steel piping that ran over the hotel's casino floor was removed and rerouted with PVC pipe and fittings to a new equipment room. On May 17, the final remodel inspections and lighting surveys were conducted and approved. The venues can be used at night.
- F. **Palazzo Hotel & Casino, 3325 S. Las Vegas Blvd.:** On May 21, a post-incident investigation was conducted. The incident occurred on May 18 and involved a young child who had fallen into the deep end of the pool. No imminent health hazards or outstanding compliance issues were observed. Lifeguard coverage was adequate, and all lifeguard certificates were current. A full inspection was conducted as well, which resulted in a compliance schedule for the replacement of the circulation system motor. Follow-up with the operator will be conducted on June 21. The aquatic venue resumed operation.
- G. **Home2Suites, 4940 Dean Martin Dr.:** On May 23, a lighting survey was conducted at the request of the contractor. At the final permitting inspection, the required measurements for overhead lighting were not met. NAC 444 requires a minimum of 10 foot-candles per square foot of deck surface area. The pool contractor installed additional lighting. At the second lighting survey, half of the lights did not work due to an electrical issue. On May 28, the lighting requirements for the pool area were met and the facility was approved for night use.
- H. **Bonnie Springs Motel Pool; 1 Bonnie Springs Rd.:** On May 26, a survey was conducted on the pool. The facility is closed due to a change in land development/ownership. The pool was drained but had an accumulation of rain water at the bottom of the deep end. The gate was chained and locked, and the equipment was turned off but not disconnected. The pool permit is currently on inactive status.

VII. TRAINING AND COMPLIANCE

1. Training Office staff attended the NEARS User Meeting in Denver, CO on May 1-2.
2. Staff organized and gave the monthly EH Experience Days presentation to Touro University interns on May 2.
3. Staff participated in the CFP Council III - Product Assessment Sub-Committee conference call on May 3.
4. Staff participated in the Las Vegas Science and Technology Festival on May 4.
5. Staff conducted a group conference call with mentees for the National Association of County and City Health Officials (NACCHO) Mentorship Program on May 7.
6. Staff conducted a survey of the M Resort's cook chill process on May 8.
7. Training Office staff attended FDA training, FD207, Plan Review, in Fargo, ND on May 14 through 16.
8. Training Office staff provided training to new EH staff on Temporary Food

- Establishments on May 15.
9. Staff conducted individual conference calls with mentees for the NACCHO Mentorship Program on May 21.
 10. Two Environmental Health Specialists (EHSs), Theresa Daspit and Veronica Cummins, were assigned to the Training Office on May 28.
 11. Training Office staff provided new hire classroom training on May 28 and 29.
 12. Training Office staff provided Standardization Training and conducted standardization inspections for Food Operation EHSs and two staff members were re-standardized.
 13. Training Office staff attended Nevada Department of Agriculture awareness training on May 30.
 14. Staff participated in a conference call with staff from Maricopa County, AZ regarding special processes, waivers, and HACCP plans on May 30.
 15. Staff conducted a survey of Café Rio's new continuous electronic monitoring system for the facilities' ambient refrigeration on May 30.
 16. Staff participated in planning for the Outbreak Prevention and Response Conference on May 31.
 17. Staff attended the Clark County Summer Business Institute's Mentor and Employer Orientation on May 31.
 18. Training Office staff provided EnvisionConnect and EnvisionConnect Remote Training to new staff on May 31.
 19. Staff participated in the Food Establishment Resource Library Website Update Project throughout the month.
 20. Staff participated in the EH Roundtable.
 21. Staff conducted dietary supplement and cosmetic manufacturing inspections.
 22. Special Processes staff participated in joint inspections at the request of Food Operations and Facilities Design Assessment and Permitting (FDAP) for facilities conducting complex food preparation, i.e., reduced oxygen packaging, and other special processes.
 23. Special Processes staff met with various operators regarding submission of labels for review, waivers, operational plans, and HACCP plans. There are currently twelve (12) cook chill/sous vide plans, ten (10) 2-barrier plans, nine (9) other HACCP plans, nine (9) waivers, and one (1) operational plan in review.
 24. Special Processes staff provided guidance to Food Operations and Industry regarding label requirements. There are currently 14 facilities in label review.

VIII. SPECIAL PROCESSES

**ENVIRONMENTAL HEALTH Label Review – Fiscal Year
 Data**

Label Review	May 2018	May 2019		FY 17-18	FY 18-19	
Facility Label Review Submissions	10	11	↑	70	85	↑
Facility Label Review Releases	10	12	↑	71	85	↑
Number of Labels Approved	231	169	↓	1,150	1,093	↓

ENVIRONMENTAL HEALTH Special Processes Plan Review - Fiscal Year Data

Special Processes Review	May 2018	May 2019		FY 17-18	FY 18-19	
Cook Chill/Sous Vide Submissions	0	0	→	1	6	↑
Cook Chill/Sous Vide Releases	0	4	↑	5	6	↑
2-Barrier ROP Submissions	0	2	↑	1	6	↑
2-Barrier ROP Releases	0	0	→	1	4	↑
Other HAACP Special Processes Submissions (Including ROP of fish, unpasteurized durably packaged juice, preservation, curing, etc.)	1	0	↓	8	2	↓
Other Special Processes Releases	0	0	→	4	1	↓

ENVIRONMENTAL HEALTH Special Processes Waivers & Operational Plans Review - Fiscal Year Data

Waivers & Operational Plans Review	May 2018	May 2019		FY 17-18	FY 18-19	
Waiver Review Submissions	0	0	→	2	2	→
Waiver Review Releases	0	1	↑	3	5	↑
Operational Plan Submissions	0	0	→	3	1	↓
Operational Plan Releases	0	0	→	2	8	↑

CDS/hh