



TFTC Transports by Month, Clark County, NV (2010 -2020*)

| Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Total |
|-------|-------|-------|------|-------|------|-------|-------|-------|-------|-------|-------|-------|--------|
| 2010 | 362 | 320 | 359 | 367 | 413 | 381 | 408 | 428 | 505 | 460 | 385 | 383 | 4,771 |
| 2011 | 359 | 404 | 458 | 498 | 458 | 568 | 469 | 467 | 455 | 467 | 434 | 425 | 5,462 |
| 2012 | 401 | 374 | 461 | 472 | 483 | 480 | 455 | 455 | 454 | 469 | 337 | 381 | 5,222 |
| 2013 | 431 | 451 | 515 | 505 | 564 | 496 | 477 | 559 | 466 | 467 | 463 | 454 | 5,848 |
| 2014 | 444 | 425 | 553 | 530 | 558 | 521 | 480 | 539 | 507 | 519 | 488 | 411 | 5,975 |
| 2015 | 430 | 408 | 497 | 463 | 545 | 568 | 538 | 558 | 586 | 531 | 503 | 482 | 6,109 |
| 2016 | 429 | 521 | 568 | 582 | 562 | 558 | 603 | 552 | 603 | 601 | 530 | 661 | 6,770 |
| 2017 | 787 | 734 | 972 | 986 | 1017 | 982 | 911 | 988 | 931 | 993 | 903 | 856 | 11,060 |
| 2018 | 821 | 819 | 1011 | 951 | 1027 | 952 | 979 | 976 | 1,086 | 1,096 | 967 | 1,108 | 11,793 |
| 2019 | 1,021 | 990 | 1081 | 1,051 | 1100 | 1,124 | 1,116 | 1,114 | 1,218 | 1,213 | 1,149 | 1,124 | 13,301 |
| 2020* | 1,135 | 1,092 | 959 | 765 | 885 | 1,001 | 1,090 | 1,040 | 0 | | | | 7,967 |

* 2020 data is incomplete.



Trauma Transport Data for Clark County, NV

04/01/2020 to 06/30/2020

| | Total Transports | Considerations | Mechanism | Anatomical | Physiological | Discharged | Admitted | OR | ICU | Death | Transfer |
|-------------|------------------|----------------|-----------|------------|---------------|------------|----------|----|-----|-------|----------|
| Totals | 2651 | 52% | 31% | 10% | 7% | 56% | 25% | 3% | 11% | 2% | 2% |
| Adult | 93% | 48% | 29% | 9% | 7% | 51% | 25% | 3% | 11% | 2% | 1% |
| | 2469 | 1269 | 761 | 251 | 188 | 1339 | 653 | 75 | 281 | 47 | 37 |
| Pediatric | 7% | 5% | 2% | 0% | 0% | 5% | 1% | 0% | 1% | 0% | 0% |
| | 182 | 121 | 52 | 5 | 4 | 139 | 20 | 3 | 16 | 1 | 3 |
| UMC | 70% | 51% | 32% | 10% | 7% | 60% | 24% | 4% | 10% | 2% | 0% |
| | 1863 | 942 | 602 | 189 | 130 | 1116 | 448 | 78 | 183 | 33 | 3 |
| Adult | 92% | 49% | 33% | 11% | 7% | 58% | 25% | 4% | 10% | 2% | 0% |
| | 1705 | 838 | 557 | 184 | 126 | 994 | 430 | 75 | 170 | 33 | 1 |
| Pediatric | 8% | 66% | 28% | 3% | 3% | 77% | 11% | 2% | 8% | 0% | 1% |
| | 158 | 104 | 45 | 5 | 4 | 122 | 18 | 3 | 13 | 0 | 2 |
| Sunrise | 23% | 58% | 22% | 11% | 10% | 45% | 28% | 0% | 19% | 2% | 0% |
| | 603 | 347 | 131 | 65 | 60 | 271 | 170 | 0 | 114 | 12 | 1 |
| Adult | 97% | 57% | 21% | 11% | 10% | 44% | 29% | 0% | 19% | 2% | 0% |
| | 582 | 332 | 125 | 65 | 60 | 255 | 169 | 0 | 111 | 11 | 1 |
| Pediatric | 3% | 71% | 29% | 0% | 0% | 76% | 5% | 0% | 14% | 5% | 0% |
| | 21 | 15 | 6 | 0 | 0 | 16 | 1 | 0 | 3 | 1 | 0 |
| St Rose | 7% | 55% | 43% | 1% | 1% | 49% | 30% | 0% | 0% | 2% | 19% |
| | 185 | 101 | 80 | 2 | 2 | 91 | 55 | 0 | 0 | 3 | 36 |
| Adult | 98% | 54% | 43% | 1% | 1% | 49% | 30% | 0% | 0% | 2% | 19% |
| | 182 | 99 | 79 | 2 | 2 | 90 | 54 | 0 | 0 | 3 | 35 |
| Pediatric | 2% | 67% | 33% | 0% | 0% | 33% | 33% | 0% | 0% | 0% | 33% |
| | 3 | 2 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 |
| OOA | OOA Transports | Considerations | Mechanism | Anatomical | Physiological | Discharged | Admitted | OR | ICU | Death | Transfer |
| UMC | 65 | 38 | 23 | 3 | 1 | 44 | 16 | 1 | 4 | 0 | 0 |
| by hospital | 3% | 58% | 35% | 5% | 2% | 68% | 25% | 2% | 6% | 0% | 0% |
| by system | 2% | | | | | | | | | | |
| Sunrise | 178 | 118 | 35 | 8 | 17 | 83 | 54 | 0 | 29 | 2 | 1 |
| by hospital | 30% | 66% | 20% | 4% | 10% | 47% | 30% | 0% | 16% | 1% | 1% |
| by system | 7% | | | | | | | | | | |
| St Rose | 17 | 8 | 5 | 2 | 2 | 9 | 4 | 0 | 0 | 2 | 2 |
| by hospital | 9% | 47% | 29% | 12% | 12% | 53% | 24% | 0% | 0% | 12% | 12% |
| by system | 1% | | | | | | | | | | |
| Total OOA | 10% | | | | | | | | | | |

Trauma Transport Data for Clark County, NV

04/01/2020 to 04/30/2020

| | Total Transports | Considerations | Mechanism | Anatomical | Physiological | Discharged | Admitted | OR | ICU | Death | Transfer |
|-------------|------------------|----------------|-----------|------------|---------------|------------|----------|----|-----|-------|----------|
| Totals | 765 | 52% | 29% | 12% | 8% | 48% | 30% | 4% | 12% | 2% | 1% |
| Adult | 94% | 47% | 27% | 12% | 7% | 44% | 29% | 4% | 12% | 2% | 1% |
| | 716 | 363 | 204 | 92 | 57 | 333 | 224 | 33 | 90 | 12 | 9 |
| Pediatric | 6% | 4% | 2% | 0% | 0% | 5% | 1% | 0% | 1% | 0% | 0% |
| | 49 | 33 | 15 | 0 | 1 | 38 | 4 | 1 | 4 | 1 | 1 |
| UMC | 70% | 49% | 31% | 12% | 8% | 52% | 29% | 6% | 11% | 2% | 0% |
| | 532 | 260 | 165 | 66 | 41 | 274 | 153 | 34 | 59 | 10 | 2 |
| Adult | 91% | 47% | 31% | 14% | 8% | 49% | 31% | 7% | 11% | 2% | 0% |
| | 486 | 228 | 152 | 66 | 40 | 238 | 149 | 33 | 55 | 10 | 1 |
| Pediatric | 9% | 70% | 28% | 0% | 2% | 78% | 9% | 2% | 9% | 0% | 2% |
| | 46 | 32 | 13 | 0 | 1 | 36 | 4 | 1 | 4 | 0 | 1 |
| Sunrise | 24% | 58% | 20% | 13% | 9% | 39% | 33% | 0% | 19% | 2% | 0% |
| | 187 | 108 | 37 | 25 | 17 | 73 | 61 | 0 | 35 | 3 | 0 |
| Adult | 98% | 58% | 19% | 14% | 9% | 39% | 33% | 0% | 19% | 1% | 0% |
| | 184 | 107 | 35 | 25 | 17 | 71 | 61 | 0 | 35 | 2 | 0 |
| Pediatric | 2% | 33% | 67% | 0% | 0% | 67% | 0% | 0% | 0% | 33% | 0% |
| | 3 | 1 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 1 | 0 |
| St Rose | 6% | 61% | 37% | 2% | 0% | 52% | 30% | 0% | 0% | 0% | 17% |
| | 46 | 28 | 17 | 1 | 0 | 24 | 14 | 0 | 0 | 0 | 8 |
| Adult | 100% | 61% | 37% | 2% | 0% | 52% | 30% | 0% | 0% | 0% | 17% |
| | 46 | 28 | 17 | 1 | 0 | 24 | 14 | 0 | 0 | 0 | 8 |
| Pediatric | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| OOA | OOA Transports | Considerations | Mechanism | Anatomical | Physiological | Discharged | Admitted | OR | ICU | Death | Transfer |
| UMC | 22 | 11 | 8 | 2 | 1 | 16 | 6 | 0 | 0 | 0 | 0 |
| by hospital | 4% | 50% | 36% | 9% | 5% | 73% | 27% | 0% | 0% | 0% | 0% |
| by system | 3% | | | | | | | | | | |
| Sunrise | 50 | 37 | 8 | 3 | 2 | 19 | 22 | 0 | 6 | 0 | 0 |
| by hospital | 27% | 74% | 16% | 6% | 4% | 38% | 44% | 0% | 12% | 0% | 0% |
| by system | 7% | | | | | | | | | | |
| St Rose | 3 | 2 | 0 | 1 | 0 | 3 | 0 | 0 | 0 | 0 | 0 |
| by hospital | 7% | 67% | 0% | 33% | 0% | 100% | 0% | 0% | 0% | 0% | 0% |
| by system | 0% | | | | | | | | | | |
| Total OOA | 10% | | | | | | | | | | |



Trauma Transport Data for Clark County, NV

05/01/2020 to 05/31/2020

| | Total Transports | Considerations | Mechanism | Anatomical | Physiological | Discharged | Admitted | OR | ICU | Death | Transfer |
|--------------------|------------------|----------------|-----------|------------|---------------|------------|----------|----|-----|-------|----------|
| Totals | 885 | 53% | 32% | 9% | 6% | 55% | 26% | 2% | 12% | 2% | 1% |
| Adult | 94% | 48% | 30% | 9% | 6% | 51% | 25% | 2% | 12% | 2% | 1% |
| Pediatric | 829 | 428 | 268 | 78 | 55 | 448 | 220 | 17 | 102 | 17 | 12 |
| UMC | 6% | 4% | 2% | 0% | 0% | 4% | 1% | 0% | 1% | 0% | 0% |
| Adult | 56 | 37 | 14 | 3 | 2 | 37 | 9 | 1 | 8 | 0 | 1 |
| Pediatric | 67% | 49% | 35% | 10% | 6% | 61% | 24% | 3% | 11% | 2% | 0% |
| UMC | 594 | 289 | 209 | 59 | 37 | 362 | 141 | 18 | 63 | 10 | 0 |
| Adult | 92% | 48% | 36% | 10% | 6% | 60% | 24% | 3% | 10% | 2% | 0% |
| Pediatric | 548 | 261 | 196 | 56 | 35 | 331 | 133 | 17 | 57 | 10 | 0 |
| Sunrise | 8% | 61% | 28% | 7% | 4% | 67% | 17% | 2% | 13% | 0% | 0% |
| Adult | 46 | 28 | 13 | 3 | 2 | 31 | 8 | 1 | 6 | 0 | 0 |
| Pediatric | 26% | 63% | 20% | 9% | 8% | 41% | 29% | 0% | 21% | 3% | 0% |
| St Rose | 228 | 143 | 45 | 21 | 19 | 94 | 67 | 0 | 47 | 6 | 1 |
| Adult | 97% | 62% | 20% | 10% | 9% | 40% | 30% | 0% | 20% | 3% | 0% |
| Pediatric | 221 | 136 | 45 | 21 | 19 | 89 | 67 | 0 | 45 | 6 | 1 |
| OOA | 3% | 100% | 0% | 0% | 0% | 71% | 0% | 0% | 29% | 0% | 0% |
| UMC | 7 | 7 | 0 | 0 | 0 | 5 | 0 | 0 | 2 | 0 | 0 |
| by hospital | 7% | 52% | 44% | 2% | 2% | 46% | 33% | 0% | 0% | 2% | 19% |
| by system | 63 | 33 | 28 | 1 | 1 | 29 | 21 | 0 | 0 | 1 | 12 |
| St Rose | 95% | 52% | 45% | 2% | 2% | 47% | 33% | 0% | 0% | 2% | 18% |
| Adult | 60 | 31 | 27 | 1 | 1 | 28 | 20 | 0 | 0 | 1 | 11 |
| Pediatric | 5% | 67% | 33% | 0% | 0% | 33% | 33% | 0% | 0% | 0% | 33% |
| OOA | 3 | 2 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 |
| OOA | OOA Transports | Considerations | Mechanism | Anatomical | Physiological | Discharged | Admitted | OR | ICU | Death | Transfer |
| UMC | 21 | 13 | 8 | 0 | 0 | 13 | 6 | 0 | 2 | 0 | 0 |
| by hospital | 4% | 62% | 38% | 0% | 0% | 62% | 29% | 0% | 10% | 0% | 0% |
| by system | 2% | | | | | | | | | | |
| Sunrise | 78 | 54 | 13 | 4 | 7 | 36 | 20 | 0 | 14 | 1 | 1 |
| by hospital | 34% | 69% | 17% | 5% | 9% | 46% | 26% | 0% | 18% | 1% | 1% |
| by system | 9% | | | | | | | | | | |
| St Rose | 7 | 4 | 1 | 1 | 1 | 2 | 3 | 0 | 0 | 1 | 1 |
| by hospital | 11% | 57% | 14% | 14% | 14% | 29% | 43% | 0% | 0% | 14% | 14% |
| by system | 1% | | | | | | | | | | |
| Total OOA | 12% | | | | | | | | | | |



Trauma Transport Data for Clark County, NV

06/01/2020 to 06/30/2020

| | Total Transports | Considerations | Mechanism | Anatomical | Physiological | Discharged | Admitted | OR | ICU | Death | Transfer |
|--------------------|------------------|----------------|-----------|------------|---------------|------------|----------|----|-----|-------|----------|
| Totals | 1001 | 53% | 31% | 8% | 8% | 62% | 22% | 3% | 9% | 2% | 2% |
| Adult | 924 | 478 | 289 | 81 | 76 | 558 | 209 | 25 | 89 | 18 | 16 |
| Pediatric | 77 | 51 | 23 | 2 | 1 | 64 | 7 | 1 | 4 | 0 | 1 |
| UMC | 74% | 53% | 31% | 9% | 7% | 65% | 21% | 4% | 8% | 2% | 0% |
| Adult | 737 | 393 | 228 | 64 | 52 | 480 | 154 | 26 | 61 | 13 | 1 |
| Pediatric | 671 | 349 | 209 | 62 | 51 | 63% | 22% | 4% | 9% | 2% | 0% |
| Sunrise | 66 | 44 | 19 | 2 | 1 | 425 | 148 | 25 | 58 | 13 | 0 |
| Adult | 19% | 51% | 26% | 10% | 13% | 83% | 9% | 2% | 5% | 0% | 2% |
| Pediatric | 188 | 96 | 49 | 19 | 24 | 55 | 6 | 1 | 3 | 0 | 1 |
| St Rose | 94% | 50% | 25% | 11% | 14% | 55% | 22% | 0% | 17% | 2% | 0% |
| Adult | 177 | 89 | 45 | 19 | 24 | 104 | 42 | 0 | 32 | 3 | 0 |
| Pediatric | 6% | 64% | 36% | 0% | 0% | 54% | 23% | 0% | 18% | 2% | 0% |
| St Rose | 11 | 7 | 4 | 0 | 0 | 95 | 41 | 0 | 31 | 3 | 0 |
| Adult | 8% | 53% | 46% | 0% | 1% | 82% | 9% | 0% | 9% | 0% | 0% |
| Pediatric | 76 | 40 | 35 | 0 | 1 | 9 | 1 | 0 | 1 | 0 | 0 |
| St Rose | 100% | 53% | 46% | 0% | 1% | 50% | 26% | 0% | 0% | 3% | 21% |
| Adult | 76 | 40 | 35 | 0 | 1 | 38 | 20 | 0 | 0 | 2 | 16 |
| Pediatric | 0% | 0% | 0% | 0% | 0% | 50% | 26% | 0% | 0% | 3% | 21% |
| Total | 0 | 0 | 0 | 0 | 0 | 38 | 20 | 0 | 0 | 2 | 16 |
| OOA | OOA Transports | Considerations | Mechanism | Anatomical | Physiological | Discharged | Admitted | OR | ICU | Death | Transfer |
| UMC | 22 | 14 | 7 | 1 | 0 | 15 | 4 | 1 | 2 | 0 | 0 |
| by hospital | 3% | 64% | 32% | 5% | 0% | 68% | 18% | 5% | 9% | 0% | 0% |
| by system | 2% | | | | | | | | | | |
| Sunrise | 50 | 27 | 14 | 1 | 8 | 28 | 12 | 0 | 9 | 1 | 0 |
| by hospital | 27% | 54% | 28% | 2% | 16% | 56% | 24% | 0% | 18% | 2% | 0% |
| by system | 5% | | | | | | | | | | |
| St Rose | 7 | 2 | 4 | 0 | 1 | 4 | 1 | 0 | 0 | 1 | 1 |
| by hospital | 9% | 29% | 57% | 0% | 14% | 57% | 14% | 0% | 0% | 14% | 14% |
| by system | 1% | | | | | | | | | | |
| Total OOA | 8% | | | | | | | | | | |



Clark County Trauma Centers Disposition by Category

(04/01/2020-06/30/2020)

| Category | Discharged (%) | Admitted (%) | To OR (%) | To ICU (%) | Transferred (%) | Deceased (%) | Total |
|------------------------|----------------|--------------|-----------|------------|-----------------|--------------|-------|
| Physiological | 15.6 | 20.8 | 6.3 | 40.6 | 0.0 | 15.6 | 192 |
| Anatomical | 35.2 | 20.3 | 16.0 | 15.2 | 0.0 | 5.5 | 256 |
| Mechanism | 66.3 | 21.3 | 1.4 | 9.5 | .7 | .4 | 813 |
| Special Considerations | 58.9 | 29.4 | 1.0 | 7.4 | 2.4 | .1 | 1,390 |
| Hospital Total | 55.8 | 25.4 | 2.9 | 11.2 | 1.5 | 1.8 | 2,651 |



ST ROSE-SIENA Trauma Disposition by Category

(04/01/2020-06/30/2020)

| Category | Discharged (%) | Admitted (%) | To OR (%) | To ICU (%) | Transferred (%) | Deceased (%) | Total |
|------------------------|----------------|--------------|-----------|------------|-----------------|--------------|-------|
| Physiological | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 2 |
| Anatomical | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2 |
| Mechanism | 71.3 | 20.0 | 0.0 | 0.0 | 7.5 | 1.3 | 80 |
| Special Considerations | 31.7 | 38.6 | 0.0 | 0.0 | 29.7 | 0.0 | 101 |
| Hospital Total | 49.2 | 29.7 | 0.0 | 0.0 | 19.5 | 1.6 | 185 |



SUNRISE Trauma Disposition by Category

(04/01/2020-06/30/2020)

| Category | Discharged (%) | Admitted (%) | To OR (%) | To ICU (%) | Transferred (%) | Deceased (%) | Total |
|------------------------|----------------|--------------|-----------|------------|-----------------|--------------|-------|
| Physiological | 16.7 | 26.7 | 0.0 | 45.0 | 0.0 | 8.3 | 60 |
| Anatomical | 29.2 | 18.5 | 0.0 | 13.8 | 0.0 | 7.7 | 65 |
| Mechanism | 65.6 | 14.5 | 0.0 | 15.3 | 0.0 | 1.5 | 131 |
| Special Considerations | 45.0 | 35.4 | 0.0 | 16.7 | .3 | 0.0 | 347 |
| Hospital Total | 44.9 | 28.2 | 0.0 | 18.9 | .2 | 2.0 | 603 |



UMC Trauma Disposition by Category


(04/01/2020-06/30/2020)

| Category | Discharged (%) | Admitted (%) | To OR (%) | To ICU (%) | Transferred (%) | Deceased (%) | Total |
|------------------------|----------------|--------------|-----------|------------|-----------------|--------------|-------|
| Physiological | 15.4 | 18.5 | 9.2 | 39.2 | 0.0 | 17.7 | 130 |
| Anatomical | 36.5 | 21.2 | 21.7 | 15.9 | 0.0 | 4.8 | 189 |
| Mechanism | 65.8 | 22.9 | 1.8 | 9.5 | 0.0 | 0.0 | 602 |
| Special Considerations | 67.0 | 26.1 | 1.5 | 4.8 | .3 | .1 | 942 |
| Hospital Total | 59.9 | 24.0 | 4.2 | 9.8 | .2 | 1.8 | 1,863 |




2019-2020 TFTC Transport Data

Clark County
(n=12,769)




2019-2020 T/FTC Transport Data
ST ROSE-SIENA
(n=822)



2019-2020 T/FTC Transport Data

SUNRISE
(n=2,912)



2019-2020 TFFTC Transport Data

UMC
(n=9,035)

